

HoleID	Depth(m)	Az.	Dip	Survey	Mag. Az.	MGPGrid GDaz.
DDH5610	0	360	-60	c	289.5	360
DDH5610	15	352.7	-60.3	a	282.2	352.7
DDH5610	30	352.4	-60.6	a	281.9	352.4
DDH5610	60	351.3	-61	a	280.8	351.3
DDH5610	90	351.1	-61.2	a	280.6	351.1
DDH5610	120	351.1	-61.6	a	280.6	351.1
DDH5610	150	350.2	-62	a	279.7	350.2
RCD5006	0	236.5	-90	c	166	236.5
RCD5006	9	236.5	-88.9	a	166	236.5
RCD5006	30	338.7	-87.6	a	268.2	338.7
RCD5006	60	331.7	-82.6	a	261.2	331.7
RCD5006	90	333.3	-79.9	a	262.8	333.3
RCD5006	130	332.2	-79.1	a	261.7	332.2
RCD5006	160	328.6	-79.5	a	258.1	328.6
RCD5463	0	70.5	-90	c	0	70.5
RCD5463	33	7.4	-87.5	a	296.9	7.4
RCD5463	63	348.2	-87.8	a	277.7	348.2
RCD5463	93	359.8	-81.9	a	289.3	359.8
RCD5463	124	356	-81.8	a	285.5	356
RCD5463	142.2	358.8	-81.1	a	288.3	358.8
RCD5464	0	70.5	-90	c	0	70.5
RCD5464	33	23.7	-89.4	a	313.2	23.7
RCD5464	63	348.2	-87.8	a	277.7	348.2
RCD5464	93	351.6	-86.3	a	281.1	351.6
RCD5464	99	327.7	-84.8	a	257.2	327.7
RCD5464	109	343	-86	a	272.5	343
RCD5464	139	330.9	-86.1	a	260.4	330.9
RCD5464	160	307	-85.7	a	236.5	307
RCD5465	0	158	-79	c	87.5	158
RCD5465	33	149.4	-80.4	a	78.9	149.4

RCD5465	33.1	150	-80.4	a	79.5	150
RCD5465	45	142.2	-81.9	a	71.7	142.2
RCD5465	57	127.6	-83.4	a	57.1	127.6
RCD5465	75	105.3	-84.4	a	34.8	105.3
RCD5465	93	83.5	-85.3	a	13	83.5
RCD5465	159	67.6	-85.8	a	357.1	67.6
RCD5465	184.5	70.5	-85.4	a	360	70.5
RCD5515	0	70.5	-90	c	0	70.5
RCD5515	6	328.5	-88.7	a	258	328.5
RCD5515	30	283.3	-86.7	a	212.8	283.3
RCD5515	60	359.4	-82.5	a	288.9	359.4
RCD5515	75	337.8	-81.4	a	267.3	337.8
RCD5515	100.7	341.4	-81.2	a	270.9	341.4
RCD5681	0	70.5	-90	c	0	70.5
RCD5681	33	336.7	-83.8	a	266.2	336.7
RCD5681	63	328.2	-81	a	257.7	328.2
RCD5681	93	321.6	-79.7	a	251.1	321.6
RCD5681	147.5	323.8	-77.8	a	253.3	323.8
RCD5682	0	70.5	-90	c	0	70.5
RCD5682	33	317	-86.5	a	246.5	317
RCD5682	63	308.9	-81.3	a	238.4	308.9
RCD5682	93	321	-79.7	a	250.5	321
RCD5682	117	322.8	-78.5	a	252.3	322.8
RCD5682	141.7	325.3	-77.8	a	254.8	325.3
RCD5699	0	70.5	-90	c	0	70.5
RCD5699	33	7.4	-88	a	296.9	7.4
RCD5699	57	333.4	-87.1	a	262.9	333.4
RCD5699	76.5	332.1	-84.4	a	261.6	332.1
RCD5699	105.6	332.4	-83.1	a	261.9	332.4
RCD5700	0	70.5	-90	c	0	70.5
RCD5700	33	330.7	-84.7	a	260.2	330.7

RCD5700	63	332.4	-78.9	a	261.9	332.4
RCD5700	81	329.2	-76.4	a	258.7	329.2
RCD5700	111	336.7	-76.2	a	266.2	336.7
RCD5700	141	337.5	-76.4	a	267	337.5
RCD5700	167	337	-76.2	a	266.5	337
RCD5701	0	70.5	-90	c	0	70.5
RCD5701	33	359	-85.9	a	288.5	359
RCD5701	63	343.3	-79.9	a	272.8	343.3
RCD5701	93	348.2	-76.4	a	277.7	348.2
RCD5704	0	70.5	-90	c	0	70.5
RCD5704	33	343.9	-86.4	a	273.4	343.9
RCD5704	63	333.4	-78.2	a	262.9	333.4
RCD5704	87	326.7	-74	a	256.2	326.7
RCD5704	117	332.2	-73.4	a	261.7	332.2
RCD5704	141.4	331.3	-74	a	260.8	331.3
RCD5709	0	70.5	-90	c	0	70.5
RCD5709	33	309.7	-86.8	a	239.2	309.7
RCD5709	63	321.5	-82.5	a	251	321.5
RCD5709	93	324.2	-77.2	a	253.7	324.2
RCD5709	123	331.4	-77.2	a	260.9	331.4
RCD5709	143.7	330.8	-77.3	a	260.3	330.8
RCD5710	0	70.5	-90	c	0	70.5
RCD5710	33	329.5	-86.1	a	259	329.5
RCD5710	63	327.3	-79.8	a	256.8	327.3
RCD5710	93	326	-79	a	255.5	326
RCD5710	115	335.7	-78.4	a	265.2	335.7
RCD5710	135.6	335.7	-78.5	a	265.2	335.7
RCD6119	0	70.5	-90	c	0	70.5
RCD6119	33	36.1	-85.7	a	325.6	36.1
RCD6119	63	21.4	-81.6	a	310.9	21.4
RCD6119	93	24.5	-80	a	314	24.5

RCD6119	123	8.7	-81	a	298.2	8.7
RCD6119	150	5.1	-81.4	a	294.6	5.1
RCD6119	179	4.4	-81.1	a	293.9	4.4
RCD6119	199	7.4	-81.4	a	296.9	7.4
RCD6120	0	70.5	-90	c	0	70.5
RCD6120	33	1	-85.9	a	290.5	1
RCD6120	63	344.4	-82.9	a	273.9	344.4
RCD6120	93	336.4	-78.2	a	265.9	336.4
RCD6120	111	332.7	-77.5	a	262.2	332.7
RCD6120	130	334.2	-78	a	263.7	334.2
RCD6120	160	329.8	-77.5	a	259.3	329.8
RCD6120	176	333.3	-77.9	a	262.8	333.3
RCD6121	0	70.5	-90	c	0	70.5
RCD6121	33	23.8	-85.7	a	313.3	23.8
RCD6121	75	359	-81	a	288.5	359
RCD6121	90	356	-80.2	a	285.5	356
RCD6121	122	357.1	-79.9	a	286.6	357.1
RCD6121	150	0.5	-80	a	290	0.5
RCD6121	180	1.5	-79.9	a	291	1.5
RCD6122	0	70.5	-90	c	0	70.5
RCD6122	33	31.6	-86.3	a	321.1	31.6
RCD6122	63	0.8	-80.1	a	290.3	0.8
RCD6122	93	353.3	-77.7	a	282.8	353.3
RCD6122	120	357.7	-77.1	a	287.2	357.7
RCD6122	158	1.8	-77	a	291.3	1.8
RCD6226	0	71	-90	c	0	71
RCD6226	30	5.9	-87.3	a	294.9	5.9
RCD6226	60	350.6	-83.4	a	279.6	350.6
RCD6226	90	356.6	-81.5	a	285.6	356.6
RCD6226	102	2.2	-80.3	a	291.2	2.2
RCD6226	130	357.4	-79.4	a	286.4	357.4

RCD6228	0	71	-90	c	0	71
RCD6228	30	1.6	-88.5	a	290.6	1.6
RCD6228	60	357.3	-84.5	a	286.3	357.3
RCD6228	90	349.1	-81.9	a	278.1	349.1
RCD6228	108	338.5	-79.7	a	267.5	338.5
RCD6228	130	337.4	-79.7	a	266.4	337.4
RCD6228	149	342	-79.1	a	271	342
RCD6230	0	71	-90	c	0	71
RCD6230	30	15.6	-84.8	a	304.6	15.6
RCD6230	60	3.6	-78.2	a	292.6	3.6
RCD6230	90	357	-72.9	a	286	357
RCD6230	114	347.4	-72.4	a	276.4	347.4
RCD6230	130	354.8	-72.5	a	283.8	354.8
RCD6230	145	355.2	-72.9	a	284.2	355.2
RCD6231	0	71	-90	c	0	71
RCD6231	30	351.6	-87.2	a	280.6	351.6
RCD6231	60	351.2	-81.9	a	280.2	351.2
RCD6231	84	346	-80.4	a	275	346
RCD6231	121	350.5	-80.4	a	279.5	350.5
RCD6231	121.1	350.7	-80	a	279.7	350.7
RCD6234	0	71	-90	c	0	71
RCD6234	30	29.7	-87.9	a	318.7	29.7
RCD6234	60	4.9	-85.1	a	293.9	4.9
RCD6234	90	5.8	-78.9	a	294.8	5.8
RCD6234	120	351	-76	a	280	351
RCD6234	148	355.4	-75	a	284.4	355.4
RCD6234	179	354.9	-74.8	a	283.9	354.9
RCD6271	0	71	-90	c	0	71
RCD6271	30	9	-89.3	a	298	9
RCD6271	60	1.1	-86.1	a	290.1	1.1
RCD6271	78	357.8	-84	a	286.8	357.8

RCD6271	110	356.6	-82.7	a	285.6	356.6
RCD6271	140	0.1	-83.2	a	289.1	0.1
RCD6278	0	71	-90	c	0	71
RCD6278	30	342.1	-87.4	a	271.1	342.1
RCD6278	60	350.1	-82.8	a	279.1	350.1
RCD6278	90	345.5	-78.4	a	274.5	345.5
RCD6278	108	339.7	-76.5	a	268.7	339.7
RCD6278	131	342.7	-76.2	a	271.7	342.7
RCD6278	164	343.3	-76.7	a	272.3	343.3
RCD6279	0	71	-90	c	0	71
RCD6279	30	318.4	-87.7	a	247.4	318.4
RCD6279	60	327.8	-85.9	a	256.8	327.8
RCD6279	90	353.7	-83.1	a	282.7	353.7
RCD6279	120	355.1	-82.9	a	284.1	355.1
RCD6279	152	351.3	-83.2	a	280.3	351.3
RCD6282	0	71	-90	c	0	71
RCD6282	30	323.3	-86.7	a	252.3	323.3
RCD6282	60	317.9	-84.7	a	246.9	317.9
RCD6282	90	336.8	-83.1	a	265.8	336.8
RCD6282	114	339.2	-79.7	a	268.2	339.2
RCD6282	130	344.7	-79.2	a	273.7	344.7
RCD6282	162	345.8	-78.7	a	274.8	345.8
RCD6283	0	71	-90	c	0	71
RCD6283	30	352.2	-87.2	a	281.2	352.2
RCD6283	60	345.4	-83.9	a	274.4	345.4
RCD6283	90	347.6	-83	a	276.6	347.6
RCD6283	120	343.6	-81.6	a	272.6	343.6
RCD6283	150	345.5	-81.1	a	274.5	345.5
RCD6283	165	345.1	-81.5	a	274.1	345.1
RCD6284	0	71	-90	c	0	71
RCD6284	30	313.7	-86.2	a	242.7	313.7

RCD6284	60	330.2	-83.6	a	259.2	330.2
RCD6284	90	328.1	-81.6	a	257.1	328.1
RCD6284	108	328.5	-80.2	a	257.5	328.5
RCD6284	121	336.2	-80.1	a	265.2	336.2
RCD6284	150	336.1	-79.9	a	265.1	336.1
RCD6286	0	71	-90	c	0	71
RCD6286	30	16.1	-88.1	a	305.1	16.1
RCD6286	60	355.2	-85.1	a	284.2	355.2
RCD6286	90	337.3	-83.6	a	266.3	337.3
RCD6286	112	333.1	-82.6	a	262.1	333.1
RCD6287	0	71	-90	c	0	71
RCD6287	30	48.1	-88.7	a	337.1	48.1
RCD6287	60	11.5	-86	a	300.5	11.5
RCD6287	90	357.1	-83.2	a	286.1	357.1
RCD6287	114	349	-81.4	a	278	349
RCD6287	139	349.9	-80	a	278.9	349.9
RCD6287	174	354.1	-79.4	a	283.1	354.1
RCD6288	0	71	-90	c	0	71
RCD6288	30	13.9	-88.1	a	302.9	13.9
RCD6288	60	359.6	-84.3	a	288.6	359.6
RCD6288	90	357.4	-80.3	a	286.4	357.4
RCD6288	122	1.3	-78.4	a	290.3	1.3
RCD6288	152	359.7	-78.1	a	288.7	359.7
RCD6288	170	1.3	-78.2	a	290.3	1.3
RCD6289	0	71	-90	c	0	71
RCD6289	30	355.5	-87	a	284.5	355.5
RCD6289	60	334.2	-81.7	a	263.2	334.2
RCD6289	90	338.1	-78.6	a	267.1	338.1
RCD6289	108	325.3	-77.4	a	254.3	325.3
RCD6289	140	330.4	-76.8	a	259.4	330.4
RCD6289	165	331	-77.1	a	260	331

RCH3605	0	3	-90	c	293	3
RCH3605	47	350	-85.5	a	280	350
RCH3606	0	3	-90	c	293	3
RCH3606	47	330	-84	a	260	330
RCH3607	0	3	-90	c	293	3
RCH3607	47	260	-89	a	190	260
RCH3608	0	3	-90	c	293	3
RCH3608	50	270	-87	a	200	270
RCH3608	69	300	-86	a	230	300
RCH3609	0	3	-90	c	293	3
RCH3609	47	310	-88	a	240	310
RCH3672	0	3	-90	c	293	3
RCH3672	47	360	-87	a	290	360
RCH3673	0	3	-90	c	293	3
RCH3673	29	340	-88	a	270	340
RCH3674	0	3	-90	c	293	3
RCH3674	29	350	-88	a	280	350
RCH3675	0	3	-90	c	293	3
RCH3675	35	150	-89.5	a	80	150
RCH3676	0	3	-90	c	293	3
RCH3676	59	300	-88.5	a	230	300
RCH3677	0	3	-90	c	293	3
RCH3677	59	320	-87	a	250	320
RCH3678	0	3	-90	c	293	3
RCH3678	41	265	-89	a	195	265
RCH4187	0	3	-90	c	293	3
RCH4187	35	322	-87	a	252	322
RCH4188	0	3	-90	c	293	3
RCH4188	53	358	-85.9	a	288	358
RCH4189	0	3	-90	c	293	3
RCH4189	50	347	-85	a	277	347



RCH4189	71	345.5	-83	a	275.5	345.5
RCH4190	0	3	-90	c	293	3
RCH4190	20	300	-89.2	a	230	300
RCH4191	0	3	-90	c	293	3
RCH4191	50	310	-87.1	a	240	310
RCH4191	95	314	-83.4	a	244	314
RCH4192	0	3	-90	c	293	3
RCH4192	47	335	-87.5	a	265	335
RCH4193	0	3	-90	c	293	3
RCH4193	50	329	-86	a	259	329
RCH4193	89	333	-81	a	263	333
RCH4194	0	3	-90	c	293	3
RCH4194	50	326	-84	a	256	326
RCH4194	87	335	-81	a	265	335
RCH4195	0	3	-90	c	293	3
RCH4195	50	9	-85.6	a	299	9
RCH4195	65	12	-85	a	302	12
RCH4196	0	3	-90	c	293	3
RCH4196	50	314	-86	a	244	314
RCH4196	71	336	-82	a	266	336
RCH4197	0	3	-90	c	293	3
RCH4197	50	245	-85.6	a	175	245
RCH4197	116	253	-82	a	183	253
RCH4198	0	3	-90	c	293	3
RCH4198	29	9	-88	a	299	9
RCH4199	0	3	-90	c	293	3
RCH4199	54	11	-83.8	a	301	11
RCH4200	0	3	-90	c	293	3
RCH4200	50	349	-85	a	279	349
RCH4200	72	346	-84	a	276	346
RCH4201	0	3	-90	c	293	3

RCH4201	53	8	-81	a	298	8
RCH4202	0	3	-90	c	293	3
RCH4202	30	328	-88.8	a	258	328
RCH4950	0	182.5	-90	c	112	182.5
RCH4950	10	182.7	-88.4	a	112.2	182.7
RCH4950	30	231.9	-90	a	161.4	231.9
RCH4950	60	311	-86.6	a	240.5	311
RCH4951	0	194.5	-90	c	124	194.5
RCH4951	10	194.5	-88.8	a	124	194.5
RCH4951	30	357.4	-88.4	a	286.9	357.4
RCH4951	60	0.2	-85	a	289.7	0.2
RCH4952	0	197.5	-90	c	127	197.5
RCH4952	10	198	-88.2	a	127.5	198
RCH4952	30	238.8	-89.3	a	168.3	238.8
RCH4952	60	332.1	-83.6	a	261.6	332.1
RCH4959	0	46.5	-90	c	336	46.5
RCH4959	10	46.7	-89.9	a	336.2	46.7
RCH4959	30	327.1	-87.1	a	256.6	327.1
RCH4959	60	330.6	-82.8	a	260.1	330.6
RCH4959	97	340.4	-80.8	a	269.9	340.4
RCH5000	0	58.5	-90	c	348	58.5
RCH5000	10	58.7	-89.8	a	348.2	58.7
RCH5000	30	11.2	-88.5	a	300.7	11.2
RCH5000	60	348.4	-82.5	a	277.9	348.4
RCH5000	90	347	-79.6	a	276.5	347
RCH5000	103	347.9	-80.1	a	277.4	347.9
RCH5001	0	73.5	-90	c	3	73.5
RCH5001	10	73.9	-89.8	a	3.4	73.9
RCH5001	30	326.4	-84	a	255.9	326.4
RCH5001	60	335.1	-80.1	a	264.6	335.1
RCH5001	90	330.3	-78.4	a	259.8	330.3

RCH5001	121	333.6	-78.5	a	263.1	333.6
RCH5002	0	130.5	-90	c	60	130.5
RCH5002	10	130.5	-89.5	a	60	130.5
RCH5002	30	311.2	-85.7	a	240.7	311.2
RCH5002	60	320.6	-79.8	a	250.1	320.6
RCH5002	90	321.2	-77.8	a	250.7	321.2
RCH5002	121	333.6	-78.5	a	263.1	333.6
RCH5170	0	300.5	-90	c	230	300.5
RCH5170	30	300.8	-85.5	a	230.3	300.8
RCH5170	60	309.5	-82.6	a	239	309.5
RCH5170	90	320.7	-80	a	250.2	320.7
RCH5170	120	333.6	-80.6	a	263.1	333.6
RCH5174	0	318.5	-90	c	248	318.5
RCH5174	30	318.3	-86.1	a	247.8	318.3
RCH5174	60	310.6	-82.7	a	240.1	310.6
RCH5174	90	309.6	-80.6	a	239.1	309.6
RCH5174	120	316.7	-77.8	a	246.2	316.7
RCH5174	159	323.2	-75.2	a	252.7	323.2
RCH5175	0	334.5	-90	c	264	334.5
RCH5175	30	334.7	-85.1	a	264.2	334.7
RCH5175	60	319.7	-80.2	a	249.2	319.7
RCH5175	90	317.7	-77	a	247.2	317.7
RCH5175	120	315.9	-73.9	a	245.4	315.9
RCH5182	0	343.5	-90	c	273	343.5
RCH5182	30	344	-85.8	a	273.5	344
RCH5182	60	333.5	-79.1	a	263	333.5
RCH5182	90	333.5	-75	a	263	333.5
RCH5182	117	333.5	-71.7	a	263	333.5
RCH5183	0	317.5	-90	c	247	317.5
RCH5183	30	317.3	-86.1	a	246.8	317.3
RCH5183	60	321.2	-82.7	a	250.7	321.2

RCH5183	90	318.5	-78.6	e	248	318.5
RCH5183	117	315.9	-75.6	a	245.4	315.9
RCH5184	0	70.5	-75	c	360	70.5
RCH5184	30	70.5	-77.3	e	360	70.5
RCH5184	60	61.7	-79.8	a	351.2	61.7
RCH5184	90	35.1	-78.3	a	324.6	35.1
RCH5185	0	3.5	-90	c	293	3.5
RCH5185	30	3.6	-88	a	293.1	3.6
RCH5185	60	358.6	-84.1	a	288.1	358.6
RCH5186	0	331.5	-90	c	261	331.5
RCH5186	30	331.7	-86.7	a	261.2	331.7
RCH5186	60	333.7	-81.6	a	263.2	333.7
RCH5203	0	206.5	-80	c	136	206.5
RCH5203	30	206.8	-82.9	a	136.3	206.8
RCH5203	60	246.4	-85.5	a	175.9	246.4
RCH5203	90	278.1	-83.7	a	207.6	278.1
RCH5203	117	305.4	-81.2	a	234.9	305.4
RCH5204	0	48.5	-90	c	338	48.5
RCH5204	10	48.5	-88.9	a	338	48.5
RCH5205	0	355.5	-90	c	285	355.5
RCH5205	30	355.8	-86.1	a	285.3	355.8
RCH5205	60	354.5	-84	a	284	354.5
RCH5205	90	354.6	-82	a	284.1	354.6
RCH5205	120	351.2	-78	a	280.7	351.2
RCH5205	150	350	-77.1	a	279.5	350
RCH5205	171	341.5	-78.4	a	271	341.5
RCH5206	0	330.5	-90	c	260	330.5
RCH5206	30	330.5	-84.2	a	260	330.5
RCH5206	60	326.9	-81.7	a	256.4	326.9
RCH5206	90	326.3	-81.5	a	255.8	326.3
RCH5206	120	327.4	-79.6	a	256.9	327.4

RCH5206	135	332	-77.8	a	261.5	332
RCH5226	0	339.5	-90	c	269	339.5
RCH5226	30	339.6	-87	a	269.1	339.6
RCH5226	60	328.1	-81.6	a	257.6	328.1
RCH5226	90	317.2	-80.6	a	246.7	317.2
RCH5226	117	316.3	-78.5	a	245.8	316.3
RCH5460	0	70.5	-90	c	0	70.5
RCH5460	33	313.5	-87.6	a	243	313.5
RCH5460	63	335.2	-84.6	a	264.7	335.2
RCH5460	93	278.7	-82.5	a	208.2	278.7
RCH5460	105	338.4	-82	a	267.9	338.4
RCH5461	0	70.5	-90	c	0	70.5
RCH5461	33	20.3	-87.9	a	309.8	20.3
RCH5461	63	357.4	-85.9	a	286.9	357.4
RCH5461	93	351.9	-83.3	a	281.4	351.9
RCH5462	0	70.5	-90	c	0	70.5
RCH5462	33	337.2	-88.3	a	266.7	337.2
RCH5462	63	344.2	-85.3	a	273.7	344.2
RCH5462	93	345.3	-83.1	a	274.8	345.3
RCH5462	111	342.8	-81.4	a	272.3	342.8
RCH5607	0		-90	c	0	70.5
RCH5607	33	290.2	-87.9	a	219.7	290.2
RCH5607	63	312.8	-85.8	a	242.3	312.8
RCH5608	0		-90	c	0	70.5
RCH5608	33	335.6	-88.3	a	265.1	335.6
RCH5608	63	334.7	-85.3	a	264.2	334.7
RCH5608	93	334.7	-83	a	264.2	334.7
RCH5608	135	330.4	-81.2	a	259.9	330.4
RCH5609	0		-90	c	0	70.5
RCH5609	33	32.1	-89.4	a	321.6	32.1
RCH5609	75	346.6	-85.2	a	276.1	346.6

RCH5611	0		-90	c	0	70.5
RCH5611	33	316.7	-89.3	a	246.2	316.7
RCH5611	69	352.4	-86.3	a	281.9	352.4
RCH5612	0		-90	c	0	70.5
RCH5612	33	188.4	-88.8	a	117.9	188.4
RCH5612	63	320.9	-88.4	a	250.4	320.9
RCH5612	81	341.4	-86.5	a	270.9	341.4
RCH5613	0		-90	c	0	70.5
RCH5613	33	329.5	-89.2	a	259	329.5
RCH5613	63	313.5	-84.7	a	243	313.5
RCH5613	95	316.4	-82.8	a	245.9	316.4
RCH5613	105	312.4	-82.3	a	241.9	312.4
RCH5614	0		-90	c	0	70.5
RCH5614	33	312.4	-88.8	a	241.9	312.4
RCH5614	57	333.2	-87.4	a	262.7	333.2
RCH5615	0		-90	c	0	70.5
RCH5615	33	328.5	-88	a	258	328.5
RCH5615	63	326.1	-84.6	a	255.6	326.1
RCH5615	75	323.5	-82.9	a	253	323.5
RCH5616	0		-90	c	0	70.5
RCH5616	33	319	-87.8	a	248.5	319
RCH5616	63	333.4	-86.1	a	262.9	333.4
RCH5616	99	316.9	-84.4	a	246.4	316.9
RCH5617	0		-90	c	0	70.5
RCH5617	27	255	-88.8	a	184.5	255
RCH5618	0		-90	c	0	70.5
RCH5618	27	297.1	-88.6	a	226.6	297.1
RCH5619	0	225	-60	c	154.5	225
RCH5619	14	236.9	-57.3	a	166.4	236.9
RCH5619	32	233	-63.9	a	162.5	233
RCH5619	62	232.9	-67.1	a	162.4	232.9

RCH5619	74	238.2	-69	a	167.7	238.2
RCH5620	0		-90	c	0	70.5
RCH5620	33	342.8	-87.7	a	272.3	342.8
RCH5620	63	331	-85	a	260.5	331
RCH5620	75	338.3	-84.4	a	267.8	338.3
RCH5621	0		-90	c	0	70.5
RCH5621	33	356.7	-86.7	a	286.2	356.7
RCH5621	63	340.1	-83.4	a	269.6	340.1
RCH5621	93	342.9	-81.4	a	272.4	342.9
RCH5622	0		-90	c	0	70.5
RCH5622	33	321.3	-87.8	a	250.8	321.3
RCH5622	63	337.1	-84.6	a	266.6	337.1
RCH5622	105	340	-80.8	a	269.5	340
RCH5623	0	215	-60	c	144.5	215
RCH5623	15	220.7	-61.4	a	150.2	220.7
RCH5623	33	220.6	-63.8	a	150.1	220.6
RCH5623	62	224.8	-69.8	a	154.3	224.8
RCH5623	74	224.3	-70.4	a	153.8	224.3
RCH5624	0		-90	c	0	70.5
RCH5624	33	7.4	-87.6	a	296.9	7.4
RCH5624	57	348.7	-84	a	278.2	348.7
RCH5625	0		-90	c	0	70.5
RCH5625	33	28.5	-89.1	a	318	28.5
RCH5625	63	17.5	-86.3	a	307	17.5
RCH5625	105	359.2	-82.4	a	288.7	359.2
RCH5626	0		-90	c	0	70.5
RCH5626	33	331.1	-87.9	a	260.6	331.1
RCH5626	63	359	-84.2	a	288.5	359
RCH5626	93	353.6	-81.8	a	283.1	353.6
RCH5626	117	358.7	-83.5	a	288.2	358.7
RCH5627	0		-90	c	0	70.5

RCH5627	21	340.9	-89.6	a	270.4	340.9
RCH5628	0		-90	c	0	70.5
RCH5628	39	338	-87	a	267.5	338
RCH5629	0		-90	c	0	70.5
RCH5629	33	4.3	-86.1	a	293.8	4.3
RCH5629	63	357.7	-83.1	a	287.2	357.7
RCH5630	0		-90	c	0	70.5
RCH5630	33	353.5	-85.1	a	283	353.5
RCH5630	63	0.8	-80.8	a	290.3	0.8
RCH5630	87	11.7	-79.5	a	301.2	11.7
RCH5631	0		-90	c	0	70.5
RCH5631	39	354.8	-84.7	a	284.3	354.8
RCH5632	0		-90	c	0	70.5
RCH5632	30	157.7	-87.2	a	87.2	157.7
RCH5633	0		-90	c	0	70.5
RCH5633	33	333.4	-86.6	a	262.9	333.4
RCH5633	57	346.7	-84.6	a	276.2	346.7
RCH5634	0		-90	c	0	70.5
RCH5634	33	346.5	-87.5	a	276	346.5
RCH5634	63	339.1	-84.9	a	268.6	339.1
RCH5637	0		-90	c	0	70.5
RCH5637	33	354.5	-86.9	a	284	354.5
RCH5637	63	355.6	-83.6	a	285.1	355.6
RCH5637	93	338.6	-80.6	a	268.1	338.6
RCH5637	123	339	-78.3	a	268.5	339
RCH5637	141	343.7	-77.4	a	273.2	343.7
RCH5638	0	70.5	-90	c	0	70.5
RCH5638	45	322.5	-88.6	a	252	322.5
RCH5643	0	70.5	-90	c	0	70.5
RCH5643	33	354.2	-87	a	283.7	354.2
RCH5643	63	346.6	-83.9	a	276.1	346.6



RCH5643	81	340.4	-82.5	a	269.9	340.4
RCH5644	0	70.5	-90	c	0	70.5
RCH5644	33	359.5	-87.6	a	289	359.5
RCH5644	63	346.6	-82.8	a	276.1	346.6
RCH5644	99	346.1	-79.7	a	275.6	346.1
RCH5647	0	70.5	-90	c	0	70.5
RCH5647	33	343.2	-87.6	a	272.7	343.2
RCH5647	63	337.3	-83.7	a	266.8	337.3
RCH5655	0	70.5	-90	c	0	70.5
RCH5655	39	333.5	-86.6	a	263	333.5
RCH5658	0	70.5	-90	c	0	70.5
RCH5658	45	339.8	-86.5	a	269.3	339.8
RCH5668	0	70.5	-90	c	0	70.5
RCH5668	33	117.2	-89.3	a	46.7	117.2
RCH5668	63	70.5	-87.6	a	0	70.5
RCH5668	87	70.5	-85.6	a	0	70.5
RCH5669	0	70.5	-90	c	0	70.5
RCH5669	33	351.5	-87.1	a	281	351.5
RCH5669	63	335.3	-83.9	a	264.8	335.3
RCH5669	93	339.5	-80	a	269	339.5
RCH5669	129	344.3	-78.4	a	273.8	344.3
RCH5680	0	70.5	-90	c	0	70.5
RCH5680	33	4.5	-86.3	a	294	4.5
RCH5680	63	332.1	-80.5	a	261.6	332.1
RCH5680	93	329.1	-76.7	a	258.6	329.1
RCH5680	135	325.2	-73.7	a	254.7	325.2
RCH5680	153	314.4	-74.4	a	243.9	314.4
RCH5680	183	289.7	-74.6	a	219.2	289.7
RCH5680	213	314.2	-74.8	a	243.7	314.2
RCH5680	237	312.7	-76.2	a	242.2	312.7
RCH5698	0	70.5	-90	c	0	70.5

RCH5698	33	352.6	-88.1	a	282.1	352.6
RCH5698	63	327.9	-83	a	257.4	327.9
RCH5698	93	325.3	-76.3	a	254.8	325.3
RCH5698	111	323.1	-75.4	a	252.6	323.1
RCH5702	0	70.5	-90	c	0	70.5
RCH5702	33	303.2	-87.8	a	232.7	303.2
RCH5702	63	312.8	-86.5	a	242.3	312.8
RCH5702	99	295.7	-86.2	a	225.2	295.7
RCH5703	0	70.5	-90	c	0	70.5
RCH5703	63	332.2	-85.7	a	261.7	332.2
RCH5703	99	338.5	-82	a	268	338.5
RCH5705	0	70.5	-90	c	0	70.5
RCH5705	33	287.1	-87.7	a	216.6	287.1
RCH5705	63	316.2	-83.8	a	245.7	316.2
RCH5705	93	320.8	-79.8	a	250.3	320.8
RCH5705	111	322.3	-78.9	a	251.8	322.3
RCH5706	0	70.5	-90	c	0	70.5
RCH5706	33	312.4	-87.6	a	241.9	312.4
RCH5706	63	301.8	-86.1	a	231.3	301.8
RCH5706	105	315.7	-85	a	245.2	315.7
RCH5707	0	70.5	-90	c	0	70.5
RCH5707	33	328.5	-87.1	a	258	328.5
RCH5707	63	319.8	-84.1	a	249.3	319.8
RCH5707	111	323.7	-80.9	a	253.2	323.7
RCH5708	0	70.5	-90	c	0	70.5
RCH5708	33	327	-84.9	a	256.5	327
RCH5708	75	334.1	-78	a	263.6	334.1
RCH5708	93	323.2	-76.1	a	252.7	323.2
RCH5708	129	325.2	-75	a	254.7	325.2
RCH5711	0	70.5	-90	c	0	70.5
RCH5711	33	339.1	-86.8	a	268.6	339.1

RCH5711	63	324.6	-82.6	a	254.1	324.6
RCH5711	93	327.4	-82.9	a	256.9	327.4
RCH5711	123	334.5	-80.1	a	264	334.5
RCH5711	147	331.4	-78.5	a	260.9	331.4
RCH5772	0	70.5	-90	c	0	70.5
RCH5772	36	340.9	-87.8	a	270.4	340.9
RCH6223	0	71	-90	c	0	71
RCH6223	30	346.3	-85.6	a	275.3	346.3
RCH6223	60	346.6	-81.1	a	275.6	346.6
RCH6223	90	331.1	-81.1	a	260.1	331.1
RCH6223	126	349.2	-79.2	a	278.2	349.2
RCH6224	0	1	-75	c	290	1
RCH6224	30	353.4	-73.7	a	282.4	353.4
RCH6224	60	343.3	-73.5	a	272.3	343.3
RCH6224	90	336.6	-74.8	a	265.6	336.6
RCH6224	126	334.7	-72.3	a	263.7	334.7
RCH6225	0	71	-90	c	0	71
RCH6225	30	9.5	-86.3	a	298.5	9.5
RCH6225	60	349.9	-82.2	a	278.9	349.9
RCH6225	90	339.3	-77.2	a	268.3	339.3
RCH6225	120	328.7	-78.8	a	257.7	328.7
RCH6225	144	321	-80.3	a	250	321
RCH6227	0	71	-90	c	0	71
RCH6227	30	25.6	-87.6	a	314.6	25.6
RCH6227	60	27.4	-82.8	a	316.4	27.4
RCH6227	90	13.5	-81.8	a	302.5	13.5
RCH6227	120	352.4	-82.1	a	281.4	352.4
RCH6227	150	341.4	-81.2	a	270.4	341.4
RCH6229	0	71	-90	a	0	71
RCH6229	30	10.2	-86.8	a	299.2	10.2
RCH6229	60	356.6	-85	a	285.6	356.6

RCH6229	90	341.8	-82.2	a	270.8	341.8
RCH6229	120	339.6	-76.6	a	268.6	339.6
RCH6229	150	330.5	-72.1	a	259.5	330.5
RCH6232	0	71	-90	c	0	71
RCH6232	30	33.2	-89.8	a	322.2	33.2
RCH6232	60	295.4	-89	a	224.4	295.4
RCH6232	90	308.6	-86.7	a	237.6	308.6
RCH6232	126	318.5	-84.6	a	247.5	318.5
RCH6233	0	71	-90	c	0	71
RCH6233	30	349.3	-88.5	a	278.3	349.3
RCH6233	60	2.3	-82	a	291.3	2.3
RCH6233	90	0.7	-81.9	a	289.7	0.7
RCH6233	120	0.5	-83	a	289.5	0.5
RCH6233	144	355.6	-83.3	a	284.6	355.6
RCH6268	0	271	-60	c	200	271
RCH6268	29	268.4	-60.4	a	197.4	268.4
RCH6268	59	271.6	-60.2	a	200.6	271.6
RCH6268	83	275	-62.8	a	204	275
RCH6269	0	71	-90	c	0	71
RCH6269	30	1.8	-87.3	a	290.8	1.8
RCH6269	60	343.7	-85.7	a	272.7	343.7
RCH6269	90	350.3	-84.7	a	279.3	350.3
RCH6269	102	354.7	-84.3	a	283.7	354.7
RCH6270	0	71	-90	c	0	71
RCH6270	30	303.8	-88.6	a	232.8	303.8
RCH6270	60	352.1	-87.1	a	281.1	352.1
RCH6270	90	0.2	-85.4	a	289.2	0.2
RCH6270	108	1.4	-84.9	a	290.4	1.4
RCH6281	0	71	-90	c	0	71
RCH6281	30	348.9	-86.6	a	277.9	348.9
RCH6281	60	344.2	-85.4	a	273.2	344.2

RCH6281	90	322.8	-84.8	a	251.8	322.8
RCH6281	120	325.7	-82.8	a	254.7	325.7
RCH6281	138	317.6	-83.2	a	246.6	317.6
RCH6285	0	71	-90	c	0	71
RCH6285	30	3.4	-88.4	a	292.4	3.4
RCH6285	60	348.7	-84.4	a	277.7	348.7
RCH6285	90	342.5	-80.9	a	271.5	342.5
RCH6285	120	338.1	-78.7	a	267.1	338.1
RCH6285	156	339	-76.2	a	268	339
RCL6558	0	180	-60	c	109	180
RCL6559	0	180	-60	c	109	180
RCL6560	0	180	-60	c	109	180
RCL6561	0	180	-60	c	109	180
RCL6562	0	180	-60	c	109	180
RCL6563	0	180	-60	c	109	180