

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	11.8	13.3	0.03	<0.1
UW493	13.3	14.8	0.01	<0.1
UW493	14.8	16.3	<0.01	<0.1
UW493	16.3	17.3	<0.01	<0.1
UW493	17.3	19.2	0.01	<0.1
UW493	19.2	20.7	0.01	<0.1
UW493	20.7	22.2	0.02	0.1
UW493	22.2	23.7	<0.01	<0.1
UW493	23.7	25.5	<0.01	<0.1
UW493	25.5	27	0.01	<0.1
UW493	27	28.5	<0.01	0.1
UW493	28.5	30	0.03	0.2
UW493	30	31.5	0.04	0.2
UW493	31.5	33	0.02	<0.1
UW493	33	34.5	<0.01	<0.1
UW493	34.5	36	<0.01	<0.1
UW493	36	38.1	0.02	<0.1
UW493	38.1	39.6	<0.01	<0.1
UW493	39.6	41.1	0.01	<0.1
UW493	41.1	43	0.01	<0.1
UW493	43	44.5	<0.01	0.2
UW493	44.5	46	<0.01	0.3
UW493	46	47.5	<0.01	0.3
UW493	47.5	49	<0.01	0.9
UW493	49	50.5	<0.01	2.3
UW493	50.5	52	0.01	1.7
UW493	52	53.5	0.04	2.9
UW493	53.5	54.2	0.02	3.3
UW493	54.2	54.5	0.03	4.0
UW493	54.5	55.1	0.03	5.1
UW493	55.1	55.6	0.02	3.0
UW493	55.6	55.9	0.02	3.3
UW493	55.9	56.3	0.03	4.9
UW493	56.3	56.7	0.02	5.0
UW493	56.7	58.2	0.03	4.5
UW493	58.2	59.4	0.08	3.0
UW493	59.4	60.9	0.01	2.4
UW493	60.9	62.4	0.02	3.2
UW493	62.4	63.9	0.02	2.9
UW493	63.9	65.4	0.01	2.1
UW493	65.4	66.9	0.02	3.2
UW493	66.9	67.3	0.03	0.2
UW493	67.3	67.7	0.05	1.0
UW493	67.7	69.2	0.17	1.6
UW493	69.2	70.1	0.13	4.1
UW493	70.1	70.6	0.07	5.9
UW493	70.6	70.9	1.31	3.9
UW493	70.9	71.7	0.11	1.0
UW493	71.7	72	0.11	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	72	73.2	0.04	1.4
UW493	73.2	74.1	0.02	2.8
UW493	74.1	74.5	0.03	3.1
UW493	74.5	74.9	0.02	1.1
UW493	74.9	75.2	0.41	7.4
UW493	75.2	75.7	0.07	4.0
UW493	75.7	77.2	0.05	3.1
UW493	77.2	78.7	0.04	3.0
UW493	78.7	80.2	0.03	2.6
UW493	80.2	81.2	0.04	4.4
UW493	81.2	82.1	0.13	6.0
UW493	82.1	82.4	0.1	6.4
UW493	82.4	82.9	0.24	5.3
UW493	82.9	84	0.54	4.7
UW493	84	84.6	0.23	7.8
UW493	84.6	85	0.16	3.6
UW493	85	86.5	0.05	2.3
UW493	86.5	87.2	0.07	4.4
UW493	87.2	87.7	0.15	6.5
UW493	87.7	88.2	0.15	1.5
UW493	88.2	89.7	0.05	1.4
UW493	89.7	91	0.03	2.0
UW493	91	92.5	0.04	2.4
UW493	92.5	92.8	0.03	2.6
UW493	92.8	93.1	0.06	3.2
UW493	93.1	94.6	0.07	2.9
UW493	94.6	96	0.03	2.4
UW493	96	96.4	0.04	1.6
UW493	96.4	96.7	0.1	6.0
UW493	96.7	98.2	0.02	2.1
UW493	98.2	99	0.07	2.8
UW493	99	100.2	0.13	3.1
UW493	100.2	101	0.35	0.5
UW493	101	101.6	4.01	14.9
UW493	101.6	102.6	0.16	4.7
UW493	102.6	103.2	4.81	56.6
UW493	103.2	104.2	0.22	4.9
UW493	104.2	105.7	0.07	4.6
UW493	105.7	107.2	0.06	1.7
UW493	107.2	108.3	0.07	3.7
UW493	108.3	108.7	3.41	9.4
UW493	108.7	109.2	1.11	6.1
UW493	109.2	109.6	0.05	2.3
UW493	109.6	110.5	0.05	5.2
UW493	110.5	112	0.17	3.7
UW493	112	113.5	0.07	4.6
UW493	113.5	115	0.07	4.2
UW493	115	116.5	0.06	5.8
UW493	116.5	118	0.08	4.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	118	119.5	0.07	6.8
UW493	119.5	120.1	0.1	13.9
UW493	120.1	120.8	0.32	12.0
UW493	120.8	121.5	2.51	8.4
UW493	121.5	121.9	2.16	9.7
UW493	121.9	123.1	12	14.2
UW493	123.1	123.6	5	27.2
UW493	123.6	124.9	5.95	24.3
UW493	124.9	126.4	8.18	34.1
UW493	126.4	127.9	17.9	64.8
UW493	127.9	129.4	3.97	19.6
UW493	129.4	130.2	2.26	20.7
UW493	130.2	130.7	2.78	14.0
UW493	130.7	131.85	9.86	36.3
UW493	131.85	132.5	5.26	15.3
UW493	132.5	133.45	1.21	5.4
UW493	133.45	134.5	3.29	9.1
UW493	134.5	135.1	3.38	7.4
UW493	135.1	136	10.4	20.3
UW493	136	137.5	0.27	2.4
UW493	137.5	139	0.26	3.3
UW493	139	140.5	0.24	3.3
UW493	140.5	142	0.06	3.3
UW493	142	143.5	0.33	2.1
UW493	143.5	145	0.28	2.3
UW493	145	146.5	0.7	6.1
UW493	146.5	148	1.55	9.5
UW493	148	149.5	0.08	2.3
UW493	149.5	151	0.09	2.9
UW493	151	152	0.19	1.7
UW493	152	153.3	0.52	5.1
UW493	153.3	154.8	0.05	1.2
UW493	154.8	155.8	0.05	3.3
UW493	155.8	156.3	0.03	1.3
UW493	156.3	157	0.04	1.3
UW493	157	158.5	0.03	1.4
UW493	158.5	160	0.02	1.0
UW493	160	161.5	0.02	1.1
UW493	161.5	163	0.01	1.1
UW493	163	164.5	0.01	1.4
UW493	164.5	165.1	0.01	1.5
UW493	165.1	166	0.02	2.1
UW493	166	167.5	0.04	2.3
UW493	167.5	168.4	0.02	2.9
UW493	168.4	169.1	0.02	2.5
UW493	169.1	169.5	0.05	3.5
UW493	169.5	170.3	0.02	2.8
UW493	170.3	171.2	0.01	1.5
UW493	171.2	172.2	0.01	2.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	172.2	173.3	0.02	3.0
UW493	173.3	173.9	0.04	5.4
UW493	173.9	174.3	2.78	19.5
UW493	174.3	174.9	0.04	2.8
UW493	174.9	175.3	0.38	3.0
UW493	175.3	176.4	0.04	3.0
UW493	176.4	177.3	0.05	3.8
UW493	177.3	177.8	0.04	2.4
UW493	177.8	178.7	0.06	3.8
UW493	178.7	180.2	0.04	4.2
UW493	180.2	180.6	0.09	8.7
UW493	180.6	181.7	0.08	4.2
UW493	181.7	182.6	0.07	6.8
UW493	182.6	183.2	0.95	11.3
UW493	183.2	184.1	0.09	6.6
UW493	184.1	185.9	3.42	61.3
UW493	185.9	186.4	0.1	27.9
UW493	186.4	186.7	0.9	87.5
UW493	186.7	187.6	65	332.0
UW493	187.6	189.1	42.6	222.0
UW493	189.1	190	8.38	206.0
UW493	190	191.3	38.2	198.0
UW493	191.3	193.8	8.41	80.9
UW493	193.8	194.6	25.8	236.0
UW493	194.6	195.2	34.5	283.0
UW493	195.2	196.1	0.04	3.5
UW493	196.1	196.9	1.08	18.0
UW493	196.9	197.8	0.82	16.4
UW493	197.8	198.7	0.05	1.8
UW493	198.7	200.2	0.33	3.2
UW493	200.2	201.7	0.06	0.7
UW493	201.7	203.2	0.04	2.1
UW493	203.2	204.7	0.04	2.6
UW493	204.7	206.2	0.02	1.9
UW493	206.2	207.7	0.02	1.8
UW493	207.7	209.2	0.07	0.7
UW493	209.2	210.7	0.05	3.5
UW493	210.7	211	0.01	1.0
UW493	211	212.3	0.15	3.7
UW493	212.3	213.3	0.21	1.7
UW493	213.3	214.5	0.04	0.7
UW493	214.5	215	0.19	1.0
UW493	215	215.6	0.05	0.7
UW493	215.6	217	0.02	0.5
UW493	217	218.5	0.02	0.4
UW493	218.5	220	0.05	1.3
UW493	220	221.5	0.04	0.6
UW493	221.5	223	0.03	1.7
UW493	223	224.5	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	224.5	226	0.02	2.7
UW493	226	227.5	0.03	4.4
UW493	227.5	229	0.06	7.4
UW493	229	230.5	0.03	2.3
UW493	230.5	232	0.03	3.4
UW493	232	233.5	0.02	3.1
UW493	233.5	234.4	0.03	3.5
UW493	234.4	235.2	0.03	2.5
UW493	235.2	236.7	0.04	3.6
UW493	236.7	238	0.05	3.2
UW493	238	238.6	0.06	3.8
UW493	238.6	240	0.04	5.1
UW493	240	241.5	0.13	8.7
UW493	241.5	243	0.67	8.6
UW493	243	244.2	0.08	5.6
UW493	244.2	245.7	0.03	2.5
UW493	245.7	247.2	0.03	3.0
UW493	247.2	248.7	0.03	4.5
UW493	248.7	250.2	0.04	4.1
UW493	250.2	251.7	0.03	3.9
UW493	251.7	253.2	0.02	2.9
UW493	253.2	254.7	0.02	1.8
UW493	254.7	256.2	0.2	2.3
UW493	256.2	257.7	0.02	1.8
UW493	257.7	259.2	0.02	1.4
UW493	259.2	260.7	0.12	1.4
UW493	260.7	262.2	0.02	1.7
UW493	262.2	263.7	0.04	1.3
UW493	263.7	264	0.04	1.1
UW493	264	265.5	0.03	1.7
UW493	265.5	267	0.02	3.0
UW493	267	268.5	0.66	3.8
UW493	268.5	269.7	1.87	11.8
UW493	269.7	270.3	0.05	5.4
UW493	270.3	270.8	7.32	12.4
UW493	270.8	271.4	0.18	4.8
UW493	271.4	272.7	52.1	70.6
UW493	272.7	273.9	72.5	82.0
UW493	273.9	274.3	0.06	4.2
UW493	274.3	274.9	10	12.8
UW493	274.9	275.9	0.3	3.4
UW493	275.9	276.6	0.16	3.1
UW493	276.6	278	0.06	3.0
UW493	278	279.5	0.03	3.1
UW493	279.5	280.2	0.04	4.0
UW493	280.2	281.4	0.37	3.4
UW493	281.4	281.9	1.67	9.0
UW493	281.9	283.4	0.03	1.8
UW493	283.4	284.9	0.03	1.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	284.9	286.4	0.15	2.8
UW493	286.4	287.7	0.03	2.5
UW493	287.7	289.1	0.17	4.8
UW493	289.1	289.9	0.05	2.7
UW493	289.9	290.5	0.03	2.0
UW493	290.5	291.2	9.17	11.6
UW493	291.2	292.7	0.04	2.2
UW493	292.7	294	0.03	2.0
UW493	294	294.6	0.06	2.6
UW493	294.6	295.8	0.87	6.2
UW493	295.8	297.3	0.01	1.8
UW493	297.3	298.2	0.01	2.8
UW493	298.2	299.7	0.39	14.4
UW493	299.7	301.2	0.02	2.5
UW493	301.2	302.2	0.02	2.5
UW493	302.2	302.6	0.22	5.8
UW493	302.6	303.6	0.07	4.2
UW493	303.6	304.9	0.96	17.5
UW493	304.9	306	0.02	2.4
UW493	306	306.5	<0.01	35.5
UW493	306.5	306.9	0.04	4.1
UW493	306.9	308	0.01	1.2
UW493	308	309.1	0.03	1.8
UW493	309.1	310.2	<0.01	4.7
UW493	310.2	311	0.02	4.1
UW493	311	312	0.02	5.4
UW493	312	313	0.02	2.3
UW493	313	314	0.02	1.6
UW493	314	315	0.01	2.1
UW493	315	315.3	0.04	3.6
UW493	315.3	315.9	0.38	28.4
UW493	315.9	317	0.04	5.0
UW493	317	318	0.03	2.9
UW493	318	319	0.02	2.2
UW493	319	320	0.03	3.0
UW493	320	320.6	0.03	2.2
UW493	320.6	321	0.31	2.8
UW493	321	322	0.03	12.5
UW493	322	322.9	0.03	7.2
UW493	322.9	323.2	1.24	10.2
UW493	323.2	323.8	0.04	5.1
UW493	323.8	324.5	6.39	24.6
UW493	324.5	325	0.08	9.5
UW493	325	325.8	1.2	16.1
UW493	325.8	326.6	0.4	4.1
UW493	326.6	328.2	13.1	37.6
UW493	328.2	329.4	0.23	14.6
UW493	329.4	330.2	0.08	4.8
UW493	330.2	331.1	0.06	5.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	331.1	332.3	0.09	5.0
UW493	332.3	333	0.03	10.6
UW493	333	334	0.03	8.5
UW493	334	335	0.11	6.7
UW493	335	336	0.05	26.2
UW493	336	336.5	0.06	1.3
UW493	336.5	337.3	0.05	4.9
UW493	337.3	338	0.03	2.5
UW493	338	339	0.03	2.7
UW493	339	339.4	0.04	3.2
UW493	339.4	340.6	6.85	71.3
UW493	340.6	341.5	0.12	5.6
UW493	341.5	342	0.03	11.0
UW493	342	343	0.03	4.1
UW493	343	343.5	0.04	4.8
UW493	343.5	344	0.06	2.7
UW493	344	344.8	0.05	3.3
UW493	344.8	345.1	0.04	2.0
UW493	345.1	346	0.03	2.6
UW493	346	347	0.03	1.8
UW493	347	348	0.04	6.4
UW493	348	349	0.1	4.4
UW493	349	350	<0.01	2.2
UW493	350	350.5	0.02	4.2
UW493	350.5	351	0.01	3.8
UW493	351	352	0.04	3.6
UW493	352	352.3	0.02	2.5
UW493	352.3	353	0.02	4.0
UW493	353	353.5	0.03	4.8
UW493	353.5	354	0.02	4.9
UW493	354	355	0.02	3.6
UW493	355	356	0.06	4.2
UW493	356	356.7	0.12	4.4
UW495	2.5	3.5	0.02	0.1
UW495	3.5	4	0.01	0.1
UW495	4	5	0.01	<0.1
UW495	5	6	0.01	<0.1
UW495	6	7	0.02	<0.1
UW495	7	8	0.02	0.1
UW495	8	9	0.02	0.2
UW495	9	10	0.02	0.1
UW495	10	11	0.02	<0.1
UW495	11	12	0.02	0.1
UW495	12	13	0.02	0.2
UW495	13	14	0.02	0.2
UW495	14	15	0.02	0.1
UW495	15	16	0.04	0.1
UW495	16	17	0.04	<0.1
UW495	17	18	0.04	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW495	18	19	0.1	<0.1
UW495	19	20	0.08	0.3
UW495	20	21	0.06	0.2
UW495	21	22	0.08	1.1
UW495	22	23	0.06	0.2
UW495	23	24	0.04	0.1
UW495	24	25	0.02	0.5
UW495	25	26	0.03	0.1
UW495	26	27	0.02	0.1
UW495	27	28	0.03	0.1
UW495	28	29	0.03	0.5
UW495	29	30	0.03	0.2
UW495	30	31	0.03	0.2
UW495	31	32	0.04	0.2
UW495	32	33	0.08	0.6
UW495	33	34	0.03	0.6
UW495	34	35	0.02	0.6
UW495	35	36	0.02	0.6
UW495	36	37	0.01	6.9
UW495	37	38	0.02	0.6
UW495	38	39	0.01	0.2
UW495	39	40	0.02	0.2
UW495	40	41	0.03	0.4
UW495	41	42	0.02	0.3
UW495	42	43	0.01	0.8
UW495	43	44	0.02	0.7
UW495	44	45	0.02	0.3
UW495	45	46	0.01	0.7
UW495	46	47	0.02	16.3
UW495	47	48	0.02	6.3
UW495	48	49	0.02	13.3
UW495	49	50	0.03	1.7
UW495	50	51	0.03	3.2
UW495	51	52	0.04	2.3
UW495	52	53	0.02	1.8
UW495	53	54	0.06	2.4
UW495	54	55	0.02	2.3
UW495	55	56	0.08	4.2
UW495	56	57	0.04	2.7
UW495	57	58	0.1	3.8
UW495	58	59	0.08	4.0
UW495	59	60	0.06	2.4
UW495	60	61	0.05	2.5
UW495	61	62	0.07	2.4
UW495	62	63	0.06	2.1
UW495	63	64	0.08	2.0
UW495	64	65	0.18	4.4
UW495	65	65.4	0.13	4.1
UW495	65.4	66.4	0.46	3.7



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW495	66.4	67	0.1	6.5
UW495	67	68	0.1	5.1
UW495	68	69	0.05	2.9
UW495	69	70	0.06	2.4
UW495	70	71	0.03	1.7
UW495	71	72	0.07	2.6
UW495	72	73	0.12	3.0
UW495	73	74	0.05	2.2
UW495	74	75	0.18	8.8
UW495	75	76	0.18	6.0
UW495	76	77	0.15	4.7
UW495	77	78	0.08	2.5
UW495	78	79	0.08	1.7
UW495	79	80	0.08	1.9
UW495	80	80.4	2.14	9.4
UW495	80.4	81	7.1	59.3
UW495	81	82	0.47	4.1
UW495	82	83	0.77	6.3
UW495	83	84	0.16	4.7
UW495	84	85	0.04	1.9
UW495	85	86	0.03	2.6
UW495	86	87	0.08	1.4
UW495	87	88	0.18	1.8
UW495	88	89	4.56	14.3
UW495	89	90	0.16	1.6
UW495	90	91	0.16	1.7
UW495	91	92	0.33	2.4
UW495	92	93	0.22	2.8
UW495	93	94	0.19	1.4
UW495	94	95	0.52	3.1
UW495	95	96	1.62	3.4
UW495	96	97	0.15	1.1
UW495	97	98	0.21	2.5
UW495	98	99	48.7	60.7
UW495	99	100	1.03	4.1
UW495	100	101	0.21	1.9
UW495	101	102	0.1	2.5
UW495	102	103	0.09	1.4
UW495	103	104	0.93	4.5
UW495	104	105	1.49	4.6
UW495	105	106	0.55	1.5
UW495	106	107	0.71	1.9
UW495	107	108	0.25	2.0
UW495	108	109	0.24	1.8
UW495	109	110	0.15	1.7
UW495	110	111	0.03	1.2
UW495	111	112	0.04	1.0
UW495	112	113	0.01	0.9
UW495	113	114	0.02	2.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW495	114	115	0.02	2.0
UW495	115	116	0.03	2.1
UW495	116	117	0.04	1.7
UW495	117	118	0.01	1.0
UW495	118	119	0.02	0.7
UW495	119	120	0.04	1.5
UW495	120	121	0.03	1.3
UW495	121	122	0.26	1.3
UW495	122	123	0.9	7.5
UW495	123	124	0.03	1.0
UW495	124	125	0.01	0.5
UW495	125	126	0.04	1.4
UW495	126	127	0.02	1.3
UW495	127	128	<0.01	0.6
UW495	128	129	<0.01	0.7
UW495	129	130	0.01	0.6
UW495	130	131	0.01	0.9
UW495	131	131.7	0.01	1.3
UW495	131.7	132	<0.01	0.5
UW495	132	133	0.09	1.2
UW495	133	134	0.05	1.7
UW495	134	135	0.02	0.5
UW495	135	136	0.01	0.1
UW495	136	137	0.01	0.4
UW495	137	138	0.02	0.8
UW495	138	139	0.02	1.4
UW495	139	140	0.03	1.1
UW495	140	141	0.27	0.5
UW495	141	142	0.02	0.7
UW495	142	143	0.03	1.3
UW495	143	143.3	0.02	1.4
UW495	143.3	144	0.02	1.0
UW495	144	145	0.04	0.9
UW495	145	146	0.02	0.8
UW495	146	147	0.02	0.4
UW495	147	148	0.01	1.2
UW495	148	149	0.01	1.2
UW495	149	150	0.01	0.4
UW495	150	151	0.01	0.8
UW495	151	152	0.02	1.2
UW495	152	153	0.02	1.4
UW495	153	154	0.01	1.3
UW495	154	154.4	0.01	2.1
UW495	154.4	155	0.16	0.9
UW495	155	156	0.97	1.1
UW495	156	157	0.2	2.4
UW495	157	158	0.1	1.5
UW495	158	159	6.64	18.8
UW495	159	159.7	16	66.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW495	159.7	160	0.04	2.7
UW495	160	161	0.06	2.3
UW495	161	162	0.04	2.5
UW495	162	163	0.02	0.8
UW495	163	164	0.02	0.7
UW495	164	165	0.01	0.4
UW495	165	166	0.01	1.0
UW495	166	167	0.02	1.2
UW495	167	168	0.11	0.8
UW495	168	169	0.05	2.0
UW495	169	170	0.02	0.8
UW495	170	171	0.04	1.7
UW495	171	172	0.05	2.0
UW495	172	172.8	0.03	1.3
UW495	172.8	173.4	58.1	149.0
UW495	173.4	174	1.38	2.7
UW495	174	175	0.03	3.5
UW495	175	176	0.06	7.5
UW495	176	177	0.07	6.2
UW495	177	178	0.27	18.1
UW495	178	179.7	0.14	12.0
UW495	179.7	180	0.47	9.8
UW495	180	181	0.02	2.7
UW495	181	182	0.02	2.0
UW495	182	183	0.02	1.8
UW495	183	184	0.02	1.2
UW495	184	185	0.02	1.3
UW495	185	186	0.11	3.5
UW495	186	187	0.05	2.9
UW495	187	188	0.03	1.1
UW495	188	189	0.01	0.7
UW495	189	190	0.01	1.8
UW495	190	191	0.12	9.8
UW495	191	192.3	0.01	1.7
UW495	192.3	192.7	0.23	11.3
UW495	192.7	193	0.08	12.5
UW495	193	193.3	0.1	9.0
UW495	193.3	194	0.05	7.7
UW495	194	195	0.01	3.6
UW495	195	196	0.02	3.8
UW495	196	196.8	0.02	4.8
UW495	196.8	197.1	0.46	37.7
UW495	197.1	198	0.07	7.4
UW495	198	198.5	0.35	8.6
UW495	198.5	199	<0.01	2.4
UW495	199	200	0.02	1.6
UW495	200	201	0.01	1.4
UW495	201	202	0.13	4.3
UW495	202	203	0.04	5.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW495	203	204	0.02	3.1
UW495	204	205	0.02	3.0
UW495	205	206	0.05	2.1
UW495	206	207	0.03	1.5
UW495	207	208	0.06	5.0
UW495	208	209	0.03	2.0
UW495	209	210	0.02	1.6
UW495	210	211	0.02	1.7
UW495	211	212	0.01	2.2
UW495	212	213	0.02	2.5
UW495	213	214	0.02	2.0
UW495	214	215	0.22	22.2
UW495	215	216	0.19	13.9
UW495	216	217	0.13	9.3
UW495	217	218	0.01	4.1
UW495	218	219	0.03	8.4
UW495	219	220	0.06	6.5
UW495	220	221	0.1	11.3
UW495	221	222	0.01	4.6
UW495	222	223	0.09	15.4
UW495	223	224	0.01	2.6
UW495	224	225	0.01	2.1
UW495	225	226	0.05	5.6
UW495	226	227	0.02	4.3
UW495	227	228	0.01	4.2
UW495	228	229	0.02	2.0
UW495	229	230	0.01	2.4
UW495	230	231	0.01	2.5
UW495	231	232	0.01	2.2
UW495	232	233	0.01	2.3
UW495	233	234	0.01	1.7
UW495	234	235.2	0.02	1.6
UW495	235.2	235.8	4.2	170.0
UW495	235.8	236	0.03	2.1
UW495	236	237	0.02	2.1
UW495	237	238	0.04	2.8
UW495	238	239	0.04	2.1
UW495	239	240	0.03	2.4
UW495	240	241.5	0.02	2.6
UW495	241.5	243	0.02	3.2
UW495	243	244	0.02	2.6
UW495	244	245	0.04	4.2
UW495	245	246	0.02	2.1
UW495	246	247	0.02	2.3
UW495	247	248	0.01	2.5
UW495	248	249	<0.01	1.7
UW495	249	249.6	0.01	2.2
UW495	249.6	250	0.04	2.2
UW495	250	251	0.02	2.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW495	251	251.8	<0.01	2.7
UW495	251.8	252.9	4.79	13.1
UW495	252.9	253.9	2.38	18.6
UW495	253.9	254.7	1.92	80.6
UW495	254.7	255.4	0.45	24.8
UW495	255.4	255.8	0.04	5.5
UW495	255.8	256.3	0.12	4.8
UW495	256.3	257.2	0.25	31.9
UW495	257.2	258	1.22	69.5
UW495	258	259	0.6	36.8
UW495	259	259.9	13.3	118.0
UW495	259.9	261.4	0.29	23.7
UW495	261.4	262.4	22.1	250.0
UW495	262.4	263	13.8	363.0
UW495	263	264.5	44.8	61.9
UW495	264.5	266	11.4	50.0
UW495	266	267.5	12.8	249.0
UW495	267.5	269	0.12	1.3
UW495	269	270.5	0.09	4.1
UW495	270.5	272	0.12	3.3
UW495	272	273.5	0.07	1.2
UW495	273.5	275	0.04	1.4
UW495	275	276.5	0.02	1.0
UW495	276.5	278	0.05	3.8
UW495	278	279.5	0.03	1.2
UW495	279.5	281	0.02	1.2
UW495	281	282	0.02	0.9
UW495	282	283.5	0.03	0.5
UW495	283.5	285	0.02	0.6
UW495	285	286.5	0.03	0.6
UW495	286.5	288	0.03	0.6
UW495	288	289.5	0.03	0.9
UW495	289.5	291	0.07	1.2
UW495	291	292.4	0.13	1.4
UW495	292.4	293.5	0.03	1.1
UW495	293.5	294	0.07	1.2
UW495	294	295	0.05	0.9
UW495	295	295.6	0.02	0.7
UW495	295.6	297	0.02	0.7
UW495	297	298.5	0.01	0.7
UW495	298.5	300	0.02	0.6
UW495	300	301.5	0.02	2.1
UW495	301.5	303	0.02	1.8
UW495	303	304	0.02	2.2
UW495	304	305	0.02	3.5
UW495	305	306	0.02	3.1
UW495	306	307	0.03	2.6
UW495	307	309	0.08	4.9
UW495	309	310	0.02	2.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW495	310	311	0.07	9.3
UW495	311	312.5	0.03	2.2
UW495	312.5	314	0.02	1.5
UW495	314	315.5	<0.01	0.8
UW495	315.5	317	<0.01	0.8
UW495	317	318.5	0.02	0.8
UW495	318.5	320	0.02	0.8
UW495	320	320.1	0.01	0.7
UW497	8.4	9.6	<0.01	<0.1
UW497	9.6	10.8	<0.01	<0.1
UW497	10.8	12	<0.01	<0.1
UW497	12	13.2	0.01	0.1
UW497	13.2	14.4	<0.01	0.2
UW497	14.4	15.6	<0.01	0.1
UW497	15.6	16.8	<0.01	0.1
UW497	16.8	18	<0.01	<0.1
UW497	18	19.2	0.01	<0.1
UW497	19.2	20.4	<0.01	<0.1
UW497	20.4	21.6	0.01	0.3
UW497	21.6	22.8	0.01	0.3
UW497	22.8	24	0.01	0.5
UW497	24	25.2	0.01	0.3
UW497	25.2	26.4	0.02	0.3
UW497	26.4	27.6	0.01	0.2
UW497	27.6	28.8	0.02	0.2
UW497	28.8	30	0.03	0.1
UW497	30	31.2	0.03	<0.1
UW497	31.2	32.4	0.03	0.1
UW497	32.4	33.6	0.03	0.2
UW497	33.6	34.8	<0.01	0.2
UW497	34.8	36	0.01	0.2
UW497	36	37.2	<0.01	0.2
UW497	37.2	38.4	0.01	0.5
UW497	38.4	39.6	<0.01	0.3
UW497	39.6	41	<0.01	0.4
UW497	41	42.2	0.02	1.2
UW497	42.2	43.4	0.03	1.4
UW497	43.4	44.6	0.04	1.5
UW497	44.6	45	0.04	2.6
UW497	45	46	0.05	5.8
UW497	46	47.1	0.05	2.8
UW497	47.1	47.6	0.05	4.9
UW497	47.6	48.8	0.04	3.1
UW497	48.8	50	0.03	2.1
UW497	50	50.5	0.04	3.9
UW497	50.5	51.6	0.03	0.8
UW497	51.6	52.2	0.06	14.8
UW497	52.2	53.6	0.08	1.3
UW497	53.6	54.2	0.03	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	54.2	55.4	0.01	2.5
UW497	55.4	56.6	0.05	4.7
UW497	56.6	57.8	0.07	3.4
UW497	57.8	59	0.03	2.8
UW497	59	60.2	0.03	7.0
UW497	60.2	61.2	0.04	0.3
UW497	61.2	62.4	0.04	0.8
UW497	62.4	63.6	0.06	2.6
UW497	63.6	64	0.05	2.2
UW497	64	65.2	0.05	1.0
UW497	65.2	66	0.03	4.2
UW497	66	67.2	0.08	0.3
UW497	67.2	68.3	0.04	0.4
UW497	68.3	68.7	0.04	0.7
UW497	68.7	70	0.08	0.8
UW497	70	71.3	0.1	2.5
UW497	71.3	72	0.14	2.1
UW497	72	73.3	0.05	4.5
UW497	73.3	74.3	0.05	16.1
UW497	74.3	75	0.04	6.7
UW497	75	75.4	0.19	5.6
UW497	75.4	76.4	0.05	3.4
UW497	76.4	77.6	0.3	13.4
UW497	77.6	78.5	0.32	12.3
UW497	78.5	79.7	0.83	5.5
UW497	79.7	80.9	1.29	6.7
UW497	80.9	81.3	0.58	6.4
UW497	81.3	82.5	0.05	3.0
UW497	82.5	83.3	0.06	4.3
UW497	83.3	84.5	0.29	4.0
UW497	84.5	85	0.28	4.8
UW497	85	85.5	0.45	8.1
UW497	85.5	86.7	0.19	4.5
UW497	86.7	87.9	0.12	4.1
UW497	87.9	88.6	0.1	2.1
UW497	88.6	89.8	0.12	3.4
UW497	89.8	91	0.26	4.6
UW497	91	92.2	0.26	2.7
UW497	92.2	93.3	0.1	4.9
UW497	93.3	94.5	0.31	4.1
UW497	94.5	95.7	3.86	6.4
UW497	95.7	97	0.25	5.4
UW497	97	98.2	0.17	5.6
UW497	98.2	99.1	0.44	5.9
UW497	99.1	100	0.13	1.6
UW497	100	101.2	0.08	1.2
UW497	101.2	102.4	0.06	2.2
UW497	102.4	103.6	0.07	1.6
UW497	103.6	104	0.11	2.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	104	104.7	0.5	3.6
UW497	104.7	105.3	0.24	2.7
UW497	105.3	106	0.24	6.6
UW497	106	107.2	0.32	3.5
UW497	107.2	108.4	0.22	1.8
UW497	108.4	109.6	0.62	2.6
UW497	109.6	110	0.69	1.7
UW497	110	110.9	16.2	19.3
UW497	110.9	112	0.09	1.8
UW497	112	113.2	0.05	0.7
UW497	113.2	114.4	0.03	0.4
UW497	114.4	115.6	0.04	1.0
UW497	115.6	116.8	0.04	0.8
UW497	116.8	118	0.24	1.3
UW497	118	119.2	0.33	1.3
UW497	119.2	120	0.19	1.3
UW497	120	121.2	0.15	3.4
UW497	121.2	122	4.98	5.6
UW497	122	123.2	0.16	1.0
UW497	123.2	124.4	0.18	0.8
UW497	124.4	125.6	0.09	1.3
UW497	125.6	126.8	1.3	2.9
UW497	126.8	128	0.09	0.8
UW497	128	129	0.04	0.7
UW497	129	129.4	0.09	1.8
UW497	129.4	130.6	0.12	1.7
UW497	130.6	131.8	0.14	2.8
UW497	131.8	133	0.1	2.7
UW497	133	134.2	0.28	5.3
UW497	134.2	135.4	0.12	3.6
UW497	135.4	136.6	1.28	4.4
UW497	136.6	137.8	0.05	1.9
UW497	137.8	139	0.03	1.1
UW497	139	140.2	0.03	0.9
UW497	140.2	141.4	0.01	0.5
UW497	141.4	142.6	0.01	0.5
UW497	142.6	143.8	<0.01	0.5
UW497	143.8	145	<0.01	0.6
UW497	145	146.2	0.01	1.1
UW497	146.2	148.6	0.02	1.3
UW497	148.6	149	0.01	1.3
UW497	149	150	<0.01	2.0
UW497	150	151.2	<0.01	1.4
UW497	151.2	152.4	0.01	2.4
UW497	152.4	153.6	0.02	1.7
UW497	153.6	154.8	0.02	1.1
UW497	154.8	155.4	0.06	2.0
UW497	155.4	156.7	0.18	2.5
UW497	156.7	158.7	0.05	2.1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	158.7	159.5	0.08	3.6
UW497	159.5	160.2	0.08	2.8
UW497	160.2	161.1	0.05	2.6
UW497	161.1	161.7	0.09	3.6
UW497	161.7	162.9	0.06	2.7
UW497	162.9	164	0.08	2.5
UW497	164	165.2	0.05	2.0
UW497	165.2	166.4	0.08	2.1
UW497	166.4	167.6	0.31	2.2
UW497	167.6	168.8	0.22	2.3
UW497	168.8	170	0.81	3.1
UW497	170	170.4	0.32	4.2
UW497	170.4	171.6	0.8	3.3
UW497	171.6	172.8	1.04	3.5
UW497	172.8	174	1.3	2.7
UW497	174	175.2	0.4	2.1
UW497	175.2	176.4	2.43	2.2
UW497	176.4	177	3.54	2.8
UW497	177	178.2	38.6	38.4
UW497	178.2	179.4	1.44	8.8
UW497	179.4	180.6	0.81	8.7
UW497	180.6	181.4	0.07	3.1
UW497	181.4	182.6	0.09	2.1
UW497	182.6	183.8	0.03	2.7
UW497	183.8	185	0.02	0.9
UW497	185	186.2	0.03	1.4
UW497	186.2	187.4	0.04	2.8
UW497	187.4	188.6	0.07	1.0
UW497	188.6	189.7	0.13	3.5
UW497	189.7	190.2	0.06	2.8
UW497	190.2	191.4	0.03	1.4
UW497	191.4	192.6	0.02	1.1
UW497	192.6	193.8	0.02	1.3
UW497	193.8	195	0.01	1.3
UW497	195	196.2	0.22	1.6
UW497	196.2	197.4	0.07	4.0
UW497	197.4	198.6	0.02	1.0
UW497	198.6	199.8	0.04	2.0
UW497	199.8	201	0.34	6.4
UW497	201	202.2	0.44	2.9
UW497	202.2	203.4	0.17	1.1
UW497	203.4	204.6	0.02	0.6
UW497	204.6	205.5	0.02	1.2
UW497	205.5	206.7	0.04	1.6
UW497	206.7	207	0.01	1.2
UW497	207	208.2	0.04	1.2
UW497	208.2	209.4	1.05	15.4
UW497	209.4	210.6	0.08	3.4
UW497	210.6	211.4	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	211.4	212.2	<0.01	0.8
UW497	212.2	212.7	0.01	1.0
UW497	212.7	213.7	0.59	29.3
UW497	213.7	214.9	0.03	2.1
UW497	214.9	216	0.07	2.0
UW497	216	217.2	0.11	2.1
UW497	217.2	218.5	0.02	1.9
UW497	218.5	219	0.72	6.9
UW497	219	220.2	0.01	2.0
UW497	220.2	221.4	0.03	1.7
UW497	221.4	222.6	0.24	20.7
UW497	222.6	223.4	0.92	7.4
UW497	223.4	224.7	0.72	48.8
UW497	224.7	225.9	0.52	16.5
UW497	225.9	227	0.04	2.6
UW497	227	228.2	0.01	2.4
UW497	228.2	229.4	0.04	1.7
UW497	229.4	230.6	0.02	2.7
UW497	230.6	234	3.04	9.6
UW497	234	235.2	3.13	15.3
UW497	235.2	236	0.53	6.8
UW497	236	237.2	0.28	4.2
UW497	237.2	238.4	11.2	27.7
UW497	238.4	239.8	7.82	114.0
UW497	239.8	241	0.11	9.9
UW497	241	242.2	0.13	9.0
UW497	242.2	243.4	0.04	2.6
UW497	243.4	244.6	0.13	2.4
UW497	244.6	245.8	0.05	3.5
UW497	245.8	247	0.02	1.5
UW497	247	248.2	0.45	2.6
UW497	248.2	249.4	0.2	1.4
UW497	249.4	251.6	1.34	2.5
UW497	251.6	252.8	1.03	2.0
UW497	252.8	254	0.5	3.7
UW497	254	254.3	7.08	176.0
UW497	254.3	255.2	0.81	3.3
UW497	255.2	256.4	3.63	15.4
UW497	256.4	257.6	0.03	2.2
UW497	257.6	258.8	0.02	1.4
UW497	258.8	260	0.02	1.3
UW497	260	261.2	0.03	1.5
UW497	261.2	262.4	0.02	1.1
UW497	262.4	263.1	0.03	1.5
UW497	263.1	263.6	0.04	1.4
UW497	263.6	264.8	0.02	1.5
UW497	264.8	266	0.02	1.3
UW497	266	267.2	0.02	1.1
UW497	267.2	268.4	0.37	22.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	268.4	269.6	0.03	3.9
UW497	269.6	270.8	0.02	2.8
UW497	270.8	272	0.08	7.0
UW497	272	273.2	0.04	3.5
UW497	273.2	274.4	0.03	0.6
UW497	274.4	275.2	0.01	0.8
UW497	275.2	275.5	6.34	94.0
UW497	275.5	276.7	0.03	3.0
UW497	276.7	277.9	<0.01	1.3
UW497	277.9	279	<0.01	0.9
UW497	279	280.2	2.64	23.3
UW497	280.2	281.4	0.03	1.2
UW497	281.4	282	11	141.0
UW497	282	283.2	0.04	1.6
UW497	283.2	284.4	0.02	1.9
UW497	284.4	285.6	0.34	3.5
UW497	285.6	286.8	0.03	3.1
UW497	286.8	288	<0.01	2.5
UW497	288	289.2	0.02	2.8
UW497	289.2	290.4	0.02	1.8
UW497	290.4	291.6	0.02	3.3
UW497	291.6	292.8	0.05	2.3
UW497	292.8	294	<0.01	2.8
UW497	294	295.2	0.04	1.5
UW497	295.2	296.4	<0.01	1.6
UW497	296.4	297.6	0.02	1.5
UW497	297.6	298.8	<0.01	0.7
UW497	298.8	300	<0.01	1.3
UW497	300	301.2	<0.01	1.4
UW497	301.2	302.4	0.07	2.2
UW497	302.4	303.1	<0.01	1.4
UW497	303.1	303.8	0.09	1.7
UW497	303.8	305	<0.01	3.4
UW497	305	306.2	0.01	2.5
UW497	306.2	307.4	<0.01	3.3
UW497	307.4	308.6	<0.01	2.3
UW497	308.6	309.8	<0.01	2.8
UW497	309.8	311	0.04	2.1
UW497	311	312.2	0.02	1.0
UW497	312.2	313.4	0.01	0.8
UW497	313.4	313.9	0.03	0.8
UW497	313.9	314.3	0.03	2.6
UW497	314.3	315.5	0.01	1.0
UW497	315.5	316.7	0.03	0.6
UW497	316.7	317.9	0.02	1.0
UW497	317.9	319	0.01	1.4
UW497	319	320.2	0.01	1.9
UW497	320.2	321.2	0.02	2.2
UW497	321.2	322.4	0.02	3.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	322.4	323.6	0.02	1.5
UW497	323.6	324.8	0.03	2.5
UW497	324.8	325.7	0.04	2.2
UW497	325.7	326.5	0.02	3.2
UW497	326.5	327.6	0.05	3.6
UW497	327.6	328.8	0.01	2.3
UW497	328.8	330	0.02	4.0
UW497	330	331.2	0.15	9.5
UW497	331.2	332.7	0.28	17.4
UW497	332.7	334.2	0.59	28.2
UW497	334.2	335	0.52	27.4
UW497	335	335.7	2.03	120.0
UW497	335.7	337.2	0.35	18.0
UW497	337.2	338	0.05	8.9
UW497	338	338.7	0.15	9.5
UW497	338.7	340.2	0.12	13.4
UW497	340.2	340.7	0.09	6.9
UW497	340.7	341.7	0.2	6.4
UW497	341.7	342.7	0.08	4.8
UW497	342.7	343.7	0.13	44.1
UW497	343.7	344.7	0.04	61.3
UW497	344.7	348.2	0.04	24.1
UW497	348.2	348.7	0.17	11.4
UW497	348.7	350.7	0.04	1.7
UW497	350.7	351.2	0.8	5.0
UW497	351.2	352.2	0.43	7.6
UW497	352.2	353.4	0.05	3.6
UW497	353.4	354.6	0.48	2.9
UW497	354.6	355.8	0.32	4.6
UW497	355.8	357	0.04	2.9
UW497	357	358.2	0.03	1.7
UW497	358.2	359.2	0.29	12.0
UW497	359.2	360.4	0.18	4.8
UW497	360.4	361.6	0.11	2.1
UW497	361.6	362.4	0.13	2.1
UW497	362.4	362.9	0.02	1.6
UW497	362.9	363.7	0.05	1.2
UW497	363.7	364.5	0.04	1.3
UW497	364.5	365.5	0.07	1.4
UW497	365.5	366	0.05	1.5
UW497	366	367	0.05	1.4
UW497	367	368	0.02	1.5
UW497	368	368.5	0.01	1.5
UW497	368.5	370.2	0.1	1.4
UW497	370.2	371	0.03	1.4
UW497	371	373.2	0.03	1.3
UW497	373.2	374.5	0.08	1.3
UW497	374.5	375.4	0.03	1.2
UW497	375.4	376.3	0.03	2.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	376.3	376.8	0.06	10.6
UW497	376.8	377.5	0.02	2.3
UW497	377.5	378.1	0.07	2.2
UW497	378.1	379.3	0.03	1.6
UW497	379.3	380.3	0.12	1.7
UW497	380.3	381.8	0.04	3.1
UW497	381.8	383.3	0.03	2.7
UW497	383.3	384.8	0.02	2.1
UW497	384.8	386.4	0.02	11.1
UW497	386.4	387.5	0.02	19.2
UW497	387.5	389	0.03	9.9
UW497	389	389.5	0.04	19.8
UW497	389.5	390.7	<0.01	7.3
UW497	390.7	391.4	0.04	2.2
UW497	391.4	393.1	0.01	2.2
UW497	393.1	395	<0.01	1.1
UW497	395	396	0.01	1.1
UW497	396	397.1	<0.01	4.6
UW497	397.1	398.6	<0.01	5.7
UW497	398.6	400	0.02	3.9
UW497	400	401	0.17	23.1
UW497	401	402.7	0.13	29.7
UW497	402.7	404.2	<0.01	7.4
UW497	404.2	405.7	0.02	1.7
UW497	405.7	407.2	0.05	0.9
UW497	407.2	408.7	0.03	0.7
UW497	408.7	409.6	0.26	9.5
UW497	409.6	411.1	0.06	0.9
UW497	411.1	411.7	0.01	2.3
UW497	411.7	412.5	3.78	9.1
UW497	412.5	414	0.85	3.1
UW497	414	415.3	0.08	1.8
UW497	415.3	416.4	0.07	2.7
UW497	416.4	416.7	0.05	2.2
UW497	416.7	417.3	0.1	2.2
UW497	417.3	418.6	0.03	1.8
UW497	418.6	419.5	0.01	1.9
UW497	419.5	421	<0.01	1.5
UW497	421	421.6	0.02	1.1
UW497	421.6	421.9	<0.01	1.8
UW497	421.9	423.4	<0.01	0.5
UW497	423.4	423.7	0.01	3.5
UW497	423.7	424	0.5	2.5
UW497	424	424.7	0.02	1.9
UW497	424.7	425.8	0.01	0.6
UW497	425.8	426.5	0.25	0.6
UW497	426.5	427.5	0.08	1.3
UW497	427.5	427.8	0.02	1.1
UW497	427.8	428.9	0.72	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW497	428.9	430.4	0.02	1.9
UW497	430.4	431.9	0.42	2.9
UW497	431.9	432.4	0.03	0.8
UW497	432.4	433.9	0.06	0.5
UW497	433.9	434.7	0.01	0.5
UW497	434.7	435.5	<0.01	0.6
UW497	435.5	436	0.13	1.6
UW497	436	437.5	0.01	1.2
UW497	437.5	438	0.02	0.6
UW497	438	438.9	0.04	1.0
UW497	438.9	440.4	0.02	0.7
UW497	440.4	441.9	0.04	0.5
UW497	441.9	443.6	0.03	0.3
UW497	443.6	444.9	0.02	0.3
UW497	444.9	445.5	0.02	0.3
UW497	445.5	446.5	0.03	0.3