

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	0.00	0.70	0.01	0.2
844SP0EX1036	0.70	1.20	0.01	0.2
844SP0EX1036	1.20	2.40	<0.01	0.1
844SP0EX1036	2.40	3.50	<0.01	0.2
844SP0EX1036	3.50	4.40	0.02	6.4
844SP0EX1036	4.40	5.30	0.01	0.5
844SP0EX1036	5.30	6.50	<0.01	0.6
844SP0EX1036	6.50	7.15	0.01	0.3
844SP0EX1036	7.15	7.45	0.03	0.5
844SP0EX1036	7.45	8.60	0.01	0.3
844SP0EX1036	8.60	9.80	0.01	0.3
844SP0EX1036	9.80	11.00	0.01	0.3
844SP0EX1036	11.00	12.10	0.01	1.4
844SP0EX1036	12.10	13.00	0.01	0.2
844SP0EX1036	13.00	14.05	0.01	0.2
844SP0EX1036	14.05	15.00	0.09	1.7
844SP0EX1036	15.00	16.20	0.01	2.0
844SP0EX1036	16.20	17.40	0.02	4.1
844SP0EX1036	17.40	18.40	0.02	3.1
844SP0EX1036	18.40	18.75	0.02	0.2
844SP0EX1036	18.75	19.05	0.02	5.3
844SP0EX1036	19.05	20.20	0.02	1.1
844SP0EX1036	20.20	21.25	0.01	0.2
844SP0EX1036	21.25	21.60	0.01	0.1
844SP0EX1036	21.60	21.90	<0.01	1.0
844SP0EX1036	21.90	23.00	<0.01	0.1
844SP0EX1036	23.00	23.90	0.01	0.2
844SP0EX1036	23.90	24.30	0.02	0.3
844SP0EX1036	24.30	25.30	0.01	0.1
844SP0EX1036	25.30	26.35	0.33	1.7
844SP0EX1036	26.35	27.55	0.05	0.8
844SP0EX1036	27.55	28.40	0.01	1.3
844SP0EX1036	28.40	29.60	0.01	0.2
844SP0EX1036	29.60	30.15	0.11	0.3
844SP0EX1036	30.15	30.45	0.08	0.3
844SP0EX1036	30.45	31.45	0.01	0.2
844SP0EX1036	31.45	31.75	0.03	0.3
844SP0EX1036	31.75	32.90	<0.01	0.1
844SP0EX1036	32.90	33.80	<0.01	0.1
844SP0EX1036	33.80	34.70	0.02	0.2
844SP0EX1036	34.70	35.00	0.10	0.4
844SP0EX1036	35.00	35.40	0.02	0.3
844SP0EX1036	35.40	35.70	0.06	0.8
844SP0EX1036	35.70	36.30	0.04	2.4
844SP0EX1036	36.30	37.40	0.04	2.2
844SP0EX1036	37.40	37.90	<0.01	2.3
844SP0EX1036	37.90	38.90	<0.01	0.8
844SP0EX1036	38.90	40.10	0.03	0.3
844SP0EX1036	40.10	40.75	0.04	1.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	40.75	41.90	<0.01	0.9
844SP0EX1036	41.90	43.00	<0.01	0.2
844SP0EX1036	43.00	44.20	0.01	0.2
844SP0EX1036	44.20	44.70	0.02	0.2
844SP0EX1036	44.70	45.00	0.02	0.6
844SP0EX1036	45.00	46.20	0.02	0.3
844SP0EX1036	46.20	47.40	<0.01	0.2
844SP0EX1036	47.40	48.45	0.02	0.2
844SP0EX1036	48.45	49.30	0.02	0.3
844SP0EX1036	49.30	50.00	0.03	0.3
844SP0EX1036	50.00	51.20	0.01	0.2
844SP0EX1036	51.20	51.90	0.02	0.5
844SP0EX1036	51.90	52.75	<0.01	0.8
844SP0EX1036	52.75	53.60	<0.01	0.3
844SP0EX1036	53.60	54.30	<0.01	0.5
844SP0EX1036	54.30	54.65	<0.01	0.7
844SP0EX1036	54.65	55.80	<0.01	0.2
844SP0EX1036	55.80	56.60	<0.01	0.2
844SP0EX1036	56.60	57.60	<0.01	0.3
844SP0EX1036	57.60	58.50	<0.01	0.2
844SP0EX1036	58.50	59.60	<0.01	0.3
844SP0EX1036	59.60	60.80	<0.01	0.5
844SP0EX1036	60.80	62.00	<0.01	0.2
844SP0EX1036	62.00	62.60	<0.01	0.1
844SP0EX1036	62.60	63.80	<0.01	0.2
844SP0EX1036	63.80	65.00	<0.01	0.4
844SP0EX1036	65.00	66.20	<0.01	0.3
844SP0EX1036	66.20	67.00	<0.01	0.4
844SP0EX1036	67.00	68.20	<0.01	0.2
844SP0EX1036	68.20	69.40	0.02	0.6
844SP0EX1036	69.40	70.00	0.04	0.4
844SP0EX1036	70.00	71.20	0.01	0.4
844SP0EX1036	71.20	72.00	<0.01	0.7
844SP0EX1036	72.00	72.65	6.30	6.7
844SP0EX1036	72.65	72.95	7.72	12.3
844SP0EX1036	72.95	73.80	0.07	3.8
844SP0EX1036	73.80	74.35	3.47	5.9
844SP0EX1036	74.35	74.70	1.64	2.8
844SP0EX1036	74.70	75.50	0.26	4.5
844SP0EX1036	75.50	76.00	0.06	1.6
844SP0EX1036	76.00	77.20	0.06	1.4
844SP0EX1036	77.20	78.00	<0.01	1.2
844SP0EX1036	78.00	78.40	<0.01	0.6
844SP0EX1036	78.40	79.30	<0.01	0.2
844SP0EX1036	82.70	83.00	0.03	0.5
844SP0EX1036	91.00	92.20	0.05	0.3
844SP0EX1036	92.20	93.40	0.02	0.3
844SP0EX1036	93.40	94.60	0.12	0.4
844SP0EX1036	94.60	95.40	0.15	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	95.40	96.00	0.17	0.7
844SP0EX1036	96.00	97.00	<0.01	0.4
844SP0EX1036	97.00	97.60	0.06	0.9
844SP0EX1036	97.60	97.90	<0.01	2.5
844SP0EX1036	97.90	98.90	0.03	0.9
844SP0EX1036	98.90	100.00	<0.01	0.8
844SP0EX1036	100.00	100.80	0.03	0.9
844SP0EX1036	100.80	101.40	0.07	1.8
844SP0EX1036	101.40	102.60	0.03	0.9
844SP0EX1036	102.60	103.80	<0.01	0.3
844SP0EX1036	103.80	105.00	<0.01	1.1
844SP0EX1036	105.00	106.00	0.01	0.9
844SP0EX1036	106.00	107.20	<0.01	0.2
844SP0EX1036	107.20	108.40	<0.01	0.6
844SP0EX1036	108.40	109.00	0.01	0.7
844SP0EX1036	109.00	109.50	0.04	0.9
844SP0EX1036	109.50	110.70	<0.01	0.6
844SP0EX1036	110.70	111.70	0.01	0.9
844SP0EX1036	111.70	112.40	0.02	0.9
844SP0EX1036	112.40	113.00	0.35	0.8
844SP0EX1036	113.00	114.20	0.02	0.8
844SP0EX1036	114.20	115.60	0.02	1.0
844SP0EX1036	115.60	116.90	0.01	0.8
844SP0EX1036	116.90	118.00	0.02	0.6
844SP0EX1036	118.00	119.20	0.02	0.8
844SP0EX1036	119.20	120.40	<0.01	0.7
844SP0EX1036	124.10	124.50	0.01	1.9
844SP0EX1036	124.50	124.90	0.02	1.4
844SP0EX1036	124.90	126.10	0.01	1.3
844SP0EX1036	126.10	127.30	0.01	1.4
844SP0EX1036	127.30	127.80	0.01	1.4
844SP0EX1036	127.80	129.00	<0.01	1.1
844SP0EX1036	129.00	130.20	<0.01	1.1
844SP0EX1036	130.20	131.10	<0.01	1.4
844SP0EX1036	131.10	131.60	<0.01	0.7
844SP0EX1036	131.60	132.35	<0.01	0.5
844SP0EX1036	132.35	132.85	<0.01	0.5
844SP0EX1036	132.85	134.00	<0.01	0.3
844SP0EX1036	141.00	141.60	<0.01	0.7
844SP0EX1036	141.60	142.10	<0.01	0.4
844SP0EX1036	142.10	143.00	0.01	0.2
844SP0EX1036	143.00	144.00	0.01	0.4
844SP0EX1036	144.00	145.20	0.01	0.3
844SP0EX1036	145.20	146.40	<0.01	0.6
844SP0EX1036	146.40	147.50	<0.01	0.9
844SP0EX1036	147.50	148.50	0.01	0.5
844SP0EX1036	148.50	149.60	<0.01	0.3
844SP0EX1036	149.60	150.80	<0.01	0.2
844SP0EX1036	150.80	152.00	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	152.00	153.20	0.01	0.5
844SP0EX1036	153.20	154.40	0.02	0.9
844SP0EX1036	154.40	155.60	0.02	0.3
844SP0EX1036	155.60	156.10	0.02	0.1
844SP0EX1036	156.10	156.50	0.01	3.3
844SP0EX1036	156.50	157.70	0.03	0.9
844SP0EX1036	157.70	159.00	0.02	0.5
844SP0EX1036	159.00	160.20	0.01	0.8
844SP0EX1036	167.60	168.70	<0.01	1.2
844SP0EX1036	168.70	169.70	<0.01	0.8
844SP0EX1036	169.70	170.20	<0.01	0.7
844SP0EX1036	170.20	171.20	0.01	1.3
844SP0EX1036	171.20	172.40	0.12	0.7
844SP0EX1036	172.40	172.90	0.10	3.3
844SP0EX1036	172.90	173.50	0.01	0.4
844SP0EX1036	173.50	174.30	<0.01	0.5
844SP0EX1036	174.30	175.00	<0.01	1.5
844SP0EX1036	175.00	176.20	<0.01	1.5
844SP0EX1036	176.20	177.40	<0.01	1.3
844SP0EX1036	177.40	178.60	<0.01	1.1
844SP0EX1036	178.60	179.20	0.02	1.5
844SP0EX1036	179.20	180.00	0.01	1.0
844SP0EX1036	180.00	181.20	<0.01	1.0
844SP0EX1036	181.20	182.00	0.03	0.6
844SP0EX1036	182.00	183.20	<0.01	0.5
844SP0EX1036	183.20	184.40	0.02	1.3
844SP0EX1036	184.40	185.30	0.02	0.7
844SP0EX1036	185.30	186.00	0.01	1.4
844SP0EX1036	186.00	186.95	<0.01	1.1
844SP0EX1036	186.95	187.40	0.03	0.9
844SP0EX1036	187.40	188.60	0.08	1.5
844SP0EX1036	188.60	189.80	0.05	1.4
844SP0EX1036	189.80	190.55	0.02	0.4
844SP0EX1036	190.55	190.85	0.04	0.5
844SP0EX1036	190.85	192.00	0.02	0.5
844SP0EX1036	192.00	193.00	0.07	1.7
844SP0EX1036	193.00	194.20	0.01	1.2
844SP0EX1036	194.20	195.10	0.01	1.1
844SP0EX1036	195.10	196.00	0.02	1.6
844SP0EX1036	196.00	197.20	0.02	0.7
844SP0EX1036	197.20	198.40	0.01	1.2
844SP0EX1036	198.40	199.40	<0.01	1.0
844SP0EX1036	199.40	200.60	<0.01	0.5
844SP0EX1036	200.60	201.80	0.03	1.1
844SP0EX1036	201.80	203.00	0.02	0.7
844SP0EX1036	203.00	204.00	0.05	1.0
844SP0EX1036	204.00	205.00	0.14	1.4
844SP0EX1036	205.00	205.60	0.05	0.9
844SP0EX1036	205.60	206.70	0.04	0.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	206.70	207.50	0.02	0.5
844SP0EX1036	207.50	208.30	<0.01	0.4
844SP0EX1036	208.30	209.10	0.01	0.5
844SP0EX1036	209.10	210.20	0.12	0.6
844SP0EX1036	210.20	211.50	0.04	0.9
844SP0EX1036	211.50	213.00	0.02	1.1
844SP0EX1036	213.00	214.90	0.08	8.9
844SP0EX1036	214.90	216.00	0.04	0.8
844SP0EX1036	216.00	216.70	0.01	0.6
844SP0EX1036	216.70	217.80	0.03	1.1
844SP0EX1036	217.80	218.70	0.07	2.2
844SP0EX1036	218.70	219.60	0.11	1.3
844SP0EX1036	219.60	220.45	0.40	1.9
844SP0EX1036	220.45	221.60	0.04	1.5
844SP0EX1036	221.60	222.80	0.01	3.2
844SP0EX1036	222.80	223.70	<0.01	1.6
844SP0EX1036	223.70	224.50	2.28	13.9
844SP0EX1036	224.50	225.00	0.04	1.8
844SP0EX1036	225.00	225.30	0.01	2.5
844SP0EX1036	225.30	226.50	0.02	2.0
844SP0EX1036	226.50	227.70	<0.01	1.3
844SP0EX1036	235.20	236.20	<0.01	1.4
844SP0EX1036	236.20	237.20	<0.01	1.4
844SP0EX1036	237.20	237.50	<0.01	0.7
844SP0EX1036	237.50	238.60	<0.01	1.5
844SP0EX1036	238.60	239.65	0.04	1.4
844SP0EX1036	239.65	240.80	0.01	1.0
844SP0EX1036	240.80	242.00	0.02	1.1
844SP0EX1036	242.00	243.00	0.02	0.9
844SP0EX1036	243.00	243.70	0.02	1.1
844SP0EX1036	243.70	244.80	0.02	1.4
844SP0EX1036	244.80	246.00	0.02	1.4
844SP0EX1036	246.00	247.20	0.04	1.6
844SP0EX1036	247.20	247.70	<0.01	1.5
844SP0EX1036	247.70	248.90	0.02	1.4
844SP0EX1036	248.90	250.00	0.02	1.8
844SP0EX1036	250.00	251.00	0.02	1.6
844SP0EX1036	251.00	252.00	0.02	1.5
844SP0EX1036	252.00	253.00	0.01	1.2
844SP0EX1036	253.00	254.00	0.02	1.2
844SP0EX1036	254.00	255.20	0.01	1.2
844SP0EX1036	255.20	256.40	0.02	1.4
844SP0EX1036	256.40	257.60	<0.01	1.1
844SP0EX1036	257.60	258.30	<0.01	1.2
844SP0EX1036	258.30	259.10	<0.01	1.0
844SP0EX1036	259.10	260.30	<0.01	0.8
844SP0EX1036	260.30	260.60	0.02	1.2
844SP0EX1036	260.60	261.80	<0.01	1.2
844SP0EX1036	261.80	263.00	<0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	263.00	264.00	<0.01	0.9
844SP0EX1036	264.00	265.20	<0.01	1.4
844SP0EX1036	265.20	266.40	<0.01	1.1
844SP0EX1036	266.40	267.60	<0.01	1.0
844SP0EX1036	267.60	268.50	<0.01	0.9
844SP0EX1036	268.50	269.20	<0.01	1.0
844SP0EX1036	269.20	269.50	<0.01	0.7
844SP0EX1036	269.50	270.70	<0.01	1.0
844SP0EX1036	270.70	271.90	<0.01	1.0
844SP0EX1036	271.90	273.00	<0.01	1.3
844SP0EX1036	277.25	278.40	0.01	0.9
844SP0EX1036	278.40	279.25	0.02	1.3
844SP0EX1036	279.25	279.80	0.02	1.4
844SP0EX1036	279.80	281.00	0.02	1.4
844SP0EX1036	281.00	282.20	0.02	0.9
844SP0EX1036	282.20	283.40	0.01	1.0
844SP0EX1036	283.40	284.60	0.01	1.5
844SP0EX1036	284.60	285.80	0.02	1.6
844SP0EX1036	285.80	287.00	0.01	1.2
844SP0EX1036	287.00	288.20	0.01	1.4
844SP0EX1036	288.20	289.40	0.01	1.8
844SP0EX1036	289.40	290.60	0.01	3.1
844SP0EX1036	290.60	291.80	<0.01	2.8
844SP0EX1036	291.80	293.00	<0.01	1.6
844SP0EX1036	293.00	294.10	<0.01	1.2
844SP0EX1036	294.10	294.70	0.02	2.0
844SP0EX1036	294.70	295.90	<0.01	0.9
844SP0EX1036	295.90	297.00	<0.01	0.3
844SP0EX1036	297.00	298.20	0.01	0.5
844SP0EX1036	298.20	299.40	<0.01	0.7
844SP0EX1036	299.40	300.60	<0.01	0.5
844SP0EX1036	300.60	301.80	0.01	1.4
844SP0EX1036	301.80	303.00	<0.01	0.8
844SP0EX1036	303.00	304.20	0.02	0.7
844SP0EX1036	304.20	305.40	0.02	0.3
844SP0EX1036	305.40	306.60	0.05	2.0
844SP0EX1036	306.60	307.80	0.06	1.2
844SP0EX1036	307.80	308.60	0.03	1.0
844SP0EX1036	308.60	309.30	0.78	10.8
844SP0EX1036	309.30	310.30	<0.01	1.5
844SP0EX1036	310.30	310.60	0.13	2.3
844SP0EX1036	310.60	311.80	0.01	0.7
844SP0EX1036	311.80	313.00	0.07	5.0
844SP0EX1036	313.00	314.20	<0.01	1.1
844SP0EX1036	314.20	314.90	0.20	12.5
844SP0EX1036	314.90	315.70	2.13	17.2
844SP0EX1036	315.70	316.90	0.01	0.8
844SP0EX1036	316.90	318.00	0.01	3.0
844SP0EX1036	318.00	318.55	0.05	4.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	318.55	319.50	0.44	4.9
844SP0EX1036	319.50	320.00	0.02	1.1
844SP0EX1036	320.00	320.60	0.01	1.0
844SP0EX1036	320.60	321.75	0.01	1.4
844SP0EX1036	321.75	322.90	0.01	1.3
844SP0EX1036	322.90	324.00	0.01	1.6
844SP0EX1036	324.00	325.20	<0.01	1.4
844SP0EX1036	325.20	326.40	<0.01	1.1
844SP0EX1036	326.40	327.60	<0.01	1.2
844SP0EX1036	327.60	328.20	<0.01	1.6
844SP0EX1036	328.20	328.70	<0.01	0.9
844SP0EX1036	328.70	329.70	<0.01	1.2
844SP0EX1036	329.70	330.80	0.01	1.2
844SP0EX1036	330.80	332.00	<0.01	1.1
844SP0EX1036	352.00	353.20	0.01	1.0
844SP0EX1036	353.20	353.80	<0.01	1.1
844SP0EX1036	353.80	355.00	<0.01	1.0
844SP0EX1036	368.30	368.60	<0.01	0.7
844SP0EX1036	368.60	369.40	<0.01	0.4
844SP0EX1036	369.40	369.70	3.33	2.1
844SP0EX1036	369.70	370.80	0.14	0.7
844SP0EX1036	371.80	372.40	0.02	0.8
844SP0EX1036	372.40	373.00	<0.01	0.9
844SP0EX1036	375.40	375.70	0.04	1.2
844SP0EX1036	376.10	376.40	0.14	1.0
844SP0EX1036	376.40	377.00	0.04	1.3
844SP0EX1036	377.00	377.60	0.01	0.9
844SP0EX1036	378.30	378.70	0.23	5.2
844SP0EX1036	380.30	381.30	0.02	1.2
844SP0EX1036	381.30	382.30	0.02	1.5
844SP0EX1036	382.30	383.30	0.02	2.3
844SP0EX1036	383.30	384.30	0.04	1.8
844SP0EX1036	384.30	385.20	0.02	2.2
844SP0EX1036	385.20	385.50	0.05	1.9
844SP0EX1036	385.50	386.20	<0.01	0.7
844SP0EX1036	386.20	386.90	<0.01	2.8
844SP0EX1036	386.90	387.20	0.24	4.8
844SP0EX1036	387.20	387.70	0.04	2.1
844SP0EX1036	387.70	388.50	0.01	1.2
844SP0EX1036	388.50	389.40	0.01	1.7
844SP0EX1036	389.40	389.90	1.18	2.9
844SP0EX1036	389.90	390.80	0.02	2.8
844SP0EX1036	390.80	391.10	0.04	2.4
844SP0EX1036	391.10	392.10	0.02	4.9
844SP0EX1036	392.10	392.70	0.04	4.0
844SP0EX1036	392.70	393.60	9.88	17.5
844SP0EX1036	393.60	394.40	0.04	1.6
844SP0EX1036	394.40	394.90	0.06	4.5
844SP0EX1036	394.90	395.30	0.07	6.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
844SP0EX1036	395.30	396.40	0.02	1.9
844SP0EX1036	396.40	396.70	0.25	2.8
844SP0EX1036	396.70	397.90	0.01	0.7
844SP0EX1036	397.90	398.30	<0.01	0.7
844SP0EX1036	398.30	398.70	0.02	3.4
844SP0EX1036	398.70	399.90	0.01	2.3
844SP0EX1036	399.90	400.90	0.01	2.7
844SP0EX1036	400.90	401.20	0.05	3.5
UW535	122.50	123.20	0.02	<0.1
UW535	126.00	127.00	0.03	<0.1
UW535	127.00	128.00	0.01	<0.1
UW535	128.00	129.00	0.01	<0.1
UW535	135.00	136.00	0.01	<0.1
UW535	136.00	137.00	0.01	<0.1
UW535	137.00	138.00	0.01	<0.1
UW535	138.00	139.00	<0.01	<0.1
UW535	140.00	141.00	<0.01	<0.1
UW535	141.00	142.00	<0.01	<0.1
UW535	142.00	142.50	<0.01	<0.1
UW535	142.50	143.00	0.01	<0.1
UW535	143.00	144.00	<0.01	<0.1
UW535	144.00	145.00	<0.01	<0.1
UW535	145.00	146.00	<0.01	<0.1
UW535	149.00	150.00	<0.01	<0.1
UW535	151.00	152.00	<0.01	<0.1
UW535	152.00	153.00	0.02	<0.1
UW535	155.00	156.00	<0.01	0.2
UW535	160.00	161.00	0.01	0.1
UW535	161.00	162.00	<0.01	<0.1
UW535	162.00	163.00	<0.01	0.3
UW535	164.85	165.85	<0.01	0.2
UW535	171.00	172.00	<0.01	<0.1
UW535	175.65	176.50	<0.01	0.2
UW535	176.50	177.00	<0.01	0.1
UW535	177.00	177.30	<0.01	0.3
UW535	177.30	178.00	<0.01	<0.1
UW535	178.00	179.00	<0.01	0.1
UW535	179.00	179.90	<0.01	<0.1
UW535	179.90	180.80	<0.01	0.2
UW535	180.80	181.65	<0.01	0.6
UW535	184.70	185.75	0.01	1.5
UW535	185.75	186.45	0.01	0.2
UW535	186.45	187.20	0.01	0.3
UW535	187.20	187.90	0.01	0.3
UW535	187.90	189.00	<0.01	0.4
UW535	189.00	189.90	0.01	0.5
UW535	189.90	190.50	0.01	0.8
UW535	190.50	191.50	<0.01	0.4
UW535	191.50	192.25	<0.01	0.3



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW535	192.25	193.00	0.01	0.2
UW535	195.00	195.65	<0.01	2.0
UW535	195.65	196.30	0.02	2.6
UW535	196.30	196.95	0.19	2.8
UW535	196.95	197.75	0.39	4.1
UW535	197.75	198.80	0.23	4.1
UW535	198.80	199.40	0.06	0.6
UW535	199.40	200.15	0.01	0.8
UW535	200.15	201.00	0.03	1.6
UW535	201.00	201.55	0.01	0.7
UW535	201.55	202.50	<0.01	0.6
UW535	202.50	203.50	<0.01	0.7
UW535	203.50	204.70	<0.01	2.5
UW535	204.70	205.40	<0.01	2.5
UW535	205.40	206.10	0.01	0.8
UW535	206.10	207.00	<0.01	0.4
UW535	208.00	209.00	<0.01	0.9
UW535	209.70	210.30	<0.01	0.5
UW535	210.30	211.00	<0.01	5.2
UW535	211.00	211.60	<0.01	2.0
UW535	212.00	213.10	<0.01	1.6
UW535	213.10	214.20	0.03	1.8
UW535	214.20	215.10	<0.01	1.8
UW535	215.10	216.30	0.02	2.2
UW535	216.30	217.30	<0.01	0.7
UW535	217.30	218.40	<0.01	0.8
UW535	218.40	219.20	0.01	3.3
UW535	219.20	220.20	<0.01	0.8
UW535	223.20	224.00	<0.01	0.2
UW535	224.00	225.00	<0.01	0.7
UW535	225.00	226.00	0.01	1.8
UW535	226.00	227.00	<0.01	0.6
UW535	227.00	228.00	0.02	2.2
UW535	228.00	229.00	0.01	1.6
UW535	229.00	230.00	0.03	3.2
UW535	230.00	231.00	<0.01	2.7
UW535	235.00	236.00	<0.01	3.4
UW535	236.00	236.50	0.23	4.1
UW535	239.90	241.20	0.03	1.7
UW535	241.20	242.30	0.05	3.7
UW535	242.30	243.50	0.20	5.8
UW535	247.50	248.50	0.02	1.8
UW535	248.50	249.50	0.02	2.0
UW535	249.50	250.40	0.03	5.3
UW535	250.40	251.00	0.02	3.5
UW535	251.00	252.10	0.20	2.9
UW535	252.10	252.70	<0.01	1.4
UW535	252.70	253.10	0.14	1.5
UW535	253.10	254.00	<0.01	2.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW535	254.00	255.00	<0.01	2.5
UW535	255.00	256.00	<0.01	1.6
UW535	256.00	256.80	0.08	3.9
UW535	256.80	258.00	0.01	3.4
UW535	261.00	262.00	0.02	2.4
UW535	266.00	267.00	<0.01	0.3
UW535	274.00	275.00	0.01	2.4
UW535	277.00	278.00	0.03	1.9
UW535	279.00	280.00	0.01	1.1
UW535	291.00	292.00	<0.01	1.8
UW535	299.00	300.00	<0.01	1.4
UW535	302.00	303.00	<0.01	1.7
UW535	304.00	305.00	0.01	2.0
UW535	305.00	306.00	<0.01	2.9
UW535	306.00	307.00	<0.01	3.6
UW535	307.00	308.00	<0.01	1.3
UW535	314.00	315.00	<0.01	1.0
UW535	321.00	322.00	0.03	1.6
UW535	322.00	323.20	<0.01	0.9
UW535	323.20	323.80	<0.01	1.3
UW535	323.80	325.00	<0.01	2.6
UW535	325.00	326.00	<0.01	2.7
UW535	327.00	328.00	<0.01	2.1
UW535	328.00	329.00	<0.01	1.2
UW535	332.00	333.00	<0.01	1.2
UW535	334.00	335.00	<0.01	2.0
UW535	335.00	335.80	<0.01	2.9
UW535	335.80	336.80	0.02	1.8
UW535	336.80	337.80	0.02	2.3
UW535	337.80	338.80	0.02	2.2
UW535	338.80	339.45	0.02	2.9
UW535	344.50	345.50	0.01	0.7
UW535	345.50	346.00	0.01	0.7
UW535	348.00	349.00	0.02	2.1
UW535	349.00	350.00	0.02	1.9
UW535	356.00	357.00	<0.01	1.4
UW535	357.00	358.00	0.01	1.8
UW535	358.80	359.55	0.03	2.4
UW535	362.50	363.55	<0.01	1.5
UW535	363.55	364.00	0.02	1.2
UW535	368.00	369.00	<0.01	0.9
UW535	369.00	370.00	<0.01	0.9
UW539	5.90	7.00	<0.01	0.8
UW539	7.00	7.80	<0.01	0.3
UW539	7.80	8.50	0.01	2.5
UW539	8.50	9.30	<0.01	4.7
UW539	9.30	10.30	<0.01	0.7
UW539	10.30	11.00	<0.01	5.0
UW539	11.00	12.30	<0.01	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	12.30	13.60	<0.01	1.0
UW539	13.60	14.00	0.01	0.4
UW539	14.00	15.00	0.01	1.7
UW539	15.00	16.00	0.01	1.1
UW539	16.00	16.80	0.01	0.6
UW539	16.80	17.60	0.02	0.4
UW539	17.60	18.30	0.01	0.6
UW539	20.40	21.30	<0.01	0.6
UW539	21.30	22.00	0.02	1.1
UW539	22.00	23.00	0.01	1.5
UW539	23.00	24.00	0.02	0.6
UW539	24.00	25.00	0.01	0.6
UW539	25.00	26.00	0.01	0.2
UW539	26.00	27.00	0.01	0.1
UW539	27.00	28.00	0.01	1.2
UW539	28.00	29.00	0.01	0.3
UW539	29.00	30.00	0.01	0.1
UW539	30.00	31.00	0.02	1.0
UW539	31.00	32.00	0.02	0.2
UW539	32.00	33.00	0.02	0.1
UW539	33.00	34.00	0.02	<0.1
UW539	34.00	35.00	0.02	0.1
UW539	35.00	36.00	0.01	0.2
UW539	36.00	37.00	0.01	0.3
UW539	37.00	38.00	0.02	0.1
UW539	38.00	39.00	0.02	0.1
UW539	39.00	40.00	0.04	1.0
UW539	40.00	41.00	0.03	<0.1
UW539	41.00	42.00	0.03	0.1
UW539	42.00	43.00	0.02	1.8
UW539	43.00	44.00	0.03	2.1
UW539	44.00	45.00	0.03	3.0
UW539	45.00	46.20	0.04	2.9
UW539	46.20	47.40	0.29	1.7
UW539	47.40	48.30	1.80	10.4
UW539	48.30	50.00	0.14	4.2
UW539	50.00	51.00	0.80	6.8
UW539	51.00	52.00	0.19	3.6
UW539	52.00	53.00	0.40	3.7
UW539	53.00	54.00	0.03	1.0
UW539	54.00	55.00	0.03	1.2
UW539	55.00	56.00	0.03	1.0
UW539	56.00	57.00	0.03	2.0
UW539	57.00	58.00	0.04	3.0
UW539	58.00	59.00	0.05	0.6
UW539	59.00	60.00	0.08	10.7
UW539	60.00	61.00	1.25	5.9
UW539	61.00	62.00	0.09	1.8
UW539	62.00	63.00	0.13	2.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	63.00	64.00	0.08	2.7
UW539	64.00	65.00	0.05	0.2
UW539	65.00	66.00	<0.01	0.1
UW539	66.00	67.00	0.02	0.7
UW539	67.00	68.00	<0.01	0.4
UW539	68.00	69.00	<0.01	0.5
UW539	69.00	70.00	<0.01	0.5
UW539	70.00	70.40	<0.01	0.5
UW539	70.40	71.30	<0.01	0.8
UW539	71.30	72.00	0.02	0.3
UW539	72.00	73.00	<0.01	1.2
UW539	73.00	74.00	0.02	0.7
UW539	74.00	75.00	0.04	0.5
UW539	75.00	76.00	0.08	0.9
UW539	76.00	77.20	0.56	3.4
UW539	77.20	77.90	9.40	152.0
UW539	77.90	79.00	0.26	1.6
UW539	79.00	80.00	0.17	1.0
UW539	80.00	81.00	0.04	0.5
UW539	81.00	82.00	0.38	1.3
UW539	82.00	82.50	0.14	1.8
UW539	82.50	83.00	0.27	3.5
UW539	83.00	84.30	2.31	7.1
UW539	84.30	85.00	0.06	1.5
UW539	85.00	86.00	0.05	1.3
UW539	86.00	87.00	0.32	1.7
UW539	87.00	88.00	0.04	0.9
UW539	88.00	89.00	0.03	0.6
UW539	89.00	90.20	0.03	0.5
UW539	90.20	91.10	0.04	1.0
UW539	91.10	91.80	0.04	0.6
UW539	91.80	93.00	0.03	0.7
UW539	93.00	94.00	0.02	0.9
UW539	94.00	95.00	0.04	1.2
UW539	95.00	96.20	0.24	1.5
UW539	96.20	96.60	12.60	40.1
UW539	96.60	97.00	0.24	1.6
UW539	97.00	98.00	0.93	5.5
UW539	98.00	99.00	0.38	2.7
UW539	99.00	99.30	0.23	2.2
UW539	99.30	99.80	0.40	2.9
UW539	99.80	101.00	0.09	1.0
UW539	101.00	102.20	0.07	1.1
UW539	102.20	103.00	0.06	1.2
UW539	103.00	104.00	0.05	0.8
UW539	104.00	104.60	0.04	1.0
UW539	104.60	105.20	0.12	2.1
UW539	105.20	106.00	0.08	1.2
UW539	106.00	107.00	0.09	1.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	107.00	108.00	0.03	0.4
UW539	108.00	109.10	0.03	0.3
UW539	109.10	110.00	0.10	1.6
UW539	110.00	111.00	0.10	1.8
UW539	111.00	112.00	0.12	1.3
UW539	112.00	112.60	0.29	1.6
UW539	112.60	113.10	16.20	14.3
UW539	113.10	114.00	0.09	2.0
UW539	114.00	115.00	0.05	0.9
UW539	115.00	116.10	0.05	0.7
UW539	116.10	117.30	0.09	1.0
UW539	117.30	118.00	0.05	2.0
UW539	118.00	118.80	0.12	1.3
UW539	118.80	119.70	0.99	6.2
UW539	119.70	120.10	6.66	4.4
UW539	120.10	120.90	1.15	11.6
UW539	120.90	121.30	1.43	6.0
UW539	121.30	122.00	11.10	9.3
UW539	122.00	122.90	0.36	2.8
UW539	122.90	124.10	0.16	1.7
UW539	125.80	126.30	0.31	2.7
UW539	126.30	127.40	0.06	1.4
UW539	127.40	128.20	0.08	1.5
UW539	128.20	129.00	1.00	3.2
UW539	129.00	130.50	0.37	2.7
UW539	130.50	131.20	2.90	9.0
UW539	131.20	132.10	0.45	2.6
UW539	132.10	132.60	0.19	0.8
UW539	132.60	133.50	0.03	0.3
UW539	133.50	134.50	0.36	0.7
UW539	134.50	135.70	0.16	0.8
UW539	135.70	137.00	0.16	0.5
UW539	137.00	138.10	<0.01	0.2
UW539	138.10	139.00	0.02	0.2
UW539	139.00	139.80	0.08	0.1
UW539	139.80	140.20	0.23	0.9
UW539	140.20	140.90	0.05	0.4
UW539	140.90	141.30	<0.01	0.3
UW539	141.30	142.10	<0.01	0.1
UW539	143.00	143.40	<0.01	<0.1
UW539	143.40	144.30	<0.01	0.3
UW539	144.30	145.00	<0.01	0.1
UW539	145.00	146.20	<0.01	<0.1
UW539	146.20	147.00	<0.01	<0.1
UW539	149.00	150.00	<0.01	<0.1
UW539	150.00	151.00	<0.01	<0.1
UW539	169.00	170.00	<0.01	<0.1
UW539	170.00	170.60	<0.01	<0.1
UW539	170.60	171.60	0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	171.60	172.40	0.01	<0.1
UW539	172.40	173.00	<0.01	<0.1
UW539	173.00	174.00	<0.01	<0.1
UW539	186.60	187.10	<0.01	<0.1
UW539	189.60	190.00	<0.01	<0.1
UW539	190.60	191.60	0.01	<0.1
UW539	191.60	192.40	0.01	0.2
UW539	197.00	198.00	<0.01	<0.1
UW539	198.00	198.90	<0.01	<0.1
UW539	198.90	199.30	<0.01	<0.1
UW539	199.30	200.00	0.02	<0.1
UW539	202.00	203.00	<0.01	<0.1
UW539	217.00	218.00	0.01	<0.1
UW539	218.00	218.30	<0.01	0.1
UW539	218.30	219.10	<0.01	<0.1
UW539	219.10	220.00	0.01	<0.1
UW539	220.00	220.80	<0.01	0.2
UW539	221.50	222.00	0.01	0.2
UW539	222.00	223.00	<0.01	<0.1
UW539	223.00	223.50	0.01	0.2
UW539	223.50	224.10	0.01	0.1
UW539	226.80	227.40	0.02	0.1
UW539	227.40	228.30	0.01	0.2
UW539	228.30	229.20	0.03	0.9
UW539	232.00	232.80	0.03	1.8
UW539	232.80	233.30	0.02	1.1
UW539	233.30	234.00	0.02	1.2
UW539	235.70	236.00	0.33	1.2
UW539	236.00	237.00	0.02	0.3
UW539	242.50	243.10	0.05	1.4
UW539	243.10	244.00	0.05	1.8
UW539	244.00	244.80	0.04	0.9
UW539	246.00	247.00	0.03	2.2
UW539	247.00	248.00	0.05	1.8
UW539	254.00	254.80	0.01	1.1
UW539	254.80	255.30	0.08	1.5
UW539	255.30	256.50	0.03	1.3
UW539	256.50	257.00	0.09	2.1
UW539	257.00	257.50	0.07	2.1
UW539	257.50	258.50	0.04	1.4
UW539	264.80	265.30	0.11	3.1
UW539	265.30	266.30	0.05	2.2
UW539	266.30	267.00	0.07	2.4
UW539	267.00	267.90	0.16	6.6
UW539	267.90	268.60	0.11	3.1
UW539	268.60	269.10	0.03	1.5
UW539	269.10	270.00	<0.01	0.5
UW539	270.00	270.70	<0.01	0.2
UW539	270.70	271.10	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	277.00	278.00	0.04	0.3
UW539	280.00	281.00	0.01	<0.1
UW539	281.00	282.00	0.04	0.8
UW539	282.00	283.30	0.03	0.9
UW539	283.30	284.00	0.01	0.4
UW539	284.00	285.00	0.09	1.1
UW539	285.00	286.00	0.01	0.3
UW539	288.00	289.00	<0.01	0.1
UW539	289.00	289.30	0.03	1.3
UW539	289.30	290.50	0.01	1.5
UW539	290.50	290.80	0.06	1.0
UW539	290.80	291.30	0.02	0.8
UW539	292.80	293.10	0.02	2.1
UW539	293.10	293.60	0.02	1.5
UW539	293.60	294.10	0.02	1.7
UW539	294.10	295.00	0.03	1.6
UW539	298.00	298.70	0.02	2.1
UW539	298.70	299.00	0.02	1.8
UW539	299.00	299.70	<0.01	0.7
UW539	303.10	303.40	<0.01	1.4
UW539	303.40	304.60	<0.01	1.6
UW539	304.60	305.40	0.02	1.1
UW539	305.40	306.40	<0.01	1.0
UW539	306.40	307.00	0.01	1.3
UW539	307.00	308.00	<0.01	1.4
UW539	308.00	309.00	0.01	1.9
UW539	309.00	309.60	0.02	1.6
UW539	309.60	310.50	0.03	2.0
UW539	310.50	311.00	<0.01	1.7
UW539	312.00	313.00	<0.01	0.6
UW539	313.00	314.00	<0.01	0.3
UW539	314.00	315.00	<0.01	0.3
UW539	315.00	316.00	<0.01	0.4
UW539	316.00	317.00	0.01	1.3
UW539	317.00	318.20	<0.01	0.5
UW539	318.20	318.70	0.03	0.9
UW539	318.70	319.40	0.02	1.4
UW539	319.40	319.70	0.01	1.5
UW539	319.70	320.00	0.03	1.5
UW539	320.00	320.50	0.01	1.2
UW539	320.50	320.80	0.11	2.1
UW539	320.80	321.30	0.01	0.5
UW539	321.30	322.10	6.92	11.1
UW539	322.10	322.80	28.90	44.1
UW539	322.80	323.20	29.10	33.5
UW539	323.20	323.70	1.77	17.4
UW539	323.70	324.00	0.07	5.6
UW539	324.00	324.60	0.12	6.3
UW539	324.60	325.00	0.17	2.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW539	325.00	325.30	1.89	2.8
UW539	325.30	326.30	0.05	1.2
UW539	326.30	326.60	0.99	1.8
UW539	326.60	326.90	0.31	1.1
UW539	326.90	327.70	0.01	2.5
UW539	327.70	328.00	0.05	3.5
UW539	328.00	329.00	0.01	1.4
UW539	329.00	330.00	0.02	1.0
UW539	334.00	334.30	0.02	1.7
UW539	334.30	334.60	12.50	11.0
UW539	334.60	335.00	0.05	1.7
UW539	335.00	336.00	0.03	1.6
UW539	337.00	338.00	0.03	3.9
UW539	338.00	339.00	0.02	1.5
UW539	342.40	343.50	0.05	1.0
UW539	343.50	344.00	0.04	0.6
UW539	346.00	347.00	0.02	1.2
UW539	347.00	347.30	0.02	1.0
UW539	347.30	347.60	0.02	1.1
UW539	347.60	348.00	0.02	1.4
UW551	0.00	1.50	<0.01	1.0
UW551	1.50	2.50	0.02	1.0
UW551	2.50	3.50	0.02	0.5
UW551	3.50	4.50	0.02	0.4
UW551	4.50	6.00	0.02	0.3
UW551	6.00	7.00	0.02	0.3
UW551	7.00	8.00	0.01	<0.1
UW551	8.00	9.00	0.02	0.3
UW551	9.00	10.50	0.01	1.9
UW551	10.50	11.00	0.09	0.3
UW551	11.00	13.00	0.06	1.0
UW551	13.00	14.00	0.03	0.5
UW551	14.00	14.90	0.06	0.3
UW551	14.90	15.90	0.02	0.4
UW551	15.90	17.70	0.02	0.3
UW551	17.70	18.70	0.06	0.4
UW551	18.70	19.70	<0.01	0.2
UW551	19.70	20.70	<0.01	0.1
UW551	20.70	21.70	0.04	0.2
UW551	21.70	22.70	0.02	0.2
UW551	22.70	23.70	0.08	0.4
UW551	23.70	24.70	0.06	0.3
UW551	24.70	25.70	0.02	0.3
UW551	25.70	26.70	0.04	1.0
UW551	26.70	27.70	0.01	0.3
UW551	27.70	28.80	0.05	0.5
UW551	28.80	29.80	0.25	1.2
UW551	29.80	31.00	0.05	0.5
UW551	31.00	31.80	0.01	0.3



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	31.80	32.30	0.03	0.4
UW551	32.30	33.30	0.02	0.1
UW551	33.30	34.30	0.11	0.2
UW551	34.30	35.30	0.03	0.1
UW551	35.30	36.30	<0.01	<0.1
UW551	36.30	37.30	<0.01	<0.1
UW551	37.30	38.30	<0.01	<0.1
UW551	38.30	38.60	0.06	0.2
UW551	38.60	39.30	0.04	0.4
UW551	39.30	40.40	<0.01	0.1
UW551	40.40	41.40	<0.01	<0.1
UW551	41.40	42.40	<0.01	<0.1
UW551	42.40	43.40	0.42	0.8
UW551	43.40	44.30	0.02	0.3
UW551	44.30	44.80	0.03	0.6
UW551	44.80	45.20	0.03	0.5
UW551	45.20	46.20	0.02	0.2
UW551	46.20	47.00	0.02	0.5
UW551	47.00	47.30	0.06	1.4
UW551	47.30	48.30	0.02	0.8
UW551	48.30	48.80	0.01	0.3
UW551	48.80	49.10	0.01	0.1
UW551	49.10	50.10	0.01	0.2
UW551	50.10	51.10	0.01	0.3
UW551	51.10	52.10	0.01	0.3
UW551	52.10	53.10	0.01	0.2
UW551	53.10	54.10	0.01	0.2
UW551	54.10	55.10	0.01	0.3
UW551	55.10	56.10	0.01	0.5
UW551	56.10	57.10	0.02	0.4
UW551	57.10	58.10	0.01	0.4
UW551	58.10	59.10	0.02	0.5
UW551	59.10	60.10	0.02	0.4
UW551	60.10	61.00	0.02	0.4
UW551	61.00	61.40	0.04	1.0
UW551	61.40	61.70	0.02	0.4
UW551	61.70	62.70	0.02	0.4
UW551	62.70	63.70	0.02	0.6
UW551	63.70	64.70	0.03	0.4
UW551	64.70	80.50	awaited	
UW551	80.50	81.50	<0.01	<0.1
UW551	81.50	82.50	<0.01	<0.1
UW551	82.50	83.50	<0.01	<0.1
UW551	83.50	84.50	0.04	0.3
UW551	84.50	85.50	<0.01	<0.1
UW551	85.50	86.50	0.01	0.1
UW551	86.50	87.50	0.04	0.2
UW551	87.50	88.10	0.07	0.3
UW551	88.10	89.20	<0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	89.20	89.80	0.03	0.4
UW551	89.80	90.10	0.05	0.3
UW551	90.10	91.10	<0.01	0.2
UW551	91.10	91.90	<0.01	<0.1
UW551	91.90	92.20	0.08	0.2
UW551	92.20	93.00	0.01	0.1
UW551	93.00	93.50	<0.01	0.2
UW551	93.50	94.50	<0.01	<0.1
UW551	94.50	95.10	0.02	<0.1
UW551	95.10	96.10	<0.01	<0.1
UW551	96.10	97.10	0.03	<0.1
UW551	97.10	97.70	0.02	<0.1
UW551	97.70	98.70	<0.01	<0.1
UW551	98.70	99.70	0.04	<0.1
UW551	99.70	100.70	0.01	<0.1
UW551	100.70	101.70	0.01	<0.1
UW551	101.70	102.70	0.01	<0.1
UW551	102.70	103.40	0.01	0.6
UW551	103.40	103.80	<0.01	0.4
UW551	103.80	104.80	0.01	0.5
UW551	104.80	105.80	<0.01	0.4
UW551	105.80	106.80	<0.01	0.5
UW551	106.80	107.80	<0.01	0.4
UW551	107.80	108.20	<0.01	0.6
UW551	108.20	108.50	0.01	0.7
UW551	108.50	108.80	0.02	0.5
UW551	108.80	109.70	0.05	0.7
UW551	109.70	110.70	<0.01	0.3
UW551	110.70	111.30	<0.01	0.5
UW551	111.30	111.75	0.03	0.8
UW551	111.75	112.30	0.04	0.5
UW551	112.30	113.10	0.09	0.3
UW551	113.10	113.70	0.11	0.1
UW551	113.70	114.20	0.06	3.7
UW551	114.20	115.20	0.01	1.4
UW551	115.20	115.50	<0.01	0.7
UW551	115.50	115.90	<0.01	0.9
UW551	115.90	116.20	0.12	0.2
UW551	116.20	116.50	0.03	0.2
UW551	116.50	116.80	0.02	1.0
UW551	116.80	117.80	<0.01	0.9
UW551	117.80	118.30	<0.01	0.7
UW551	118.30	119.00	0.06	0.5
UW551	119.00	120.00	0.02	0.9
UW551	120.00	121.00	0.02	0.3
UW551	121.00	122.00	0.02	0.1
UW551	122.00	123.00	0.02	0.2
UW551	123.00	124.00	0.02	0.3
UW551	124.00	125.00	0.02	0.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	125.00	126.00	0.03	0.5
UW551	126.00	127.00	0.04	0.4
UW551	127.00	128.00	0.03	0.4
UW551	128.00	129.00	0.02	0.2
UW551	129.00	130.00	0.03	0.4
UW551	130.00	131.00	0.04	<0.1
UW551	131.00	132.00	0.05	0.6
UW551	132.00	133.00	0.05	0.2
UW551	133.00	134.00	0.04	0.4
UW551	134.00	135.00	0.05	0.5
UW551	135.00	136.00	0.05	0.6
UW551	136.00	137.00	0.05	0.6
UW551	137.00	138.00	0.04	0.3
UW551	138.00	139.00	0.07	1.1
UW551	139.00	140.00	0.05	0.8
UW551	140.00	141.00	0.05	0.9
UW551	141.00	142.00	0.04	0.6
UW551	142.00	143.00	0.06	1.0
UW551	143.00	144.00	0.05	1.1
UW551	144.00	145.00	0.04	1.5
UW551	145.00	146.00	0.04	1.2
UW551	146.00	147.00	0.03	1.0
UW551	147.00	148.00	0.02	0.8
UW551	148.00	149.00	0.04	0.2
UW551	149.00	150.00	0.04	1.0
UW551	150.00	151.00	0.02	1.4
UW551	151.00	152.00	0.01	0.7
UW551	152.00	153.00	0.01	0.5
UW551	153.00	154.00	0.01	0.4
UW551	154.00	155.00	<0.01	0.7
UW551	155.00	156.00	0.02	0.9
UW551	156.00	157.00	0.01	0.7
UW551	157.00	157.40	0.04	0.7
UW551	157.40	157.70	0.07	0.8
UW551	157.70	158.30	0.25	1.3
UW551	158.30	159.10	0.01	0.6
UW551	159.10	159.55	0.02	0.8
UW551	159.55	159.85	0.09	1.1
UW551	159.85	160.70	<0.01	1.3
UW551	160.70	161.30	0.01	1.6
UW551	161.30	162.30	0.09	2.6
UW551	162.30	162.60	0.04	3.2
UW551	162.60	163.55	0.01	1.8
UW551	163.55	164.15	0.02	1.1
UW551	164.15	164.70	0.02	1.0
UW551	164.70	165.00	<0.01	1.2
UW551	165.00	165.70	0.03	0.6
UW551	165.70	166.20	0.12	0.7
UW551	166.20	167.10	<0.01	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	167.10	167.60	<0.01	0.7
UW551	167.60	168.10	0.12	4.9
UW551	168.10	169.00	0.09	2.8
UW551	169.00	170.00	0.06	4.2
UW551	170.00	170.90	0.02	1.7
UW551	170.90	171.30	0.02	0.7
UW551	171.30	172.00	<0.01	0.8
UW551	172.00	173.00	0.04	2.0
UW551	173.00	174.00	0.06	1.7
UW551	174.00	174.80	0.02	0.5
UW551	174.80	175.40	<0.01	0.3
UW551	175.40	175.90	0.08	0.3
UW551	175.90	176.80	0.03	0.6
UW551	176.80	177.40	0.06	0.9
UW551	177.40	178.00	0.04	0.5
UW551	178.00	179.00	0.04	0.8
UW551	179.00	180.00	0.04	1.7
UW551	180.00	181.00	0.05	2.2
UW551	181.00	182.00	0.04	0.5
UW551	182.00	183.00	0.02	<0.1
UW551	183.00	184.00	0.02	<0.1
UW551	184.00	185.00	0.01	0.1
UW551	185.00	186.00	0.01	<0.1
UW551	186.00	187.00	0.03	0.2
UW551	187.00	188.00	0.03	0.4
UW551	188.00	189.00	0.03	0.3
UW551	189.00	190.00	0.04	0.4
UW551	190.00	191.00	0.02	0.2
UW551	191.00	192.00	0.05	0.1
UW551	192.00	193.00	0.04	0.9
UW551	193.00	194.00	0.02	0.2
UW551	194.00	195.00	0.02	<0.1
UW551	195.00	196.00	<0.01	<0.1
UW551	196.00	197.00	<0.01	<0.1
UW551	197.00	198.00	0.03	0.3
UW551	198.00	199.00	0.03	0.4
UW551	199.00	200.00	0.02	0.2
UW551	200.00	201.00	0.05	0.3
UW551	201.00	202.00	0.02	0.2
UW551	202.00	203.00	0.05	0.1
UW551	203.00	204.00	0.03	0.2
UW551	204.00	205.00	0.03	0.8
UW551	205.00	206.00	0.02	0.1
UW551	206.00	206.70	0.01	<0.1
UW551	206.70	207.90	0.06	2.1
UW551	207.90	209.10	0.02	1.2
UW551	209.10	210.30	0.04	1.1
UW551	210.30	211.50	0.05	1.5
UW551	211.50	212.70	0.07	1.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	212.70	213.90	0.08	2.3
UW551	213.90	215.10	0.06	1.8
UW551	215.10	216.30	0.09	4.0
UW551	216.30	217.50	0.08	2.4
UW551	217.50	218.20	0.06	1.6
UW551	218.20	218.80	0.06	1.5
UW551	218.80	219.60	0.06	1.9
UW551	219.60	220.80	0.04	1.2
UW551	220.80	222.00	0.05	1.1
UW551	222.00	223.20	0.08	1.6
UW551	223.20	223.70	0.10	1.9
UW551	223.70	224.80	0.13	3.2
UW551	224.80	226.00	0.06	1.1
UW551	226.00	227.20	0.03	0.4
UW551	227.20	228.40	0.05	0.9
UW551	228.40	229.60	0.05	1.0
UW551	229.60	231.00	0.05	1.0
UW551	231.00	232.30	0.07	2.0
UW551	232.30	233.80	0.05	0.7
UW551	233.80	235.10	0.02	0.6
UW551	235.10	236.30	0.06	0.9
UW551	236.30	237.50	0.07	0.9
UW551	237.50	238.00	0.13	2.3
UW551	238.00	238.90	0.19	1.9
UW551	238.90	239.60	0.07	1.3
UW551	239.60	240.40	0.15	2.2
UW551	240.40	241.60	0.07	3.2
UW551	241.60	242.80	0.07	1.9
UW551	242.80	244.00	0.04	1.4
UW551	244.00	245.20	0.03	1.0
UW551	245.20	246.40	0.04	1.3
UW551	246.40	247.70	0.08	1.3
UW551	247.70	248.10	0.06	1.5
UW551	248.10	249.20	0.02	1.3
UW551	249.20	249.50	0.05	2.3
UW551	249.50	249.90	0.05	2.5
UW551	249.90	251.00	0.03	1.6
UW551	251.00	252.20	0.04	2.2
UW551	252.20	253.30	0.06	2.3
UW551	253.30	254.10	0.06	2.1
UW551	254.10	255.30	0.04	1.8
UW551	255.30	256.50	0.04	1.0
UW551	256.50	257.70	0.04	1.1
UW551	257.70	258.90	0.05	0.8
UW551	258.90	260.10	0.02	0.4
UW551	260.10	261.30	0.04	0.7
UW551	261.30	262.50	0.03	0.5
UW551	262.50	263.70	0.03	5.0
UW551	263.70	264.90	0.09	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	264.90	265.70	0.04	0.5
UW551	265.70	266.90	0.02	0.6
UW551	266.90	268.10	0.02	0.7
UW551	268.10	269.30	0.02	1.4
UW551	269.30	270.50	0.02	0.6
UW551	270.50	272.00	0.03	0.3
UW551	272.00	273.20	0.02	<0.1
UW551	273.20	274.40	0.01	<0.1
UW551	274.40	275.60	0.01	0.2
UW551	275.60	276.80	0.08	0.7
UW551	276.80	278.00	0.08	1.6
UW551	278.00	279.20	0.07	1.2
UW551	279.20	280.40	0.05	0.4
UW551	280.40	281.60	0.07	1.9
UW551	281.60	282.80	0.03	0.2
UW551	282.80	284.20	0.02	<0.1
UW551	284.20	285.40	0.02	0.3
UW551	285.40	286.60	0.01	0.3
UW551	286.60	287.80	0.06	0.5
UW551	287.80	289.00	0.03	0.4
UW551	289.00	290.20	0.01	0.3
UW551	290.20	291.40	0.03	0.4
UW551	291.40	292.40	0.03	0.2
UW551	292.40	293.60	0.05	0.5
UW551	293.60	294.80	0.03	0.7
UW551	294.80	296.00	0.01	0.3
UW551	296.00	297.20	0.01	0.1
UW551	297.20	298.40	<0.01	<0.1
UW551	298.40	299.60	0.02	<0.1
UW551	299.60	300.80	0.01	0.2
UW551	300.80	302.00	0.02	0.2
UW551	302.00	303.20	0.02	<0.1
UW551	303.20	304.40	0.09	1.3
UW551	304.40	305.60	0.03	0.7
UW551	305.60	306.80	0.01	0.3
UW551	306.80	308.00	0.01	0.2
UW551	308.00	309.20	0.01	0.1
UW551	309.20	310.40	<0.01	<0.1
UW551	310.40	311.60	<0.01	<0.1
UW551	311.60	312.80	0.01	<0.1
UW551	312.80	313.80	0.02	0.1
UW551	313.80	315.00	0.03	0.9
UW551	315.00	316.20	0.07	1.5
UW551	316.20	317.40	0.05	0.8
UW551	317.40	318.60	0.02	0.4
UW551	318.60	319.80	0.02	0.3
UW551	319.80	320.70	0.01	0.2
UW551	320.70	321.30	0.04	0.2
UW551	321.30	322.50	0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	322.50	323.70	<0.01	<0.1
UW551	323.70	324.50	<0.01	<0.1
UW551	324.50	325.40	<0.01	<0.1
UW551	325.40	326.60	<0.01	<0.1
UW551	326.60	327.80	0.02	<0.1
UW551	327.80	329.00	0.02	<0.1
UW551	329.00	330.20	0.03	<0.1
UW551	330.20	331.40	<0.01	<0.1
UW551	331.40	332.60	<0.01	<0.1
UW551	332.60	333.80	<0.01	<0.1
UW551	333.80	335.00	0.05	0.1
UW551	335.00	336.20	0.05	0.3
UW551	336.20	337.40	0.08	0.7
UW551	337.40	338.60	0.02	0.1
UW551	338.60	339.80	0.03	<0.1
UW551	339.80	341.10	0.01	<0.1
UW551	341.10	342.30	0.01	<0.1
UW551	342.30	343.50	<0.01	<0.1
UW551	343.50	344.70	<0.01	<0.1
UW551	344.70	345.90	<0.01	<0.1
UW551	345.90	347.10	<0.01	<0.1
UW551	347.10	348.30	<0.01	<0.1
UW551	348.30	349.50	<0.01	<0.1
UW551	349.50	350.70	<0.01	<0.1
UW551	350.70	351.90	<0.01	<0.1
UW551	351.90	353.10	<0.01	<0.1
UW551	353.10	354.30	<0.01	<0.1
UW551	354.30	355.50	<0.01	<0.1
UW551	355.50	356.70	<0.01	<0.1
UW551	356.70	357.90	<0.01	<0.1
UW551	357.90	359.10	<0.01	<0.1
UW551	359.10	360.30	<0.01	<0.1
UW551	360.30	361.50	0.02	0.2
UW551	361.50	362.70	<0.01	<0.1
UW551	362.70	363.90	<0.01	<0.1
UW551	363.90	381.60	awaited	
UW551	381.60	382.80	<0.01	<0.1
UW551	382.80	383.10	<0.01	<0.1
UW551	383.10	383.40	0.02	0.1
UW551	383.40	384.60	0.01	<0.1
UW551	384.60	385.80	0.01	<0.1
UW551	385.80	387.00	0.01	0.1
UW551	387.00	387.70	0.01	<0.1
UW551	387.70	388.90	<0.01	<0.1
UW551	388.90	390.10	<0.01	<0.1
UW551	390.10	391.00	0.01	0.2
UW551	391.00	392.20	0.02	0.3
UW551	392.20	393.40	0.02	0.2
UW551	393.40	394.60	0.02	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	394.60	395.80	<0.01	<0.1
UW551	395.80	396.50	<0.01	<0.1
UW551	396.50	397.60	<0.01	<0.1
UW551	397.60	397.90	<0.01	<0.1
UW551	397.90	399.10	<0.01	<0.1
UW551	399.10	399.40	<0.01	<0.1
UW551	399.40	400.10	<0.01	0.1
UW551	400.10	401.00	<0.01	<0.1
UW551	401.00	402.20	<0.01	<0.1
UW551	402.20	403.40	<0.01	<0.1
UW551	403.40	404.40	<0.01	<0.1
UW551	404.40	405.60	<0.01	<0.1
UW551	405.60	406.80	<0.01	<0.1
UW551	406.80	408.00	<0.01	0.2
UW551	408.00	409.20	<0.01	0.1
UW551	409.20	410.40	<0.01	<0.1
UW551	410.40	411.60	<0.01	<0.1
UW551	411.60	412.80	0.01	<0.1
UW551	412.80	414.00	<0.01	<0.1
UW551	414.00	415.20	0.04	<0.1
UW551	415.20	416.40	0.01	<0.1
UW551	416.40	417.60	0.01	<0.1
UW551	417.60	418.80	<0.01	<0.1
UW551	418.80	419.70	<0.01	<0.1
UW551	419.70	420.90	<0.01	<0.1
UW551	420.90	422.10	0.02	0.3
UW551	422.10	423.30	0.01	0.2
UW551	423.30	424.50	0.01	<0.1
UW551	424.50	425.70	<0.01	<0.1
UW551	425.70	426.60	<0.01	<0.1
UW551	426.60	427.10	<0.01	0.1
UW551	427.10	427.50	0.02	0.1
UW551	427.50	428.40	0.01	0.1
UW551	428.40	429.60	0.01	<0.1
UW551	429.60	430.80	<0.01	<0.1
UW551	430.80	432.00	<0.01	<0.1
UW551	432.00	433.20	<0.01	<0.1
UW551	433.20	434.40	<0.01	<0.1
UW551	434.40	435.60	0.01	<0.1
UW551	435.60	436.80	0.01	<0.1
UW551	436.80	437.50	0.01	<0.1
UW551	437.50	438.40	0.01	<0.1
UW551	438.40	439.90	<0.01	<0.1
UW551	439.90	441.40	<0.01	<0.1
UW551	441.40	442.90	<0.01	<0.1
UW551	442.90	443.70	<0.01	<0.1
UW551	443.70	445.20	<0.01	<0.1
UW551	445.20	446.70	0.01	0.1
UW551	446.70	448.20	0.01	<0.1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	448.20	449.70	<0.01	<0.1
UW551	449.70	451.20	<0.01	<0.1
UW551	451.20	452.70	<0.01	<0.1
UW551	452.70	454.20	<0.01	<0.1
UW551	454.20	455.70	<0.01	<0.1
UW551	455.70	457.20	<0.01	<0.1
UW551	457.20	458.70	<0.01	<0.1
UW551	458.70	459.80	<0.01	<0.1
UW551	459.80	460.40	<0.01	0.1
UW551	460.40	461.50	<0.01	<0.1
UW551	461.50	461.80	<0.01	<0.1
UW551	461.80	463.10	<0.01	<0.1
UW551	463.10	464.30	<0.01	<0.1
UW551	464.30	464.90	<0.01	<0.1
UW551	464.90	466.10	<0.01	<0.1
UW551	466.10	467.10	<0.01	0.1
UW551	467.10	468.30	<0.01	<0.1
UW551	468.30	469.00	<0.01	<0.1
UW551	469.00	470.20	<0.01	<0.1
UW551	470.20	471.15	<0.01	<0.1
UW551	471.15	471.70	0.01	<0.1
UW551	471.70	472.80	0.01	<0.1
UW551	472.80	473.50	<0.01	<0.1
UW551	473.50	474.70	0.01	<0.1
UW551	474.70	476.00	0.01	<0.1
UW551	476.00	477.30	0.02	<0.1
UW551	477.30	478.50	0.01	<0.1
UW551	478.50	479.70	<0.01	<0.1
UW551	479.70	480.90	0.01	<0.1
UW551	480.90	481.50	0.01	0.1
UW551	481.50	482.00	0.01	<0.1
UW551	482.00	483.20	<0.01	<0.1
UW551	483.20	484.40	<0.01	0.2
UW551	484.40	485.60	<0.01	0.1
UW551	485.60	486.80	<0.01	<0.1
UW551	486.80	488.00	<0.01	<0.1
UW551	488.00	489.50	<0.01	<0.1
UW551	489.50	491.00	0.01	0.1
UW551	491.00	492.10	<0.01	0.3
UW551	492.10	493.00	<0.01	0.2
UW551	493.00	493.30	0.01	0.1
UW551	493.30	494.80	<0.01	<0.1
UW551	494.80	496.30	<0.01	<0.1
UW551	496.30	497.80	<0.01	<0.1
UW551	497.80	499.30	<0.01	<0.1
UW551	499.30	500.80	<0.01	<0.1
UW551	500.80	502.30	<0.01	<0.1
UW551	502.30	503.80	<0.01	<0.1
UW551	503.80	505.00	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	505.00	506.00	<0.01	0.1
UW551	506.00	507.50	<0.01	0.1
UW551	507.50	509.00	0.01	0.2
UW551	509.00	510.50	<0.01	<0.1
UW551	510.50	512.00	<0.01	<0.1
UW551	512.00	513.50	<0.01	<0.1
UW551	513.50	515.00	<0.01	0.1
UW551	515.00	515.90	0.02	0.8
UW551	515.90	517.00	<0.01	<0.1
UW551	517.00	518.00	0.01	<0.1
UW551	518.00	519.30	0.03	0.7
UW551	519.30	521.00	0.04	1.5
UW551	522.60	524.00	0.05	2.8
UW551	524.00	525.30	0.06	3.1
UW551	525.30	527.00	0.02	1.0
UW551	527.00	528.50	0.03	1.0
UW551	528.50	530.00	0.02	0.7
UW551	530.00	531.50	0.01	0.2
UW551	531.50	533.00	0.02	0.4
UW551	533.00	534.50	0.03	0.3
UW551	534.50	536.00	<0.01	<0.1
UW551	536.00	537.50	0.02	0.1
UW551	537.50	539.00	<0.01	0.2
UW551	539.00	540.50	0.01	0.1
UW551	540.50	542.00	<0.01	0.3
UW551	542.00	543.50	0.01	<0.1
UW551	543.50	545.00	<0.01	<0.1
UW551	545.00	546.50	<0.01	<0.1
UW551	546.50	548.00	0.01	0.1
UW551	548.00	549.70	0.01	0.3
UW551	549.70	550.70	0.01	0.7
UW551	550.70	552.20	0.01	0.5
UW551	552.20	554.00	0.01	0.6
UW551	554.00	554.60	0.02	1.3
UW551	554.60	556.10	<0.01	0.4
UW551	556.10	557.60	0.01	0.2
UW551	557.60	559.10	<0.01	0.2
UW551	559.10	560.60	<0.01	0.2
UW551	560.60	562.00	0.01	0.4
UW551	562.00	563.50	0.01	0.8
UW551	563.50	565.00	0.02	0.6
UW551	565.00	566.50	0.02	0.4
UW551	566.50	568.00	0.01	0.4
UW551	568.00	569.50	0.01	0.4
UW551	569.50	571.00	0.01	0.3
UW551	571.00	572.50	0.01	0.6
UW551	572.50	573.50	0.01	0.7
UW551	573.50	574.00	0.02	0.9
UW551	574.00	575.20	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW551	575.20	576.70	0.01	0.5
UW551	576.70	578.20	0.01	0.3
UW551	578.20	579.70	0.02	0.1
UW551	579.70	581.20	<0.01	<0.1
UW551	581.20	582.70	<0.01	0.3
UW551	582.70	584.20	0.02	0.3
UW551	584.20	585.70	<0.01	<0.1
UW551	585.70	587.00	<0.01	<0.1
UW560	9.00	10.10	<0.01	0.3
UW560	10.10	10.85	0.05	0.2
UW560	13.20	13.80	0.05	0.5
UW560	18.10	19.10	0.05	0.3
UW560	20.60	21.40	0.05	0.2
UW560	26.45	27.20	0.04	0.4
UW560	27.20	27.90	0.04	0.5
UW560	29.10	30.70	0.03	0.7
UW560	32.90	34.10	0.04	0.5
UW560	34.10	35.20	0.02	1.2
UW560	35.20	35.80	0.09	0.9
UW560	35.80	36.80	0.19	1.2
UW560	36.80	38.00	0.02	0.2
UW560	39.70	40.60	0.09	0.4
UW560	43.10	43.85	0.64	0.5
UW560	44.80	45.10	0.18	1.1
UW560	45.60	46.00	0.28	2.7
UW560	46.00	73.10	awaited	
UW560	73.10	74.20	0.24	0.5
UW560	76.00	76.60	0.09	0.6
UW560	77.25	78.00	0.16	0.6
UW560	78.00	79.00	0.16	0.5
UW560	79.00	79.60	0.01	0.2
UW560	79.60	80.50	0.08	0.4
UW560	80.50	81.50	0.03	0.6
UW560	81.50	82.50	0.02	0.6
UW560	82.50	83.50	<0.01	0.5
UW560	83.50	84.50	<0.01	0.6
UW560	84.50	85.50	0.02	0.6
UW560	85.50	86.50	0.02	0.7
UW560	86.50	87.50	0.02	0.6
UW560	87.50	88.50	0.05	0.5
UW560	88.50	89.50	<0.01	0.4
UW560	89.50	90.50	<0.01	0.3
UW560	90.50	91.20	<0.01	0.4
UW560	92.20	93.20	0.02	0.4
UW560	93.20	93.80	0.03	0.6
UW560	93.80	94.40	0.02	1.1
UW560	94.40	95.40	0.03	1.4
UW560	106.40	107.20	<0.01	0.7
UW560	107.20	107.60	0.05	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW560	107.60	108.80	0.14	0.7
UW560	108.80	109.50	0.02	0.9
UW560	109.50	110.05	0.05	0.9
UW560	110.05	111.00	0.11	1.7
UW560	111.00	112.10	0.09	1.0
UW560	112.10	113.00	0.14	0.8
UW560	119.20	120.40	0.08	0.7
UW560	120.40	121.10	0.15	1.6
UW560	123.00	124.00	0.04	0.4
UW560	127.10	128.10	0.02	0.7
UW560	128.10	128.70	0.03	0.6
UW560	128.70	129.10	0.03	1.0
UW560	129.10	130.10	0.01	0.8
UW560	130.10	131.10	0.01	0.7
UW560	131.10	132.10	<0.01	0.4
UW560	132.10	133.10	0.06	0.7
UW560	135.15	136.20	<0.01	0.5
UW560	136.20	137.00	0.01	0.5
UW560	138.00	139.00	0.03	0.4
UW560	139.00	140.00	0.07	1.0
UW560	141.00	142.00	0.10	1.1
UW560	150.60	152.00	0.36	5.7
UW560	158.20	159.30	0.12	1.8
UW560	162.00	162.65	0.10	1.8
UW560	162.65	163.30	0.18	1.6
UW560	165.00	166.10	0.25	2.5
UW560	166.80	167.50	0.11	1.3
UW560	168.50	169.50	0.05	0.5
UW560	170.80	171.80	0.02	<0.1
UW560	173.80	174.80	0.04	0.4
UW560	174.80	175.80	0.12	1.4
UW560	175.80	176.80	0.10	1.0
UW560	184.00	185.70	0.04	0.3
UW560	191.70	192.70	0.02	<0.1
UW560	196.70	197.70	0.01	0.1
UW560	197.70	198.70	0.02	<0.1
UW560	198.70	199.70	0.02	<0.1
UW560	199.70	200.70	<0.01	0.1
UW560	200.70	201.70	0.03	0.2
UW560	206.70	207.70	0.02	0.8
UW560	207.70	208.40	0.02	0.6
UW560	208.40	209.00	0.04	0.9
UW560	209.00	209.80	0.03	0.7
UW560	209.80	210.50	0.05	0.9
UW560	211.70	212.40	0.04	1.1
UW560	212.40	213.10	0.07	1.1
UW560	213.10	214.10	0.03	0.9
UW560	214.10	214.65	0.04	0.8
UW560	214.65	215.70	0.03	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW560	215.70	216.20	0.03	0.8
UW560	216.20	217.20	0.03	0.9
UW560	217.20	218.20	0.03	0.6
UW560	218.20	219.00	0.01	0.7
UW560	219.00	220.00	0.02	0.2
UW560	220.00	221.00	0.02	0.2
UW560	225.00	226.00	0.01	0.1
UW560	228.00	229.00	0.01	<0.1
UW560	231.00	232.00	0.02	0.1
UW560	237.00	238.00	<0.01	<0.1
UW560	240.00	241.00	0.07	<0.1
UW560	253.00	254.00	<0.01	<0.1
UW560	256.00	257.00	0.17	<0.1
UW560	257.00	329.50	awaited	
UW560	329.50	330.50	0.01	0.3
UW560	340.50	341.50	0.01	<0.1
UW560	346.50	347.90	0.01	<0.1
UW560	354.00	355.00	0.01	<0.1
UW560	357.90	359.00	0.01	0.1
UW560	359.00	360.00	<0.01	<0.1
UW560	360.00	361.00	<0.01	<0.1
UW560	363.20	364.00	0.01	<0.1
UW560	364.00	364.85	0.01	<0.1
UW560	364.85	365.70	0.01	0.2
UW560	365.70	366.50	0.01	<0.1
UW560	366.50	367.30	<0.01	<0.1
UW560	372.00	373.00	0.01	<0.1
UW560	377.70	378.70	0.01	0.2
UW560	389.50	390.20	<0.01	0.2
UW560	390.20	390.90	<0.01	0.3
UW560	391.35	392.30	0.12	4.2
UW560	394.30	395.30	0.02	0.2
UW560	396.30	397.30	0.03	0.3
UW560	405.30	406.30	0.01	0.1
UW560	409.30	410.50	0.06	1.7
UW560	417.50	418.50	0.01	0.3
UW560	420.50	421.50	0.01	0.4
UW560	425.10	426.10	0.02	0.3
UW560	426.10	427.00	0.02	0.3
UW560	431.00	432.00	0.02	0.4
UW560	432.00	433.00	0.01	0.7
UW560	433.00	434.00	0.02	0.3
UW560	447.00	448.00	0.01	0.1
UW560	458.90	459.40	0.01	0.2
UW560	461.40	462.40	0.01	<0.1
UW560	462.40	463.10	<0.01	0.2
UW560	470.00	470.70	0.01	0.3
UW560	470.70	471.10	0.02	0.3
UW560	471.10	554.00	awaited	