

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0642	0	177	-45
DDH0642	0.3	177	-44.9
DDH0642	6.4	177	-44.7
DDH0642	12.5	177	-44.8
DDH0642	18.59	177	-45.6
DDH0642	24.69	177	-44.8
DDH0642	30.78	177	-45
DDH0642	36.88	176.9	-45.1
DDH0642	42.98	176.9	-44.8
DDH0642	49.07	176.9	-45.1
DDH0642	55.17	176.9	-45.1
DDH0642	61.26	176.9	-45.5
DDH0642	67.36	176.9	-45.3
DDH0642	73.46	176.9	-45.2
DDH0642	79.55	176.9	-45.1
DDH0642	85.65	176.9	-45.1
DDH0642	91.74	176.9	-45.1
DDH0642	97.84	176.9	-45.1
DDH0642	103.94	177.1	-45.1
DDH0642	110.03	176.5	-44.9
DDH0642	116.13	176	-44.7
DDH0642	122.22	176.4	-44.6
DDH0642	128.32	175.9	-44.4
DDH0642	134.42	174.9	-44.4
DDH0642	140.51	175.3	-44.5
DDH0642	146.61	175.1	-44.4
DDH0642	152.7	174.3	-44.2
DDH0642	158.8	173.8	-44.3
DDH0642	164.9	174.4	-44.4
DDH0642	170.99	173.9	-44.8
DDH0642	177.09	173.6	-44.9
DDH0642	183.18	172.5	-45
DDH0642	189.28	173.5	-44.9
DDH0642	195.38	172.8	-44.9
DDH0642	201.47	172.7	-44.9
DDH0642	207.57	172.6	-44.9
DDH0642	213.66	172.6	-44.8
DDH0642	219.76	172.8	-44.8
DDH0642	225.86	172.9	-44.9
DDH0642	231.95	172.7	-44.8
DDH0642	238.05	171.9	-44.8
DDH0642	244.14	171.8	-45
DDH0642	250.24	172.3	-45.2
DDH0642	256.34	172	-45.3
DDH0642	262.43	171.3	-45.4
DDH0642	268.53	171.9	-45.8
DDH0642	274.62	171.6	-46.1
DDH0642	280.72	171	-46.1
DDH0643	0	56	-65

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0643	0.91	56.5	-64.4
DDH0643	7.01	57	-64.5
DDH0643	13.11	57.5	-64.5
DDH0643	19.2	58	-64.6
DDH0643	25.3	58.5	-64.7
DDH0643	31.39	59	-64.7
DDH0643	37.49	59.5	-64.9
DDH0643	43.59	60	-64.9
DDH0643	49.68	60.5	-64.8
DDH0643	55.78	61	-64.9
DDH0643	61.87	62.1	-64.8
DDH0643	67.97	63.1	-64.8
DDH0643	74.07	64.4	-64.8
DDH0643	80.16	65.6	-64.9
DDH0643	86.26	65.6	-64.9
DDH0643	92.35	66.3	-64.7
DDH0643	98.45	67.2	-64.7
DDH0643	104.55	68.4	-64.8
DDH0643	110.64	69.6	-64.9
DDH0643	116.74	70.6	-64.7
DDH0643	122.83	71.4	-64.6
DDH0643	128.93	72.1	-64.6
DDH0643	135.03	72.8	-64.5
DDH0643	141.12	73.9	-64.4
DDH0643	147.22	75.5	-64.4
DDH0643	153.31	76.4	-64.4
DDH0643	159.41	77.5	-64.2
DDH0643	165.51	79.1	-64.3
DDH0643	171.6	79.6	-64.3
DDH0643	177.7	80.7	-64
DDH0643	183.79	81.8	-64
DDH0643	189.89	82.4	-63.8
DDH0643	195.99	83.5	-63.2
DDH0643	202.08	84.6	-63.1
DDH0643	208.18	85.3	-63.1
DDH0643	214.27	86.2	-62.8
DDH0644	0	132	-59
DDH0644	4.27	131.9	-58.5
DDH0644	10.36	131.7	-59.2
DDH0644	16.46	131.6	-58.4
DDH0644	22.56	131.4	-58.4
DDH0644	28.65	131.2	-58.3
DDH0644	34.75	131	-58.7
DDH0644	40.84	130.9	-58.5
DDH0644	46.94	130.7	-58.9
DDH0644	53.04	130.5	-59
DDH0644	59.13	130.4	-58.9
DDH0644	65.23	130.2	-58.9
DDH0644	71.32	130	-58.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0644	77.42	129.8	-58.6
DDH0644	83.52	130.3	-58.4
DDH0644	89.61	129.8	-58.3
DDH0644	95.71	131	-58.2
DDH0644	101.8	131.1	-57.9
DDH0644	107.9	131.2	-57.7
DDH0644	114	131.4	-57.7
DDH0644	120.09	131.5	-57.5
DDH0644	126.19	131.6	-57.3
DDH0644	132.28	131.7	-57
DDH0644	138.38	132.7	-56.8
DDH0644	144.48	132.3	-56.8
DDH0644	150.57	132.2	-56.6
DDH0644	156.67	133.2	-56.5
DDH0644	162.76	133.3	-56.3
DDH0644	168.86	133.2	-62.9
DDH0644	174.96	133	-55.4
DDH0644	181.05	133.9	-54.9
DDH0644	187.15	134.7	-54.1
DDH0644	193.24	134.9	-53.7
DDH0644	199.34	136.3	-53.4
DDH0644	205.44	136.5	-53.2
DDH0644	211.53	136.6	-53.1
DDH0644	217.63	136.8	-53
DDH0644	223.72	138.1	-53
DDH0644	229.82	138.2	-52.9
DDH0644	235.92	137.7	-52.9
DDH0644	242.01	138.4	-53
DDH0644	248.11	139.1	-52.9
DDH0644	254.2	138.6	-52.7
DDH0645	0	15	-48
DDH0645	0.91	14.9	-49.5
DDH0645	7.01	14.8	-48.9
DDH0645	13.11	14.7	-49.2
DDH0645	19.2	14.6	-49.8
DDH0645	25.3	14.5	-50
DDH0645	31.39	14.4	-50.4
DDH0645	37.49	14.3	-50.2
DDH0645	43.59	14.2	-50
DDH0645	49.68	14	-50
DDH0645	55.78	14	-50.1
DDH0645	61.87	14	-50
DDH0645	67.97	14.1	-50.1
DDH0645	74.07	14.4	-50.1
DDH0645	80.16	14.6	-50.3
DDH0645	86.26	14.6	-50.4
DDH0645	92.35	14.4	-50.6
DDH0645	98.45	14.4	-50.6
DDH0645	104.55	14.8	-50.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0645	110.64	14.7	-50.8
DDH0645	116.74	14.6	-51
DDH0645	122.83	14.9	-50.9
DDH0645	128.93	15	-51.1
DDH0645	135.03	14.8	-51.4
DDH0645	141.12	14.6	-51.6
DDH0645	147.22	14.7	-51.8
DDH0645	153.31	14.7	-52.1
DDH0645	159.41	14.8	-52.6
DDH0645	165.51	15.1	-53
DDH0645	171.6	15.2	-53.5
DDH0645	177.7	15.4	-54.1
DDH0645	183.79	15.9	-54.3
DDH0645	189.89	16.2	-54.5
DDH0645	195.99	16.1	-54.8
DDH0645	202.08	16	-54.7
DDH0646	0	151	-65
DDH0646	0.61	150.7	-64.4
DDH0646	6.71	150.4	-63.2
DDH0646	12.8	150.2	-63.2
DDH0646	18.9	149.9	-63.1
DDH0646	24.99	149.6	-62.8
DDH0646	31.09	149.6	-62.6
DDH0646	37.19	149.9	-62.5
DDH0646	43.28	149.7	-62.5
DDH0646	49.38	149.5	-62.5
DDH0646	55.47	149.4	-62.2
DDH0646	61.57	149.9	-62.3
DDH0646	67.67	149.9	-62.2
DDH0646	73.76	149.6	-62
DDH0646	79.86	149.3	-61.8
DDH0646	85.95	149.5	-61.8
DDH0646	92.05	149.9	-61.9
DDH0646	98.15	149.6	-61.8
DDH0646	104.24	149.4	-61.6
DDH0646	110.34	149.6	-61.6
DDH0646	116.43	149.9	-61.5
DDH0646	122.53	150	-61.4
DDH0646	128.63	149.6	-61.1
DDH0646	134.72	149.7	-61.2
DDH0646	140.82	149.8	-61.1
DDH0646	146.91	149.7	-61
DDH0646	153.01	149.5	-60.9
DDH0646	159.11	149.6	-60.9
DDH0646	165.2	149.5	-60.8
DDH0646	171.3	149.2	-60.7
DDH0646	177.39	149.2	-60.6
DDH0646	183.49	149.4	-60.6
DDH0646	189.59	149	-60.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0646	195.68	149.1	-60.4
DDH0646	201.78	148.9	-60.3
DDH0646	207.87	149.2	-60.3
DDH0646	213.97	148.7	-60.1
DDH0646	220.07	149	-60
DDH0646	226.16	148.8	-60
DDH0646	232.26	148.9	-59.9
DDH0646	238.35	149	-59.9
DDH0646	244.45	149.4	-59.8
DDH0646	250.55	149.7	-59.8
DDH0646	256.64	148.7	-59.5
DDH0646	262.74	148.8	-59.2
DDH0646	268.83	148.5	-59.1
DDH0646	274.93	148.3	-58.9
DDH0646	281.03	148.7	-59
DDH0646	287.12	148.4	-58.9
DDH0646	293.22	148.4	-58.7
DDH0646	299.31	148.6	-58.7
DDH0646	305.41	148.5	-58.7
DDH0646	311.51	148.5	-58.7
DDH0646	317.6	148.1	-58.5
DDH0646	323.7	148.6	-58.4
DDH0646	329.79	148.3	-58.4
DDH0646	335.89	148.1	-58.3
DDH0646	341.99	148.4	-58.4
DDH0646	348.08	148.3	-58.4
DDH0646	354.18	147.9	-58.3
DDH0646	360.27	148	-58.3
DDH0646	366.37	148.1	-58.4
DDH0646	372.47	147.8	-58.2
DDH0646	378.56	147.7	-58.2
DDH0646	384.66	148.2	-58.2
DDH0646	390.75	147.9	-58.1
DDH0646	396.85	147.8	-58.1
DDH0646	402.95	148.3	-58.1
DDH0646	409.04	147.9	-58
DDH0646	415.14	147.7	-57.9
DDH0646	421.23	148.5	-57.8
DDH0646	427.33	148.2	-57.7
DDH0646	433.43	147.9	-57.5
DDH0646	439.52	148	-57.2
DDH0646	445.62	148.7	-57.3
DDH0646	451.71	148.1	-57
DDH0646	457.81	148.3	-57.1
DDH0646	463.91	148.2	-57.1
DDH0646	470	148.5	-57.1
DDH0646	476.1	148.8	-57.2
DDH0646	482.19	148.8	-57.2
DDH0646	488.29	148.5	-57.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0646	494.39	148.4	-57.1
DDH0646	500.48	148.7	-57.3
DDH0646	506.58	148.2	-57.2
DDH0646	512.67	148.3	-57.2
DDH0646	518.77	148.1	-57.3
DDH0646	524.87	148.4	-57.3
DDH0646	530.96	148.5	-57.3
DDH0647	0	117	-78
DDH0647	4.57	117.4	-78
DDH0647	10.67	117.7	-77.7
DDH0647	16.76	118	-77.8
DDH0647	22.86	118.3	-77.7
DDH0647	28.96	118.6	-77.7
DDH0647	35.05	118.9	-77.7
DDH0647	41.15	119.2	-78.1
DDH0647	47.24	119.5	-78.1
DDH0647	53.34	119.8	-78.1
DDH0647	59.44	120.1	-78
DDH0647	65.53	120.4	-77.9
DDH0647	71.63	120.7	-77.9
DDH0647	77.72	121	-77.7
DDH0647	83.82	122	-77.7
DDH0647	89.92	122.2	-77.3
DDH0647	96.01	122	-77.4
DDH0647	102.11	122.8	-77.3
DDH0647	108.2	123.9	-77
DDH0647	114.3	123.4	-76.9
DDH0647	120.4	123.8	-76.8
DDH0647	126.49	126.1	-76.4
DDH0647	132.59	125.3	-76.2
DDH0647	138.68	126.8	-76.2
DDH0647	144.78	127.9	-75.8
DDH0647	150.88	128.2	-75.7
DDH0647	156.97	130	-75
DDH0647	163.07	131.7	-74.1
DDH0647	169.16	133	-73.7
DDH0647	175.26	134	-73.6
DDH0647	181.36	135	-73.2
DDH0647	187.45	135.6	-73
DDH0647	193.55	135.5	-72.7
DDH0647	199.64	136.2	-72.6
DDH0647	205.74	137.7	-72.5
DDH0647	211.84	137.1	-72.4
DDH0647	217.93	138	-72.3
DDH0647	224.03	139	-72
DDH0647	230.12	138.6	-71.7
DDH0647	236.22	138.8	-71.6
DDH0647	242.32	139.4	-71.1
DDH0647	248.41	139.2	-71

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0647	254.51	140	-71
DDH0647	260.6	141	-70.5
DDH0647	266.7	140.4	-70.2
DDH0647	272.8	140.8	-70
DDH0647	278.89	141.3	-69.8
DDH0647	284.99	140.7	-69.7
DDH0647	291.08	140.9	-69.7
DDH0647	297.18	141.6	-69.4
DDH0647	303.28	142.2	-69
DDH0647	309.37	142.1	-68.8
DDH0647	315.47	142.6	-68.7
DDH0647	321.56	143.5	-68.1
DDH0647	327.66	143.6	-67.7
DDH0647	333.76	143.4	-67.6
DDH0647	339.85	144.5	-67.3
DDH0647	345.95	144.7	-66.9
DDH0648	0	104	-76
DDH0648	1.52	104.1	-74.9
DDH0648	7.62	104.2	-74.9
DDH0648	13.72	104.3	-74.1
DDH0648	19.81	104.4	-74.4
DDH0648	25.91	104.5	-74.3
DDH0648	32	104.6	-74.1
DDH0648	38.1	104.7	-73.7
DDH0648	44.2	104.8	-73.5
DDH0648	50.29	104.9	-72.8
DDH0648	56.39	105.4	-71.8
DDH0648	62.48	108.1	-71.3
DDH0648	68.58	107.8	-71.3
DDH0648	74.68	106.8	-71.3
DDH0648	80.77	107.2	-71.3
DDH0648	86.87	107.8	-71.2
DDH0648	92.96	107.9	-71.1
DDH0648	99.06	108.4	-70.9
DDH0648	105.16	109.3	-70.7
DDH0648	111.25	109.6	-70.4
DDH0648	117.35	110.6	-70.2
DDH0648	123.44	112.7	-70
DDH0648	129.54	114	-69.5
DDH0648	135.64	114.7	-69.2
DDH0648	141.73	115.5	-68.9
DDH0648	147.83	117.7	-68.5
DDH0648	153.92	119.2	-68
DDH0648	160.02	120.1	-67.7
DDH0649A	0	353	-58
DDH0649A	0.61	353.1	-58.1
DDH0649A	6.71	353.1	-58.2
DDH0649A	12.8	353.2	-58.2
DDH0649A	18.9	353.3	-58.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0649A	24.99	353.4	-58.4
DDH0649A	31.09	353.4	-58.5
DDH0649A	37.19	353.5	-58.6
DDH0649A	43.28	353.6	-58.6
DDH0649A	49.38	353.6	-58.7
DDH0649A	55.47	353.7	-58.8
DDH0649A	61.57	353.7	-58.8
DDH0649A	67.67	355.3	-59.4
DDH0649A	73.76	355	-60
DDH0649A	79.86	353.8	-60.5
DDH0649A	85.95	356.8	-60.7
DDH0649A	92.05	354.7	-61
DDH0649A	98.15	356.1	-61.4
DDH0649A	104.24	355.7	-61.7
DDH0649A	110.34	355.5	-62.1
DDH0649A	116.43	354.9	-62.7
DDH0649A	122.53	354.6	-63.1
DDH0649A	128.63	355.2	-63.3
DDH0649A	134.72	355.5	-63.6
DDH0649A	140.82	354.8	-64
DDH0649A	146.91	355.5	-64.2
DDH0649A	153.01	356.4	-64.4
DDH0649A	159.11	355.8	-64.7
DDH0649A	165.2	356.1	-64.8
DDH0649A	171.3	356.6	-64.6
DDH0649A	177.39	355.7	-65
DDH0649A	183.49	355.5	-65.1
DDH0649A	189.59	355.8	-65.2
DDH0649A	195.68	354.9	-65.5
DDH0649A	201.78	355.1	-65.4
DDH0649A	207.87	355.7	-65.4
DDH0649A	213.97	354.9	-65.7
DDH0649A	220.07	356	-65.6
DDH0649A	226.16	356.6	-65.6
DDH0649A	232.26	355.9	-65.8
DDH0649A	238.35	356.6	-65.8
DDH0649A	244.45	357.3	-65.7
DDH0649A	250.55	356.6	-65.9
DDH0649A	256.64	357.1	-65.9
DDH0649A	262.74	358	-65.7
DDH0649A	268.83	357.4	-65.9
DDH0649A	274.93	357.7	-65.9
DDH0649A	281.03	358.7	-66
DDH0649A	287.12	358.7	-66.3
DDH0649A	293.22	358.9	-66.5
DDH0649A	299.31	0.6	-66.6
DDH0649A	305.41	1.4	-66.9
DDH0649A	311.51	2.3	-67.7
DDH0649A	317.6	3.9	-67.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0649A	323.7	5	-67.9
DDH0649A	329.79	5	-68.1
DDH0649A	335.89	5.3	-68.3
DDH0649A	341.99	6.4	-68.2
DDH0649A	348.08	7.7	-68.4
DDH0649A	354.18	8.2	-68.6
DDH0649A	360.27	8.7	-68.8
DDH0649A	366.37	9.8	-68.7
DDH0649A	372.47	5.4	-68.7
DDH0649A	378.56	10.5	-69
DDH0649A	384.66	11.6	-69.2
DDH0649A	390.75	12.8	-69.3
DDH0649A	396.85	12.9	-69.4
DDH0649A	402.95	12.9	-69.5
DDH0649A	409.04	13.8	-69.5
DDH0649A	415.14	14.9	-69.5
DDH0649A	421.23	14.7	-70.1
DDH0649A	427.33	14.9	-70.5
DDH0650	0	114	-66
DDH0650	1.22	114.2	-65.8
DDH0650	7.32	114.3	-66.1
DDH0650	13.41	114.5	-65.6
DDH0650	19.51	114.7	-65.7
DDH0650	25.6	114.8	-66.3
DDH0650	31.7	115	-66.2
DDH0650	37.8	115.2	-66.2
DDH0650	43.89	115.3	-66.3
DDH0650	49.99	115.5	-66.6
DDH0650	56.08	115.6	-66.6
DDH0650	62.18	115.8	-66.3
DDH0650	68.28	116	-65.7
DDH0650	74.37	116.1	-65.1
DDH0650	80.47	116.3	-65.1
DDH0650	86.56	116.3	-65.1
DDH0650	92.66	116.5	-64.7
DDH0650	98.76	116.7	-64.4
DDH0650	104.85	117.8	-64.3
DDH0650	110.95	118.8	-64.3
DDH0650	117.04	118.9	-64
DDH0650	123.14	119	-63.8
DDH0650	129.24	119.6	-63.5
DDH0650	135.33	120.7	-63.4
DDH0650	141.43	121.7	-63.1
DDH0650	147.52	122.2	-63
DDH0650	153.62	121.8	-62.8
DDH0650	159.72	122.2	-62.8
DDH0650	165.81	122.8	-62.8
DDH0650	171.91	122.7	-62.6
DDH0650	178	122.3	-62.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0650	184.1	123.3	-62.5
DDH0650	190.2	124	-62.2
DDH0650	196.29	123.6	-61.6
DDH0650	202.39	124.2	-61.4
DDH0650	208.48	124.8	-61.2
DDH0650	214.58	124.5	-60.8
DDH0650	220.68	124.8	-60.7
DDH0650	226.77	126.2	-60.7
DDH0650	232.87	125.7	-60.4
DDH0650	238.96	126.6	-60.5
DDH0650	245.06	126.9	-60.5
DDH0650	251.16	126.5	-60.2
DDH0650	257.25	127	-60.2
DDH0650	263.35	127.6	-60.1
DDH0650	269.44	127.2	-59.9
DDH0650	275.54	128	-59.9
DDH0650	281.64	128	-59.8
DDH0650	287.73	127.9	-59.6
DDH0650	293.83	129	-59.7
DDH0650	299.92	129	-59.6
DDH0650	306.02	128.6	-59.4
DDH0650	312.12	129.3	-59.3
DDH0650	318.21	129.7	-59
DDH0650	324.31	129.7	-58.8
DDH0650	330.4	130	-58.8
DDH0650	336.5	130.2	-58.7
DDH0651	0	94	-81
DDH0651	4.27	95	-81.6
DDH0651	10.36	96	-81
DDH0651	16.46	97	-80.4
DDH0651	22.56	98	-77.9
DDH0651	28.65	99	-77.7
DDH0651	34.75	100.7	-79.1
DDH0651	40.84	101.1	-78.3
DDH0651	46.94	101.2	-78.1
DDH0651	53.04	101.9	-77.8
DDH0651	59.13	103.6	-77.7
DDH0651	65.23	104.6	-77.6
DDH0651	71.32	105.9	-77.4
DDH0651	77.42	105.2	-76.7
DDH0651	83.52	105	-76.5
DDH0651	89.61	105.9	-76
DDH0651	95.71	107.1	-75.4
DDH0651	101.8	107.6	-74.8
DDH0651	107.9	107.3	-74.7
DDH0651	114	107.7	-74.5
DDH0651	120.09	107.9	-74.1
DDH0651	126.19	107.6	-73.7
DDH0651	132.28	107.6	-73.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0651	138.38	107.9	-73.5
DDH0651	144.48	108	-73.3
DDH0651	150.57	108	-73.1
DDH0651	156.67	108.7	-72.8
DDH0651	162.76	109.3	-72.4
DDH0651	168.86	108.7	-72.3
DDH0651	174.96	109.1	-72
DDH0651	181.05	108.9	-71.6
DDH0651	187.15	108.1	-71.6
DDH0651	193.24	108.6	-71.5
DDH0652	0	342	-67
DDH0652	31.03	342	-67
DDH0652	63.28	342	-67
DDH0652	75.47	342	-66.8
DDH0652	96.8	342	-66.9
DDH0652	109	342	-67.2
DDH0652	142.52	342	-67.6
DDH0652	169.96	342	-68.4
DDH0652	185.2	342	-68.1
DDH0652	215.68	342	-68.7
DDH0652	240.09	342	-69.4
DDH0652	282.73	342	-72.4
DDH0652	312.76	342	-74.6
DDH0652	334.55	342	-76.1
DDH0653	0	140	-53
DDH0653	0.91	139.9	-53.8
DDH0653	7.01	139.7	-53.7
DDH0653	13.11	139.5	-53.2
DDH0653	19.2	139.3	-52.3
DDH0653	25.3	139.1	-52
DDH0653	31.39	138.9	-52.7
DDH0653	37.49	138.7	-52.6
DDH0653	43.59	138.5	-52.5
DDH0653	49.68	138.3	-52.3
DDH0653	55.78	138.1	-52.3
DDH0653	61.87	138.9	-52.3
DDH0653	67.97	139.3	-52.3
DDH0653	74.07	139	-52.2
DDH0653	80.16	138.9	-52
DDH0653	86.26	139.2	-52
DDH0653	92.35	139.5	-52
DDH0653	98.45	139.5	-51.8
DDH0653	104.55	139.1	-51.5
DDH0653	110.64	139.2	-51.5
DDH0653	116.74	139.6	-51.3
DDH0653	122.83	139.5	-51.1
DDH0653	128.93	139.5	-50.9
DDH0653	135.03	139.5	-50.9
DDH0653	141.12	139.8	-50.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0653	147.22	140	-50.7
DDH0653	153.31	140.2	-50.7
DDH0653	159.41	140.2	-50.6
DDH0653	165.51	139.8	-50.5
DDH0653	171.6	139.9	-50.5
DDH0653	177.7	140.5	-50.5
DDH0653	183.79	140.2	-50.3
DDH0653	189.89	140.1	-50.4
DDH0653	195.99	140.5	-50.4
DDH0653	202.08	140.1	-50.2
DDH0653	208.18	140.1	-50.3
DDH0653	214.27	140.3	-50.3
DDH0653	220.37	140.4	-50.2
DDH0653	226.47	140.4	-50.1
DDH0653	232.56	140.4	-50.1
DDH0653	238.66	140.7	-50.1
DDH0653	244.75	141	-50.1
DDH0653	250.85	141.2	-50.1
DDH0653	256.95	141.1	-50.1
DDH0653	263.04	141	-50.1
DDH0653	269.14	141.2	-50.1
DDH0653	275.23	141.2	-50
DDH0653	281.33	141.3	-50
DDH0653	287.43	141.3	-50
DDH0653	293.52	141.3	-49.9
DDH0653	299.62	141.5	-49.9
DDH0653	305.71	140.9	-49.7
DDH0653	311.81	141.3	-49.7
DDH0653	317.91	141.3	-49.8
DDH0653	324	141.4	-49.8
DDH0653	330.1	141.6	-49.7
DDH0653	336.19	141.6	-49.6
DDH0653	342.29	141.5	-49.6
DDH0653	348.39	141.8	-49.6
DDH0653	354.48	141.8	-49.7
DDH0653	360.58	141.9	-49.7
DDH0653	366.67	142.2	-49.7
DDH0653	372.77	142.1	-49.6
DDH0653	378.87	141.6	-49.8
DDH0653	384.96	141.6	-49.7
DDH0653	391.06	141.9	-49.7
DDH0653	397.15	141.6	-49.7
DDH0653	403.25	141.7	-49.6
DDH0653	409.35	141.6	-49.6
DDH0653	415.44	141.5	-49.6
DDH0653	421.54	141.4	-49.7
DDH0653	427.63	141.3	-49.7
DDH0653	433.73	141.3	-49.8
DDH0653	439.83	141.2	-49.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0653	445.92	141.1	-50
DDH0653	452.02	141	-50.1
DDH0653	458.11	141	-50.5
DDH0653	464.21	141.1	-50.8
DDH0653	470.31	141.4	-50.9
DDH0653	476.4	141.4	-50.9
DDH0653	482.5	141.5	-50.9
DDH0653	488.59	141.4	-50.8
DDH0653	494.69	141.2	-50.8
DDH0653	500.79	141.1	-50.7
DDH0653	506.88	141.1	-50.7
DDH0653	512.98	141.2	-50.8
DDH0653	519.07	141.7	-50.9
DDH0653	525.17	141.7	-50.9
DDH0653	531.27	141.7	-51
DDH0653	537.36	141.7	-51
DDH0653	543.46	141.4	-51
DDH0653	549.55	141.5	-51
DDH0653	555.65	141.7	-51
DDH0653	561.75	142	-51
DDH0654	0	25	-82
DDH0654	194.16	25	-82
DDH0655	0	154	-44
DDH0655	0.91	153.8	-42.4
DDH0655	7.01	153.6	-42.4
DDH0655	13.11	153.4	-42.6
DDH0655	19.2	153.2	-43
DDH0655	25.3	153	-43.8
DDH0655	31.39	152.8	-44.2
DDH0655	37.49	152.6	-44.2
DDH0655	43.59	152.4	-44.5
DDH0655	49.68	152.2	-45.1
DDH0655	55.78	152	-45.4
DDH0655	61.87	151.8	-45.7
DDH0655	67.97	151.6	-46
DDH0655	74.07	151.5	-46.8
DDH0655	80.16	151.5	-47
DDH0655	86.26	151.5	-47
DDH0655	92.35	151.5	-46.8
DDH0655	98.45	151.2	-46.6
DDH0655	104.55	151.2	-46.6
DDH0655	110.64	151.6	-46.4
DDH0655	116.74	151.5	-46.6
DDH0655	122.83	151.5	-46.5
DDH0655	128.93	151.1	-46.4
DDH0655	135.03	151.2	-46.5
DDH0655	141.12	151.3	-46.5
DDH0655	147.22	151.1	-46.4
DDH0655	153.31	150.5	-46.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0655	159.41	150.9	-46.7
DDH0655	165.51	150.9	-46.6
DDH0655	171.6	150.8	-46.5
DDH0655	177.7	150.6	-46.6
DDH0655	183.79	150.9	-46.8
DDH0655	189.89	151.3	-46.7
DDH0655	195.99	150.8	-46.5
DDH0655	202.08	150.7	-46.6
DDH0655	208.18	151	-46.8
DDH0655	214.27	151	-46.7
DDH0655	220.37	150.7	-46.5
DDH0655	226.47	150.6	-46.6
DDH0655	232.56	151.2	-46.7
DDH0655	238.66	150.7	-46.5
DDH0655	244.75	149.8	-46.5
DDH0655	250.85	150.7	-46.7
DDH0655	256.95	151.3	-46.9
DDH0655	263.04	150.9	-46.9
DDH0655	269.14	150.6	-47
DDH0655	275.23	151	-47.3
DDH0655	281.33	151.5	-47.4
DDH0655	287.43	151.1	-47.5
DDH0655	293.52	151.1	-47.7
DDH0655	299.62	151.4	-47.9
DDH0655	305.71	151	-48.1
DDH0655	311.81	151.1	-48.1
DDH0655	317.91	151.2	-48.3
DDH0655	324	151.9	-48.5
DDH0655	330.1	151.9	-48.6
DDH0655	336.19	151.9	-48.6
DDH0655	342.29	152.2	-48.7
DDH0655	348.39	152.5	-48.7
DDH0655	354.48	152.3	-48.5
DDH0655	360.58	152.2	-48.5
DDH0655	366.67	152.7	-48.5
DDH0655	372.77	152.7	-48.4
DDH0655	378.87	152.4	-48.3
DDH0655	384.96	152.6	-48.4
DDH0655	391.06	152.9	-48.3
DDH0655	397.15	153.5	-48.1
DDH0655	403.25	152.9	-48.1
DDH0655	409.35	153	-48.1
DDH0655	415.44	153.1	-47.9
DDH0655	421.54	152.9	-47.7
DDH0655	427.63	152.7	-47.7
DDH0655	433.73	153	-47.8
DDH0655	439.83	153.2	-47.8
DDH0655	445.92	153.2	-47.7
DDH0655	452.02	152.8	-47.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0655	458.11	153	-47.4
DDH0655	464.21	153.8	-47.1
DDH0655	470.31	153.7	-46.9
DDH0656	0	322	-80
DDH0656	3.96	321.9	-79.7
DDH0656	10.06	321.8	-79.3
DDH0656	16.15	321.5	-79.1
DDH0656	22.25	321.2	-79.2
DDH0656	28.35	320.9	-79.9
DDH0656	34.44	320.6	-80
DDH0656	40.54	320.3	-80.3
DDH0656	46.63	320	-80.4
DDH0656	52.73	319.7	-80.5
DDH0656	58.83	319.4	-80.7
DDH0656	64.92	319.1	-80.6
DDH0656	71.02	318.8	-80.7
DDH0656	77.11	318.4	-80.8
DDH0656	83.21	317.7	-81.2
DDH0656	89.31	317.4	-81.2
DDH0656	95.4	317.1	-81.2
DDH0656	101.5	316.1	-81.4
DDH0656	107.59	315.4	-81.7
DDH0656	113.69	315.7	-81.7
DDH0656	119.79	313.6	-81.9
DDH0656	125.88	311.6	-82.2
DDH0656	131.98	311.6	-82.5
DDH0656	138.07	310.7	-82.5
DDH0656	144.17	309	-82.5
DDH0656	150.27	307	-82.7
DDH0656	156.36	305.8	-82.9
DDH0656	162.46	303.7	-83
DDH0656	168.55	300.9	-83.1
DDH0656	174.65	299.1	-83.3
DDH0656	180.75	299.8	-83.3
DDH0656	186.84	298.2	-83.3
DDH0656	192.94	296.7	-83.5
DDH0656	199.03	297.1	-83.5
DDH0656	205.13	295.4	-83.5
DDH0656	211.23	292.7	-83.7
DDH0656	217.32	291.4	-83.8
DDH0656	223.42	288.7	-83.8
DDH0656	229.51	286.7	-84
DDH0656	235.61	287.4	-84
DDH0656	241.71	285.3	-84.1
DDH0656	247.8	281.2	-84.5
DDH0656	253.9	279.2	-84.8
DDH0656	259.99	275.5	-85.1
DDH0656	266.09	272.3	-85.7
DDH0656	272.19	271.1	-85.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0656	278.28	265	-86.1
DDH0656	284.38	261.9	-86.4
DDH0656	290.47	260.1	-86.4
DDH0656	296.57	252	-86.6
DDH0656	302.67	243.4	-86.9
DDH0656	308.76	234.9	-86.8
DDH0656	314.86	223.2	-86.5
DDH0656	320.95	215.8	-86.2
DDH0656	327.05	212.4	-85.9
DDH0656	333.15	202.5	-85.4
DDH0656	339.24	198.4	-84.9
DDH0656	345.34	196.2	-84.4
DDH0656	351.43	191.8	-83.7
DDH0656	357.53	188.7	-83.3
DDH0656	363.63	187.5	-82.8
DDH0656	369.72	185.3	-82.2
DDH0656	375.82	184.7	-81.7
DDH0656	381.91	185	-81.2
DDH0656	388.01	183.5	-80.7
DDH0656	394.11	182.6	-80.5
DDH0657	0	335	-81
DDH0657	0.91	335.3	-81.9
DDH0657	7.01	335.6	-79.9
DDH0657	13.11	335.9	-79.7
DDH0657	19.2	336.2	-79.6
DDH0657	25.3	336.5	-79.8
DDH0657	31.39	336.8	-79.8
DDH0657	37.49	337.1	-79.9
DDH0657	43.59	337.4	-80
DDH0657	49.68	337.7	-79.9
DDH0657	55.78	338	-79.9
DDH0657	61.87	338.3	-80.5
DDH0657	67.97	338.6	-81.6
DDH0657	74.07	336.9	-82.7
DDH0657	80.16	335.8	-83.9
DDH0657	86.26	338.5	-85.2
DDH0657	92.35	338.9	-86.5
DDH0657	98.45	339.9	-87.7
DDH0657	104.55	335.8	-88.5
DDH0657	110.64	334.8	-89.2
DDH0657	116.74	357.1	-89.7
DDH0657	122.83	113.6	-89.5
DDH0657	128.93	128.6	-88
DDH0657	135.03	134	-87.9
DDH0657	141.12	141.2	-87.5
DDH0657	147.22	135.6	-87.2
DDH0657	153.31	134.2	-87.3
DDH0657	159.41	142.3	-86.8
DDH0657	165.51	140.4	-86

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0657	171.6	142.4	-85.5
DDH0657	177.7	149	-84.9
DDH0657	183.79	151.5	-84
DDH0657	189.89	151.6	-83.3
DDH0657	195.99	153.1	-82.7
DDH0657	202.08	154.6	-82.3
DDH0657	208.18	154.9	-81.9
DDH0657	214.27	154.4	-81.5
DDH0657	220.37	155.6	-81.1
DDH0657	226.47	154.3	-80.6
DDH0658	0	315	-67
DDH0658	1.52	314	-66.2
DDH0658	7.62	313	-66.4
DDH0658	13.72	312	-66.7
DDH0658	19.81	311	-66.8
DDH0658	25.91	310	-66.9
DDH0658	32	309	-66.8
DDH0658	38.1	308	-67.2
DDH0658	44.2	307	-67.4
DDH0658	50.29	306	-67.5
DDH0658	56.39	306	-67.6
DDH0658	62.48	305.9	-67.8
DDH0658	68.58	305.9	-68
DDH0658	74.68	304.8	-68
DDH0658	80.77	304.3	-67.9
DDH0658	86.87	304.6	-68.3
DDH0658	92.96	304.5	-68.6
DDH0658	99.06	304.9	-69
DDH0658	105.16	305.2	-69
DDH0658	111.25	305	-69.4
DDH0658	117.35	305.5	-69.5
DDH0658	123.44	306.9	-69.5
DDH0658	129.54	306.1	-69.7
DDH0658	135.64	306.4	-69.9
DDH0658	141.73	306.9	-70
DDH0658	147.83	307.5	-70.1
DDH0658	153.92	307.1	-70.5
DDH0658	160.02	307.3	-70.6
DDH0658	166.12	307.7	-70.6
DDH0658	172.21	306.4	-70.8
DDH0658	178.31	306.4	-70.8
DDH0658	184.4	306.8	-70.9
DDH0658	190.5	308.4	-70.9
DDH0658	196.6	307.7	-70.9
DDH0658	202.69	308	-70.9
DDH0658	208.79	308.4	-70.7
DDH0658	214.88	308.7	-70.8
DDH0658	220.98	309	-70.9
DDH0658	227.08	309.8	-70.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0658	233.17	309.7	-71
DDH0658	239.27	310	-71.3
DDH0658	245.36	310.7	-71.2
DDH0658	251.46	311.3	-71.4
DDH0658	257.56	310.5	-71.6
DDH0658	263.65	310.8	-71.6
DDH0658	269.75	311.3	-71.4
DDH0658	275.84	311.1	-71.5
DDH0658	281.94	312.3	-71.5
DDH0658	288.04	312.6	-71.5
DDH0659	0	303	-66
DDH0659	4.27	303.7	-65.9
DDH0659	10.36	304.4	-65.4
DDH0659	16.46	305.1	-65.3
DDH0659	22.56	305.8	-66.2
DDH0659	28.65	306.5	-66.3
DDH0659	34.75	307.2	-66.5
DDH0659	40.84	307.7	-66.7
DDH0659	46.94	308	-66.7
DDH0659	53.04	308.5	-66.8
DDH0659	59.13	308.9	-66.7
DDH0659	65.23	308.4	-66.8
DDH0659	71.32	307.5	-66.9
DDH0659	77.42	307.1	-67.1
DDH0659	83.52	307.6	-66.9
DDH0659	89.61	307.3	-66.9
DDH0659	95.71	307.1	-67
DDH0659	101.8	306.9	-67.1
DDH0659	107.9	307.7	-67
DDH0659	114	307.6	-67
DDH0659	120.09	307.3	-67
DDH0659	126.19	307.1	-67.2
DDH0659	132.28	307.8	-67.1
DDH0659	138.38	307.3	-67.1
DDH0659	144.48	306.3	-67.3
DDH0659	150.57	306.1	-67.4
DDH0659	156.67	306	-67.5
DDH0659	162.76	306.4	-67.3
DDH0659	168.86	305.7	-67.5
DDH0659	174.96	305.7	-67.7
DDH0659	181.05	306.1	-67.5
DDH0659	187.15	306.2	-67.5
DDH0659	193.24	305.5	-67.6
DDH0659	199.34	305.1	-67.8
DDH0659	205.44	304.8	-67.8
DDH0659	211.53	304.8	-67.9
DDH0659	217.63	304.5	-68
DDH0659	223.72	303.9	-68.2
DDH0659	229.82	303	-68.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0659	235.92	302.6	-68.6
DDH0659	242.01	302.9	-68.6
DDH0659	248.11	301.9	-68.7
DDH0659	254.2	301.8	-68.8
DDH0659	260.3	301.7	-68.8
DDH0659	266.4	301	-68.9
DDH0659	272.49	301	-68.9
DDH0659	278.59	300.5	-69.1
DDH0659	284.68	300.3	-69.2
DDH0659	290.78	300	-69.4
DDH0659	296.88	298.9	-69.6
DDH0659	302.97	299.1	-69.7
DDH0659	309.07	300.3	-69.6
DDH0659	315.16	299.2	-69.6
DDH0659	321.26	299.4	-69.8
DDH0659	327.36	299.2	-69.9
DDH0659	333.45	298.5	-70.1
DDH0659	339.55	297.9	-70.2
DDH0659	345.64	296.9	-70.5
DDH0659	351.74	296.5	-70.6
DDH0659	357.84	296.3	-70.7
DDH0659	363.93	296.7	-70.7
DDH0659	370.03	296.3	-70.8
DDH0659	376.12	295.9	-70.8
DDH0659	382.22	295.5	-71
DDH0659	388.32	294.7	-71.1
DDH0660	0	227	-45
DDH0660	0.61	226.8	-46
DDH0660	6.71	226.5	-45.8
DDH0660	12.8	226.2	-46.2
DDH0660	18.9	225.9	-46.7
DDH0660	24.99	225.6	-46.4
DDH0660	31.09	225.3	-46.9
DDH0660	37.19	225	-47.3
DDH0660	43.28	224.7	-47.7
DDH0660	49.38	224.3	-47.8
DDH0660	55.47	224.1	-47.9
DDH0660	61.57	224	-48.4
DDH0660	67.67	223.8	-48.1
DDH0660	73.76	223.7	-48.2
DDH0660	79.86	223.4	-48.4
DDH0660	85.95	223.7	-48.8
DDH0660	92.05	224	-49.1
DDH0660	98.15	224.3	-49.2
DDH0660	104.24	223.9	-49.2
DDH0660	110.34	223.4	-49.6
DDH0660	116.43	223.5	-49.9
DDH0660	122.53	223.6	-50
DDH0660	128.63	223	-50.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0660	134.72	222.2	-50.3
DDH0660	140.82	221.8	-50.5
DDH0660	146.91	222.4	-50.7
DDH0661	0	141	-48
DDH0661	0.61	140.7	-48.1
DDH0661	6.71	140.4	-48.1
DDH0661	12.8	140.1	-48.2
DDH0661	18.9	139.9	-48.2
DDH0661	24.99	139.6	-48.3
DDH0661	31.09	139.3	-48.3
DDH0661	37.19	139	-48.4
DDH0661	43.28	138.7	-48.5
DDH0661	49.38	138.4	-48.5
DDH0661	55.47	138.1	-48.6
DDH0661	61.57	137.9	-48.6
DDH0661	67.67	137.6	-48.7
DDH0661	73.76	137.3	-48.7
DDH0661	79.86	137	-48.8
DDH0661	85.95	137	-48.8
DDH0661	92.05	137.6	-48.5
DDH0661	98.15	138.2	-48.4
DDH0661	104.24	138.8	-48.3
DDH0661	110.34	138.6	-48.2
DDH0661	116.43	138.5	-48.2
DDH0661	122.53	139	-48.1
DDH0661	128.63	139.3	-47.9
DDH0661	134.72	138.7	-47.7
DDH0661	140.82	138.9	-47.8
DDH0661	146.91	139.5	-47.8
DDH0661	153.01	138.9	-47.8
DDH0661	159.11	138.2	-47.7
DDH0661	165.2	139.9	-48
DDH0661	171.3	139.2	-47.9
DDH0661	177.39	138.7	-48.2
DDH0661	183.49	139.2	-48.5
DDH0661	189.59	139.4	-48.7
DDH0661	195.68	139.1	-48.9
DDH0661	201.78	139.6	-49.2
DDH0661	207.87	140	-49.4
DDH0661	213.97	139.2	-49.3
DDH0661	220.07	139.3	-49.4
DDH0661	226.16	140	-49.4
DDH0661	232.26	140.1	-49.2
DDH0661	238.35	139.9	-49.2
DDH0661	244.45	139.8	-49.5
DDH0661	250.55	140.5	-49.9
DDH0661	256.64	140.3	-50.2
DDH0661	262.74	140.5	-50.5
DDH0661	268.83	141.1	-50.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0661	274.93	140.4	-50.6
DDH0661	281.03	140.5	-50.7
DDH0661	287.12	141.3	-50.7
DDH0661	293.22	140.9	-50.7
DDH0661	299.31	140.4	-50.7
DDH0661	305.41	140.8	-50.8
DDH0661	311.51	141.3	-50.8
DDH0661	317.6	141.2	-50.6
DDH0661	323.7	140.9	-50.7
DDH0661	329.79	141.5	-50.8
DDH0661	335.89	141.7	-50.6
DDH0661	341.99	141.2	-50.6
DDH0661	348.08	141.5	-50.8
DDH0661	354.18	142	-50.8
DDH0661	360.27	141.8	-50.6
DDH0661	366.37	141.7	-50.5
DDH0661	372.47	142.3	-50.6
DDH0661	378.56	142.6	-50.5
DDH0661	384.66	142.2	-50.3
DDH0661	390.75	142.1	-50.3
DDH0661	396.85	142.7	-50.4
DDH0662	0	88	-70
DDH0662	0.91	88.6	-69.7
DDH0662	7.01	89.2	-69.4
DDH0662	13.11	89.7	-69.1
DDH0662	19.2	90.3	-68.8
DDH0662	25.3	90.9	-68.5
DDH0662	31.39	91.5	-68.2
DDH0662	37.49	91.5	-68.2
DDH0662	43.59	92.8	-67.8
DDH0662	49.68	94.7	-67.7
DDH0662	55.78	95.6	-67.4
DDH0662	61.87	95.6	-67.1
DDH0662	67.97	96.3	-66.8
DDH0662	74.07	97.7	-66.8
DDH0662	80.16	98	-66.5
DDH0662	86.26	98.1	-66.2
DDH0662	92.35	98.6	-66
DDH0662	98.45	99.6	-66
DDH0662	104.55	100.3	-65.9
DDH0662	110.64	100.4	-65.6
DDH0662	116.74	101.2	-65.4
DDH0662	122.83	102.4	-65.5
DDH0662	128.93	102.4	-65.3
DDH0662	135.03	102	-65.2
DDH0662	141.12	103.1	-65.3
DDH0662	147.22	103.5	-65.2
DDH0662	153.31	103.2	-64.8
DDH0662	159.41	104.3	-64.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0662	165.51	104.9	-64.7
DDH0662	171.6	104.7	-64.4
DDH0662	177.7	105.3	-64.4
DDH0662	183.79	107.5	-64.3
DDH0662	189.89	106.8	-64
DDH0662	195.99	106.4	-63.7
DDH0662	202.08	108.4	-63.5
DDH0664	0	130	-41
DDH0664	3.35	129.9	-44.3
DDH0664	9.45	129.8	-40.8
DDH0664	15.54	129.7	-41.1
DDH0664	21.64	129.6	-42.3
DDH0664	27.74	129.5	-42.7
DDH0664	33.83	129.4	-43.1
DDH0664	39.93	129.3	-43.1
DDH0664	46.02	129.2	-43.5
DDH0664	52.12	129.1	-43.8
DDH0664	58.22	129	-44.2
DDH0664	64.31	128.9	-44.4
DDH0664	70.41	128.8	-44.2
DDH0664	76.5	128.6	-43.8
DDH0664	82.6	128.4	-43.8
DDH0664	88.7	129	-43.8
DDH0664	94.79	129.7	-43.8
DDH0664	100.89	129.3	-43.7
DDH0664	106.98	129	-43.6
DDH0664	113.08	128.7	-43.5
DDH0664	119.18	129.1	-43.4
DDH0664	125.27	128.9	-43.3
DDH0664	131.37	129	-43.1
DDH0664	137.46	129.1	-43
DDH0664	143.56	128.9	-42.9
DDH0664	149.66	128.7	-42.8
DDH0664	155.75	129.4	-42.9
DDH0664	161.85	129.7	-42.9
DDH0664	167.94	129.4	-42.9
DDH0664	174.04	129.5	-42.9
DDH0664	180.14	130.3	-43
DDH0664	186.23	131	-43
DDH0664	192.33	130.4	-43.1
DDH0664	198.42	130.6	-43.2
DDH0664	204.52	131	-43.4
DDH0664	210.62	131.2	-43.4
DDH0664	216.71	130.8	-43.5
DDH0664	222.81	131.1	-43.5
DDH0664	228.9	131.9	-43.4
DDH0664	235	131.8	-43.2
DDH0664	241.1	131.7	-43.2
DDH0664	247.19	131.5	-43.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0664	253.29	131.8	-43.4
DDH0664	259.38	131.9	-43.6
DDH0664	265.48	131.9	-43.8
DDH0664	271.58	131.9	-44.3
DDH0664	277.67	132.3	-44.6
DDH0664	283.77	132.8	-44.8
DDH0664	289.86	132.8	-44.8
DDH0664	295.96	132.8	-44.7
DDH0664	302.06	132.9	-44.9
DDH0664	308.15	133.5	-44.8
DDH0664	314.25	133.6	-44.7
DDH0664	320.34	133.3	-44.6
DDH0664	326.44	133.2	-44.6
DDH0664	332.54	133.6	-44.6
DDH0664	338.63	134.1	-44.6
DDH0664	344.73	134.1	-44.6
DDH0664	350.82	134	-44.5
DDH0664	356.92	134.1	-44.5
DDH0664	363.02	134.6	-44.6
DDH0664	369.11	135	-44.6
DDH0664	375.21	134.9	-44.5
DDH0664	381.3	134.8	-44.4
DDH0664	387.4	135	-44.4
DDH0664	393.5	135.5	-44.4
DDH0664	399.59	135.5	-44.3
DDH0665	0	180	-41
DDH0665	3.35	179.5	-40.2
DDH0665	9.45	179	-40.4
DDH0665	15.54	178.6	-41.2
DDH0665	21.64	178.3	-41.9
DDH0665	27.74	178.2	-42
DDH0665	33.83	177.5	-42.1
DDH0665	39.93	177.4	-42.1
DDH0665	46.02	177	-42.4
DDH0665	52.12	177.1	-42.5
DDH0665	58.22	177.1	-42.7
DDH0665	64.31	176.9	-42.8
DDH0665	70.41	176.9	-42.9
DDH0665	76.5	177.4	-43
DDH0665	82.6	177.6	-43.1
DDH0665	88.7	177.6	-43.2
DDH0665	94.79	177.8	-43.4
DDH0665	100.89	178	-43.6
DDH0665	106.98	178.2	-43.7
DDH0665	113.08	178	-43.8
DDH0665	119.18	178.1	-44
DDH0665	125.27	178.2	-44.1
DDH0665	131.37	178.6	-44.3
DDH0665	137.46	178.2	-44.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0665	143.56	178.3	-44.5
DDH0665	149.66	178.3	-44.6
DDH0667	0	291	-57
DDH0667	0.91	291	-55.4
DDH0667	7.01	290.9	-55.4
DDH0667	13.11	290.9	-55.4
DDH0667	19.2	290.9	-56.4
DDH0667	25.3	290.8	-55.5
DDH0667	31.39	290.8	-55.5
DDH0667	37.49	290.7	-55.5
DDH0667	43.59	290.7	-55.3
DDH0667	49.68	292.8	-55.4
DDH0667	55.78	293	-55.4
DDH0667	61.87	294.3	-55.2
DDH0667	67.97	293.5	-55.4
DDH0667	74.07	293	-55.7
DDH0667	80.16	293.4	-55.6
DDH0667	86.26	293.8	-55.6
DDH0667	92.35	294.2	-55.5
DDH0667	98.45	293	-55.9
DDH0667	104.55	294	-55.9
DDH0667	110.64	293.7	-55.8
DDH0667	116.74	294.3	-56.1
DDH0667	122.83	294	-56.3
DDH0667	128.93	294.4	-56.3
DDH0667	135.03	294.6	-56.4
DDH0667	141.12	294.1	-56.7
DDH0667	147.22	294.5	-56.7
DDH0667	153.31	295	-56.7
DDH0667	159.41	294.7	-56.9
DDH0667	165.51	294.9	-56.8
DDH0667	171.6	294.8	-56.8
DDH0667	177.7	295.4	-56.9
DDH0667	183.79	295.3	-56.9
DDH0667	189.89	296.2	-56.8
DDH0667	195.99	296.2	-56.8
DDH0667	202.08	296	-57
DDH0667	208.18	296	-56.8
DDH0667	214.27	296.5	-56.7
DDH0667	220.37	296.2	-56.8
DDH0667	226.47	296.5	-56.7
DDH0667	232.56	295.9	-56.8
DDH0667	238.66	295	-56.8
DDH0667	244.75	294.4	-56.6
DDH0667	250.85	293.6	-56.9
DDH0667	256.95	293.6	-56.9
DDH0667	263.04	294	-56.8
DDH0670	0	287	-67
DDH0670	0.61	287.2	-65.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0670	6.71	287.4	-66.7
DDH0670	12.8	287.6	-66.6
DDH0670	18.9	287.8	-66.2
DDH0670	24.99	288	-66.3
DDH0670	31.09	288.2	-66.4
DDH0670	37.19	288.7	-66.3
DDH0670	43.28	288	-66.5
DDH0670	49.38	285.5	-66.6
DDH0670	55.47	289.6	-66.5
DDH0670	61.57	288.8	-66.6
DDH0670	67.67	287.3	-66.7
DDH0670	73.76	287.3	-66.9
DDH0670	79.86	288.5	-66.9
DDH0670	85.95	288.3	-67
DDH0670	92.05	288.1	-67.2
DDH0670	98.15	288.2	-67.4
DDH0670	104.24	288.9	-67.5
DDH0670	110.34	287.7	-67.8
DDH0670	116.43	288	-68.1
DDH0670	122.53	288.3	-68.1
DDH0670	128.63	287.5	-68.4
DDH0670	134.72	287.8	-68.6
DDH0670	140.82	287.8	-68.7
DDH0670	146.91	286.5	-69
DDH0670	153.01	287.1	-69.2
DDH0670	159.11	286.9	-69.3
DDH0670	165.2	286	-69.8
DDH0670	171.3	286.7	-69.8
DDH0670	177.39	285.9	-70.4
DDH0670	183.49	284.7	-71
DDH0670	189.59	285.9	-71
DDH0670	195.68	285.3	-71.2
DDH0670	201.78	285.3	-71.3
DDH0670	207.87	286	-71.2
DDH0670	213.97	285.1	-71.4
DDH0670	220.07	285.8	-71.4
DDH0670	226.16	285.8	-71.2
DDH0670	232.26	285.2	-71.4
DDH0670	238.35	285.9	-71.4
DDH0671	0	156	-50
DDH0671	3.66	155.8	-49.4
DDH0671	9.75	155.6	-50
DDH0671	15.85	155.4	-49.9
DDH0671	21.95	155.2	-50.2
DDH0671	28.04	155	-50.4
DDH0671	34.14	154.8	-50.1
DDH0671	40.23	154.7	-50.4
DDH0671	46.33	154.5	-50.4
DDH0671	52.43	154.3	-50.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0671	58.52	154.1	-50.8
DDH0671	64.62	153.9	-50.8
DDH0671	70.71	153.7	-50.8
DDH0671	76.81	153.7	-50.6
DDH0671	82.91	153.9	-50.6
DDH0671	89	154	-50.7
DDH0671	95.1	155	-50.9
DDH0671	101.19	154.2	-50.9
DDH0671	107.29	153.75	-50.6
DDH0671	113.39	152.9	-50.6
DDH0671	119.48	152.5	-50.5
DDH0671	125.58	152.5	-50.2
DDH0671	131.67	151.8	-49.9
DDH0671	137.77	151.4	-49.6
DDH0671	143.87	151	-49.6
DDH0671	149.96	151.2	-49.7
DDH0671	156.06	151.5	-49.5
DDH0671	162.15	151	-46.1
DDH0671	168.25	150.6	-49.1
DDH0671	174.35	150.4	-49.1
DDH0671	180.44	150.3	-49
DDH0671	186.54	150.2	-48.9
DDH0671	192.63	149.8	-49
DDH0671	198.73	150.5	-49.1
DDH0671	204.83	150.1	-49
DDH0671	210.92	149.8	-49.1
DDH0671	217.02	150	-49.3
DDH0671	223.11	150	-49.5
DDH0671	229.21	149.5	-49.6
DDH0671	235.31	149.2	-49.9
DDH0671	241.4	149.7	-50.2
DDH0671	247.5	149.4	-50.4
DDH0671	253.59	148.4	-50.7
DDH0671	259.69	148.7	-51
DDH0671	265.79	149.1	-51.1
DDH0671	271.88	148.7	-51
DDH0671	277.98	148.4	-51
DDH0671	284.07	149.5	-50.9
DDH0671	290.17	149.6	-50.9
DDH0671	296.27	149.3	-50.8
DDH0671	302.36	149.4	-50.8
DDH0671	308.46	149.8	-50.9
DDH0671	314.55	149.6	-51.1
DDH0671	320.65	149.6	-50.5
DDH0671	326.75	149.6	-50.5
DDH0671	332.84	150.3	-50.5
DDH0673	0	254	-40
DDH0673	3.05	254.4	-40
DDH0673	9.14	254.6	-39.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0673	15.24	254.8	-39.4
DDH0673	21.34	255.1	-39.7
DDH0673	27.43	255.3	-40.3
DDH0673	33.53	255.5	-40.6
DDH0673	39.62	255.7	-40.8
DDH0673	45.72	255.9	-40.7
DDH0673	51.82	256.1	-40.8
DDH0673	57.91	256.1	-40.9
DDH0673	64.01	254.8	-41.2
DDH0673	70.1	254.1	-41.2
DDH0673	76.2	254.2	-41.5
DDH0673	82.3	253.8	-41.7
DDH0673	88.39	253.3	-41.8
DDH0673	94.49	252.5	-42.1
DDH0673	100.58	252.2	-42.3
DDH0673	106.68	252.1	-42.3
DDH0673	112.78	252.3	-42.3
DDH0673	118.87	251.7	-42.5
DDH0673	124.97	250.7	-42.6
DDH0673	131.06	251	-42.6
DDH0673	137.16	251.4	-42.5
DDH0673	143.26	251.2	-42.4
DDH0673	149.35	251.5	-42.4
DDH0673	155.45	252	-42.5
DDH0673	161.54	251.5	-42.5
DDH0673	167.64	251.3	-42.8
DDH0673	173.74	251.7	-43.1
DDH0673	179.83	250.8	-43
DDH0673	185.93	250.8	-43.1
DDH0673	192.02	251	-43.2
DDH0673	198.12	250.7	-43.3
DDH0673	204.22	250.8	-43.6
DDH0673	210.31	251.2	-43.6
DDH0673	216.41	250.8	-43.6
DDH0673	222.5	251.2	-43.8
DDH0673	228.6	251.4	-44
DDH0675	0	183	-66
DDH0675	3.66	182.3	-70.8
DDH0675	9.75	181.7	-65.8
DDH0675	15.85	181.3	-65
DDH0675	21.95	180.9	-65.8
DDH0675	28.04	180.5	-65.4
DDH0675	34.14	180.1	-65.3
DDH0675	40.23	179.7	-65.5
DDH0675	46.33	179.3	-65.3
DDH0675	52.43	178.9	-65.1
DDH0675	58.52	178.5	-64.7
DDH0675	64.62	178.1	-64.3
DDH0675	70.71	177.7	-64

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0675	76.81	177.3	-63.5
DDH0675	82.91	177	-63.3
DDH0675	89	176.5	-63.2
DDH0675	95.1	175.6	-63
DDH0675	101.19	175.4	-62.9
DDH0675	107.29	174.7	-62.9
DDH0675	113.39	174.2	-62.8
DDH0675	119.48	173.9	-62.8
DDH0675	125.58	174.3	-62.7
DDH0675	131.67	173.8	-62.3
DDH0675	137.77	173.2	-62
DDH0675	143.87	172.6	-61.9
DDH0676	0	257	-66
DDH0676	3.66	257.1	-65
DDH0676	9.75	257.2	-63.8
DDH0676	15.85	257.3	-64.2
DDH0676	21.95	257.4	-64.6
DDH0676	28.04	257.5	-64.4
DDH0676	34.14	257.6	-64.5
DDH0676	40.23	257.7	-64.7
DDH0676	46.33	257.8	-65.1
DDH0676	52.43	257.9	-65.1
DDH0676	58.52	258.2	-65.6
DDH0676	64.62	257.7	-66.2
DDH0676	70.71	258.3	-66.6
DDH0676	76.81	255.7	-66.8
DDH0676	82.91	255.5	-67.3
DDH0676	89	252.8	-67.5
DDH0676	95.1	250.1	-67.8
DDH0676	101.19	249.2	-68.1
DDH0676	107.29	247.1	-68
DDH0676	113.39	245	-68
DDH0676	119.48	244.2	-68.2
DDH0676	125.58	245	-68.3
DDH0676	131.67	244.1	-68.4
DDH0676	137.77	244	-68.7
DDH0676	143.87	243.7	-68.7
DDH0676	149.96	241.8	-68.9
DDH0676	156.06	242.2	-69.2
DDH0676	162.15	241.6	-69.1
DDH0676	168.25	239.8	-69.2
DDH0676	174.35	239.9	-69.2
DDH0676	180.44	238.5	-68.9
DDH0676	186.54	236.7	-68.9
DDH0676	192.63	238.6	-68.9
DDH0676	198.73	235.8	-68.6
DDH0676	204.83	231.3	-68.6
DDH0676	210.92	231.7	-68.8
DDH0676	217.02	231.4	-68.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0676	223.11	230.3	-68.7
DDH0677	0	275	-49
DDH0677	3.66	274.8	-49
DDH0677	9.75	274.6	-49.3
DDH0677	15.85	273.4	-48
DDH0677	21.95	273.2	-48.8
DDH0677	28.04	273	-49.2
DDH0677	34.14	272.8	-49.4
DDH0677	40.23	272.6	-49.9
DDH0677	46.33	272.4	-50
DDH0677	52.43	272.2	-50.1
DDH0677	58.52	272	-50.1
DDH0677	64.62	271.7	-50.4
DDH0677	70.71	271.1	-50.7
DDH0677	76.81	270.9	-50.8
DDH0677	82.91	270	-51
DDH0677	89	269.3	-51.6
DDH0677	95.1	267.4	-52.5
DDH0677	101.19	268.1	-53.2
DDH0677	107.29	268.1	-53.2
DDH0677	113.39	267.3	-53.3
DDH0677	119.48	267.5	-53.4
DDH0677	125.58	268.2	-53.2
DDH0677	131.67	267.6	-53.2
DDH0677	137.77	268.1	-53.4
DDH0677	143.87	268.1	-53.5
DDH0677	149.96	268.1	-53.6
DDH0677	156.06	267.9	-53.8
DDH0677	162.15	267.9	-54.1
DDH0677	168.25	268.5	-54.2
DDH0677	174.35	268.2	-54.2
DDH0677	180.44	268	-54.5
DDH0677	186.54	268.5	-54.7
DDH0677	192.63	268.6	-54.7
DDH0677	198.73	268.9	-54.7
DDH0677	204.83	268.5	-54.7
DDH0677	210.92	268.1	-55
DDH0677	217.02	268	-55.3
DDH0677	223.11	267.1	-55.5
DDH0677	229.21	265.7	-56.2
DDH0677	235.31	266.2	-56.5
DDH0677	241.4	264.9	-56.5