

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP1MN1116	0	291.6	-1.0
800SP1MN1116	20	292.7	-2.2
800SP1MN1116	40	291.5	-2.5
800SP1MN1116	60	291.5	-2.9
800SP1MN1116	90	291.4	-3.6
800SP1MN1116	120	290.9	-4.0
800SP1MN1116	150	290.7	-4.3
800SP1MN1116	180	290.4	-4.6
800SP1MN1116	205	290.2	-5.3
800SP1MN1118	0	300.7	-0.1
800SP1MN1118	20	300.4	-1.0
800SP1MN1118	40	299.9	-1.0
800SP1MN1118	60	300.1	-1.3
800SP1MN1118	90	299.8	-1.6
800SP1MN1118	120	299.7	-2.5
800SP1MN1118	150	300.2	-2.2
800SP1MN1118	180	300.4	-2.4
800SP1MN1118	210	299.5	-2.9
800SP1MN1118	240	299.2	-3.4
800SP1MN1118	270	300.0	-3.4
800SP1MN1118	290	299.5	-3.9
800SP1MN1118	307	299.4	-4.2
800SP1MN1127	0	290.7	-14.1
800SP1MN1127	20	290.5	-14.7
800SP1MN1127	40	289.9	-15.0
800SP1MN1127	60	289.9	-15.3
800SP1MN1127	90	290.7	-15.6
800SP1MN1127	120	290.2	-16.0
800SP1MN1127	159	289.8	-16.5
800SP1MN1127	190	289.4	-16.9
800SP1MN1127	210	288.9	-17.0
800SP1MN1127	240	287.8	-17.4
800SP1MN1127	270	287.4	-18.7
800SP1MN1127	303	286.5	-19.2
800SP1MN1127	324	285.9	-19.7
800SP1MN1128	0	293.5	-25.5
800SP1MN1128	20	291.5	-26.1
800SP1MN1128	40	291.5	-26.6
800SP1MN1128	60	290.6	-26.9
800SP1MN1128	90	289.6	-27.9
800SP1MN1128	120	289.3	-28.5
800SP1MN1128	150	288.8	-28.7
800SP1MN1128	180	288.6	-29.1
800SP1MN1128	219	287.6	-29.7
800SP1MN1128	244	286.8	-30.3
800SP1MN1131	0	282.8	-22.0
800SP1MN1131	20	282.2	-21.0
800SP1MN1131	40	282.5	-21.3

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP1MN1131	60	282.4	-21.6
800SP1MN1131	90	282.9	-21.7
800SP1MN1131	120	283.3	-21.6
800SP1MN1131	150	283.2	-21.5
800SP1MN1131	180	283.4	-20.5
800SP1MN1131	210	283.7	-19.5
800SP1MN1131	240	285.0	-17.8
800SP1MN1131	270	285.4	-15.9
800SP1MN1131	309	285.3	-15.1
800SP1MN1131	340	284.5	-14.6
800SP1MN1131	366	285.0	-14.4
800SP1MN1131	376.7	284.4	-14.4
800SP1MN1133	0	287.0	-2.1
800SP1MN1133	20	286.7	-2.4
800SP1MN1133	40	286.9	-2.7
800SP1MN1133	60	286.9	-2.8
800SP1MN1133	90	286.8	-3.1
800SP1MN1133	120	286.7	-3.4
800SP1MN1133	133.7	286.6	-3.6
800SP1MN1133	142	284.1	-6.5
800SP1MN1133	159	284.0	-6.5
800SP1MN1133	177	284.3	-6.3
800SP1MN1133	210	284.1	-6.0
800SP1MN1133	225	283.8	-5.7
800SP1MN1133	243	284.1	-5.7
800SP1MN1133	265	282.8	-6.3
800SP1MN1133	300	283.3	-6.3
800SP2MN1114	0	332.4	9.4
800SP2MN1114	20	333.1	8.6
800SP2MN1114	42	332.2	8.4
800SP2MN1114	60	331.5	8.0
800SP2MN1114	90	331.0	7.6
800SP2MN1114	120	330.6	7.1
800SP2MN1114	165	330.1	5.7
800SP2MN1114	180	330.3	5.2
800SP2MN1114	210	330.1	4.4
800SP2MN1114	240	330.3	2.6
800SP2MN1114	270	329.7	1.7
800SP2MN1114	291	329.7	1.0
800SP2MN1117	0	324.3	-4.1
800SP2MN1117	20	325.2	-5.5
800SP2MN1117	20	325.2	-5.5
800SP2MN1117	40	324.0	-6.2
800SP2MN1117	40	324.0	-6.2
800SP2MN1117	60	324.1	-6.8
800SP2MN1117	60	324.1	-6.8
800SP2MN1117	90	323.0	-7.6
800SP2MN1117	90	323.0	-7.6
800SP2MN1117	120	322.6	-8.8

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP2MN1117	120	322.6	-8.8
800SP2MN1117	150	322.4	-10.2
800SP2MN1117	150	322.4	-10.2
800SP2MN1117	180	322.2	-11.1
800SP2MN1117	180	322.2	-11.1
800SP2MN1117	210	321.8	-11.8
800SP2MN1117	210	321.8	-11.8
800SP2MN1117	240	321.5	-12.5
800SP2MN1117	240	321.5	-12.5
800SP2MN1117	260	321.2	-13.2
800SP2MN1121	0	329.1	-16.6
800SP2MN1121	20	330.4	-17.0
800SP2MN1121	40	330.3	-17.2
800SP2MN1121	60	330.1	-17.5
800SP2MN1121	90	330.1	-17.8
800SP2MN1121	120	330.1	-18.1
800SP2MN1121	156	328.4	-18.2
800SP2MN1121	179	328.3	-18.5
800SP2MN1121	210	328.5	-19.3
800SP2MN1121	239	328.0	-19.9
800SP2MN1121	266	327.9	-20.4
800SP2MN1124	0	321.4	-32.2
800SP2MN1124	20	320.5	-32.8
800SP2MN1124	40	319.1	-33.1
800SP2MN1124	60	318.3	-33.3
800SP2MN1124	90	320.0	-33.2
800SP2MN1124	102	319.1	-33.8
800SP2MN1124	105	319.5	-33.7
800SP2MN1124	111	319.2	-33.8
800SP2MN1124	117	319.2	-34.0
800SP2MN1124	123	319.2	-34.0
800SP2MN1124	129	319.1	-34.0
800SP2MN1124	150	319.1	-34.2
800SP2MN1124	180	318.1	-34.8
800SP2MN1124	225.3	317.5	-34.9
800SP2MN1129	0	345.1	4.5
800SP2MN1129	20	346.0	4.0
800SP2MN1129	40	345.7	3.6
800SP2MN1129	60	345.4	3.2
800SP2MN1129	90	344.7	3.1
800SP2MN1129	120	344.9	3.4
800SP2MN1129	150	345.7	3.3
800SP2MN1129	180	346.0	2.3
800SP2MN1129	200	346.3	1.3
800SP2MN1129	230	346.2	1.7
800SP2MN1129	270	346.6	2.5
800SP2MN1129	300	346.2	1.7
800SP2MN1129	322	346.3	1.3
800SP2MN1129	332	346.3	1.3

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP2MN1129	341	346.1	1.1
800SP2MN1129	362	346.0	1.0
800SP2MN1130	0	338.7	-0.9
800SP2MN1130	20	339.4	-2.1
800SP2MN1130	40	338.5	-2.1
800SP2MN1130	60	338.3	-2.3
800SP2MN1130	90	338.2	-2.5
800SP2MN1130	120	338.1	-2.9
800SP2MN1130	150	337.3	-3.0
800SP2MN1130	180	336.5	-3.1
800SP2MN1130	218	337.1	-3.7
800SP2MN1130	269.9	336.8	-5.1
800SP2MN1130	300	335.9	-6.4
800SP2MN1130	330	336.0	-6.8
800SP2MN1130	360	335.4	-7.9
800SP2MN1130	390	334.9	-9.0
800SP2MN1130	420	334.6	-9.6
800SP2MN1130	450	334.1	-10.4
800SP2MN1130	480	333.5	-11.0
800SP2MN1130	510	332.2	-12.4
800SP2MN1130	540	332.1	-13.0
800SP2MN1130	570	331.9	-13.6
800SP2MN1130	600	331.0	-14.6
800SP2MN1130	630	331.0	-15.1
800SP2MN1130	660	330.6	-15.7
800SP2MN1130	690	329.6	-16.8
800SP2MN1130	720	328.8	-17.9
800SP2MN1130	750	328.5	-18.9
800SP2MN1134	0	346.3	-19.0
800SP2MN1134	20	345.6	-19.2
800SP2MN1134	40	346.0	-19.3
800SP2MN1134	60	345.8	-19.8
800SP2MN1134	90	345.7	-20.6
800SP2MN1134	120	345.6	-20.1
800SP2MN1134	160	344.9	-21.5
800SP3MN1125	0	354.0	5.2
800SP3MN1125	20	354.0	4.8
800SP3MN1125	40	353.9	4.6
800SP3MN1125	60	353.5	4.2
800SP3MN1125	90	353.5	4.3
800SP3MN1125	102	354.3	3.9
800SP3MN1125	120	353.9	3.7
800SP3MN1125	132	354.6	3.6
800SP3MN1125	180	357.1	3.7
800SP3MN1125	186.4	357.4	3.6
800SP3MN1125	188.3	355.3	0.6
800SP3MN1125	210	355.7	0.3
800SP3MN1125	212.6	355.7	0.3
800SP3MN1125	218.6	356.5	-3.5

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP3MN1125	240	356.9	-3.8
800SP3MN1126	0	350.9	-1.0
800SP3MN1126	20	349.2	-1.5
800SP3MN1126	40	349.2	-1.8
800SP3MN1126	60	349.4	-2.3
800SP3MN1126	90	351.4	-2.2
800SP3MN1126	120	349.8	-2.4
800SP3MN1126	150	350.9	-1.9
800SP3MN1126	180	352.1	-1.4
800SP3MN1126	210	351.9	-2.5
800SP3MN1126	240	351.4	-3.8
800SP3MN1126	270	351.5	-4.4
800SP3MN1126	300	351.4	-5.7
800SP3MN1126	330	351.1	-6.4
800SP3MN1126	360	351.7	-7.0
800SP3MN1126	390	351.0	-8.3
800SP3MN1126	419	351.4	-8.8
800SP3MN1132	0	356.0	-14.9
800SP3MN1132	20	355.5	-15.6
800SP3MN1132	40	354.9	-15.7
800SP3MN1132	60	355.4	-15.9
800SP3MN1132	90	355.3	-16.2
800SP3MN1132	120	355.3	-16.6
800SP3MN1132	150	355.1	-17.0
800SP3MN1132	180	355.7	-17.3
800SP3MN1132	210	355.2	-18.1
800SP3MN1132	250	354.9	-19.5
800SP3MN1132	270	354.9	-19.9
801EN1147	0	308.0	1.6
801EN1147	20	307.8	1.1
801EN1147	40	308.3	0.0
801EN1147	60	307.7	0.9
801EN1147	90	307.7	0.5
813ER1119	0	314.4	-21.2
813ER1119	20	313.0	-22.3
813ER1119	40	313.7	-23.5
813ER1119	75	313.0	-23.5
813ER1120	0	289.4	-32.0
813ER1120	20	288.6	-32.9
813ER1120	40	289.4	-33.0
813ER1120	60	289.5	-33.1
813ER1122	0	255.7	-32.5
813ER1122	20	254.4	-32.9
813ER1122	40	254.3	-33.4
813ER1122	60	253.6	-34.0
912ER1115	0	298.4	-7.5
912ER1115	20	299.9	-8.2
912ER1115	40	298.1	-8.9
912ER1115	60	298.2	-9.1

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
912ER1115	103	297.2	-9.9
912ER1139	0	354.1	-31.0
912ER1139	28	354.6	-31.8
912ER1139	40	354.3	-31.9
912ER1139	60	354.4	-31.9
912ER1139	90	354.4	-32.3
912ER1139	115	354.0	-32.7
912ER1139	130	353.9	-33.1
912ER1142	0	354.7	-48.3
912ER1142	20	354.6	-49.2
912ER1142	40	353.3	-49.9
912ER1142	60	353.4	-50.0
912ER1142	90	354.1	-49.5
912ER1142	110	355.3	-49.7
912ER1144	0	289.1	-32.5
912ER1144	20	289.0	-33.4
912ER1144	40	288.7	-34.1
912ER1144	60	288.1	-34.1
912ER1144	90	287.7	-34.7
912ER1144	120	287.2	-35.3
912ER1144	130	287.1	-35.6
912ER1145	0	320.3	-46.0
912ER1145	20	321.4	-46.8
912ER1145	40	320.7	-47.2
912ER1145	60	208.7	-47.4
912ER1145	69	320.7	-47.7
912ER1145	80	321.0	-48.1
912ER1145	90	322.0	-48.3
912ER1145	100	324.6	-48.6
920DDCMN1162	0	181.8	-24.7
920DDCMN1162	20	183.1	-25.1
920DDCMN1162	40	182.6	-25.2
920DDCMN1162	60	182.3	-25.7
920DDCMN1162	90	181.2	-26.1
920DDCMN1168	0	162.3	-57.9
920DDCMN1168	20	162.7	-58.2
920DDCMN1168	40	161.6	-58.7
920DDCMN1168	60	163.8	-58.5
920DDCMN1168	90	162.5	-58.7
920DDCMN1168	114	161.9	-59.2
920DDCRN1171	0	180.3	8.1
920DDCRN1171	20	180.1	7.0
920DDCRN1171	40	179.6	6.2
920DDCRN1171	60	180.3	6.0
920DDCRN1171	90	180.5	6.1
920SP2MN1141	0	338.3	-10.5
920SP2MN1141	20	337.1	-11.5
920SP2MN1141	40	337.0	-11.3
920SP2MN1141	60	336.2	-11.8

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920SP2MN1141	90	336.2	-12.1
920SP2MN1141	120	335.9	-12.4
920SP2MN1141	150	335.6	-12.9
920SP2MN1141	180	335.7	-13.2
920SP2MN1141	210	335.5	-13.8
920SP2MN1141	240	333.4	-14.5
920SP2MN1141	270	334.6	-14.8
920SP2MN1141	300	334.4	-15.7
920SP2MN1141	330	334.6	-16.3
920SP2MN1141	360	333.6	-16.3
920SP2MN1141	390	332.1	-17.9
920SP2MN1141	425	332.1	-18.4
920SP2MN1150	0	320.0	0.9
920SP2MN1150	20	319.2	0.0
920SP2MN1150	40	318.8	-0.4
920SP2MN1150	60	318.2	-0.6
920SP2MN1150	90	318.4	-0.9
920SP2MN1150	120	318.0	-1.1
920SP2MN1150	150	317.9	-1.9
920SP2MN1150	180	317.7	-2.0
920SP2MN1150	210	317.4	-2.5
920SP2MN1150	240	317.9	-3.7
920SP2MN1151	0	334.0	-20.8
920SP2MN1151	20	333.8	-21.7
920SP2MN1151	40	331.5	-22.1
920SP2MN1151	60	332.6	-21.7
920SP2MN1151	90	331.8	-22.4
920SP2MN1151	120	331.5	-23.3
920SP2MN1151	150	332.2	-23.5
920SP2MN1151	180	332.0	-23.4
920SP2MN1151	210	332.1	-23.1
920SP2MN1151	240	331.7	-23.2
920SP2MN1151	270	333.0	-22.9
920SP2MN1151	279	332.3	-22.8
920SP2MN1153	0	324.1	-11.6
920SP2MN1153	20	323.2	-12.4
920SP2MN1153	40	323.1	-12.9
920SP2MN1153	60	323.1	-13.2
920SP2MN1153	90	322.8	-13.8
920SP2MN1153	120	321.5	-14.1
920SP2MN1153	150	320.0	-15.4
920SP2MN1153	180	320.1	-15.9
920SP2MN1153	210	320.1	-16.7
920SP2MN1153	250	319.8	-16.5
920SP2MN1159	0	320.5	-18.4
920SP2MN1159	20	319.7	-18.9
920SP2MN1159	40	319.4	-19.4
920SP2MN1159	60	318.7	-18.9
920SP2MN1159	90	318.5	-19.0

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920SP2MN1159	120	318.1	-18.9
920SP2MN1159	150	317.1	-19.2
920SP2MN1159	180	318.4	-20.1
920SP2MN1159	210	317.0	-20.0
920SP2MN1159	240	317.9	-19.8
920SP2MN1159	270	309.8	-18.5
920SP2MN1159	293	316.0	-22.1
920SP2MN1164	0	316.7	-7.3
920SP2MN1164	20	316.2	-7.9
920SP2MN1164	40	315.5	-8.5
920SP2MN1164	60	314.7	-8.3
920SP2MN1164	90	314.5	-8.6
920SP2MN1164	120	314.3	-8.7
920SP2MN1164	150	313.6	-8.7
920SP2MN1164	180	312.6	-8.8
920SP2MN1164	210	312.7	-9.7
920SP2MN1164	248	311.8	-9.9
920SP3MN1143	0	323.8	-12.0
920SP3MN1143	20	323.0	-12.6
920SP3MN1143	40	321.6	-13.2
920SP3MN1143	60	321.5	-13.2
920SP3MN1143	90	321.4	-13.5
920SP3MN1143	120	321.1	-12.8
920SP3MN1143	150	320.8	-12.7
920SP3MN1143	180	321.0	-12.1
920SP3MN1143	240	320.6	-12.9
920SP3MN1143	270	319.7	-12.4
920SP3MN1143	280	319.2	-12.5
920SP3MN1143	297	318.7	-12.0
920SP3MN1146	0	338.5	-11.2
920SP3MN1146	20	338.8	-12.0
920SP3MN1146	40	339.0	-12.3
920SP3MN1146	60	338.2	-12.9
920SP3MN1146	90	338.7	-13.4
920SP3MN1146	120	338.5	-13.0
920SP3MN1146	150	340.7	-13.6
920SP3MN1146	180	339.1	-14.0
920SP3MN1146	210	338.6	-14.9
920SP3MN1146	240	338.2	-15.8
920SP3MN1146	270	337.8	-16.7
920SP3MN1146	300	337.4	-17.6
920SP3MN1146	330	338.1	-18.3
920SP3MN1146	360	338.1	-19.2
920SP3MN1146	386.6	338.0	-20.0
920SP3MN1154	0	344.1	-1.7
920SP3MN1154	20	344.0	-2.1
920SP3MN1154	40	344.0	-2.5
920SP3MN1154	60	343.6	-2.6
920SP3MN1154	90	343.7	-3.4

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920SP3MN1154	120	343.8	-3.5
920SP3MN1154	150	343.6	-4.2
920SP3MN1154	180	342.1	-4.2
920SP3MN1154	210	343.2	-5.0
920SP3MN1154	240	342.7	-5.0
920SP3MN1154	270	340.6	-5.0
920SP3MN1154	300	340.9	-4.9
920SP3MN1154	330	339.0	-5.6
920SP3MN1154	360	338.5	-5.8
920SP3MN1154	390	338.6	-6.2
920SP3MN1161	0	332.3	-19.2
920SP3MN1161	20	332.0	-19.6
920SP3MN1161	40	331.8	-19.8
920SP3MN1161	60	331.3	-20.0
920SP3MN1161	60	329.1	-20.0
920SP3MN1161	90	331.2	-20.2
920SP3MN1161	120	331.0	-21.0
920SP3MN1161	150	330.4	-21.0
920SP3MN1161	180	331.2	-21.2
920SP3MN1161	210	331.2	-21.4
920SP3MN1161	220.8	330.4	-21.7
920SP3MN1169	0	342.6	7.4
920SP3MN1169	20	342.7	7.4
920SP3MN1169	40	340.3	6.2
920SP3MN1169	60	340.5	6.1
920SP3MN1169	90	340.4	5.8
920SP3MN1169	120	341.3	6.0
920SP3MN1169	150	340.8	5.3
920SP3MN1169	180	341.0	4.7
920SP3MN1169	210	340.1	4.5
920SP3MN1169	240	340.6	4.6
920SP3MN1169	270	339.7	4.4
920SP3MN1169	309	337.7	3.4
920SP3MN1169	330	339.2	3.4
920SP3MN1169	360	338.7	3.4
920SP3MN1169	384	338.1	3.1
920SP3MN1169	414	338.9	2.7
920SP4MN1152	0	350.3	-23.8
920SP4MN1152	20	349.9	-24.2
920SP4MN1152	40	349.6	-24.7
920SP4MN1152	60	348.9	-25.0
920SP4MN1152	90	348.6	-25.3
920SP4MN1152	120	349.8	-25.6
920SP4MN1152	150	349.6	-25.8
920SP4MN1152	197.2	349.2	-26.5
920SP4MN1152	202.8	342.6	-20.5
920SP4MN1152	210	342.3	-21.2
920SP4MN1152	230	346.3	-21.6
920SP4MN1152	250	347.1	-24.7

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920SP4MN1155	0	341.7	-9.5
920SP4MN1155	20	341.5	-9.9
920SP4MN1155	40	341.4	-10.1
920SP4MN1155	60	341.6	-10.3
920SP4MN1155	90	341.2	-10.6
920SP4MN1155	120	341.2	-10.8
920SP4MN1155	150	340.0	-10.4
920SP4MN1155	180	341.0	-11.7
920SP4MN1155	220	340.3	-11.3
920SP4MN1155	240	340.8	-11.7
920SP4MN1155	270	339.4	-12.0
920SP4MN1155	300	339.6	-12.8
920SP4MN1155	330	339.3	-12.8
920SP4MN1155	372	339.5	-13.1
920SP4MN1157	0	334.6	-23.8
920SP4MN1157	20	334.4	-24.3
920SP4MN1157	40	334.5	-25.1
920SP4MN1157	60	334.4	-24.9
920SP4MN1157	90	333.0	-25.4
920SP4MN1157	120	334.0	-26.8
920SP4MN1157	150	333.8	-26.3
920SP4MN1157	180	332.6	-26.1
920SP4MN1157	213	331.9	-26.2
920SP4MN1160	0	334.4	-3.4
920SP4MN1160	20	334.0	-3.7
920SP4MN1160	40	333.8	-3.9
920SP4MN1160	60	334.9	-4.8
920SP4MN1160	90	334.5	-5.1
920SP4MN1160	120	333.9	-5.8
920SP4MN1160	150	332.0	-6.0
920SP4MN1160	180	333.3	-6.7
920SP4MN1160	210	332.2	-7.0
920SP4MN1160	240	330.3	-7.7
920SP4MN1160	270	332.3	-8.2
920SP4MN1160	300	332.1	-8.6
920SP4MN1160	333.2	331.8	-9.1
920SP4MN1160	360	333.2	-10.6
920SP4MN1165	0	327.6	-11.9
920SP4MN1165	20	327.7	-12.3
920SP4MN1165	40	327.3	-12.9
920SP4MN1165	60	327.3	-13.0
920SP4MN1165	90	327.6	-13.2
920SP4MN1165	120	326.1	-13.2
920SP4MN1165	150	326.3	-13.2
920SP4MN1165	180	325.5	-13.4
920SP4MN1165	210	326.1	-13.0
920SP4MN1165	240	325.6	-13.2
920SP4MN1165	270	324.8	-13.0
920SP4MN1165	300	325.5	-13.1

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920SP4MN1165	340	323.5	-11.5
920SP4MN1165	360	323.8	-11.1
920SP4MN1170	0	330.0	3.6
920SP4MN1170	20	329.7	3.2
920SP4MN1170	40	330.0	2.7
920SP4MN1170	60	330.3	2.2
920SP4MN1170	90	330.0	1.8
920SP4MN1170	120	330.2	1.4
920SP4MN1170	150	329.9	0.9
920SP4MN1170	180	329.9	0.3
920SP4MN1170	210	329.7	0.0
920SP4MN1170	240	329.4	0.1
920SP4MN1170	270	329.6	0.9
920SP4MN1170	300	327.5	-1.9
920SP4MN1170	337	326.6	-2.9
920SP4MN1170	365	327.0	-3.4
920SP4MN1170	370	327.0	-3.4