

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800DC1RN1225  | 0                  | 170.6              | 12.9           |
| 800DC1RN1225  | 20                 | 169.5              | 12.1           |
| 800DC1RN1225  | 40                 | 170.0              | 12.2           |
| 800DC1RN1225  | 60                 | 170.1              | 12.1           |
| 800DC1RN1225  | 90                 | 170.2              | 11.5           |
| 800DC1RN1240  | 0                  | 209.9              | 7.2            |
| 800DC1RN1240  | 20                 | 209.6              | 6.8            |
| 800DC1RN1240  | 40                 | 209.5              | 7.0            |
| 800DC1RN1240  | 60                 | 210.7              | 7.0            |
| 800DC1RN1240  | 100                | 208.0              | 5.9            |
| 800DC1RN1243  | 0                  | 205.9              | -37.8          |
| 800DC1RN1243  | 20                 | 206.0              | -39.4          |
| 800DC1RN1243  | 40                 | 206.0              | -40.0          |
| 800DC1RN1243  | 60                 | 206.7              | -40.4          |
| 800DC1RN1243A | 0                  | 205.9              | -37.8          |
| 800DC1RN1243A | 20                 | 206.0              | -39.4          |
| 800DC1RN1243A | 40                 | 206.0              | -40.0          |
| 800DC1RN1243A | 60                 | 206.7              | -40.4          |
| 800DC1RN1243A | 89                 | 205.9              | -40.4          |
| 800DC1RN1245  | 0                  | 226.6              | -21.5          |
| 800DC1RN1245  | 20                 | 225.6              | -21.8          |
| 800DC1RN1245  | 40                 | 226.7              | -21.9          |
| 800DC1RN1245  | 68                 | 226.1              | -22.1          |
| 800DC1RN1245  | 88.7               | 225.9              | -22.3          |
| 800DC1RN1245  | 90.2               | 229.7              | -22.2          |
| 800DC1RN1245  | 104                | 229.4              | -22.4          |
| 800DC1RN1245  | 139                | 228.5              | -22.9          |
| 800DC1RN1246  | 0                  | 127.4              | -57.6          |
| 800DC1RN1246  | 20                 | 128.4              | -58.0          |
| 800DC1RN1246  | 40                 | 127.4              | -58.8          |
| 800DC1RN1246  | 55                 | 128.0              | -58.4          |
| 800DC1RN1255  | 0                  | 112.0              | 12.4           |
| 800DC1RN1255  | 20                 | 111.3              | 12.0           |
| 800DC1RN1255  | 43                 | 111.2              | 12.1           |
| 800DC1RN1255  | 61                 | 110.3              | 12.5           |
| 800SP1MN1197  | 0                  | 295.2              | -38.6          |
| 800SP1MN1197  | 20                 | 295.1              | -38.9          |
| 800SP1MN1197  | 40                 | 297.4              | -39.2          |
| 800SP1MN1197  | 60                 | 296.9              | -39.5          |
| 800SP1MN1197  | 90                 | 297.1              | -39.8          |
| 800SP1MN1197  | 120                | 295.7              | -40.0          |
| 800SP1MN1197  | 150                | 295.6              | -40.4          |
| 800SP1MN1197  | 180                | 297.2              | -40.5          |
| 800SP1MN1197  | 210                | 297.1              | -40.6          |
| 800SP1MN1197  | 227.3              | 297.3              | -40.8          |
| 800SP1MN1197  | 237.6              | 288.2              | -42.9          |
| 800SP1MN1197  | 254                | 288.8              | -43.0          |
| 800SP1MN1197  | 272                | 288.6              | -43.0          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP1MN1197  | 280                | 289.2              | -43.1          |
| 800SP1MN1199  | 0                  | 282.8              | -35.0          |
| 800SP1MN1199  | 20                 | 285.2              | -35.8          |
| 800SP1MN1199  | 40                 | 285.5              | -35.9          |
| 800SP1MN1199  | 60                 | 285.2              | -36.3          |
| 800SP1MN1199  | 90                 | 284.0              | -36.6          |
| 800SP1MN1199  | 120                | 284.2              | -36.9          |
| 800SP1MN1199  | 150                | 284.7              | -37.3          |
| 800SP1MN1199  | 180                | 284.0              | -37.6          |
| 800SP1MN1199  | 210                | 284.2              | -37.9          |
| 800SP1MN1199  | 240                | 284.1              | -38.1          |
| 800SP1MN1199  | 270                | 288.1              | -37.7          |
| 800SP1MN1203  | 0                  | 276.3              | -29.1          |
| 800SP1MN1203  | 20                 | 275.5              | -29.7          |
| 800SP1MN1203  | 40                 | 276.2              | -29.8          |
| 800SP1MN1203  | 60                 | 276.7              | -29.7          |
| 800SP1MN1203  | 90                 | 276.1              | -30.3          |
| 800SP1MN1203  | 120                | 276.1              | -30.4          |
| 800SP1MN1203  | 150                | 275.7              | -30.7          |
| 800SP1MN1203  | 180                | 275.2              | -31.1          |
| 800SP1MN1203  | 210                | 274.9              | -31.4          |
| 800SP1MN1203  | 240                | 275.3              | -31.5          |
| 800SP1MN1203  | 270                | 275.3              | -31.4          |
| 800SP1MN1203  | 306                | 275.5              | -31.5          |
| 800SP1MN1203  | 330                | 275.2              | -31.5          |
| 800SP1MN1203  | 372                | 273.0              | -33.3          |
| 800SP1MN1208  | 0                  | 300.0              | -27.5          |
| 800SP1MN1208  | 20                 | 297.8              | -27.6          |
| 800SP1MN1208  | 40                 | 298.8              | -27.8          |
| 800SP1MN1208  | 60                 | 298.5              | -28.1          |
| 800SP1MN1208  | 90                 | 298.3              | -28.5          |
| 800SP1MN1208  | 120                | 299.1              | -29.0          |
| 800SP1MN1208  | 150                | 299.4              | -29.2          |
| 800SP1MN1208  | 180                | 299.4              | -28.8          |
| 800SP1MN1208  | 197.1              | 299.4              | -28.8          |
| 800SP1MN1211  | 0                  | 284.4              | -25.0          |
| 800SP1MN1211  | 20                 | 281.4              | -25.5          |
| 800SP1MN1211  | 27                 | 282.4              | -25.7          |
| 800SP1MN1211  | 40                 | 282.6              | -25.8          |
| 800SP1MN1211  | 60                 | 281.8              | -26.0          |
| 800SP1MN1211  | 90                 | 282.4              | -26.5          |
| 800SP1MN1211  | 120                | 282.6              | -26.7          |
| 800SP1MN1211  | 150                | 281.9              | -27.1          |
| 800SP1MN1211  | 180                | 283.0              | -27.3          |
| 800SP1MN1211  | 210                | 282.5              | -27.7          |
| 800SP1MN1211  | 240                | 284.1              | -27.5          |
| 800SP1MN1211  | 270                | 285.6              | -26.3          |
| 800SP1MN1211  | 300                | 284.3              | -27.5          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP1MN1211  | 330                | 283.8              | -27.9          |
| 800SP1MN1211  | 356.9              | 282.9              | -28.7          |
| 800SP1MN1236  | 0                  | 299.5              | -51.9          |
| 800SP1MN1236  | 20                 | 299.1              | -52.4          |
| 800SP1MN1236  | 40                 | 299.3              | -52.6          |
| 800SP1MN1236  | 60                 | 299.5              | -52.8          |
| 800SP1MN1236  | 90                 | 298.3              | -53.2          |
| 800SP1MN1236  | 120                | 300.3              | -53.8          |
| 800SP1MN1236  | 150                | 299.7              | -53.9          |
| 800SP1MN1236  | 180                | 300.6              | -54.8          |
| 800SP1MN1236  | 210                | 299.3              | -54.7          |
| 800SP1MN1236  | 240                | 299.2              | -55.0          |
| 800SP1MN1236  | 280                | 300.0              | -54.4          |
| 800SP1MN1236  | 295                | 301.7              | -54.7          |
| 800SP1MN1236  | 305                | 299.6              | -54.5          |
| 800SP1MR1214  | 0                  | 290.7              | -33.6          |
| 800SP1MR1214  | 20                 | 289.3              | -33.2          |
| 800SP1MR1214  | 40                 | 288.6              | -33.7          |
| 800SP1MR1214  | 60                 | 289.3              | -33.9          |
| 800SP1MR1214  | 90                 | 288.4              | -34.5          |
| 800SP1MR1214  | 120                | 289.6              | -34.6          |
| 800SP1MR1214  | 150                | 289.8              | -34.8          |
| 800SP1MR1214  | 180                | 289.6              | -34.7          |
| 800SP1MR1214  | 210                | 289.5              | -34.3          |
| 800SP1MR1214  | 230                | 289.7              | -34.3          |
| 800SP1MR1214  | 257                | 289.5              | -34.5          |
| 800SP1MR1214  | 284                | 287.5              | -34.9          |
| 800SP1MR1219  | 0                  | 289.1              | -8.1           |
| 800SP1MR1219  | 20                 | 286.2              | -9.2           |
| 800SP1MR1219  | 40                 | 286.3              | -9.7           |
| 800SP1MR1219  | 60                 | 285.9              | -9.8           |
| 800SP1MR1219  | 90                 | 285.6              | -10.5          |
| 800SP1MR1219  | 120                | 285.8              | -10.9          |
| 800SP1MR1219  | 139.8              | 285.7              | -11.3          |
| 800SP1MR1219  | 149.8              | 288.3              | -9.5           |
| 800SP1MR1219  | 159                | 288.4              | -9.6           |
| 800SP1MR1219  | 173.1              | 288.5              | -9.6           |
| 800SP1MR1219  | 177.4              | 289.5              | -7.3           |
| 800SP1MR1219  | 190                | 289.5              | -7.0           |
| 800SP1MR1219  | 210                | 289.7              | -6.7           |
| 800SP1MR1219  | 240                | 289.1              | -6.1           |
| 800SP1MR1219  | 303                | 288.5              | -5.6           |
| 800SP1MR1219  | 330                | 288.1              | -6.0           |
| 800SP1MR1219  | 339                | 288.1              | -5.9           |
| 800SP1MR1224  | 0                  | 290.6              | 1.2            |
| 800SP1MR1224  | 20                 | 289.2              | -0.2           |
| 800SP1MR1224  | 40                 | 289.1              | -0.1           |
| 800SP1MR1224  | 60                 | 289.5              | 0.0            |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP1MR1224  | 90                 | 289.0              | -0.9           |
| 800SP1MR1224  | 120                | 289.2              | -1.4           |
| 800SP1MR1224  | 150                | 289.2              | -1.4           |
| 800SP1MR1224  | 180                | 289.6              | -1.3           |
| 800SP1MR1224  | 210                | 289.8              | -1.5           |
| 800SP1MR1224  | 240                | 290.6              | -2.0           |
| 800SP1MR1224  | 270                | 289.5              | -1.4           |
| 800SP1MR1224  | 300                | 288.5              | -1.8           |
| 800SP1MR1224  | 330                | 288.1              | -2.3           |
| 800SP1MR1224  | 372                | 287.6              | -2.9           |
| 800SP1MR1258  | 0                  | 304.6              | -16.0          |
| 800SP1MR1258  | 12                 | 303.9              | -16.7          |
| 800SP1MR1258  | 18                 | 304.7              | -16.7          |
| 800SP1MR1258  | 24                 | 305.0              | -17.0          |
| 800SP1MR1258  | 36                 | 305.1              | -17.1          |
| 800SP1MR1258  | 42                 | 305.1              | -17.3          |
| 800SP1MR1258  | 48                 | 305.1              | -17.3          |
| 800SP1MR1258  | 54                 | 305.1              | -17.4          |
| 800SP1MR1258  | 90                 | 304.6              | -17.6          |
| 800SP1MR1258  | 120                | 304.6              | -18.1          |
| 800SP1MR1258  | 150                | 305.7              | -18.1          |
| 800SP1MR1258  | 180                | 304.9              | -17.9          |
| 800SP1MR1258  | 210                | 304.6              | -18.9          |
| 800SP1MR1258  | 245                | 305.3              | -19.0          |
| 800SP1MR1261  | 0                  | 304.4              | -9.8           |
| 800SP1MR1261  | 20                 | 305.3              | -10.2          |
| 800SP1MR1261  | 40                 | 305.2              | -10.4          |
| 800SP1MR1261  | 60                 | 305.4              | -10.7          |
| 800SP1MR1261  | 90                 | 305.6              | -11.2          |
| 800SP1MR1261  | 120                | 305.4              | -11.4          |
| 800SP1MR1261  | 150                | 304.0              | -10.8          |
| 800SP1MR1261  | 157.5              | 304.0              | -10.9          |
| 800SP1MR1261  | 166.8              | 306.1              | -13.1          |
| 800SP1MR1261  | 185                | 306.5              | -13.9          |
| 800SP1MR1269  | 0                  | 300.7              | -22.6          |
| 800SP1MR1269  | 20                 | 301.5              | -22.9          |
| 800SP1MR1269  | 40                 | 301.7              | -23.3          |
| 800SP1MR1269  | 60                 | 300.7              | -23.6          |
| 800SP1MR1269  | 90                 | 300.6              | -23.9          |
| 800SP1MR1269  | 120                | 300.3              | -24.2          |
| 800SP1MR1269  | 150                | 301.2              | -24.4          |
| 800SP1MR1269  | 180                | 300.4              | -24.5          |
| 800SP1MR1269  | 225                | 300.0              | -24.3          |
| 800SP1MR1269  | 240                | 300.5              | -24.4          |
| 800SP1MR1269  | 275                | 300.2              | -24.7          |
| 800SP1MR1271  | 0                  | 307.0              | -1.7           |
| 800SP1MR1271  | 20                 | 306.4              | -2.1           |
| 800SP1MR1271  | 40                 | 307.0              | -2.7           |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP1MR1271  | 60                 | 306.0              | -3.0           |
| 800SP1MR1271  | 90                 | 306.5              | -3.6           |
| 800SP1MR1271  | 120                | 305.9              | -4.0           |
| 800SP1MR1271  | 150                | 306.7              | -3.9           |
| 800SP1MR1277  | 0                  | 311.0              | 6.3            |
| 800SP1MR1277  | 20                 | 312.2              | 6.3            |
| 800SP1MR1277  | 40                 | 312.1              | 6.2            |
| 800SP1MR1277  | 60                 | 312.1              | 5.8            |
| 800SP1MR1277  | 90                 | 311.7              | 5.3            |
| 800SP1MR1277  | 117                | 312.8              | 5.1            |
| 800SP1MR1277  | 147                | 312.7              | 5.5            |
| 800SP1MR1277  | 180                | 309.9              | 5.7            |
| 800SP1MR1277  | 210                | 309.8              | 5.3            |
| 800SP1MR1277  | 240                | 309.6              | 5.1            |
| 800SP1MR1277  | 285                | 308.8              | 5.2            |
| 800SP1MR1280  | 0                  | 314.6              | -25.5          |
| 800SP1MR1280  | 20                 | 312.5              | -25.4          |
| 800SP1MR1280  | 60                 | 312.5              | -25.9          |
| 800SP1MR1280  | 90                 | 312.7              | -26.4          |
| 800SP1MR1280  | 120                | 311.8              | -26.6          |
| 800SP1MR1280  | 156                | 312.1              | -28.0          |
| 800SP1MR1280  | 198                | 311.3              | -27.9          |
| 800SP1MR1280  | 225                | 310.2              | -28.0          |
| 800SP1MR1283  | 0                  | 294.8              | -9.1           |
| 800SP1MR1283  | 20                 | 294.8              | -9.4           |
| 800SP1MR1283  | 40                 | 295.5              | -9.7           |
| 800SP1MR1283  | 60                 | 294.7              | -9.0           |
| 800SP1MR1283  | 90                 | 295.2              | -10.3          |
| 800SP1MR1283  | 120                | 294.9              | -10.6          |
| 800SP1MR1283  | 150                | 290.5              | -11.9          |
| 800SP1MR1283  | 197                | 287.7              | -12.6          |
| 800SP1MR1283  | 222                | 288.4              | -12.5          |
| 800SP1MR1283  | 270                | 288.5              | -13.1          |
| 800SP1MR1289  | 0                  | 280.3              | -31.5          |
| 800SP1MR1289  | 18                 | 278.8              | -31.9          |
| 800SP1MR1289  | 40                 | 280.3              | -32.3          |
| 800SP1MR1289  | 60                 | 279.2              | -32.1          |
| 800SP1MR1289  | 90                 | 278.8              | -32.3          |
| 800SP1MR1289  | 120                | 279.1              | -32.6          |
| 800SP1MR1289  | 150                | 279.3              | -33.0          |
| 800SP1MR1289  | 180                | 279.8              | -33.4          |
| 800SP1MR1289  | 210                | 279.3              | -33.5          |
| 800SP1MR1289  | 240                | 279.3              | -33.7          |
| 800SP1MR1289  | 270                | 280.3              | -33.1          |
| 800SP1MR1289  | 310                | 280.6              | -33.1          |
| 800SP1MR1289  | 341                | 277.5              | -35.6          |
| 800SP1MR1289  | 353                | 277.9              | -35.9          |
| 800SP1MR1294  | 0                  | 297.9              | -31.6          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP1MR1294  | 20                 | 298.5              | -31.8          |
| 800SP1MR1294  | 40                 | 298.2              | -31.9          |
| 800SP1MR1294  | 60                 | 299.1              | -32.3          |
| 800SP1MR1294  | 90                 | 298.4              | -32.3          |
| 800SP1MR1294  | 120                | 298.3              | -32.8          |
| 800SP1MR1294  | 150                | 298.6              | -33.1          |
| 800SP1MR1294  | 180                | 298.9              | -32.9          |
| 800SP1MR1294  | 200                | 300.4              | -33.1          |
| 800SP1MR1294  | 250                | 297.8              | -31.0          |
| 800SP1MR1299  | 0                  | 305.9              | -36.4          |
| 800SP1MR1299  | 20                 | 304.9              | -36.6          |
| 800SP1MR1299  | 40                 | 307.4              | -37.2          |
| 800SP1MR1299  | 60                 | 304.7              | -37.1          |
| 800SP1MR1299  | 90                 | 305.0              | -37.7          |
| 800SP1MR1299  | 120                | 305.7              | -38.2          |
| 800SP1MR1299  | 150                | 306.1              | -39.0          |
| 800SP1MR1299  | 180                | 305.6              | -39.0          |
| 800SP1MR1299  | 210                | 306.2              | -39.3          |
| 800SP1MR1299  | 250                | 307.3              | -39.6          |
| 800SP1MR1299  | 271                | 306.3              | -39.5          |
| 800SP2MN1186  | 0                  | 338.5              | -31.9          |
| 800SP2MN1186  | 20                 | 338.5              | -32.0          |
| 800SP2MN1186  | 40                 | 339.8              | -32.3          |
| 800SP2MN1186  | 60                 | 339.4              | -32.6          |
| 800SP2MN1186  | 90                 | 339.2              | -33.1          |
| 800SP2MN1186  | 120                | 338.5              | -33.3          |
| 800SP2MN1186  | 150                | 339.1              | -33.4          |
| 800SP2MN1186  | 180                | 338.6              | -34.8          |
| 800SP2MN1186  | 210                | 337.8              | -35.4          |
| 800SP2MN1186  | 230                | 337.3              | -35.8          |
| 800SP2MN1186  | 260                | 336.7              | -36.3          |
| 800SP2MN1186  | 286                | 336.9              | -35.9          |
| 800SP2MN1187  | 0                  | 304.0              | -28.8          |
| 800SP2MN1187  | 20                 | 304.1              | -29.2          |
| 800SP2MN1187  | 40                 | 305.3              | -29.2          |
| 800SP2MN1187  | 60                 | 304.3              | -29.7          |
| 800SP2MN1187  | 90                 | 304.7              | -29.9          |
| 800SP2MN1187  | 120                | 304.9              | -30.2          |
| 800SP2MN1187  | 156                | 304.6              | -30.5          |
| 800SP2MN1187  | 180                | 305.9              | -30.6          |
| 800SP2MN1187  | 210                | 305.0              | -30.3          |
| 800SP2MN1187  | 240                | 305.2              | -30.6          |
| 800SP2MN1187  | 287                | 305.4              | -30.7          |
| 800SP2MN1191  | 0                  | 307.7              | -43.3          |
| 800SP2MN1191  | 20                 | 308.2              | -43.8          |
| 800SP2MN1191  | 40                 | 309.0              | -43.9          |
| 800SP2MN1191  | 60                 | 309.6              | -44.3          |
| 800SP2MN1191  | 90                 | 309.8              | -44.5          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP2MN1191  | 120                | 309.4              | -44.5          |
| 800SP2MN1191  | 150                | 309.9              | -44.7          |
| 800SP2MN1191  | 180                | 310.5              | -44.8          |
| 800SP2MN1191  | 210                | 311.6              | -44.5          |
| 800SP2MN1191  | 240                | 311.2              | -44.3          |
| 800SP2MN1191  | 274                | 310.9              | -44.8          |
| 800SP2MN1195  | 0                  | 329.6              | -45.3          |
| 800SP2MN1195  | 20                 | 330.6              | -46.2          |
| 800SP2MN1195  | 40                 | 330.7              | -46.4          |
| 800SP2MN1195  | 60                 | 330.3              | -46.4          |
| 800SP2MN1195  | 90                 | 329.7              | -46.5          |
| 800SP2MN1195  | 120                | 329.9              | -46.7          |
| 800SP2MN1195  | 150                | 329.3              | -46.7          |
| 800SP2MN1195  | 180                | 329.5              | -46.8          |
| 800SP2MN1195  | 210                | 329.7              | -46.6          |
| 800SP2MN1195  | 240                | 329.4              | -46.8          |
| 800SP2MN1195  | 270                | 329.9              | -46.9          |
| 800SP2MN1195  | 310                | 330.4              | -47.6          |
| 800SP3MN1135  | 0                  | 4.4                | 3.3            |
| 800SP3MN1135  | 20                 | 4.7                | 2.8            |
| 800SP3MN1135  | 40                 | 5.0                | 2.5            |
| 800SP3MN1135  | 60                 | 4.6                | 2.2            |
| 800SP3MN1135  | 90                 | 4.6                | 1.6            |
| 800SP3MN1135  | 120                | 4.8                | 1.2            |
| 800SP3MN1135  | 150                | 4.9                | 0.6            |
| 800SP3MN1135  | 196                | 4.5                | -0.4           |
| 800SP3MN1135  | 210                | 4.4                | -0.2           |
| 800SP3MN1135  | 240                | 4.6                | 0.4            |
| 800SP3MN1135  | 270                | 5.2                | 0.1            |
| 800SP3MN1135  | 310                | 5.2                | -0.7           |
| 800SP3MN1135  | 325                | 5.4                | -1.2           |
| 800SP3MN1188  | 0                  | 8.8                | -12.7          |
| 800SP3MN1188  | 20                 | 8.9                | -13.1          |
| 800SP3MN1188  | 40                 | 8.9                | -13.4          |
| 800SP3MN1188  | 60                 | 8.5                | -13.8          |
| 800SP3MN1188  | 90                 | 8.8                | -13.9          |
| 800SP3MN1188  | 120                | 8.6                | -14.5          |
| 800SP3MN1188  | 150                | 8.7                | -14.6          |
| 800SP3MN1188  | 180                | 8.5                | -15.0          |
| 800SP3MN1188  | 226.5              | 8.3                | -15.6          |
| 800SP3MN1188  | 231.6              | 12.4               | -17.2          |
| 800SP3MN1188  | 240                | 12.4               | -17.3          |
| 800SP3MN1188  | 270                | 9.8                | -18.3          |
| 800SP3MN1188  | 289                | 9.5                | -18.2          |
| 800SP3MN1194  | 0                  | 7.4                | -27.1          |
| 800SP3MN1194  | 20                 | 6.5                | -27.7          |
| 800SP3MN1194  | 40                 | 7.1                | -28.1          |
| 800SP3MN1194  | 60                 | 6.4                | -28.3          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP3MN1194  | 90                 | 5.9                | -29.3          |
| 800SP3MN1194  | 120                | 6.3                | -29.3          |
| 800SP3MN1194  | 150                | 7.0                | -29.8          |
| 800SP3MN1194  | 210                | 7.0                | -30.2          |
| 800SP3MN1194  | 240                | 6.9                | -30.4          |
| 800SP3MN1194  | 275                | 7.8                | -30.9          |
| 800SP3MN1196  | 0                  | 351.3              | -30.8          |
| 800SP3MN1196  | 20                 | 351.0              | -31.2          |
| 800SP3MN1196  | 40                 | 351.3              | -31.8          |
| 800SP3MN1196  | 60                 | 350.7              | -32.2          |
| 800SP3MN1196  | 90                 | 350.5              | -32.6          |
| 800SP3MN1196  | 120                | 351.0              | -32.6          |
| 800SP3MN1196  | 150                | 351.3              | -33.0          |
| 800SP3MN1196  | 197                | 352.1              | -33.3          |
| 800SP3MN1196  | 210                | 351.8              | -33.5          |
| 800SP3MN1196  | 240                | 351.6              | -34.0          |
| 800SP3MN1196  | 270                | 351.1              | -34.2          |
| 800SP3MN1196  | 300                | 351.3              | -34.5          |
| 800SP3MN1196  | 316                | 350.0              | -35.1          |
| 800SP3MN1198  | 0                  | 344.8              | -43.9          |
| 800SP3MN1198  | 20                 | 343.5              | -44.0          |
| 800SP3MN1198  | 40                 | 343.2              | -44.3          |
| 800SP3MN1198  | 60                 | 343.8              | -44.5          |
| 800SP3MN1198  | 90                 | 343.1              | -44.8          |
| 800SP3MN1198  | 120                | 342.9              | -45.2          |
| 800SP3MN1198  | 150                | 343.2              | -45.3          |
| 800SP3MN1198  | 180                | 343.5              | -45.8          |
| 800SP3MN1198  | 210                | 343.3              | -45.9          |
| 800SP3MN1198  | 240                | 342.9              | -46.2          |
| 800SP3MN1198  | 260                | 343.4              | -46.0          |
| 800SP3MN1200  | 0                  | 1.2                | -38.2          |
| 800SP3MN1200  | 20                 | 1.2                | -38.5          |
| 800SP3MN1200  | 40                 | 1.7                | -38.8          |
| 800SP3MN1200  | 60                 | 1.3                | -38.9          |
| 800SP3MN1200  | 90                 | 0.9                | -39.2          |
| 800SP3MN1200  | 120                | 0.2                | -39.4          |
| 800SP3MN1200  | 150                | 0.1                | -39.4          |
| 800SP3MN1200  | 180                | 0.6                | -39.6          |
| 800SP3MN1200  | 210                | 0.1                | -39.3          |
| 800SP3MN1200  | 240                | 0.5                | -39.0          |
| 800SP3MN1200  | 270                | 0.2                | -39.1          |
| 800SP3MN1200  | 287                | 0.4                | -39.6          |
| 800SP3MN1204  | 0                  | 15.0               | 3.0            |
| 800SP3MN1204  | 20                 | 14.9               | 2.6            |
| 800SP3MN1204  | 40                 | 15.3               | 2.2            |
| 800SP3MN1204  | 60                 | 15.6               | 2.0            |
| 800SP3MN1204  | 90                 | 14.0               | 1.5            |
| 800SP3MN1204  | 120                | 14.2               | 1.0            |



**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP3MN1204  | 150                | 14.3               | 0.7            |
| 800SP3MN1204  | 180                | 14.7               | 0.4            |
| 800SP3MN1204  | 210                | 14.5               | 0.9            |
| 800SP3MN1204  | 240                | 15.2               | -0.3           |
| 800SP3MN1204  | 270                | 14.7               | -0.1           |
| 800SP3MN1204  | 300                | 16.5               | 0.6            |
| 800SP3MN1204  | 315                | 16.7               | 0.6            |
| 800SP3MN1204  | 339                | 16.9               | 0.5            |
| 800SP3MN1209  | 0                  | 15.6               | -23.5          |
| 800SP3MN1209  | 21                 | 15.5               | -24.6          |
| 800SP3MN1209  | 42                 | 15.4               | -24.8          |
| 800SP3MN1209  | 60                 | 15.5               | -24.8          |
| 800SP3MN1209  | 90                 | 14.9               | -25.1          |
| 800SP3MN1209  | 120                | 15.7               | -25.3          |
| 800SP3MN1209  | 150                | 14.7               | -25.7          |
| 800SP3MN1209  | 180                | 15.3               | -25.9          |
| 800SP3MN1209  | 210                | 15.3               | -26.4          |
| 800SP3MN1209  | 240                | 15.3               | -26.4          |
| 800SP3MN1209  | 270                | 14.4               | -26.9          |
| 800SP3MN1209  | 308                | 14.4               | -26.9          |
| 800SP3MN1212  | 0                  | 15.2               | -36.0          |
| 800SP3MN1212  | 20                 | 14.7               | -37.5          |
| 800SP3MN1212  | 40                 | 15.9               | -36.9          |
| 800SP3MN1212  | 60                 | 14.5               | -37.7          |
| 800SP3MN1212  | 90                 | 14.4               | -38.0          |
| 800SP3MN1212  | 120                | 15.3               | -38.4          |
| 800SP3MN1212  | 150                | 14.7               | -38.6          |
| 800SP3MN1212  | 180                | 14.6               | -39.0          |
| 800SP3MN1212  | 210                | 13.9               | -39.3          |
| 800SP3MN1212  | 240                | 15.1               | -39.3          |
| 800SP3MN1212  | 270                | 14.7               | -39.8          |
| 800SP3MN1212  | 305                | 14.0               | -40.6          |
| 800SP3MN1216  | 0                  | 19.6               | -12.2          |
| 800SP3MN1216  | 20                 | 20.5               | -12.1          |
| 800SP3MN1216  | 40                 | 20.2               | -12.4          |
| 800SP3MN1216  | 60                 | 20.1               | -12.7          |
| 800SP3MN1216  | 90                 | 20.4               | -13.1          |
| 800SP3MN1216  | 120                | 20.0               | -12.9          |
| 800SP3MN1216  | 150                | 21.5               | -13.2          |
| 800SP3MN1216  | 180                | 21.0               | -13.6          |
| 800SP3MN1216  | 210                | 20.7               | -14.0          |
| 800SP3MN1216  | 240                | 19.9               | -14.1          |
| 800SP3MN1216  | 270                | 20.4               | -14.5          |
| 800SP3MN1216  | 300                | 20.3               | -15.0          |
| 800SP3MN1216  | 340                | 20.7               | -15.4          |
| 800SP3MN1216  | 360                | 20.8               | -16.1          |
| 800SP3MN1218  | 0                  | 341.1              | -18.0          |
| 800SP3MN1218  | 20                 | 341.5              | -18.6          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP3MN1218  | 40                 | 342.0              | -18.9          |
| 800SP3MN1218  | 60                 | 341.4              | -19.5          |
| 800SP3MN1218  | 90                 | 340.9              | -19.8          |
| 800SP3MN1218  | 120                | 341.5              | -20.2          |
| 800SP3MN1218  | 141.5              | 341.5              | -20.6          |
| 800SP3MN1218  | 147.5              | 340.9              | -18.0          |
| 800SP3MN1218  | 160                | 340.9              | -18.1          |
| 800SP3MN1237  | 0                  | 339.9              | -12.6          |
| 800SP3MN1237  | 20                 | 341.0              | -12.8          |
| 800SP3MN1237  | 40                 | 340.9              | -13.0          |
| 800SP3MN1237  | 60                 | 340.9              | -13.2          |
| 800SP3MN1237  | 90                 | 341.0              | -13.4          |
| 800SP3MN1237  | 120                | 340.3              | -13.6          |
| 800SP3MN1237  | 150                | 339.4              | -13.5          |
| 800SP3MN1237  | 180                | 339.5              | -13.5          |
| 800SP3MN1237  | 210                | 340.1              | -13.6          |
| 800SP3MN1237  | 230                | 340.5              | -14.2          |
| 800SP3MR1221  | 0                  | 8.7                | -2.0           |
| 800SP3MR1221  | 20                 | 8.5                | -2.5           |
| 800SP3MR1221  | 40                 | 9.2                | -3.2           |
| 800SP3MR1221  | 60                 | 8.7                | -3.4           |
| 800SP3MR1221  | 90                 | 9.4                | -3.4           |
| 800SP3MR1221  | 120                | 9.1                | -3.9           |
| 800SP3MR1221  | 150                | 9.5                | -4.5           |
| 800SP3MR1221  | 180                | 9.6                | -5.0           |
| 800SP3MR1221  | 220                | 9.7                | -5.9           |
| 800SP3MR1221  | 240                | 9.3                | -6.2           |
| 800SP3MR1221  | 270                | 8.7                | -6.8           |
| 800SP3MR1221  | 295                | 9.1                | -7.2           |
| 800SP3MR1227  | 0                  | 6.2                | -8.1           |
| 800SP3MR1227  | 20                 | 6.0                | -9.0           |
| 800SP3MR1227  | 40                 | 5.1                | -9.2           |
| 800SP3MR1227  | 60                 | 4.8                | -9.3           |
| 800SP3MR1227  | 90                 | 5.1                | -9.8           |
| 800SP3MR1227  | 120                | 6.1                | -10.0          |
| 800SP3MR1227  | 150                | 5.3                | -10.0          |
| 800SP3MR1227  | 180                | 3.7                | -10.0          |
| 800SP3MR1227  | 210                | 4.3                | -10.1          |
| 800SP3MR1227  | 240                | 4.7                | -10.3          |
| 800SP3MR1227  | 276                | 5.3                | -10.3          |
| 800SP3MR1231  | 0                  | 13.2               | -2.6           |
| 800SP3MR1231  | 20                 | 13.5               | -2.9           |
| 800SP3MR1231  | 40                 | 14.1               | -3.1           |
| 800SP3MR1231  | 60                 | 13.4               | -3.2           |
| 800SP3MR1231  | 90                 | 13.4               | -4.1           |
| 800SP3MR1231  | 120                | 13.4               | -3.9           |
| 800SP3MR1231  | 150                | 13.3               | -4.2           |
| 800SP3MR1231  | 180                | 13.8               | -4.1           |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP3MR1231  | 210                | 13.7               | -4.4           |
| 800SP3MR1231  | 240                | 13.7               | -4.6           |
| 800SP3MR1231  | 270                | 13.7               | -5.1           |
| 800SP3MR1231  | 306                | 13.7               | -5.8           |
| 800SP3MR1244  | 0                  | 359.7              | 4.0            |
| 800SP3MR1244  | 20                 | 0.8                | 3.6            |
| 800SP3MR1244  | 40                 | 0.8                | 3.0            |
| 800SP3MR1244  | 60                 | 0.6                | 2.6            |
| 800SP3MR1244  | 90                 | 0.7                | 2.5            |
| 800SP3MR1244  | 120                | 0.1                | 2.1            |
| 800SP3MR1244  | 150                | 0.2                | 1.1            |
| 800SP3MR1244  | 180                | 358.3              | 0.6            |
| 800SP3MR1244  | 210                | 359.2              | 0.9            |
| 800SP3MR1244  | 240                | 359.5              | -1.5           |
| 800SP3MR1244  | 275                | 358.5              | -1.9           |
| 800SP3MR1248  | 0                  | 353.0              | -22.6          |
| 800SP3MR1248  | 20                 | 353.3              | -23.1          |
| 800SP3MR1248  | 40                 | 351.6              | -23.1          |
| 800SP3MR1248  | 60                 | 352.8              | -23.5          |
| 800SP3MR1248  | 90                 | 352.4              | -23.1          |
| 800SP3MR1248  | 120                | 353.0              | -23.4          |
| 800SP3MR1248  | 150                | 353.8              | -23.4          |
| 800SP3MR1248  | 180                | 353.2              | -22.7          |
| 800SP3MR1248  | 210                | 353.1              | -22.2          |
| 800SP3MR1248  | 255                | 354.1              | -21.7          |
| 800SP3MR1252  | 0                  | 349.0              | 5.8            |
| 800SP3MR1252  | 20                 | 349.3              | 5.3            |
| 800SP3MR1252  | 40                 | 349.3              | 5.3            |
| 800SP3MR1252  | 60                 | 350.6              | 5.3            |
| 800SP3MR1252  | 90                 | 350.1              | 5.7            |
| 800SP3MR1252  | 120                | 350.8              | 5.6            |
| 800SP3MR1252  | 142                | 350.3              | 5.9            |
| 800SP3MR1257  | 0                  | 356.1              | -7.1           |
| 800SP3MR1257  | 20                 | 357.3              | -7.6           |
| 800SP3MR1257  | 40                 | 357.4              | -7.7           |
| 800SP3MR1257  | 60                 | 356.6              | -7.9           |
| 800SP3MR1257  | 90                 | 358.0              | -7.0           |
| 800SP3MR1257  | 120                | 357.4              | -6.7           |
| 800SP3MR1257  | 150                | 357.6              | -6.8           |
| 800SP3MR1257  | 192                | 358.0              | -7.0           |
| 800SP3MR1257  | 215                | 356.5              | -5.9           |
| 800SP3MR1257  | 240                | 358.4              | -7.2           |
| 800SP3MR1257  | 269                | 358.1              | -7.6           |
| 800SP3MR1262  | 0                  | 2.9                | -14.0          |
| 800SP3MR1262  | 20                 | 2.4                | -15.0          |
| 800SP3MR1262  | 40                 | 2.3                | -15.3          |
| 800SP3MR1262  | 60                 | 3.6                | -15.5          |
| 800SP3MR1262  | 90                 | 3.4                | -15.8          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP3MR1262  | 120                | 4.3                | -16.1          |
| 800SP3MR1262  | 150                | 3.7                | -16.1          |
| 800SP3MR1262  | 180                | 4.4                | -16.2          |
| 800SP3MR1262  | 210                | 3.9                | -19.2          |
| 800SP3MR1262  | 240                | 2.9                | -19.6          |
| 800SP3MR1262  | 257.9              | 3.4                | -20.3          |
| 800SP3MR1265  | 0                  | 12.5               | -7.7           |
| 800SP3MR1265  | 20                 | 13.1               | -7.1           |
| 800SP3MR1265  | 40                 | 12.6               | -7.3           |
| 800SP3MR1265  | 60                 | 11.6               | -7.6           |
| 800SP3MR1265  | 90                 | 12.2               | -8.0           |
| 800SP3MR1265  | 120                | 12.8               | -8.3           |
| 800SP3MR1265  | 150                | 11.5               | -8.8           |
| 800SP3MR1265  | 180                | 11.8               | -9.2           |
| 800SP3MR1265  | 205.4              | 11.6               | -9.4           |
| 800SP3MR1265  | 208.2              | 13.3               | -10.0          |
| 800SP3MR1265  | 220                | 13.5               | -9.8           |
| 800SP3MR1265  | 240                | 13.3               | -7.5           |
| 800SP3MR1265  | 275                | 14.3               | -9.8           |
| 800SP3MR1265  | 295                | 14.9               | -9.9           |
| 800SP3MR1272  | 0                  | 329.3              | -9.7           |
| 800SP3MR1272  | 20                 | 327.1              | -9.3           |
| 800SP3MR1272  | 30                 | 326.1              | -9.5           |
| 800SP3MR1272  | 40                 | 325.5              | -9.4           |
| 800SP3MR1272  | 54                 | 327.3              | -9.6           |
| 800SP3MR1272  | 60                 | 326.4              | -9.8           |
| 800SP3MR1272  | 72                 | 326.8              | -9.9           |
| 800SP3MR1272  | 90                 | 327.3              | -10.3          |
| 800SP3MR1272  | 120                | 325.8              | -10.4          |
| 800SP3MR1272  | 127.8              | 325.6              | -10.5          |
| 800SP3MR1272  | 130.9              | 327.7              | -10.9          |
| 800SP3MR1272  | 161                | 327.5              | -11.1          |
| 800SP3MR1272  | 179                | 327.1              | -11.2          |
| 800SP3MR1272  | 206                | 327.3              | -11.5          |
| 800SP3MR1278  | 0                  | 334.0              | -16.3          |
| 800SP3MR1278  | 20                 | 332.7              | -16.6          |
| 800SP3MR1278  | 40                 | 334.6              | -16.8          |
| 800SP3MR1278  | 60                 | 333.2              | -17.0          |
| 800SP3MR1278  | 90                 | 333.0              | -17.4          |
| 800SP3MR1278  | 120                | 332.3              | -17.6          |
| 800SP3MR1278  | 150                | 333.8              | -18.2          |
| 800SP3MR1278  | 180                | 334.2              | -18.1          |
| 800SP3MR1278  | 222                | 333.7              | -18.4          |
| 800SP3MR1278  | 245                | 334.3              | -18.9          |
| 800SP3MR1282  | 0                  | 0.9                | -22.0          |
| 800SP3MR1282  | 20                 | 0.3                | -22.1          |
| 800SP3MR1282  | 40                 | 358.8              | -22.3          |
| 800SP3MR1282  | 60                 | 0.4                | -22.4          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP3MR1282  | 90                 | 359.0              | -23.1          |
| 800SP3MR1282  | 120                | 358.3              | -23.1          |
| 800SP3MR1282  | 150                | 358.4              | -23.3          |
| 800SP3MR1282  | 180                | 359.8              | -23.5          |
| 800SP3MR1282  | 187.3              | 359.8              | -23.6          |
| 800SP3MR1282  | 193.3              | 0.9                | -29.1          |
| 800SP3MR1282  | 210                | 1.0                | -29.7          |
| 800SP3MR1282  | 255                | 3.2                | -30.2          |
| 800SP3MR1287  | 0                  | 342.7              | -3.5           |
| 800SP3MR1287  | 20                 | 340.8              | -4.0           |
| 800SP3MR1287  | 40                 | 341.7              | -4.1           |
| 800SP3MR1287  | 60                 | 340.3              | -4.4           |
| 800SP3MR1287  | 90                 | 342.1              | -4.7           |
| 800SP3MR1287  | 120                | 341.7              | -4.8           |
| 800SP3MR1287  | 150                | 341.3              | -5.2           |
| 800SP3MR1287  | 161                | 341.2              | -5.4           |
| 800SP3MR1291  | 0                  | 347.8              | -15.5          |
| 800SP3MR1291  | 20                 | 347.1              | -15.8          |
| 800SP3MR1291  | 40                 | 348.6              | -16.1          |
| 800SP3MR1291  | 60                 | 347.7              | -16.3          |
| 800SP3MR1291  | 90                 | 345.7              | -16.6          |
| 800SP3MR1291  | 120                | 346.2              | -17.1          |
| 800SP3MR1291  | 145                | 346.9              | -16.8          |
| 800SP3MR1291  | 180                | 347.8              | -16.6          |
| 800SP3MR1291  | 210                | 344.4              | -17.0          |
| 800SP3MR1291  | 240                | 345.9              | -17.2          |
| 800SP3MR1293  | 0                  | 349.4              | -7.7           |
| 800SP3MR1293  | 20                 | 348.9              | -8.0           |
| 800SP3MR1293  | 40                 | 347.2              | -8.3           |
| 800SP3MR1293  | 60                 | 348.8              | -8.6           |
| 800SP3MR1293  | 90                 | 349.3              | -9.1           |
| 800SP3MR1293  | 120                | 347.9              | -9.4           |
| 800SP3MR1293  | 150                | 348.0              | -9.9           |
| 800SP3MR1298  | 0                  | 341.1              | -23.5          |
| 800SP3MR1298  | 20                 | 342.4              | -23.4          |
| 800SP3MR1298  | 40                 | 340.6              | -23.5          |
| 800SP3MR1298  | 60                 | 340.4              | -23.9          |
| 800SP3MR1298  | 90                 | 341.1              | -24.0          |
| 800SP3MR1298  | 120                | 341.6              | -24.9          |
| 800SP3MR1298  | 140                | 340.2              | -22.7          |
| 800SP3MR1298  | 180                | 339.7              | -24.7          |
| 800SP3MR1298  | 226                | 341.7              | -24.9          |
| 800SP3MR1298  | 234                | 341.5              | -24.8          |
| 800SP3MR1300  | 0                  | 13.2               | -17.7          |
| 800SP3MR1300  | 20                 | 12.8               | -18.0          |
| 800SP3MR1300  | 40                 | 13.2               | -18.1          |
| 800SP3MR1300  | 60                 | 13.8               | -18.4          |
| 800SP3MR1300  | 90                 | 14.1               | -19.0          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 800SP3MR1300  | 120                | 14.2               | -19.3          |
| 800SP3MR1300  | 150                | 11.9               | -19.6          |
| 800SP3MR1300  | 180                | 12.0               | -19.8          |
| 800SP3MR1300  | 210                | 13.6               | -20.4          |
| 800SP3MR1300  | 240                | 13.3               | -20.4          |
| 800SP3MR1300  | 270                | 12.6               | -20.6          |
| 800SP3MR1300  | 300                | 13.9               | -21.7          |
| 920DDCMN1162  | 0                  | 181.8              | -24.7          |
| 920DDCMN1162  | 20                 | 183.1              | -25.1          |
| 920DDCMN1162  | 40                 | 182.6              | -25.2          |
| 920DDCMN1162  | 60                 | 182.3              | -25.7          |
| 920DDCMN1162  | 90                 | 181.2              | -26.1          |
| 920DDCMN1168  | 0                  | 162.3              | -57.9          |
| 920DDCMN1168  | 20                 | 162.7              | -58.2          |
| 920DDCMN1168  | 40                 | 161.6              | -58.7          |
| 920DDCMN1168  | 60                 | 163.8              | -58.5          |
| 920DDCMN1168  | 90                 | 162.5              | -58.7          |
| 920DDCMN1168  | 114                | 161.9              | -59.2          |
| 920DDCRN1171  | 0                  | 180.3              | 8.1            |
| 920DDCRN1171  | 20                 | 180.1              | 7.0            |
| 920DDCRN1171  | 40                 | 179.6              | 6.2            |
| 920DDCRN1171  | 60                 | 180.3              | 6.0            |
| 920DDCRN1171  | 90                 | 180.5              | 6.1            |
| 920DDCRN1176  | 0                  | 151.2              | 8.6            |
| 920DDCRN1176  | 20                 | 151.3              | 7.8            |
| 920DDCRN1176  | 40                 | 152.0              | 7.7            |
| 920DDCRN1177  | 0                  | 127.0              | -24.6          |
| 920DDCRN1177  | 20                 | 128.3              | -25.4          |
| 920DDCRN1177  | 40                 | 126.3              | -26.3          |
| 920DDCRN1177  | 90                 | 127.5              | -26.9          |
| 920DDCRN1177  | 120                | 126.2              | -26.6          |
| 920DDCRN1180  | 0                  | 114.8              | 7.4            |
| 920DDCRN1180  | 20                 | 114.2              | 6.9            |
| 920DDCRN1180  | 40                 | 114.7              | 7.0            |
| 920DDCRN1180  | 60                 | 113.0              | 6.2            |
| 920DDCRN1180  | 105                | 113.7              | 6.0            |
| 920DDCRN1180  | 120                | 113.8              | 5.8            |
| 920DDCRN1180  | 141                | 113.7              | 6.2            |
| 920DDCRN1183  | 0                  | 100.3              | -52.6          |
| 920DDCRN1183  | 20                 | 100.8              | -53.3          |
| 920DDCRN1183  | 40                 | 101.5              | -53.7          |
| 920DDCRN1183  | 60                 | 101.3              | -54.3          |
| 920DDCRN1183  | 90                 | 99.7               | -55.5          |
| 920DDCRN1183  | 120                | 104.1              | -54.8          |
| 920DDCRN1183  | 140                | 102.4              | -55.1          |
| 920DDCRN1185  | 0                  | 97.3               | -19.2          |
| 920DDCRN1185  | 20                 | 97.2               | -19.9          |
| 920DDCRN1185  | 40                 | 96.5               | -20.2          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920DDCRN1185  | 60                 | 96.8               | -20.7          |
| 920DDCRN1185  | 90                 | 94.3               | -21.4          |
| 920DDCRN1185  | 120                | 94.5               | -19.9          |
| 920DDCRN1185  | 145                | 94.7               | -22.2          |
| 920DDCRN1189  | 0                  | 142.7              | 10.1           |
| 920DDCRN1189  | 20                 | 143.0              | 9.1            |
| 920DDCRN1189  | 40                 | 142.8              | 8.6            |
| 920DDCRN1189  | 60                 | 142.8              | 7.8            |
| 920DDCRN1189  | 90                 | 140.8              | 7.2            |
| 920DDCRN1189  | 101                | 142.3              | 6.9            |
| 920DDCRN1207  | 0                  | 188.1              | 22.0           |
| 920DDCRN1207  | 20                 | 187.3              | 21.7           |
| 920DDCRN1207  | 40                 | 186.7              | 21.2           |
| 920DDCRN1207  | 60                 | 186.6              | 20.5           |
| 920DDCRN1207  | 90                 | 186.7              | 19.6           |
| 920DDCRN1207  | 120                | 187.2              | 19.0           |
| 920DDCRN1207  | 153                | 187.2              | 18.1           |
| 920DDCRN1207  | 183                | 186.6              | 17.3           |
| 920RCCRN1202  | 0                  | 195.1              | -12.5          |
| 920RCCRN1202  | 20                 | 193.9              | -13.9          |
| 920RCCRN1202  | 40                 | 193.9              | -14.3          |
| 920RCCRN1202  | 60                 | 194.0              | -14.8          |
| 920RCCRN1202  | 90                 | 193.5              | -15.2          |
| 920RCCRN1202  | 120                | 193.1              | -15.7          |
| 920RCCRN1202  | 150                | 193.3              | -16.1          |
| 920RCCRN1202  | 180                | 194.8              | -15.5          |
| 920RCCRN1202  | 210                | 193.0              | -17.0          |
| 920RCCRN1202  | 240                | 194.3              | -17.2          |
| 920RCCRN1202  | 275                | 193.2              | -17.5          |
| 920RCCRN1202  | 286                | 193.2              | -17.5          |
| 920RCCRN1202  | 306                | 192.7              | -17.7          |
| 920RCCRN1242  | 0                  | 185.6              | -4.3           |
| 920RCCRN1242  | 40                 | 185.0              | -5.5           |
| 920RCCRN1242  | 60                 | 184.9              | -5.7           |
| 920RCCRN1242  | 90                 | 185.0              | -6.0           |
| 920RCCRN1242  | 120                | 185.1              | -6.3           |
| 920RCCRN1242  | 150                | 184.4              | -6.7           |
| 920RCCRN1242  | 180                | 185.2              | -7.1           |
| 920RCCRN1242  | 210                | 184.5              | -7.4           |
| 920RCCRN1242  | 240                | 184.1              | -7.7           |
| 920RCCRN1242  | 276                | 184.3              | -8.1           |
| 920RCCRN1249  | 0                  | 184.6              | -17.6          |
| 920RCCRN1249  | 20                 | 183.9              | -17.7          |
| 920RCCRN1249  | 42                 | 184.1              | -18.1          |
| 920RCCRN1249  | 60                 | 184.5              | -18.4          |
| 920RCCRN1249  | 90                 | 186.8              | -17.9          |
| 920RCCRN1249  | 120                | 186.2              | -18.7          |
| 920RCCRN1249  | 150                | 185.5              | -18.5          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 92ORCCRN1249  | 180                | 185.4              | -19.1          |
| 92ORCCRN1249  | 210                | 187.3              | -19.3          |
| 92ORCCRN1249  | 233                | 186.2              | -19.5          |
| 92ORCCRN1251  | 0                  | 177.9              | 6.0            |
| 92ORCCRN1251  | 20                 | 177.4              | 5.5            |
| 92ORCCRN1251  | 40                 | 177.3              | 5.0            |
| 92ORCCRN1251  | 62                 | 177.0              | 4.6            |
| 92ORCCRN1251  | 90                 | 176.7              | 4.2            |
| 92ORCCRN1251  | 120                | 176.7              | 3.8            |
| 92ORCCRN1251  | 150                | 176.3              | 3.2            |
| 92ORCCRN1251  | 180                | 176.3              | 2.8            |
| 92ORCCRN1251  | 210                | 175.7              | 1.5            |
| 92ORCCRN1251  | 240                | 175.1              | 1.5            |
| 92ORCCRN1251  | 263.5              | 175.9              | 1.4            |
| 92ORCCRN1256  | 0                  | 173.0              | -6.8           |
| 92ORCCRN1256  | 20                 | 173.0              | -7.0           |
| 92ORCCRN1256  | 40                 | 173.0              | -7.4           |
| 92ORCCRN1256  | 60                 | 171.9              | -7.6           |
| 92ORCCRN1256  | 64.5               | 171.8              | -7.7           |
| 92ORCCRN1256  | 71.1               | 173.2              | -5.2           |
| 92ORCCRN1256  | 92                 | 173.1              | -5.4           |
| 92ORCCRN1256  | 120                | 172.8              | -6.0           |
| 92ORCCRN1256  | 150                | 171.7              | -6.4           |
| 92ORCCRN1256  | 180                | 172.6              | -7.0           |
| 92ORCCRN1256  | 215                | 172.0              | -7.6           |
| 92ORCCRN1256  | 224                | 171.9              | -8.0           |
| 92ORCCRN1259  | 0                  | 165.0              | 6.0            |
| 92ORCCRN1259  | 20                 | 165.4              | 6.0            |
| 92ORCCRN1259  | 40                 | 163.7              | 5.6            |
| 92ORCCRN1259  | 60                 | 165.3              | 5.6            |
| 92ORCCRN1259  | 90                 | 163.9              | 6.1            |
| 92ORCCRN1259  | 120                | 163.7              | 6.0            |
| 92ORCCRN1259  | 150                | 163.7              | 5.7            |
| 92ORCCRN1259  | 180                | 164.9              | 5.0            |
| 92ORCCRN1259  | 215                | 163.7              | 4.4            |
| 92ORCCRN1263  | 0                  | 158.8              | -7.1           |
| 92ORCCRN1263  | 20                 | 157.7              | -7.8           |
| 92ORCCRN1263  | 40                 | 157.1              | -8.1           |
| 92ORCCRN1263  | 60                 | 158.1              | -8.5           |
| 92ORCCRN1263  | 90                 | 159.3              | -8.7           |
| 92ORCCRN1263  | 120                | 157.8              | -9.0           |
| 92ORCCRN1263  | 150                | 160.1              | -9.0           |
| 92ORCCRN1263  | 180                | 158.9              | -9.7           |
| 92ORCCRN1263  | 195                | 159.9              | -9.8           |
| 92ORCCRN1266  | 0                  | 148.8              | 11.0           |
| 92ORCCRN1266  | 20                 | 149.1              | 10.5           |
| 92ORCCRN1266  | 40                 | 149.7              | 10.5           |
| 92ORCCRN1266  | 60                 | 150.4              | 10.2           |



**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 92ORCCRN1266  | 120                | 149.7              | 9.7            |
| 92ORCCRN1266  | 150                | 150.0              | 9.3            |
| 92ORCCRN1266  | 184                | 150.6              | 8.9            |
| 92ORCCRN1266  | 190                | 149.4              | 8.9            |
| 92ORCCRN1270  | 0                  | 136.8              | -3.5           |
| 92ORCCRN1270  | 20                 | 138.2              | -3.8           |
| 92ORCCRN1270  | 40                 | 137.4              | -4.1           |
| 92ORCCRN1270  | 60                 | 137.6              | -4.3           |
| 92ORCCRN1270  | 90                 | 138.1              | -4.7           |
| 92ORCCRN1270  | 120                | 138.4              | -5.1           |
| 92ORCCRN1270  | 165                | 137.9              | -4.9           |
| 92ORCCRN1273  | 0                  | 141.9              | -41.0          |
| 92ORCCRN1273  | 20                 | 143.5              | -41.5          |
| 92ORCCRN1273  | 40                 | 143.2              | -41.5          |
| 92ORCCRN1273  | 60                 | 142.9              | -41.7          |
| 92ORCCRN1273  | 90                 | 142.4              | -42.1          |
| 92ORCCRN1273  | 137                | 141.7              | -42.8          |
| 92ORCCRN1274  | 0                  | 125.7              | -16.2          |
| 92ORCCRN1274  | 20                 | 127.8              | -16.4          |
| 92ORCCRN1274  | 40                 | 128.2              | -16.6          |
| 92ORCCRN1274  | 60                 | 127.4              | -16.9          |
| 92ORCCRN1274  | 90                 | 126.9              | -17.3          |
| 92ORCCRN1274  | 135                | 127.4              | -19.0          |
| 92ORCCRN1274  | 145                | 128.1              | -19.5          |
| 92ORCCRN1275  | 0                  | 102.9              | -37.3          |
| 92ORCCRN1275  | 20                 | 103.7              | -37.3          |
| 92ORCCRN1275  | 40                 | 104.1              | -37.6          |
| 92ORCCRN1275  | 60                 | 104.7              | -37.9          |
| 92ORCCRN1275  | 90                 | 101.8              | -38.4          |
| 92ORCCRN1275  | 137                | 104.3              | -38.7          |
| 92ORCCRN1275  | 161                | 103.6              | -38.6          |
| 92OSP2MN1150  | 0                  | 320.0              | 0.9            |
| 92OSP2MN1150  | 20                 | 319.2              | 0.0            |
| 92OSP2MN1150  | 40                 | 318.8              | -0.4           |
| 92OSP2MN1150  | 60                 | 318.2              | -0.6           |
| 92OSP2MN1150  | 90                 | 318.4              | -0.9           |
| 92OSP2MN1150  | 120                | 318.0              | -1.1           |
| 92OSP2MN1150  | 150                | 317.9              | -1.9           |
| 92OSP2MN1150  | 180                | 317.7              | -2.0           |
| 92OSP2MN1150  | 210                | 317.4              | -2.5           |
| 92OSP2MN1150  | 240                | 317.9              | -3.7           |
| 92OSP2MN1151  | 0                  | 334.0              | -20.8          |
| 92OSP2MN1151  | 20                 | 333.8              | -21.7          |
| 92OSP2MN1151  | 40                 | 331.5              | -22.1          |
| 92OSP2MN1151  | 60                 | 332.6              | -21.7          |
| 92OSP2MN1151  | 90                 | 331.8              | -22.4          |
| 92OSP2MN1151  | 120                | 331.5              | -23.3          |
| 92OSP2MN1151  | 150                | 332.2              | -23.5          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP2MN1151  | 180                | 332.0              | -23.4          |
| 920SP2MN1151  | 210                | 332.1              | -23.1          |
| 920SP2MN1151  | 240                | 331.7              | -23.2          |
| 920SP2MN1151  | 270                | 333.0              | -22.9          |
| 920SP2MN1151  | 279                | 332.3              | -22.8          |
| 920SP2MN1153  | 0                  | 324.1              | -11.6          |
| 920SP2MN1153  | 20                 | 323.2              | -12.4          |
| 920SP2MN1153  | 40                 | 323.1              | -12.9          |
| 920SP2MN1153  | 60                 | 323.1              | -13.2          |
| 920SP2MN1153  | 90                 | 322.8              | -13.8          |
| 920SP2MN1153  | 120                | 321.5              | -14.1          |
| 920SP2MN1153  | 150                | 320.0              | -15.4          |
| 920SP2MN1153  | 180                | 320.1              | -15.9          |
| 920SP2MN1153  | 210                | 320.1              | -16.7          |
| 920SP2MN1153  | 250                | 319.8              | -16.5          |
| 920SP2MN1159  | 0                  | 320.5              | -18.4          |
| 920SP2MN1159  | 20                 | 319.7              | -18.9          |
| 920SP2MN1159  | 40                 | 319.4              | -19.4          |
| 920SP2MN1159  | 60                 | 318.7              | -18.9          |
| 920SP2MN1159  | 90                 | 318.5              | -19.0          |
| 920SP2MN1159  | 120                | 318.1              | -18.9          |
| 920SP2MN1159  | 150                | 317.1              | -19.2          |
| 920SP2MN1159  | 180                | 318.4              | -20.1          |
| 920SP2MN1159  | 210                | 317.0              | -20.0          |
| 920SP2MN1159  | 240                | 317.9              | -19.8          |
| 920SP2MN1159  | 246.6              | 317.8              | -19.9          |
| 920SP2MN1159  | 251.1              | 316.5              | -21.8          |
| 920SP2MN1159  | 293                | 316.0              | -22.1          |
| 920SP2MN1164  | 0                  | 316.7              | -7.3           |
| 920SP2MN1164  | 20                 | 316.2              | -7.9           |
| 920SP2MN1164  | 40                 | 315.5              | -8.5           |
| 920SP2MN1164  | 60                 | 314.7              | -8.3           |
| 920SP2MN1164  | 90                 | 314.5              | -8.6           |
| 920SP2MN1164  | 120                | 314.3              | -8.7           |
| 920SP2MN1164  | 150                | 313.6              | -8.7           |
| 920SP2MN1164  | 180                | 312.6              | -8.8           |
| 920SP2MN1164  | 210                | 312.7              | -9.7           |
| 920SP2MN1164  | 248                | 311.8              | -9.9           |
| 920SP2MN1250  | 0                  | 349.8              | -19.8          |
| 920SP2MN1250  | 20                 | 349.9              | -19.9          |
| 920SP2MN1250  | 40                 | 349.2              | -20.1          |
| 920SP2MN1250  | 60                 | 350.8              | -20.6          |
| 920SP2MN1250  | 90                 | 350.2              | -20.9          |
| 920SP2MN1250  | 120                | 350.1              | -21.3          |
| 920SP2MN1250  | 150                | 349.3              | -21.5          |
| 920SP2MN1250  | 180                | 350.4              | -21.9          |
| 920SP2MN1250  | 210                | 349.5              | -22.0          |
| 920SP2MN1250  | 240                | 349.0              | -22.3          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP2MN1250  | 270                | 350.4              | -22.9          |
| 920SP2MN1250  | 300                | 349.7              | -23.0          |
| 920SP2MN1250  | 330                | 349.8              | -22.7          |
| 920SP2MN1250  | 360                | 350.7              | -22.6          |
| 920SP2MN1250  | 384                | 351.6              | -21.9          |
| 920SP2MN1254  | 0                  | 348.2              | -27.0          |
| 920SP2MN1254  | 20                 | 349.3              | -27.3          |
| 920SP2MN1254  | 40                 | 347.8              | -27.6          |
| 920SP2MN1254  | 60                 | 349.2              | -27.6          |
| 920SP2MN1254  | 90                 | 348.4              | -28.2          |
| 920SP2MN1254  | 120                | 348.5              | -28.8          |
| 920SP2MN1254  | 150                | 349.1              | -28.8          |
| 920SP2MN1254  | 180                | 348.1              | -28.7          |
| 920SP2MN1254  | 210                | 349.2              | -29.8          |
| 920SP2MN1254  | 240                | 348.6              | -30.0          |
| 920SP2MN1254  | 270                | 348.9              | -30.3          |
| 920SP2MN1254  | 271.2              | 348.9              | -30.3          |
| 920SP2MN1254  | 274.9              | 341.7              | -32.5          |
| 920SP2MN1254  | 300                | 343.7              | -32.8          |
| 920SP2MN1254  | 330                | 346.0              | -33.2          |
| 920SP2MN1260  | 0                  | 1.0                | -24.2          |
| 920SP2MN1260  | 20                 | 0.6                | -24.8          |
| 920SP2MN1260  | 40                 | 1.8                | -24.9          |
| 920SP2MN1260  | 90                 | 2.1                | -27.0          |
| 920SP2MN1260  | 122                | 1.6                | -27.4          |
| 920SP2MN1260  | 158                | 2.3                | -27.6          |
| 920SP2MN1260  | 185                | 2.5                | -27.9          |
| 920SP2MN1260  | 210                | 2.8                | -28.1          |
| 920SP2MN1260  | 240                | 2.3                | -28.6          |
| 920SP2MN1260  | 270                | 3.6                | -29.3          |
| 920SP2MN1260  | 300                | 359.5              | -29.4          |
| 920SP2MR1285  | 0                  | 324.3              | -16.5          |
| 920SP2MR1285  | 20                 | 323.5              | -16.9          |
| 920SP2MR1285  | 40                 | 323.6              | -17.2          |
| 920SP2MR1285  | 60                 | 323.5              | -17.3          |
| 920SP2MR1285  | 90                 | 323.5              | -17.4          |
| 920SP2MR1285  | 120                | 324.0              | -18.1          |
| 920SP2MR1285  | 150                | 323.8              | -18.5          |
| 920SP2MR1285  | 180                | 324.5              | -18.5          |
| 920SP2MR1285  | 210                | 325.9              | -19.2          |
| 920SP2MR1285  | 240                | 321.9              | -19.0          |
| 920SP2MR1285  | 270                | 321.6              | -19.2          |
| 920SP2MR1285  | 300                | 321.8              | -19.1          |
| 920SP2MR1285  | 320                | 321.3              | -19.5          |
| 920SP2MR1285  | 363                | 322.3              | -19.4          |
| 920SP2MR1285  | 387                | 320.4              | -19.5          |
| 920SP2MR1285  | 400                | 322.7              | -19.5          |
| 920SP2MR1285  | 400.2              | 322.7              | -19.5          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP2MR1295  | 0                  | 332.7              | -6.0           |
| 920SP2MR1295  | 20                 | 332.0              | -6.9           |
| 920SP2MR1295  | 40                 | 330.4              | -6.9           |
| 920SP2MR1295  | 60                 | 330.2              | -7.2           |
| 920SP2MR1295  | 90                 | 330.4              | -7.7           |
| 920SP2MR1295  | 120                | 330.0              | -8.0           |
| 920SP2MR1295  | 150                | 329.2              | -8.2           |
| 920SP2MR1295  | 180                | 329.3              | -8.4           |
| 920SP2MR1295  | 210                | 329.9              | -8.7           |
| 920SP2MR1295  | 240                | 327.8              | -9.0           |
| 920SP2MR1295  | 270                | 327.9              | -9.3           |
| 920SP2MR1295  | 300                | 326.8              | -9.6           |
| 920SP2MR1295  | 320                | 329.8              | -10.8          |
| 920SP2MR1295  | 360                | 329.3              | -11.4          |
| 920SP2MR1295  | 385                | 329.1              | -11.7          |
| 920SP2MR1295  | 390                | 329.0              | -11.9          |
| 920SP3MN1146  | 0                  | 338.5              | -11.2          |
| 920SP3MN1146  | 20                 | 338.8              | -12.0          |
| 920SP3MN1146  | 40                 | 339.0              | -12.3          |
| 920SP3MN1146  | 60                 | 338.2              | -12.9          |
| 920SP3MN1146  | 90                 | 338.7              | -13.4          |
| 920SP3MN1146  | 120                | 338.5              | -13.0          |
| 920SP3MN1146  | 150                | 340.7              | -13.6          |
| 920SP3MN1146  | 180                | 339.1              | -14.0          |
| 920SP3MN1146  | 210                | 338.6              | -14.9          |
| 920SP3MN1146  | 240                | 338.2              | -15.8          |
| 920SP3MN1146  | 270                | 337.8              | -16.7          |
| 920SP3MN1146  | 300                | 337.4              | -17.6          |
| 920SP3MN1146  | 330                | 338.1              | -18.3          |
| 920SP3MN1146  | 360                | 338.1              | -19.2          |
| 920SP3MN1146  | 386.6              | 338.0              | -20.0          |
| 920SP3MN1154  | 0                  | 344.1              | -1.7           |
| 920SP3MN1154  | 20                 | 344.0              | -2.1           |
| 920SP3MN1154  | 40                 | 344.0              | -2.5           |
| 920SP3MN1154  | 60                 | 343.6              | -2.6           |
| 920SP3MN1154  | 90                 | 343.7              | -3.4           |
| 920SP3MN1154  | 120                | 343.8              | -3.5           |
| 920SP3MN1154  | 150                | 343.6              | -4.2           |
| 920SP3MN1154  | 180                | 342.1              | -4.2           |
| 920SP3MN1154  | 210                | 343.2              | -5.0           |
| 920SP3MN1154  | 240                | 342.7              | -5.0           |
| 920SP3MN1154  | 270                | 340.6              | -5.0           |
| 920SP3MN1154  | 300                | 340.9              | -4.9           |
| 920SP3MN1154  | 330                | 339.0              | -5.6           |
| 920SP3MN1154  | 360                | 338.5              | -5.8           |
| 920SP3MN1154  | 390                | 338.6              | -6.2           |
| 920SP3MN1161  | 0                  | 332.3              | -19.2          |
| 920SP3MN1161  | 20                 | 332.0              | -19.6          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP3MN1161  | 40                 | 331.8              | -19.8          |
| 920SP3MN1161  | 60                 | 331.3              | -20.0          |
| 920SP3MN1161  | 90                 | 331.2              | -20.2          |
| 920SP3MN1161  | 120                | 331.0              | -21.0          |
| 920SP3MN1161  | 150                | 330.4              | -21.0          |
| 920SP3MN1161  | 180                | 331.2              | -21.2          |
| 920SP3MN1161  | 210                | 331.2              | -21.4          |
| 920SP3MN1161  | 220.8              | 330.4              | -21.7          |
| 920SP3MN1169  | 0                  | 342.6              | 7.4            |
| 920SP3MN1169  | 20                 | 342.7              | 7.4            |
| 920SP3MN1169  | 40                 | 340.3              | 6.2            |
| 920SP3MN1169  | 60                 | 340.5              | 6.1            |
| 920SP3MN1169  | 90                 | 340.4              | 5.8            |
| 920SP3MN1169  | 120                | 341.3              | 6.0            |
| 920SP3MN1169  | 150                | 340.8              | 5.3            |
| 920SP3MN1169  | 180                | 341.0              | 4.7            |
| 920SP3MN1169  | 210                | 340.1              | 4.5            |
| 920SP3MN1169  | 240                | 340.6              | 4.6            |
| 920SP3MN1169  | 270                | 339.7              | 4.4            |
| 920SP3MN1169  | 309                | 337.7              | 3.4            |
| 920SP3MN1169  | 330                | 339.2              | 3.4            |
| 920SP3MN1169  | 360                | 338.7              | 3.4            |
| 920SP3MN1169  | 384                | 338.1              | 3.1            |
| 920SP3MN1169  | 414                | 338.9              | 2.7            |
| 920SP3MN1173  | 0                  | 331.7              | -17.4          |
| 920SP3MN1173  | 20                 | 331.4              | -17.8          |
| 920SP3MN1173  | 40                 | 330.5              | -18.2          |
| 920SP3MN1173  | 60                 | 329.9              | -18.5          |
| 920SP3MN1173  | 90                 | 330.0              | -18.8          |
| 920SP3MN1173  | 120                | 329.7              | -19.2          |
| 920SP3MN1173  | 150                | 328.9              | -19.9          |
| 920SP3MN1173  | 180                | 328.9              | -20.0          |
| 920SP3MN1173  | 210                | 328.5              | -20.4          |
| 920SP3MN1173  | 249                | 328.2              | -21.4          |
| 920SP3MN1179  | 0                  | 326.3              | -0.3           |
| 920SP3MN1179  | 20                 | 328.6              | -0.8           |
| 920SP3MN1179  | 40                 | 328.5              | -1.2           |
| 920SP3MN1179  | 60                 | 327.7              | -1.5           |
| 920SP3MN1179  | 90                 | 328.5              | -2.1           |
| 920SP3MN1179  | 120                | 327.5              | -2.0           |
| 920SP3MN1179  | 150                | 327.8              | -2.9           |
| 920SP3MN1179  | 180                | 327.3              | -3.0           |
| 920SP3MN1179  | 210                | 326.3              | -3.8           |
| 920SP3MN1179  | 240                | 326.9              | -3.6           |
| 920SP3MN1179  | 270                | 324.7              | -4.0           |
| 920SP3MN1179  | 300                | 324.6              | -5.1           |
| 920SP3MN1179  | 330                | 324.5              | -6.1           |
| 920SP3MN1179  | 360                | 323.8              | -7.4           |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP3MN1179  | 380                | 323.1              | -8.7           |
| 920SP3MN1179  | 410                | 323.7              | -8.9           |
| 920SP3MR1190  | 0                  | 325.7              | -11.8          |
| 920SP3MR1190  | 20                 | 326.1              | -12.0          |
| 920SP3MR1190  | 40                 | 325.1              | -12.1          |
| 920SP3MR1190  | 60                 | 324.5              | -12.7          |
| 920SP3MR1190  | 90                 | 322.2              | -13.1          |
| 920SP3MR1190  | 120                | 322.9              | -13.5          |
| 920SP3MR1190  | 150                | 322.4              | -13.8          |
| 920SP3MR1190  | 160                | 322.4              | -14.0          |
| 920SP3MR1190  | 180                | 322.9              | -14.4          |
| 920SP3MR1190  | 222                | 322.4              | -14.7          |
| 920SP3MR1190  | 240                | 322.8              | -15.0          |
| 920SP3MR1190  | 270                | 321.3              | -15.1          |
| 920SP3MR1190  | 300                | 322.5              | -15.9          |
| 920SP3MR1190  | 360                | 322.6              | -17.8          |
| 920SP3MR1190  | 390                | 323.2              | -18.7          |
| 920SP3MR1190  | 402                | 323.2              | -18.3          |
| 920SP3MR1192  | 0                  | 329.2              | -13.4          |
| 920SP3MR1192  | 20                 | 328.5              | -14.6          |
| 920SP3MR1192  | 40                 | 329.4              | -14.6          |
| 920SP3MR1192  | 60                 | 329.2              | -15.0          |
| 920SP3MR1192  | 90                 | 326.7              | -14.7          |
| 920SP3MR1192  | 120                | 329.6              | -15.8          |
| 920SP3MR1192  | 150                | 328.7              | -16.1          |
| 920SP3MR1192  | 180                | 328.0              | -16.4          |
| 920SP3MR1192  | 210                | 329.0              | -16.7          |
| 920SP3MR1192  | 240                | 327.0              | -17.4          |
| 920SP3MR1192  | 270                | 328.4              | -17.8          |
| 920SP3MR1192  | 300                | 327.5              | -18.7          |
| 920SP3MR1192  | 330                | 328.6              | -18.8          |
| 920SP3MR1192  | 360                | 328.8              | -18.6          |
| 920SP3MR1192  | 396                | 327.9              | -19.8          |
| 920SP3MR1206  | 0                  | 328.7              | -8.4           |
| 920SP3MR1206  | 20                 | 330.7              | -8.7           |
| 920SP3MR1206  | 40                 | 330.7              | -8.9           |
| 920SP3MR1206  | 60                 | 330.9              | -9.2           |
| 920SP3MR1206  | 90                 | 330.1              | -9.4           |
| 920SP3MR1206  | 120                | 330.6              | -9.9           |
| 920SP3MR1206  | 150                | 330.2              | -10.3          |
| 920SP3MR1206  | 180                | 329.8              | -10.4          |
| 920SP3MR1206  | 210                | 329.7              | -10.4          |
| 920SP3MR1206  | 240                | 329.0              | -11.0          |
| 920SP3MR1206  | 270                | 329.8              | -11.5          |
| 920SP3MR1206  | 300                | 329.1              | -11.9          |
| 920SP3MR1206  | 330                | 328.4              | -12.2          |
| 920SP3MR1206  | 360                | 328.8              | -12.2          |
| 920SP3MR1206  | 400.3              | 327.7              | -11.3          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP3MR1206  | 405.3              | 327.7              | -11.3          |
| 920SP3MR1210  | 0                  | 333.7              | -15.5          |
| 920SP3MR1210  | 20                 | 332.9              | -16.0          |
| 920SP3MR1210  | 40                 | 333.4              | -16.2          |
| 920SP3MR1210  | 60                 | 333.3              | -16.4          |
| 920SP3MR1210  | 90                 | 332.3              | -17.3          |
| 920SP3MR1210  | 120                | 333.2              | -17.4          |
| 920SP3MR1210  | 150                | 333.0              | -18.0          |
| 920SP3MR1210  | 180                | 333.1              | -18.4          |
| 920SP3MR1210  | 210                | 333.6              | -19.1          |
| 920SP3MR1210  | 240                | 332.1              | -19.6          |
| 920SP3MR1210  | 270                | 333.1              | -21.5          |
| 920SP3MR1210  | 300                | 331.7              | -22.2          |
| 920SP3MR1210  | 330                | 331.4              | -22.4          |
| 920SP3MR1210  | 360                | 330.5              | -23.2          |
| 920SP3MR1210  | 390                | 330.2              | -23.5          |
| 920SP3MR1210  | 419.8              | 330.4              | -23.6          |
| 920SP3MR1217  | 0                  | 337.2              | -6.8           |
| 920SP3MR1217  | 20                 | 336.1              | -7.3           |
| 920SP3MR1217  | 40                 | 335.5              | -7.6           |
| 920SP3MR1217  | 60                 | 336.1              | -7.7           |
| 920SP3MR1217  | 90                 | 335.2              | -8.2           |
| 920SP3MR1217  | 120                | 334.9              | -8.8           |
| 920SP3MR1217  | 150                | 335.3              | -9.2           |
| 920SP3MR1217  | 180                | 335.3              | -9.4           |
| 920SP3MR1217  | 210                | 335.7              | -10.0          |
| 920SP3MR1217  | 240                | 334.0              | -11.4          |
| 920SP3MR1217  | 270                | 334.3              | -10.6          |
| 920SP3MR1217  | 300                | 334.3              | -11.2          |
| 920SP3MR1217  | 330                | 333.3              | -11.8          |
| 920SP3MR1217  | 356.8              | 332.9              | -12.2          |
| 920SP3MR1217  | 364.2              | 338.0              | -15.3          |
| 920SP3MR1217  | 370                | 338.1              | -15.2          |
| 920SP3MR1217  | 390                | 338.1              | -14.4          |
| 920SP3MR1217  | 420                | 338.3              | -13.5          |
| 920SP3MR1217  | 437                | 338.9              | -13.7          |
| 920SP3MR1229  | 0                  | 340.0              | -2.9           |
| 920SP3MR1229  | 20                 | 338.8              | -3.9           |
| 920SP3MR1229  | 40                 | 338.5              | -4.0           |
| 920SP3MR1229  | 60                 | 338.7              | -3.7           |
| 920SP3MR1229  | 90                 | 339.0              | -3.9           |
| 920SP3MR1229  | 120                | 339.1              | -3.7           |
| 920SP3MR1229  | 150                | 338.6              | -3.9           |
| 920SP3MR1229  | 180                | 338.8              | -4.3           |
| 920SP3MR1229  | 210                | 338.1              | -5.9           |
| 920SP3MR1229  | 240                | 337.8              | -5.8           |
| 920SP3MR1229  | 265                | 338.1              | -5.4           |
| 920SP3MR1229  | 300                | 337.5              | -5.0           |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP3MR1229  | 330                | 337.3              | -5.2           |
| 920SP3MR1229  | 360                | 337.8              | -5.4           |
| 920SP3MR1229  | 395                | 337.5              | -5.5           |
| 920SP3MR1233  | 0                  | 345.4              | -5.5           |
| 920SP3MR1233  | 20                 | 344.7              | -5.8           |
| 920SP3MR1233  | 40                 | 342.5              | -6.4           |
| 920SP3MR1233  | 60                 | 342.3              | -6.8           |
| 920SP3MR1233  | 90                 | 343.9              | -7.4           |
| 920SP3MR1233  | 120                | 343.7              | -7.9           |
| 920SP3MR1233  | 150                | 343.4              | -8.5           |
| 920SP3MR1233  | 180                | 344.1              | -8.5           |
| 920SP3MR1233  | 210                | 344.2              | -9.1           |
| 920SP3MR1233  | 240                | 343.7              | -10.0          |
| 920SP3MR1233  | 270                | 343.7              | -10.5          |
| 920SP3MR1233  | 300                | 343.3              | -11.0          |
| 920SP3MR1233  | 330                | 343.2              | -11.5          |
| 920SP3MR1233  | 360                | 344.0              | -11.6          |
| 920SP3MR1233  | 405.2              | 343.7              | -11.8          |
| 920SP3MR1241  | 0                  | 345.5              | -9.3           |
| 920SP3MR1241  | 20                 | 345.5              | -9.9           |
| 920SP3MR1241  | 40                 | 345.8              | -10.2          |
| 920SP3MR1241  | 60                 | 345.9              | -10.7          |
| 920SP3MR1241  | 90                 | 345.0              | -10.7          |
| 920SP3MR1241  | 120                | 345.7              | -11.1          |
| 920SP3MR1241  | 150                | 345.5              | -11.5          |
| 920SP3MR1241  | 180                | 345.4              | -12.1          |
| 920SP3MR1241  | 210                | 345.4              | -12.3          |
| 920SP3MR1241  | 240                | 345.4              | -11.9          |
| 920SP3MR1241  | 270                | 345.5              | -12.4          |
| 920SP3MR1241  | 300                | 345.5              | -12.8          |
| 920SP3MR1241  | 330                | 345.2              | -13.5          |
| 920SP3MR1241  | 370                | 343.9              | -13.4          |
| 920SP4MN1152  | 0                  | 350.3              | -23.8          |
| 920SP4MN1152  | 20                 | 349.9              | -24.2          |
| 920SP4MN1152  | 40                 | 349.6              | -24.7          |
| 920SP4MN1152  | 60                 | 348.9              | -25.0          |
| 920SP4MN1152  | 90                 | 348.6              | -25.3          |
| 920SP4MN1152  | 120                | 349.8              | -25.6          |
| 920SP4MN1152  | 150                | 349.6              | -25.8          |
| 920SP4MN1152  | 197.2              | 349.2              | -26.5          |
| 920SP4MN1152  | 202.8              | 342.7              | -20.5          |
| 920SP4MN1152  | 210                | 342.3              | -21.2          |
| 920SP4MN1152  | 230                | 346.3              | -21.6          |
| 920SP4MN1152  | 250                | 347.1              | -24.7          |
| 920SP4MN1155  | 0                  | 341.7              | -9.5           |
| 920SP4MN1155  | 20                 | 341.5              | -9.9           |
| 920SP4MN1155  | 40                 | 341.4              | -10.1          |
| 920SP4MN1155  | 60                 | 341.6              | -10.3          |



**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP4MN1155  | 90                 | 341.2              | -10.6          |
| 920SP4MN1155  | 120                | 341.2              | -10.8          |
| 920SP4MN1155  | 150                | 340.0              | -10.4          |
| 920SP4MN1155  | 180                | 341.0              | -11.7          |
| 920SP4MN1155  | 220                | 340.3              | -11.3          |
| 920SP4MN1155  | 240                | 340.8              | -11.7          |
| 920SP4MN1155  | 270                | 339.4              | -12.0          |
| 920SP4MN1155  | 300                | 339.6              | -12.8          |
| 920SP4MN1155  | 330                | 339.3              | -12.8          |
| 920SP4MN1155  | 372                | 339.5              | -13.1          |
| 920SP4MN1157  | 0                  | 334.6              | -23.8          |
| 920SP4MN1157  | 20                 | 334.4              | -24.3          |
| 920SP4MN1157  | 40                 | 334.5              | -25.1          |
| 920SP4MN1157  | 60                 | 334.4              | -24.9          |
| 920SP4MN1157  | 90                 | 333.0              | -25.4          |
| 920SP4MN1157  | 120                | 334.0              | -26.8          |
| 920SP4MN1157  | 150                | 333.8              | -26.3          |
| 920SP4MN1157  | 180                | 332.6              | -26.1          |
| 920SP4MN1157  | 213                | 331.9              | -26.2          |
| 920SP4MN1160  | 0                  | 334.4              | -3.4           |
| 920SP4MN1160  | 20                 | 334.0              | -3.7           |
| 920SP4MN1160  | 40                 | 333.8              | -3.9           |
| 920SP4MN1160  | 60                 | 334.9              | -4.8           |
| 920SP4MN1160  | 90                 | 334.5              | -5.1           |
| 920SP4MN1160  | 120                | 333.9              | -5.8           |
| 920SP4MN1160  | 150                | 332.0              | -6.0           |
| 920SP4MN1160  | 180                | 333.3              | -6.7           |
| 920SP4MN1160  | 210                | 332.2              | -7.0           |
| 920SP4MN1160  | 240                | 330.3              | -7.7           |
| 920SP4MN1160  | 270                | 332.3              | -8.2           |
| 920SP4MN1160  | 300                | 332.1              | -8.6           |
| 920SP4MN1160  | 333.2              | 331.8              | -9.1           |
| 920SP4MN1160  | 360                | 333.2              | -10.6          |
| 920SP4MN1165  | 0                  | 327.6              | -11.9          |
| 920SP4MN1165  | 20                 | 327.7              | -12.3          |
| 920SP4MN1165  | 40                 | 327.3              | -12.9          |
| 920SP4MN1165  | 60                 | 327.3              | -13.0          |
| 920SP4MN1165  | 90                 | 327.6              | -13.2          |
| 920SP4MN1165  | 120                | 326.1              | -13.2          |
| 920SP4MN1165  | 150                | 326.3              | -13.2          |
| 920SP4MN1165  | 180                | 325.5              | -13.4          |
| 920SP4MN1165  | 210                | 326.1              | -13.0          |
| 920SP4MN1165  | 240                | 325.6              | -13.2          |
| 920SP4MN1165  | 270                | 324.8              | -13.0          |
| 920SP4MN1165  | 300                | 325.5              | -13.1          |
| 920SP4MN1165  | 340                | 323.5              | -11.5          |
| 920SP4MN1165  | 360                | 323.8              | -11.1          |
| 920SP4MN1170  | 0                  | 330.0              | 3.6            |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP4MN1170  | 20                 | 329.7              | 3.2            |
| 920SP4MN1170  | 40                 | 330.0              | 2.7            |
| 920SP4MN1170  | 60                 | 330.3              | 2.2            |
| 920SP4MN1170  | 90                 | 330.0              | 1.8            |
| 920SP4MN1170  | 120                | 330.2              | 1.4            |
| 920SP4MN1170  | 150                | 329.9              | 0.9            |
| 920SP4MN1170  | 180                | 329.9              | 0.3            |
| 920SP4MN1170  | 210                | 329.7              | 0.0            |
| 920SP4MN1170  | 240                | 329.4              | 0.1            |
| 920SP4MN1170  | 270                | 329.6              | 0.9            |
| 920SP4MN1170  | 300                | 327.5              | -1.9           |
| 920SP4MN1170  | 337                | 326.6              | -2.9           |
| 920SP4MN1170  | 365                | 327.0              | -3.4           |
| 920SP4MN1170  | 370                | 327.0              | -3.4           |
| 920SP4MN1175  | 0                  | 315.5              | -29.0          |
| 920SP4MN1175  | 20                 | 314.0              | -29.6          |
| 920SP4MN1175  | 40                 | 314.3              | -29.4          |
| 920SP4MN1175  | 60                 | 313.9              | -29.5          |
| 920SP4MN1175  | 90                 | 312.8              | -29.5          |
| 920SP4MN1175  | 120                | 312.9              | -29.0          |
| 920SP4MN1175  | 140                | 312.1              | -29.3          |
| 920SP4MN1181  | 0                  | 304.3              | -14.0          |
| 920SP4MN1181  | 20                 | 304.5              | -14.5          |
| 920SP4MN1181  | 40                 | 304.3              | -14.7          |
| 920SP4MN1181  | 60                 | 304.7              | -15.1          |
| 920SP4MN1181  | 90                 | 303.5              | -15.7          |
| 920SP4MN1181  | 116                | 303.6              | -16.3          |
| 920SP4MN1181  | 154                | 303.1              | -17.3          |
| 920SP5MN1184  | 0                  | 343.5              | -2.9           |
| 920SP5MN1184  | 20                 | 343.8              | -3.4           |
| 920SP5MN1184  | 40                 | 344.3              | -3.6           |
| 920SP5MN1184  | 60                 | 344.0              | -4.0           |
| 920SP5MN1184  | 90                 | 344.3              | -4.4           |
| 920SP5MN1184  | 120                | 343.6              | -4.9           |
| 920SP5MN1184  | 150                | 343.9              | -5.3           |
| 920SP5MN1184  | 180                | 343.9              | -5.5           |
| 920SP5MN1184  | 210                | 343.6              | -6.1           |
| 920SP5MN1184  | 240                | 343.3              | -6.6           |
| 920SP5MN1184  | 270                | 342.6              | -7.3           |
| 920SP5MN1184  | 300                | 341.9              | -7.3           |
| 920SP5MN1184  | 330                | 339.1              | -7.9           |
| 920SP5MN1193  | 0                  | 344.7              | -31.1          |
| 920SP5MN1193  | 20                 | 344.5              | -30.8          |
| 920SP5MN1193  | 40                 | 344.7              | -31.0          |
| 920SP5MN1193  | 60                 | 344.5              | -31.3          |
| 920SP5MN1193  | 90                 | 344.8              | -31.9          |
| 920SP5MN1193  | 105                | 342.8              | -32.3          |
| 920SP5MN1193  | 115                | 343.4              | -32.7          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP5MN1193  | 118.8              | 343.3              | -32.8          |
| 920SP5MN1193  | 122.5              | 342.4              | -32.5          |
| 920SP5MN1193  | 125                | 342.4              | -32.5          |
| 920SP5MN1193  | 135                | 342.4              | -32.4          |
| 920SP5MN1193  | 150                | 341.2              | -32.5          |
| 920SP5MN1193  | 180                | 341.7              | -32.7          |
| 920SP5MN1193  | 210                | 342.2              | -32.9          |
| 920SP5MN1201  | 0                  | 341.7              | -12.8          |
| 920SP5MN1201  | 20                 | 340.9              | -13.3          |
| 920SP5MN1201  | 40                 | 339.5              | -13.6          |
| 920SP5MN1201  | 60                 | 339.4              | -14.0          |
| 920SP5MN1201  | 90                 | 339.7              | -14.2          |
| 920SP5MN1201  | 120                | 340.1              | -14.5          |
| 920SP5MN1201  | 150                | 340.5              | -14.7          |
| 920SP5MN1201  | 180                | 340.5              | -15.5          |
| 920SP5MN1201  | 240                | 340.7              | -16.3          |
| 920SP5MN1201  | 270                | 339.5              | -17.8          |
| 920SP5MN1201  | 280.1              | 338.5              | -18.1          |
| 920SP5MN1201  | 315                | 338.1              | -19.4          |
| 920SP5MN1201  | 332                | 338.7              | -19.9          |
| 920SP5MN1205  | 0                  | 333.5              | -0.6           |
| 920SP5MN1205  | 20                 | 331.9              | -0.6           |
| 920SP5MN1205  | 40                 | 332.1              | -0.9           |
| 920SP5MN1205  | 60                 | 331.8              | -1.4           |
| 920SP5MN1205  | 90                 | 330.9              | -2.7           |
| 920SP5MN1205  | 120                | 330.8              | -2.2           |
| 920SP5MN1205  | 150                | 331.2              | -2.0           |
| 920SP5MN1205  | 177                | 331.2              | -3.4           |
| 920SP5MN1205  | 210                | 331.2              | -3.4           |
| 920SP5MN1205  | 235                | 331.4              | -4.1           |
| 920SP5MN1205  | 270                | 330.8              | -4.2           |
| 920SP5MN1205  | 300                | 330.9              | -5.3           |
| 920SP5MN1205  | 320                | 330.7              | -5.5           |
| 920SP5MN1205  | 344                | 330.9              | -5.0           |
| 920SP5MN1215  | 0                  | 303.1              | -7.5           |
| 920SP5MN1215  | 40                 | 303.0              | -8.7           |
| 920SP5MN1215  | 60                 | 303.5              | -9.2           |
| 920SP5MN1215  | 90                 | 303.2              | -9.3           |
| 920SP5MN1215  | 120                | 303.1              | -9.2           |
| 920SP5MN1215  | 150                | 303.0              | -9.7           |
| 920SP5MN1215  | 180                | 302.8              | -10.4          |
| 920SP5MN1215  | 200                | 302.5              | -10.4          |
| 920SP5MN1222  | 0                  | 308.6              | -32.0          |
| 920SP5MN1222  | 20                 | 308.2              | -33.0          |
| 920SP5MN1222  | 40                 | 308.6              | -33.6          |
| 920SP5MN1222  | 60                 | 308.5              | -33.8          |
| 920SP5MN1222  | 90                 | 307.8              | -34.3          |
| 920SP5MN1222  | 120                | 308.7              | -34.6          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP5MN1222  | 150                | 308.5              | -35.2          |
| 920SP5MN1222  | 180                | 308.3              | -36.4          |
| 920SP5MN1222  | 210                | 308.3              | -36.9          |
| 920SP5MN1222  | 222.5              | 308.3              | -37.1          |
| 920SP5MN1228  | 0                  | 316.6              | -24.2          |
| 920SP5MN1228  | 20                 | 316.1              | -24.7          |
| 920SP5MN1228  | 40                 | 316.3              | -24.9          |
| 920SP5MN1228  | 60                 | 316.5              | -25.1          |
| 920SP5MN1228  | 90                 | 316.5              | -25.5          |
| 920SP5MN1228  | 120                | 316.9              | -26.0          |
| 920SP5MN1228  | 150                | 318.3              | -24.8          |
| 920SP5MN1228  | 171.2              | 318.4              | -24.9          |
| 920SP5MN1228  | 172.5              | 314.4              | -24.5          |
| 920SP5MN1228  | 180                | 314.5              | -24.6          |
| 920SP5MN1228  | 206                | 314.1              | -25.0          |
| 920SP7MN1290  | 0                  | 339.4              | -14.6          |
| 920SP7MN1290  | 20                 | 339.0              | -14.5          |
| 920SP7MN1290  | 40                 | 340.3              | -15.0          |
| 920SP7MN1290  | 60                 | 339.8              | -15.3          |
| 920SP7MN1290  | 93                 | 338.0              | -15.0          |
| 920SP7MN1290  | 126                | 337.3              | -16.5          |
| 920SP7MN1290  | 180                | 336.6              | -17.5          |
| 920SP7MN1290  | 210                | 339.0              | -18.5          |
| 920SP7MN1290  | 255                | 337.8              | -18.1          |
| 920SP7MN1290  | 290                | 338.1              | -18.6          |
| 920SP7MN1290  | 313                | 337.5              | -18.9          |
| 920SP9MN1247  | 0                  | 274.7              | -25.3          |
| 920SP9MN1247  | 20                 | 275.2              | -25.7          |
| 920SP9MN1247  | 40                 | 275.8              | -26.2          |
| 920SP9MN1247  | 60                 | 273.3              | -26.2          |
| 920SP9MN1247  | 90                 | 272.8              | -27.3          |
| 920SP9MN1247  | 120                | 272.5              | -28.8          |
| 920SP9MN1247  | 150                | 272.5              | -27.9          |
| 920SP9MN1247  | 180                | 271.5              | -27.6          |
| 920SP9MN1247  | 210                | 271.8              | -27.4          |
| 920SP9MN1247  | 237                | 271.7              | -27.6          |
| 920SP9MN1247  | 270                | 270.6              | -28.4          |
| 920SP9MN1247  | 300                | 271.6              | -27.8          |
| 920SP9MN1247  | 340                | 271.0              | -27.4          |
| 920SP9MN1247  | 370                | 271.4              | -27.4          |
| 920SP9MN1247  | 394                | 270.0              | -27.1          |
| 920SP9MN1253  | 0                  | 289.3              | -40.3          |
| 920SP9MN1253  | 20                 | 289.9              | -40.8          |
| 920SP9MN1253  | 40                 | 288.3              | -40.6          |
| 920SP9MN1253  | 60                 | 289.6              | -41.4          |
| 920SP9MN1253  | 90                 | 287.9              | -41.4          |
| 920SP9MN1253  | 120                | 289.0              | -42.0          |
| 920SP9MN1253  | 137.5              | 289.7              | -42.4          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP9MN1253  | 150                | 288.1              | -42.4          |
| 920SP9MN1253  | 180                | 290.0              | -43.6          |
| 920SP9MN1253  | 220                | 288.1              | -42.9          |
| 920SP9MN1264  | 0                  | 267.1              | -36.1          |
| 920SP9MN1264  | 20                 | 267.0              | -36.3          |
| 920SP9MN1264  | 40                 | 267.7              | -36.4          |
| 920SP9MN1264  | 60                 | 268.4              | -36.5          |
| 920SP9MN1264  | 90                 | 268.4              | -36.0          |
| 920SP9MN1264  | 120                | 269.1              | -35.9          |
| 920SP9MN1264  | 150                | 269.5              | -36.1          |
| 920SP9MN1264  | 180                | 269.8              | -35.6          |
| 920SP9MN1264  | 215                | 269.6              | -36.4          |
| 920SP9MN1264  | 255                | 269.5              | -36.3          |
| 920SP9MN1264  | 260                | 268.7              | -36.0          |
| 920SP9MN1276  | 0                  | 255.2              | -25.5          |
| 920SP9MN1276  | 20                 | 255.0              | -25.6          |
| 920SP9MN1276  | 40                 | 256.4              | -25.1          |
| 920SP9MN1276  | 60                 | 256.8              | -24.8          |
| 920SP9MN1276  | 90                 | 257.2              | -24.6          |
| 920SP9MN1276  | 120                | 257.1              | -24.1          |
| 920SP9MN1276  | 150                | 258.9              | -23.7          |
| 920SP9MN1276  | 180                | 258.5              | -22.6          |
| 920SP9MN1276  | 210                | 258.7              | -22.4          |
| 920SP9MN1276  | 240                | 256.6              | -22.2          |
| 920SP9MN1276  | 264                | 256.7              | -22.4          |
| 920SP9MN1281  | 0                  | 238.3              | -2.9           |
| 920SP9MN1281  | 20                 | 237.0              | -2.8           |
| 920SP9MN1281  | 40                 | 236.0              | -3.1           |
| 920SP9MN1281  | 60                 | 236.3              | -3.4           |
| 920SP9MN1281  | 90                 | 236.8              | -4.2           |
| 920SP9MN1281  | 120                | 237.1              | -4.7           |
| 920SP9MN1281  | 150                | 237.4              | -4.9           |
| 920SP9MN1281  | 180                | 237.1              | -5.2           |
| 920SP9MN1281  | 210                | 237.1              | -5.5           |
| 920SP9MN1286  | 0                  | 227.7              | -19.9          |
| 920SP9MN1286  | 20                 | 226.3              | -19.9          |
| 920SP9MN1286  | 40                 | 227.1              | -20.2          |
| 920SP9MN1286  | 60                 | 227.2              | -20.2          |
| 920SP9MN1286  | 90                 | 227.3              | -20.7          |
| 920SP9MN1286  | 120                | 226.2              | -21.3          |
| 920SP9MN1286  | 165                | 225.7              | -21.7          |
| 920SP9MN1286  | 180                | 227.2              | -21.8          |
| 920SP9MN1286  | 210                | 228.3              | -22.6          |
| 920SP9MN1286  | 240                | 225.0              | -23.0          |
| 920SP9MN1286  | 270                | 228.1              | -23.9          |
| 920SP9MN1286  | 300                | 226.3              | -23.8          |
| 920SP9MN1286  | 340                | 226.3              | -24.4          |
| 920SP9MN1292  | 0                  | 228.9              | -13.1          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| 920SP9MN1292  | 20                 | 228.5              | -13.4          |
| 920SP9MN1292  | 40                 | 228.9              | -13.9          |
| 920SP9MN1292  | 60                 | 228.7              | -14.0          |
| 920SP9MN1292  | 90                 | 229.2              | -15.2          |
| 920SP9MN1292  | 120                | 227.7              | -15.5          |
| 920SP9MN1292  | 150                | 230.1              | -15.9          |
| 920SP9MN1292  | 180                | 229.3              | -15.5          |
| 920SP9MN1292  | 210                | 227.8              | -16.3          |
| 920SP9MN1292  | 240                | 228.7              | -16.4          |
| 920SP9MN1292  | 270                | 229.2              | -15.8          |
| 920SP9MN1292  | 310                | 227.9              | -16.3          |
| 920SP9MN1297  | 0                  | 226.4              | 7.8            |
| 920SP9MN1297  | 20                 | 226.0              | 6.3            |
| 920SP9MN1297  | 40                 | 226.7              | 6.6            |
| 920SP9MN1297  | 90                 | 227.5              | 5.8            |
| 920SP9MN1297  | 120                | 227.8              | 5.5            |
| 920SP9MN1297  | 150                | 228.0              | 5.3            |
| 920SP9MN1297  | 180                | 227.9              | 5.0            |
| 920SP9MN1297  | 220                | 228.0              | 5.0            |
| 920SP9MN1297  | 250                | 227.8              | 3.2            |
| UW667         | 0                  | 204.2              | -31.2          |
| UW667         | 20                 | 204.7              | -30.1          |
| UW667         | 40                 | 206.9              | -31.0          |
| UW667         | 59                 | 204.1              | -31.4          |
| UW667         | 90                 | 204.4              | -32.2          |
| UW667         | 120                | 204.0              | -33.3          |
| UW667         | 150                | 204.2              | -34.6          |
| UW667         | 180                | 203.6              | -35.4          |
| UW667         | 210                | 203.9              | -36.3          |
| UW667         | 240                | 203.7              | -36.9          |
| UW667         | 270                | 203.3              | -37.0          |
| UW667         | 300                | 203.4              | -37.7          |
| UW667         | 343.2              | 204.1              | -37.7          |
| UW671         | 0                  | 167.2              | -36.9          |
| UW671         | 20                 | 168.8              | -36.9          |
| UW671         | 40                 | 168.3              | -37.5          |
| UW671         | 60                 | 169.0              | -37.9          |
| UW671         | 90                 | 169.5              | -38.7          |
| UW671         | 120                | 169.8              | -39.6          |
| UW671         | 150                | 167.6              | -40.4          |
| UW671         | 180                | 168.6              | -40.8          |
| UW671         | 210                | 167.9              | -42.0          |
| UW671         | 235                | 168.5              | -42.1          |
| UW671         | 247                | 168.3              | -42.3          |
| UW673         | 0                  | 157.8              | -25.5          |
| UW673         | 20                 | 159.6              | -24.9          |
| UW673         | 40                 | 159.2              | -24.2          |
| UW673         | 60                 | 159.2              | -24.9          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| UW673         | 90                 | 158.8              | -25.4          |
| UW673         | 120                | 158.5              | -25.8          |
| UW673         | 150                | 158.0              | -27.4          |
| UW673         | 180                | 158.4              | -29.4          |
| UW673         | 205                | 158.7              | -30.7          |
| UW674         | 0                  | 196.7              | -47.0          |
| UW674         | 20                 | 198.7              | -46.2          |
| UW674         | 40                 | 198.2              | -47.1          |
| UW674         | 60                 | 197.5              | -47.9          |
| UW674         | 90                 | 197.7              | -48.1          |
| UW674         | 120                | 197.6              | -48.5          |
| UW674         | 150                | 196.8              | -49.0          |
| UW674         | 180                | 196.8              | -49.7          |
| UW674         | 210                | 196.1              | -50.0          |
| UW674         | 241                | 196.3              | -50.5          |
| UW674         | 272                | 196.7              | -50.9          |
| UW674         | 301                | 196.5              | -51.3          |
| UW674         | 319                | 196.1              | -51.5          |
| UW676         | 0                  | 159.6              | -26.8          |
| UW676         | 20                 | 161.2              | -26.2          |
| UW676         | 40                 | 160.5              | -25.6          |
| UW676         | 60                 | 161.2              | -26.0          |
| UW676         | 90                 | 160.6              | -25.6          |
| UW676         | 120                | 160.7              | -26.6          |
| UW676         | 150                | 160.0              | -28.6          |
| UW676         | 210                | 158.6              | -31.6          |
| UW676         | 220                | 158.9              | -31.6          |
| UW678         | 0                  | 83.5               | -55.5          |
| UW678         | 20                 | 83.6               | -55.4          |
| UW678         | 40                 | 82.9               | -55.8          |
| UW678         | 60                 | 84.4               | -56.2          |
| UW678         | 90                 | 84.0               | -56.1          |
| UW678         | 120                | 83.3               | -55.9          |
| UW678         | 150                | 81.7               | -56.5          |
| UW678         | 180                | 83.4               | -56.2          |
| UW678         | 197                | 83.2               | -56.3          |
| UW679         | 0                  | 90.6               | -42.8          |
| UW679         | 20                 | 91.9               | -41.4          |
| UW679         | 40                 | 90.9               | -41.6          |
| UW679         | 60                 | 90.5               | -42.4          |
| UW679         | 89.6               | 89.6               | -43.1          |
| UW679         | 120                | 89.4               | -44.0          |
| UW679         | 150                | 89.2               | -44.8          |
| UW679         | 170                | 90.1               | -44.7          |
| UW682         | 0                  | 162.5              | -73.9          |
| UW682         | 20                 | 161.6              | -73.5          |
| UW682         | 40                 | 161.3              | -73.6          |
| UW682         | 60                 | 161.6              | -73.9          |

**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| UW682         | 90                 | 161.4              | -74.0          |
| UW682         | 120                | 160.1              | -74.7          |
| UW682         | 150                | 159.6              | -75.0          |
| UW682         | 187                | 159.3              | -75.7          |
| UW682         | 194.9              | 159.0              | -75.7          |
| UW690         | 0                  | 297.1              | -42.3          |
| UW690         | 20                 | 297.7              | -42.0          |
| UW690         | 40                 | 297.8              | -42.1          |
| UW690         | 60                 | 296.6              | -43.0          |
| UW690         | 90                 | 296.4              | -44.7          |
| UW690         | 120                | 295.3              | -45.6          |
| UW690         | 150                | 294.6              | -46.1          |
| UW690         | 180                | 294.0              | -47.0          |
| UW690         | 210                | 292.3              | -47.1          |
| UW690         | 240                | 292.3              | -47.6          |
| UW690         | 270                | 291.4              | -47.5          |
| UW690         | 311                | 291.2              | -46.7          |
| UW693         | 0                  | 313.9              | -44.2          |
| UW693         | 20                 | 317.1              | -44.1          |
| UW693         | 40                 | 313.1              | -43.8          |
| UW693         | 60                 | 311.1              | -44.0          |
| UW693         | 90                 | 312.1              | -45.1          |
| UW693         | 120                | 314.1              | -46.4          |
| UW693         | 150                | 313.5              | -46.0          |
| UW693         | 210                | 312.9              | -46.7          |
| UW693         | 240                | 311.4              | -47.0          |
| UW693         | 266                | 307.2              | -51.7          |
| UW695         | 0                  | 335.2              | -46.4          |
| UW695         | 20                 | 337.1              | -46.3          |
| UW695         | 60                 | 336.1              | -46.3          |
| UW695         | 90                 | 333.0              | -48.0          |
| UW695         | 120                | 335.4              | -49.5          |
| UW695         | 150                | 335.0              | -49.5          |
| UW695         | 180                | 333.1              | -49.9          |
| UW695         | 210                | 333.5              | -49.5          |
| UW695         | 240                | 333.9              | -50.1          |
| UW695         | 270                | 333.7              | -50.8          |
| UW695         | 300                | 332.5              | -50.8          |
| UW695         | 320                | 329.7              | -51.3          |
| UW696         | 0                  | 323.9              | -45.1          |
| UW696         | 20                 | 326.1              | -44.8          |
| UW696         | 40                 | 325.5              | -44.9          |
| UW696         | 60                 | 323.4              | -45.6          |
| UW696         | 90                 | 324.3              | -46.8          |
| UW696         | 120                | 323.3              | -47.8          |
| UW696         | 150                | 324.0              | -48.6          |
| UW696         | 180                | 322.1              | -48.8          |
| UW696         | 210                | 323.3              | -50.0          |



**Local Mine Grid Mt Eden Old Cadastral**

| <b>HOLEID</b> | <b>DEPTH (m's)</b> | <b>AZIMUTH (°)</b> | <b>DIP (°)</b> |
|---------------|--------------------|--------------------|----------------|
| UW696         | 240                | 321.7              | -49.8          |
| UW696         | 270                | 320.3              | -49.7          |
| UW696         | 300                | 322.5              | -49.6          |
| UW699         | 0                  | 298.7              | -29.2          |
| UW699         | 20                 | 303.0              | -30.2          |
| UW699         | 40                 | 299.0              | -30.1          |
| UW699         | 60                 | 297.8              | -30.6          |
| UW699         | 90                 | 298.0              | -31.6          |
| UW699         | 150                | 297.7              | -33.9          |
| UW699         | 184                | 298.1              | -35.1          |
| UW699A        | 0                  | 300.3              | -27.7          |
| UW699A        | 20                 | 304.2              | -28.1          |
| UW699A        | 40                 | 302.1              | -28.9          |
| UW699A        | 60                 | 301.0              | -29.0          |
| UW699A        | 90                 | 299.9              | -29.5          |
| UW699A        | 120                | 299.9              | -30.6          |
| UW699A        | 150                | 302.0              | -31.9          |
| UW699A        | 180                | 301.9              | -32.2          |
| UW699A        | 210                | 300.9              | -33.7          |
| UW699A        | 240                | 302.2              | -34.7          |
| UW699A        | 270                | 301.8              | -35.0          |
| UW701         | 0                  | 308.1              | -27.1          |
| UW701         | 20                 | 310.8              | -27.7          |
| UW701         | 40                 | 309.4              | -28.1          |
| UW701         | 60                 | 307.1              | -27.9          |
| UW701         | 90                 | 306.9              | -28.9          |
| UW701         | 105                | 309.4              | -29.1          |
| UW701         | 120                | 309.3              | -29.8          |
| UW701         | 150                | 308.1              | -31.5          |
| UW701         | 180                | 308.0              | -32.1          |
| UW701         | 210                | 306.7              | -33.0          |
| UW701         | 240                | 307.1              | -32.6          |
| UW701         | 270                | 306.9              | -32.5          |
| UW701         | 284                | 307.0              | -32.4          |