

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0853	0	136	-65
DDH0853	7.01	136.42	-64.85
DDH0853	13.11	136.84	-64.85
DDH0853	19.2	137.26	-64.94
DDH0853	25.3	137.68	-65.13
DDH0853	31.39	138.1	-65.17
DDH0853	37.49	138.52	-65.16
DDH0853	43.59	138.97	-65.3
DDH0853	49.68	139.38	-65.29
DDH0853	55.78	139.09	-65.31
DDH0853	61.87	139.77	-64.63
DDH0853	67.97	139.98	-64.54
DDH0853	74.07	140.39	-64.37
DDH0853	80.16	139.94	-64.11
DDH0853	86.26	141.24	-63.88
DDH0853	92.35	141.46	-63.7
DDH0853	98.45	141.75	-63.56
DDH0853	104.55	141.97	-63.28
DDH0853	110.64	142.16	-63.15
DDH0853	116.74	142.07	-62.98
DDH0853	122.83	142.33	-62.74
DDH0853	128.93	142.36	-62.47
DDH0853	135.03	142.62	-62.23
DDH0853	141.12	142.98	-61.92
DDH0853	147.22	143.43	-61.29
DDH0853	153.31	144.66	-60.52
DDH0853	159.41	145.49	-59.68
DDH0853	165.51	145.69	-58.83
DDH0853	171.6	145.48	-57.77
DDH0853	177.7	145.69	-56.83
DDH0853	183.79	145.46	-56.18
DDH0853	189.89	146.4	-55.47
DDH0853	195.99	146.56	-54.81
DDH0853	202.08	146.83	-54.32
DDH0853	208.18	146.94	-53.97
DDH0853	214.27	146.96	-53.66
DDH0853	220.37	146.96	-53.59
DDH0853	226.47	147.11	-53.7
DDH0853	232.56	147.11	-53.46
DDH0853	238.66	147.31	-53.17
DDH0853	244.75	147.32	-52.93
DDH0853	250.85	147.63	-52.59
DDH0853	256.95	147.68	-52.21
DDH0853	263.04	147.97	-51.79
DDH0853	269.14	147.89	-51.49
DDH0853	275.23	147.58	-51.32
DDH0853	281.33	148.19	-50.98
DDH0854	0	132	-75
DDH0854	2.32	133	-77.08

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0854	4.18	134	-77.1
DDH0854	6.04	135	-76.84
DDH0854	7.9	136	-76.58
DDH0854	9.75	137	-77.06
DDH0854	11.61	138	-77.32
DDH0854	13.47	139	-77.18
DDH0854	15.33	140	-76.84
DDH0854	17.19	141	-76.92
DDH0854	19.04	142	-76.91
DDH0854	20.9	143	-76.88
DDH0854	22.76	144	-76.83
DDH0854	24.62	145	-76.72
DDH0854	26.48	146	-76.76
DDH0854	28.34	147	-76.42
DDH0854	30.19	148.97	-76.61
DDH0854	32.05	149.42	-76.55
DDH0854	33.91	149.73	-76.48
DDH0854	35.77	150.04	-76.33
DDH0854	37.63	149.69	-76.17
DDH0854	39.48	149.93	-76.03
DDH0854	41.34	150.04	-75.83
DDH0854	43.2	149.98	-75.68
DDH0854	45.06	150.06	-75.53
DDH0854	46.92	150.25	-75.5
DDH0854	48.77	150.54	-75.37
DDH0854	50.63	149.86	-75.31
DDH0854	52.49	150.42	-75.13
DDH0854	54.35	149.86	-74.9
DDH0854	56.21	149.74	-74.7
DDH0854	58.06	150.15	-74.58
DDH0854	59.92	150.43	-74.42
DDH0854	61.78	150.31	-74.22
DDH0854	63.64	150.28	-74.09
DDH0854	65.5	149.82	-73.87
DDH0854	67.35	150.5	-73.69
DDH0854	69.21	151.17	-73.63
DDH0854	71.07	151.04	-73.38
DDH0854	72.93	150.7	-73.11
DDH0854	74.79	150.09	-72.81
DDH0854	76.65	150	-72.5
DDH0854	78.5	149.95	-72.31
DDH0854	80.36	149.9	-72.34
DDH0854	82.22	149.87	-71.97
DDH0854	84.08	148.66	-71.86
DDH0854	85.94	149.69	-71.42
DDH0854	87.79	149.82	-71.35
DDH0855	0	215	-50
DDH0855	7.01	215.24	-50.42
DDH0855	13.11	215.48	-49.62

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0855	19.2	215.72	-49.83
DDH0855	25.3	215.96	-49.35
DDH0855	31.39	216.2	-49.61
DDH0855	37.49	216.44	-49.53
DDH0855	43.59	216.68	-48.31
DDH0855	49.68	216.92	-49.68
DDH0855	55.78	217.16	-49.61
DDH0855	61.87	217.4	-49.47
DDH0855	67.97	217.44	-49.51
DDH0855	74.07	216.55	-49.46
DDH0855	80.16	216.09	-49.39
DDH0855	86.26	215.7	-49.38
DDH0855	92.35	215.25	-49.33
DDH0855	98.45	215.02	-49.37
DDH0855	104.55	215.28	-49.34
DDH0855	110.64	215.14	-49.31
DDH0855	116.74	215.03	-49.37
DDH0855	122.83	215.37	-49.4
DDH0855	128.93	215.22	-49.34
DDH0855	135.03	215.67	-49.5
DDH0855	141.12	215.97	-49.47
DDH0855	147.22	216.01	-49.37
DDH0855	153.31	215.61	-49.29
DDH0855	159.41	215.36	-49.33
DDH0855	165.51	215.03	-49.31
DDH0855	171.6	214.86	-49.42
DDH0855	177.7	215.18	-49.49
DDH0855	183.79	215.47	-49.53
DDH0855	189.89	215.72	-49.54
DDH0855	195.99	215.79	-49.52
DDH0855	202.08	215.72	-49.55
DDH0855	208.18	215.55	-49.53
DDH0855	214.27	215.15	-49.5
DDH0855	220.37	214.93	-49.49
DDH0855	226.47	214.9	-49.59
DDH0855	232.56	214.93	-49.68
DDH0855	238.66	215.09	-49.8
DDH0855	244.75	215.39	-49.93
DDH0855	250.85	215.47	-50.02
DDH0855	256.95	215.74	-50.07
DDH0855	263.04	215.64	-50.1
DDH0855	269.14	215.93	-50.14
DDH0855	275.23	215.76	-50.09
DDH0855	281.33	215.61	-49.97
DDH0855	287.43	215.22	-49.95
DDH0855	293.52	214.89	-49.88
DDH0855	299.62	214.87	-49.85
DDH0855	305.71	214.8	-49.9
DDH0855	311.81	215.37	-49.91

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0855	317.91	215.47	-50
DDH0855	324	215.59	-49.98
DDH0855	330.1	215.75	-50.03
DDH0855	336.19	215.97	-50.03
DDH0855	342.29	216.06	-50.03
DDH0855	348.39	216.16	-50.07
DDH0855	354.48	216.11	-50.1
DDH0855	360.58	216.15	-50.18
DDH0855	366.67	216.73	-50.14
DDH0855	372.77	216.13	-50.02
DDH0855	378.87	216.13	-50
DDH0855	384.96	216.19	-49.96
DDH0855	391.06	216.16	-49.93
DDH0855	397.15	216.07	-49.9
DDH0855	403.25	216.16	-49.92
DDH0855	409.35	216.04	-49.89
DDH0855	415.44	215.96	-49.87
DDH0855	421.54	215.99	-49.91
DDH0855	427.63	216.07	-49.85
DDH0855	433.73	216.08	-49.87
DDH0855	439.83	215.95	-49.9
DDH0855	445.92	216.1	-49.9
DDH0855	452.02	216.04	-49.85
DDH0855	458.11	215.91	-49.83
DDH0855	464.21	215.82	-49.79
DDH0855	470.31	215.65	-49.77
DDH0855	476.4	215.59	-49.7
DDH0855	482.5	215.54	-49.67
DDH0855	488.59	215.67	-49.67
DDH0855	494.69	215.63	-49.68
DDH0855	500.79	215.58	-49.66
DDH0855	506.88	215.12	-49.58
DDH0855	512.98	215.51	-49.58
DDH0855	519.07	215.38	-49.54
DDH0855	525.17	215.41	-49.48
DDH0855	531.27	215.46	-49.48
DDH0855	537.36	215.44	-49.44
DDH0855	543.46	215.62	-49.44
DDH0855	549.55	215.7	-49.35
DDH0855	555.65	215.83	-49.25
DDH0855	561.75	215.87	-49.24
DDH0855	567.84	215.96	-49.12
DDH0855	573.94	216.08	-49.2
DDH0856	0	123	-79
DDH0856	1.52	123.86	-77.15
DDH0856	7.62	124	-77.24
DDH0856	13.72	124.14	-76.6
DDH0856	19.81	124.28	-76.88
DDH0856	25.91	124.42	-76.93

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0856	32	124.56	-77.1
DDH0856	38.1	124.7	-77.04
DDH0856	44.2	124.84	-77.04
DDH0856	50.29	125.14	-77.11
DDH0856	56.39	125.25	-76.97
DDH0856	62.48	125.33	-76.89
DDH0856	68.58	125.78	-76.81
DDH0856	74.68	126.24	-76.82
DDH0856	80.77	125.39	-76.73
DDH0856	86.87	125.3	-76.57
DDH0856	92.97	125.28	-76.45
DDH0856	99.06	125.43	-76.28
DDH0856	105.16	126.17	-76.14
DDH0856	111.25	126.74	-76.01
DDH0856	117.35	127.79	-75.99
DDH0856	123.45	129.12	-75.99
DDH0856	129.54	130.28	-76.02
DDH0856	135.64	130.55	-76
DDH0856	141.73	130.84	-75.96
DDH0856	147.83	130.14	-75.85
DDH0856	153.93	129.99	-75.71
DDH0856	160.02	129.76	-75.4
DDH0856	166.12	130.2	-75.17
DDH0856	172.21	130.67	-75.05
DDH0856	178.31	130.93	-74.89
DDH0856	184.41	131.06	-74.73
DDH0856	190.5	131.86	-74.65
DDH0856	196.6	132.27	-74.54
DDH0856	202.69	133.57	-74.62
DDH0856	208.79	134.39	-74.54
DDH0856	214.89	134.97	-74.49
DDH0856	220.98	135.43	-74.51
DDH0856	227.08	134.83	-74.35
DDH0856	233.17	134.69	-74.12
DDH0856	239.27	134.47	-73.87
DDH0856	245.37	134.69	-73.65
DDH0856	251.46	134.67	-73.38
DDH0856	257.56	134.99	-73.22
DDH0856	263.66	135.43	-73.01
DDH0856	269.75	136.14	-72.75
DDH0856	275.85	136.53	-72.58
DDH0856	281.94	137.64	-72.58
DDH0856	288.04	138.31	-72.5
DDH0856	294.14	139	-72.42
DDH0856	300.23	138.88	-72.36
DDH0856	306.33	139.15	-72.2
DDH0856	312.42	138.41	-71.97
DDH0856	318.52	138.47	-71.67
DDH0856	324.62	138.79	-71.49

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0856	330.71	139.37	-71.53
DDH0856	336.81	140.98	-71.56
DDH0856	342.9	141.41	-71.59
DDH0856	349	140.85	-71.41
DDH0856	355.1	140.4	-71.16
DDH0856	361.19	140.65	-70.98
DDH0856	367.29	142.11	-70.97
DDH0856	373.38	142.88	-70.96
DDH0856	379.48	141.79	-70.98
DDH0856	385.58	141.71	-70.72
DDH0856	391.67	142.96	-70.58
DDH0856	397.77	147.15	-70.8
DDH0856	403.86	144.18	-70.86
DDH0856	409.96	144.03	-70.59
DDH0856	416.06	145.8	-70.33
DDH0856	422.15	147.31	-70.47
DDH0856	428.25	146.79	-70.33
DDH0856	434.35	146.25	-70.06
DDH0856	440.44	147.32	-70.02
DDH0856	446.54	148.47	-70.2
DDH0857	0	143	-87
DDH0857	7.32	142.9478	-86.93
DDH0857	13.41	142.8956	-86.6
DDH0857	19.51	142.8433	-86.75
DDH0857	25.6	142.7911	-86.89
DDH0857	31.7	142.7389	-87.07
DDH0857	37.8	142.6867	-87.36
DDH0857	43.89	142.6344	-87.36
DDH0857	49.99	142.5822	-87.2
DDH0857	56.08	142.53	-87.32
DDH0857	62.18	126.34	-87.02
DDH0857	68.28	133.32	-86.99
DDH0857	74.37	122.22	-85.88
DDH0857	80.47	123.11	-85.3
DDH0857	86.56	122.35	-85.12
DDH0857	92.66	123.39	-84.99
DDH0857	98.76	126	-84.6
DDH0857	104.85	127.16	-84.35
DDH0857	110.95	128.74	-84.16
DDH0857	117.04	129.4	-83.76
DDH0857	123.14	131.34	-83.57
DDH0857	129.24	133.14	-83.25
DDH0857	135.33	133.18	-82.87
DDH0857	141.43	133.17	-82.61
DDH0857	147.52	133.49	-82.46
DDH0857	153.62	134.5	-82.3
DDH0857	159.72	134.85	-82.11
DDH0857	165.81	135.25	-82.05
DDH0857	171.91	135.32	-81.68

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0857	178.01	135.94	-81.46
DDH0857	184.1	137.53	-81.21
DDH0857	190.2	138.2	-81.04
DDH0857	196.29	139.5	-80.76
DDH0857	202.39	140.08	-80.74
DDH0857	208.49	140.49	-80.53
DDH0857	214.58	141.75	-80.33
DDH0857	220.68	150.15	-79.93
DDH0857	226.77	142.89	-79.87
DDH0857	232.87	142.78	-79.69
DDH0857	238.97	144.86	-79.79
DDH0857	245.06	144.8	-79.66
DDH0857	251.16	145.42	-79.56
DDH0857	257.25	145.68	-79.69
DDH0857	263.35	144.94	-79.58
DDH0857	269.45	144.29	-79.39
DDH0857	275.54	144.04	-79.14
DDH0857	281.64	143.26	-78.9
DDH0857	287.73	142	-78.61
DDH0857	293.83	141.61	-78.33
DDH0857	299.93	139.91	-78.22
DDH0857	306.02	141.72	-78.01
DDH0857	312.12	142.97	-77.84
DDH0857	318.22	144.19	-77.67
DDH0857	324.31	144.78	-77.55
DDH0857	330.41	145.76	-78.89
DDH0857	336.5	143.2	-77.5
DDH0857	342.6	145.32	-77.27
DDH0857	348.7	143.53	-77.06
DDH0857	354.79	141.71	-76.62
DDH0857	360.89	141.3	-76.14
DDH0857	366.98	143.43	-75.8
DDH0857	373.08	145.04	-75.68
DDH0858	0	144	-57
DDH0858	7.32	144.59	-58.57
DDH0858	13.41	145.18	-58.93
DDH0858	19.51	145.77	-58.57
DDH0858	25.6	146.36	-58.06
DDH0858	31.7	146.95	-56.9
DDH0858	37.8	147.54	-55.62
DDH0858	43.89	148.13	-54.66
DDH0858	49.99	148.72	-53.7
DDH0858	56.08	149.31	-53.21
DDH0858	62.18	149.9	-52.86
DDH0858	68.28	150.49	-52.83
DDH0858	74.37	151.08	-52.97
DDH0858	80.47	151.67	-53.12
DDH0858	86.56	152.26	-52.74
DDH0858	92.66	152.88	-52.71

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0858	98.76	153.33	-52.62
DDH0858	104.85	153.5	-52.52
DDH0858	110.95	153.77	-52.42
DDH0858	117.04	153.98	-52.38
DDH0858	123.14	153.96	-52.31
DDH0858	129.24	154.19	-52.21
DDH0858	135.33	154.04	-52.14
DDH0858	141.43	154.1	-52.06
DDH0858	147.52	154.37	-51.96
DDH0858	153.62	154.63	-51.87
DDH0858	159.72	154.69	-51.86
DDH0858	165.81	154.76	-51.88
DDH0858	171.91	154.81	-51.9
DDH0858	178	154.95	-51.87
DDH0858	184.1	155.07	-51.9
DDH0858	190.2	155.21	-51.78
DDH0858	196.29	155.68	-51.76
DDH0858	202.39	155.55	-51.76
DDH0858	208.48	155.51	-51.76
DDH0858	214.58	155.74	-51.72
DDH0858	220.68	155.86	-51.71
DDH0858	226.77	155.8	-51.7
DDH0858	232.87	155.99	-51.69
DDH0858	238.96	156.06	-51.68
DDH0858	245.06	156.12	-51.69
DDH0859	0	0	90
DDH0859	10.36	0	-89.61
DDH0859	16.46	0	-88.93
DDH0859	22.56	0	-89.52
DDH0859	28.65	0	-89.69
DDH0859	34.75	0	-89.53
DDH0859	40.84	0	-89.72
DDH0859	46.94	0	-89.78
DDH0859	53.04	0	-89.71
DDH0859	59.13	0	-89.72
DDH0859	65.23	0	-89.58
DDH0859	71.32	0	-89.66
DDH0859	77.42	0	-89.77
DDH0859	83.52	0	-89.76
DDH0859	89.61	0	-89.79
DDH0859	95.71	0	-89.79
DDH0859	101.8	0	-89.83
DDH0859	107.9	0	-89.72
DDH0859	114	0	-89.73
DDH0859	120.09	0	-89.67
DDH0859	126.19	0	-89.71
DDH0859	132.28	0	-89.66
DDH0859	138.38	0	-89.18
DDH0859	144.48	148.6	-88.46

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0859	150.57	146.99	-87.56
DDH0859	156.67	147.1	-86.82
DDH0859	162.76	153.57	-86.35
DDH0859	168.86	156.48	-86.25
DDH0859	174.96	155.65	-86.26
DDH0859	181.05	153.75	-86.21
DDH0859	187.15	152.83	-85.97
DDH0859	193.24	152.29	-85.68
DDH0859	199.34	150.72	-85.18
DDH0859	205.44	153.56	-84.79
DDH0859	211.53	156.37	-84.78
DDH0859	217.63	156.96	-84.9
DDH0859	223.72	153.37	-84.57
DDH0859	229.82	156.81	-84.52
DDH0859	235.92	157.96	-84.63
DDH0859	242.01	158.71	-84.79
DDH0859	248.11	157.37	-84.83
DDH0859	254.2	154.97	-84.71
DDH0859	260.3	154.82	-84.39
DDH0859	266.4	157.96	-84.22
DDH0859	272.49	161.32	-84.34
DDH0859	278.59	160.08	-84.33
DDH0859	284.68	157.97	-84.44
DDH0859	290.78	155.39	-84.26
DDH0859	296.88	156.29	-84.01
DDH0859	302.97	159.81	-83.95
DDH0859	309.07	159.93	-84.08
DDH0859	315.16	158.56	-84.18
DDH0859	321.26	156.34	-84.03
DDH0859	327.36	155.9	-83.69
DDH0859	333.45	157.26	-83.45
DDH0859	339.55	160.14	-83.46
DDH0859	345.64	160.7	-83.66
DDH0859	351.74	159.64	-83.6
DDH0859	357.84	158	-83.42
DDH0859	363.93	158.9	-83.11
DDH0859	370.03	162.55	-83.06
DDH0859	376.12	161.45	-83.26
DDH0859	382.22	158.87	-82.97
DDH0859	388.32	161.03	-82.61
DDH0859	394.41	163.86	-82.59
DDH0859	400.51	160.36	-82.66
DDH0859	406.6	161.39	-82.28
DDH0859	412.7	162.18	-82.41
DDH0859	418.8	160.98	-81.95
DDH0859	424.89	164.27	-82.03
DDH0859	430.99	162.01	-82.18
DDH0859	437.08	164.97	-81.96
DDH0859	443.18	162.41	-82.02

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0859	449.28	162.2	-81.61
DDH0859	455.37	164.84	-81.72
DDH0859	461.47	162.39	-81.6
DDH0859	467.56	164.82	-81.21
DDH0859	473.66	165.22	-81.42
DDH0859	479.76	162.16	-81.15
DDH0859	485.85	165.14	-80.87
DDH0860	0	0	-90
DDH0860	1.52	299.14	-89.58
DDH0860	7.62	348.61	-89.76
DDH0860	13.72	262.38	-89.83
DDH0860	19.81	256.77	-89.46
DDH0860	25.91	113.13	-89.09
DDH0860	32	238.82	-89.14
DDH0860	38.1	75.4	-89.3
DDH0860	44.2	92.1	-89.5
DDH0860	50.29	335.87	-89.78
DDH0860	56.39	326.36	-89.81
DDH0860	62.48	305.22	-89.88
DDH0860	68.58	101.35	-89.77
DDH0860	74.68	105.6	-89.78
DDH0860	80.77	257.16	-89.46
DDH0860	86.87	100.57	-89.75
DDH0860	92.96	72.83	-89.79
DDH0860	99.06	100.31	-89.74
DDH0860	105.16	198.88	-89.89
DDH0860	111.25	136.88	-89.79
DDH0860	117.35	162.19	-89.75
DDH0860	123.44	160.8	-89.5
DDH0860	129.54	153.81	-89.27
DDH0860	135.64	144.99	-89.21
DDH0860	141.73	141.18	-89.18
DDH0860	147.83	142.93	-89.15
DDH0860	153.92	158.5	-89.03
DDH0860	160.02	161.23	-88.93
DDH0860	166.12	161.8	-88.72
DDH0860	172.21	160.25	-88.57
DDH0860	178.31	157.77	-88.4
DDH0860	184.4	155.75	-88.41
DDH0860	190.5	153.13	-88.4
DDH0860	196.6	151.26	-88.33
DDH0860	202.69	151.4	-88.31
DDH0860	208.79	150.99	-88.29
DDH0860	214.88	150.1	-88.31
DDH0860	220.98	152.28	-88.26
DDH0860	227.08	153	-88.15
DDH0860	233.17	157.06	-88.1
DDH0860	239.27	159.64	-87.78
DDH0860	245.36	158.12	-87.66

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0860	251.46	161.64	-87.57
DDH0860	257.56	158.57	-87.39
DDH0860	263.65	159.42	-87.3
DDH0860	269.75	160.08	-87.16
DDH0860	275.84	160.32	-87.1
DDH0860	281.94	159.42	-87.07
DDH0860	288.04	158.65	-86.98
DDH0860	294.13	158.15	-86.85
DDH0860	300.23	156.51	-86.73
DDH0860	306.32	155.32	-86.6
DDH0860	312.42	154.97	-86.54
DDH0860	318.52	154.73	-86.53
DDH0860	324.61	155.24	-86.56
DDH0860	330.71	155.3	-86.62
DDH0860	336.8	155.25	-86.61
DDH0860	342.9	154.55	-86.61
DDH0860	349	154.87	-86.55
DDH0860	355.09	153.98	-86.53
DDH0860	361.19	152.62	-86.51
DDH0860	367.28	152.07	-86.45
DDH0860	373.38	152.17	-86.33
DDH0860	379.48	151.6	-86.37
DDH0860	385.57	150.75	-86.26
DDH0860	391.67	151.6	-86.29
DDH0860	397.76	150.73	-86.24
DDH0860	403.86	151.4	-86.23
DDH0860	409.96	151.84	-86.17
DDH0860	416.05	151.49	-86.14
DDH0860	422.15	151.54	-86.07
DDH0860	428.24	152.3	-85.97
DDH0860	434.34	151.53	-85.97
DDH0860	440.44	152.06	-85.83
DDH0861	0	105	-66
DDH0861	0.37	105.65	-66.94
DDH0861	2.23	106.3	-67.02
DDH0861	4.09	106.95	-64.65
DDH0861	5.95	107.6	-67.07
DDH0861	7.8	108.25	-67.41
DDH0861	9.66	108.9	-67.3
DDH0861	11.52	109.55	-67.06
DDH0861	13.38	110.2	-66.74
DDH0861	15.24	110.85	-66.35
DDH0861	17.09	111.5	-65.95
DDH0861	18.95	112.15	-65.74
DDH0861	20.81	112.8	-65.64
DDH0861	22.67	113.45	-65.7
DDH0861	24.53	114.1	-65.88
DDH0861	26.38	114.75	-65.82
DDH0861	28.24	115.4	-65.84

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0861	30.1	116.05	-65.64
DDH0861	31.96	116.7	-65.51
DDH0861	33.82	116.88	-65.63
DDH0861	35.67	117.61	-65.4
DDH0861	37.53	117.9	-65.32
DDH0861	39.39	118.01	-65.28
DDH0861	41.25	118.66	-65.2
DDH0861	43.11	118.9	-65.13
DDH0861	44.96	119.45	-64.92
DDH0861	46.82	119.71	-64.9
DDH0861	48.68	120.09	-64.7
DDH0861	50.54	120.59	-64.52
DDH0861	52.4	120.72	-64.24
DDH0861	54.26	121.58	-64.27
DDH0861	56.11	121.85	-64.15
DDH0861	57.97	122.15	-63.94
DDH0861	59.83	122.32	-63.82
DDH0861	61.69	122.52	-63.78
DDH0861	63.55	123.12	-63.73
DDH0861	65.4	123.68	-63.57
DDH0861	67.26	123.62	-63.52
DDH0861	69.12	123.7	-63.41
DDH0861	70.98	123.82	-63.31
DDH0861	72.84	123.67	-63.24
DDH0861	74.69	123.96	-63.11
DDH0861	76.55	124.22	-62.86
DDH0861	78.41	124.77	-62.63
DDH0861	80.27	124.78	-62.33
DDH0861	82.13	125.2	-62.05
DDH0861	83.98	125.74	-61.9
DDH0862	6.06	137.68	-72.16
DDH0862	12.16	137.27	-72.63
DDH0862	18.27	136.9	-72.86
DDH0862	24.37	136.54	-72.87
DDH0862	30.46	136.93	-73.15
DDH0862	36.54	136.79	-73.14
DDH0862	42.66	136.88	-73.15
DDH0862	48.74	136.94	-73.01
DDH0862	54.85	136.91	-72.74
DDH0862	60.92	136.53	-72.75
DDH0862	67.04	136.49	-72.59
DDH0862	73.14	136.33	-72.63
DDH0862	79.25	136.62	-72.57
DDH0862	85.33	136.96	-72.5
DDH0862	91.43	137.1	-72.44
DDH0862	95.4	137.17	-72.29
DDH0862	97.51	137.13	-72.25
DDH0862	103.61	137.48	-72.01
DDH0862	109.72	137.66	-71.73

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0862	115.8	137.95	-71.53
DDH0862	121.88	137.84	-71.46
DDH0862	127.97	137.92	-71.34
DDH0862	134.09	137.95	-71.09
DDH0862	140.19	138.28	-70.96
DDH0862	146.28	138.56	-70.83
DDH0862	152.39	139.06	-70.73
DDH0862	158.49	139.38	-70.62
DDH0862	164.55	139.96	-70.39
DDH0862	170.68	140.56	-70.1
DDH0862	176.78	141.22	-69.85
DDH0862	182.87	142.12	-69.57
DDH0862	188.95	142.58	-69.35
DDH0862	195.05	142.94	-69.11
DDH0862	201.15	142.96	-68.81
DDH0862	207.25	143.13	-68.66
DDH0862	213.33	143.54	-68.57
DDH0862	219.45	143.88	-68.39
DDH0862	225.55	143.98	-68.35
DDH0862	231.64	144.39	-68.13
DDH0862	237.74	144.86	-67.98
DDH0862	243.82	145.09	-67.81
DDH0862	249.94	145.47	-67.72
DDH0862	256.02	145.73	-67.59
DDH0862	262.11	145.99	-67.44
DDH0862	268.2	146.32	-67.32
DDH0862	274.31	146.67	-67.19
DDH0862	280.42	146.85	-67.14
DDH0862	286.47	147.05	-67.13
DDH0862	292.57	147.02	-67.15
DDH0862	298.7	147.1	-67.02
DDH0862	304.79	147.3	-66.95
DDH0862	309.83	147.45	-66.92
DDH0863	0	91.46	-65.61
DDH0863	6.09	90.41	-65.03
DDH0863	12.16	90.67	-64.77
DDH0863	18.23	91.23	-64.73
DDH0863	24.38	92.45	-64.68
DDH0863	30.47	93.6	-64.74
DDH0863	36.56	94.47	-64.74
DDH0863	42.62	95.44	-64.66
DDH0863	48.72	96.98	-64.47
DDH0863	54.86	98.13	-64.27
DDH0863	60.92	99.42	-63.88
DDH0863	66.99	100.6	-63.6
DDH0863	73.14	101.34	-63.33
DDH0863	79.25	101.71	-63.12
DDH0863	85.34	101.89	-63.04
DDH0863	91.43	101.96	-63.05

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0863	97.51	102.11	-62.99
DDH0863	103.6	102.15	-62.96
DDH0863	109.71	102.27	-62.92
DDH0863	115.8	102.66	-62.85
DDH0863	121.9	103.09	-62.77
DDH0863	128.01	103.4	-62.72
DDH0863	134.1	103.81	-62.62
DDH0863	140.21	104.31	-62.52
DDH0863	146.25	104.58	-62.46
DDH0863	152.37	104.98	-62.47
DDH0863	158.46	105.53	-62.34
DDH0863	164.59	105.96	-62.28
DDH0863	170.64	106.38	-62.26
DDH0863	176.76	106.68	-62.23
DDH0863	182.85	107.07	-62.2
DDH0863	188.97	107.46	-62.09
DDH0863	195.06	107.6	-61.98
DDH0863	201.17	107.65	-61.89
DDH0863	206.35	107.85	-61.87
DDH0863	206.41	107.84	-61.76
DDH0863	207.27	107.85	-61.75
DDH0863	213.36	108.2	-61.65
DDH0863	219.46	108.31	-61.59
DDH0863	225.52	108.6	-61.49
DDH0863	231.62	108.81	-61.39
DDH0863	237.72	108.91	-61.33
DDH0863	243.81	109.08	-61.25
DDH0863	249.89	109.35	-61.21
DDH0863	256.03	109.43	-61.16
DDH0863	257.26	109.43	-61.16
DDH0864	6.05	122.18	-64.83
DDH0864	12.17	122.01	-65.26
DDH0864	18.29	121.89	-64.73
DDH0864	24.38	121.76	-63.94
DDH0864	30.48	121.51	-64.12
DDH0864	36.56	120.95	-63.79
DDH0864	42.66	120.87	-63.24
DDH0864	48.75	121.07	-62.93
DDH0864	54.75	120.26	-62.8
DDH0864	54.85	121.08	-62.84
DDH0864	60.94	121.59	-62.55
DDH0864	67.04	122.14	-62.28
DDH0864	73.13	122.59	-62.06
DDH0864	79.24	123.02	-61.85
DDH0864	85.31	123.56	-61.61
DDH0864	91.41	123.87	-61.41
DDH0864	97.51	124.2	-61.28
DDH0864	103.63	125.04	-60.72
DDH0864	109.7	125.97	-60.05

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0864	111.17	126.26	-59.83
DDH0865	6.09	267.89	-66.33
DDH0865	12.17	268.16	-66.33
DDH0865	18.27	268.14	-66.45
DDH0865	24.36	268.22	-66.56
DDH0865	30.45	268.71	-66.55
DDH0865	36.54	268.85	-66.5
DDH0865	42.64	268.61	-66.55
DDH0865	48.73	268.13	-66.27
DDH0865	54.86	267.46	-66.14
DDH0865	60.95	267.17	-66.02
DDH0865	67.04	266.79	-65.82
DDH0865	70.36	266.41	-65.77
DDH0866	0	167.94	-59.06
DDH0866	0.05	167.96	-59
DDH0866	6.03	168.29	-58.65
DDH0866	12.19	168.26	-58.88
DDH0866	18.26	167.57	-58.86
DDH0866	24.34	167.32	-58.52
DDH0866	30.46	167.09	-58.13
DDH0866	36.57	166.41	-58.94
DDH0866	42.64	165.77	-58.51
DDH0866	48.72	165.37	-57.91
DDH0866	54.86	164.96	-57.55
DDH0866	60.91	164.9	-57.23
DDH0866	67	164.81	-56.76
DDH0866	73.1	164.83	-56.48
DDH0866	79.19	164.95	-56.15
DDH0866	85.33	165.4	-55.78
DDH0866	91.44	165.65	-55.26
DDH0866	97.54	165.73	-54.8
DDH0866	103.59	166.02	-54.58
DDH0866	109.72	166.24	-54.27
DDH0866	112.26	166.34	-54.19
DDH0867	0	47.83	-67.24
DDH0867	6.09	46.66	-67.57
DDH0867	12.14	46.47	-66.91
DDH0867	18.28	47.37	-66.75
DDH0867	24.37	47.32	-67.07
DDH0867	30.45	46.84	-67.25
DDH0867	36.53	47.44	-67.38
DDH0867	42.65	48.33	-67.51
DDH0867	48.72	49.67	-67.69
DDH0867	54.8	51.43	-67.81
DDH0867	60.89	53.15	-67.82
DDH0867	67.06	54.86	-67.73
DDH0867	69.4	55.33	-67.65
DDH0868	0	123.34	-72.16
DDH0868	6.07	123.41	-71.93

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0868	12.18	123.41	-71.23
DDH0868	18.26	123.54	-71.43
DDH0868	24.34	123.89	-71.42
DDH0868	30.42	124.43	-71.21
DDH0868	36.57	124.48	-71
DDH0868	42.67	124.77	-70.91
DDH0868	48.76	125.72	-70.71
DDH0868	54.86	126.3	-70.44
DDH0868	60.9	127.14	-70.09
DDH0868	67	127.85	-69.82
DDH0868	72.75	128.25	-69.57
DDH0869	0	153.48	-73.82
DDH0869	6.07	153.05	-73.66
DDH0869	12.15	153.03	-73.18
DDH0869	18.28	153.36	-72.8
DDH0869	24.36	153.05	-73.24
DDH0869	30.46	152.6	-73.58
DDH0869	36.55	153.27	-73.32
DDH0869	42.67	154.01	-73.15
DDH0869	48.77	154.07	-73.09
DDH0869	54.86	154.2	-73.13
DDH0869	60.95	154.22	-73.25
DDH0869	67.05	154.67	-73.2
DDH0869	73.11	155.59	-72.95
DDH0869	79.25	155.49	-72.79
DDH0869	85.32	154.97	-72.64
DDH0869	91.4	155.12	-72.35
DDH0869	94.46	155.03	-72.23
DDH0870	0	169.32	-67.02
DDH0870	6.07	169.33	-66.81
DDH0870	12.15	170.08	-65.9
DDH0870	18.22	169.82	-65.27
DDH0870	24.35	169.68	-65.82
DDH0870	30.43	170.26	-66.01
DDH0870	36.52	170.32	-65.63
DDH0870	42.61	170.68	-65.45
DDH0870	48.7	170.67	-64.95
DDH0870	54.8	170.44	-64.51
DDH0870	60.94	170.5	-64.05
DDH0870	67.04	170.07	-63.51
DDH0870	72.49	169.94	-62.76
DDH0871	0.01	218.65	-65.12
DDH0871	6.06	219.34	-64.9
DDH0871	12.16	219.73	-64.82
DDH0871	18.25	219.32	-64.99
DDH0871	24.34	218.2	-65.21
DDH0871	30.47	217.79	-64.74
DDH0871	36.58	217.41	-64.65
DDH0871	37.44	217.12	-64.78

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0871	42.67	216.76	-65.15
DDH0871	48.75	215.87	-64.88
DDH0871	54.83	214.45	-64.64
DDH0871	60.95	212.62	-64.23
DDH0871	67.05	210.72	-63.9
DDH0871	73.14	209.03	-63.54
DDH0871	79.22	207.56	-63.37
DDH0871	85.3	206.99	-63.26
DDH0871	91.4	206.7	-63.13
DDH0871	97.54	205.43	-62.85
DDH0871	103.59	203.96	-62.5
DDH0871	109.7	203.11	-62.26
DDH0871	115.8	201.94	-62.25
DDH0871	121.92	200.51	-62.14
DDH0871	127.99	199.76	-61.91
DDH0871	131.01	199.52	-61.85
DDH0872	6.09	308.62	-74.18
DDH0872	12.18	309.73	-74.13
DDH0872	18.24	312.5	-73.88
DDH0872	24.38	312	-73.52
DDH0872	30.47	310.57	-72.87
DDH0872	36.57	310.99	-73.04
DDH0872	42.65	311.11	-73.66
DDH0872	48.77	310.43	-73.6
DDH0872	54.84	310.18	-73.69
DDH0872	60.94	308.99	-73.9
DDH0872	64.07	308.5	-73.92
DDH0873	0	170.02	-46.25
DDH0873	6.06	170.01	-47.29
DDH0873	6.73	169.83	-48.12
DDH0873	7.11	169.85	-48.26
DDH0873	7.62	170.07	-48.07
DDH0873	7.63	170.08	-47.9
DDH0873	12.18	169.73	-46.16
DDH0873	18.25	169.59	-45.39
DDH0873	22.78	169.6	-46.23
DDH0873	23.48	169.73	-46.09
DDH0873	24.17	169.74	-46.21
DDH0873	24.34	169.43	-45.81
DDH0873	24.38	170.07	-46.2
DDH0873	24.93	170.07	-46.2
DDH0873	30.47	169.12	-45.65
DDH0873	36.53	168.82	-45.48
DDH0873	42.62	168.73	-45.36
DDH0873	48.74	168.67	-45.35
DDH0873	54.82	168.59	-45.29
DDH0873	60.92	168.66	-45.22
DDH0873	67.03	168.65	-45.18
DDH0873	73.15	168.59	-45.18

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0873	79.25	168.56	-45
DDH0873	85.34	168.56	-45
DDH0873	91.43	168.58	-44.7
DDH0873	91.79	168.73	-44.59
DDH0874	6.07	191.49	-54.31
DDH0874	12.17	192.5	-53.56
DDH0874	18.29	192.8	-53.5
DDH0874	24.34	192.32	-53.85
DDH0874	30.43	191.9	-53.49
DDH0874	36.57	191.77	-53.57
DDH0874	42.65	191.38	-53.47
DDH0874	48.74	190.62	-53.36
DDH0874	54.82	190.02	-53.43
DDH0874	60.93	189.04	-53.36
DDH0874	67.02	188.17	-53.39
DDH0874	73.12	187.06	-53.23
DDH0874	79.22	186.98	-53.13
DDH0874	85.33	186.82	-52.99
DDH0874	87.01	186.79	-52.92
DDH0875	0	13.5	-62.42
DDH0875	6.06	13.74	-61.93
DDH0875	12.17	15.41	-61.5
DDH0875	18.27	15.51	-61.69
DDH0875	24.32	15.11	-61.74
DDH0875	30.46	15.26	-61.71
DDH0875	36.53	15.34	-61.89
DDH0875	42.62	15.83	-61.88
DDH0875	48.74	16.67	-62.14
DDH0875	54.84	17.48	-62.22
DDH0875	60.93	18.46	-62.31
DDH0875	67	19.78	-62.56
DDH0875	73.14	20.35	-62.65
DDH0875	79.18	20.91	-62.58
DDH0875	81.84	20.8	-62.45
DDH0876	6.04	158.6	-61.89
DDH0876	12.13	158.44	-62.16
DDH0876	18.25	157.93	-62.02
DDH0876	24.31	157.77	-62.02
DDH0876	30.46	157.88	-62.02
DDH0876	36.57	157.83	-61.95
DDH0876	42.66	157.48	-62.13
DDH0876	48.76	157.16	-62.14
DDH0876	54.82	157.27	-62.1
DDH0876	60.9	157.5	-61.99
DDH0876	67	157.54	-61.98
DDH0876	73.1	157.9	-62.01
DDH0876	79.23	158.14	-61.91
DDH0876	82.59	158.08	-61.81
DDH0877	4.88	345.01	-82.71

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0877	10.97	348.36	-82.4
DDH0877	17.07	349.2	-82.18
DDH0877	23.17	350.24	-82.06
DDH0877	29.26	350.49	-81.97
DDH0877	35.36	352.63	-81.89
DDH0877	41.45	354.27	-81.92
DDH0877	47.55	354.75	-82.05
DDH0877	53.65	356.98	-82.15
DDH0877	59.74	355.7	-82.26
DDH0877	65.84	356.32	-82.37
DDH0877	71.93	355.54	-82.53
DDH0877	78.03	354.83	-82.68
DDH0877	84.13	353.73	-82.68
DDH0877	90.22	355.98	-82.78
DDH0877	96.32	358.57	-82.87
DDH0877	102.41	358.73	-82.98
DDH0877	108.51	359.93	-83.12
DDH0878	2.13	133.45	-79.99
DDH0878	8.23	133.62	-80.12
DDH0878	14.33	133.48	-80.17
DDH0878	20.42	134.87	-79.91
DDH0878	26.52	136.63	-79.28
DDH0878	32.61	138.19	-78.63
DDH0878	38.71	138.85	-78.23
DDH0878	44.81	139.19	-77.66
DDH0878	50.9	139.29	-76.91
DDH0878	57	140.28	-76.22
DDH0878	63.09	140.64	-75.86
DDH0878	69.19	140.93	-75.67
DDH0878	75.29	141.74	-75.57
DDH0878	81.38	143.17	-75.35
DDH0879	4.88	211.38	-84.38
DDH0879	10.97	211.1	-84.11
DDH0879	17.07	217.09	-83.56
DDH0879	23.17	218.7	-83.5
DDH0879	29.26	218.77	-83.61
DDH0879	35.36	216.21	-83.6
DDH0879	41.45	214.81	-83.42
DDH0879	47.55	214.53	-83.22
DDH0879	53.65	211.98	-83
DDH0879	59.74	211.72	-82.85
DDH0879	65.84	211.02	-82.68
DDH0879	71.93	210.76	-82.47
DDH0879	78.03	210.03	-82.22
DDH0880	0	285.01	-49.85
DDH0880	6.05	284.97	-49.53
DDH0880	12.14	285.1	-49.68
DDH0880	18.26	285.59	-49.9
DDH0880	24.36	286.14	-49.91

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0880	30.44	286.28	-49.99
DDH0880	36.56	286.41	-50.11
DDH0880	42.67	286.4	-50.07
DDH0880	48.77	286.25	-50.12
DDH0880	54.83	285.81	-50.23
DDH0880	60.92	285.72	-50.35
DDH0880	67.04	285.72	-50.39
DDH0880	73.13	285.5	-50.35
DDH0880	79.23	285.3	-50.24
DDH0880	85.34	285.19	-50.29
DDH0880	91.42	285.13	-50.19
DDH0880	97.51	284.84	-50.21
DDH0880	103.63	284.4	-50.22
DDH0880	109.72	284.28	-50.09
DDH0880	111.56	284.19	-49.99
DDH0881	0	221.58	-65.77
DDH0881	6.06	221.41	-65.69
DDH0881	12.12	220.76	-65.66
DDH0881	18.26	219.51	-65.59
DDH0881	24.34	218.46	-65.56
DDH0881	30.48	217.61	-65.57
DDH0881	36.53	216.83	-65.48
DDH0881	42.64	216.3	-65.32
DDH0881	48.74	215.83	-65.25
DDH0881	54.84	215.24	-65.17
DDH0881	60.89	214.9	-65.09
DDH0881	67.05	213.95	-65.06
DDH0881	73.07	213.4	-64.98
DDH0881	79.23	213.46	-64.67
DDH0881	85.28	213.15	-64.34
DDH0881	91.36	212.68	-64.04
DDH0881	94.03	212.72	-63.81
DDH0882	6.08	160.2	-71.89
DDH0882	12.15	159.14	-71.81
DDH0882	18.26	158.72	-71.83
DDH0882	24.36	158.58	-71.66
DDH0882	30.48	158.22	-71.72
DDH0882	36.57	158.52	-71.6
DDH0882	42.65	157.98	-71.27
DDH0882	48.73	157.48	-70.94
DDH0882	54.83	157.49	-70.7
DDH0882	60.96	157.43	-70.56
DDH0882	67.05	157.71	-70.37
DDH0882	73.15	157.42	-70.17
DDH0882	79.22	157.44	-69.82
DDH0882	85.31	157.18	-69.41
DDH0882	91.41	157.21	-69.21
DDH0882	97.5	157.12	-68.86
DDH0882	103.61	157.35	-68.59

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0882	109.7	157.72	-68.27
DDH0882	115.82	158.3	-67.94
DDH0882	121.9	158.74	-67.65
DDH0882	127.97	159.1	-67.36
DDH0882	134.11	159.37	-67.1
DDH0882	140.16	159.69	-66.86
DDH0882	146.28	160.04	-66.53
DDH0882	152.4	160.27	-66.11
DDH0882	158.47	160.17	-65.83
DDH0882	164.55	160.12	-65.65
DDH0882	170.64	160.06	-65.5
DDH0882	176.78	159.78	-65.28
DDH0882	182.86	159.68	-65.14
DDH0882	188.97	159.61	-65.04
DDH0882	195.06	159.79	-64.95
DDH0882	201.16	159.64	-64.88
DDH0882	207.26	159.67	-64.84
DDH0882	213.35	159.83	-64.76
DDH0882	219.46	159.82	-64.74
DDH0882	225.53	159.94	-64.8
DDH0882	231.63	160.1	-64.8
DDH0882	237.74	160.2	-64.67
DDH0882	238.76	160.2	-64.67
DDH0883	6.0503	158.76	-75.54
DDH0883	12.1737	157.79	-75.61
DDH0883	18.2209	157.74	-75.41
DDH0883	24.3505	157.81	-75.36
DDH0883	30.4526	157.53	-75.43
DDH0883	36.5486	157.18	-75.18
DDH0883	42.6415	156.65	-75.04
DDH0883	48.7223	156.06	-74.76
DDH0883	54.8549	155.94	-74.54
DDH0883	60.9173	155.92	-74.61
DDH0883	67.0438	155.93	-74.45
DDH0883	73.0971	156.29	-74.43
DDH0883	79.2358	156.8	-74.02
DDH0883	85.2952	157.24	-73.62
DDH0883	91.4065	157.14	-73.02
DDH0883	94.0948	156.87	-72.81
DDH0884	6.04	189.52	-59.3
DDH0884	12.17	188.82	-58.98
DDH0884	18.29	188.51	-59.1
DDH0884	24.33	188.21	-58.85
DDH0884	30.46	187.86	-58.69
DDH0884	36.57	187.69	-58.35
DDH0884	42.64	187.63	-57.95
DDH0884	48.7	187.42	-57.88
DDH0884	54.83	187.24	-57.86
DDH0884	60.92	187.08	-57.92

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0884	67.01	187.05	-57.86
DDH0884	73.11	186.89	-57.76
DDH0884	79.2	186.73	-57.64
DDH0884	85.33	186.51	-57.61
DDH0884	91.43	186.35	-57.6
DDH0884	97.51	186.22	-57.58
DDH0884	103.56	186.1	-57.47
DDH0884	109.67	185.93	-57.56
DDH0884	115.78	185.71	-57.59
DDH0884	121.58	185.54	-57.53
DDH0885	6.09	181.28	-42.67
DDH0885	12.19	181.33	-42.44
DDH0885	18.27	180.83	-42.08
DDH0885	24.33	180.56	-41.92
DDH0885	30.47	180.44	-42.13
DDH0885	36.56	180.12	-42.2
DDH0885	42.67	179.83	-42.35
DDH0885	48.72	179.5	-42.72
DDH0885	54.86	179.26	-43.08
DDH0885	60.94	179.36	-43.25
DDH0885	67.04	179.42	-43.42
DDH0885	73.14	179.32	-43.51
DDH0885	79.22	179.2	-43.51
DDH0885	85.31	179.17	-43.63
DDH0885	91.41	179.18	-43.69
DDH0885	97.53	179.48	-43.77
DDH0885	99.36	179.52	-43.79
DDH0886	6.08	239.98	-60.27
DDH0886	12.13	239.68	-60.14
DDH0886	18.25	239.48	-60.06
DDH0886	24.38	238.99	-60.55
DDH0886	30.46	239.06	-60.85
DDH0886	36.54	239.16	-61.19
DDH0886	42.65	239.07	-61.37
DDH0886	48.72	238.65	-61.49
DDH0886	54.82	238.65	-61.48
DDH0886	60.91	238.61	-61.56
DDH0886	67	238.31	-61.61
DDH0886	73.13	238.35	-61.76
DDH0886	79.2	238.15	-61.79
DDH0886	85.29	237.55	-61.58
DDH0886	91.41	237.34	-61.57
DDH0886	97.51	236.94	-61.55
DDH0886	103.57	235.99	-61.76
DDH0886	109.67	234.1	-61.93
DDH0886	115.79	233.9	-62.02
DDH0886	121.9	233.23	-61.87
DDH0886	125.08	232.94	-61.81
DDH0887	0	168.6	-69.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0887	6.04	171.32	-68.89
DDH0887	12.18	171.13	-68.34
DDH0887	18.27	170.69	-67.79
DDH0887	24.36	170.47	-67.11
DDH0887	30.43	170.21	-66.44
DDH0887	36.55	169.64	-65.76
DDH0887	42.65	169.22	-65.03
DDH0887	48.7	168.77	-64.35
DDH0887	54.82	168.34	-63.58
DDH0887	60.91	168.12	-63.02
DDH0887	67.03	167.86	-62.79
DDH0887	73.15	167.49	-62.5
DDH0887	79.22	167.18	-62.25
DDH0887	85.32	166.74	-62.01
DDH0887	91.44	166.61	-61.89
DDH0887	97.49	166.71	-61.69
DDH0887	103.57	166.73	-61.66
DDH0887	109.68	166.79	-61.57
DDH0887	115.77	166.9	-61.56
DDH0887	121.92	166.9	-61.42
DDH0887	122.1	166.9	-61.42
DDH0888	0	179.7	-60.7
DDH0888	6.07	181.18	-59.89
DDH0888	12.17	180.84	-59.98
DDH0888	18.28	180.52	-59.83
DDH0888	24.38	180.1	-59.47
DDH0888	30.47	180.15	-59.3
DDH0888	36.54	180.55	-58.96
DDH0888	42.65	180.9	-58.56
DDH0888	48.77	180.6	-58.33
DDH0888	54.85	180.19	-58.75
DDH0888	60.94	180.46	-58.83
DDH0888	67.04	180.34	-58.75
DDH0888	73.13	180.52	-58.66
DDH0888	79.25	180.64	-58.77
DDH0888	85.31	181.02	-58.93
DDH0888	89.85	181.19	-59.02
DDH0889	0	149.1	-60.2
DDH0889	6.03	149.01	-59.97
DDH0889	12.14	148.93	-59.36
DDH0889	18.24	148.56	-58.47
DDH0889	24.35	148.53	-57.96
DDH0889	30.44	148.65	-57.54
DDH0889	36.52	148.64	-57.15
DDH0889	42.66	148.58	-56.93
DDH0889	48.73	148.47	-56.71
DDH0889	54.86	148.55	-56.52
DDH0889	60.89	148.68	-56.36
DDH0889	67	148.92	-56.25

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0889	73.1	149.02	-56.13
DDH0889	79.23	149.47	-56.1
DDH0889	85.29	149.64	-56.12
DDH0889	91.43	149.74	-56.12
DDH0889	97.53	149.77	-56.13
DDH0889	103.58	149.89	-56.16
DDH0889	109.7	150.06	-56.18
DDH0889	115.56	150.03	-56.12
DDH0890	0	212	-78
DDH0890	6.06	211.39	-77.81
DDH0890	12.14	209.29	-78
DDH0890	18.23	207.32	-77.78
DDH0890	24.38	204.56	-77.46
DDH0890	30.46	203.22	-77.2
DDH0890	36.52	201.91	-76.79
DDH0890	42.64	199.88	-76.3
DDH0890	48.71	197.81	-75.67
DDH0890	54.81	196.46	-74.87
DDH0890	60.91	194.82	-73.94
DDH0890	67.01	194.07	-73.17
DDH0890	73.1	193.7	-72.43
DDH0890	79.23	193.05	-71.64
DDH0890	85.34	192.47	-71.14
DDH0890	91.4	192.2	-70.61
DDH0890	97.53	192.02	-70.02
DDH0890	100.23	191.78	-69.83
DDH0891	0	190	-48
DDH0891	6.1	189.01	-47.23
DDH0891	12.19	188.66	-46.8
DDH0891	18.26	188.3	-46.77
DDH0891	24.37	188.18	-46.7
DDH0891	30.47	188.03	-46.73
DDH0891	36.57	187.96	-46.71
DDH0891	42.65	187.92	-46.71
DDH0891	48.74	187.92	-46.68
DDH0891	54.83	187.88	-46.67
DDH0891	60.96	187.96	-46.56
DDH0891	67.04	187.98	-46.48
DDH0891	73.1	187.97	-46.47
DDH0891	79.24	188.03	-46.47
DDH0891	85.34	187.98	-46.46
DDH0891	91.43	187.95	-46.4
DDH0891	97.52	187.98	-46.34
DDH0891	103.61	187.96	-46.31
DDH0891	109.7	187.9	-46.27
DDH0891	115.79	187.8	-46.25
DDH0891	118.5	187.85	-46.22
DDH0892	0	238.9	-59.5
DDH0892	6.04	239.73	-45.33

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0892	12.14	239.55	-45.65
DDH0892	18.23	239.7	-45.26
DDH0892	24.38	240.04	-45.43
DDH0892	30.43	239.99	-45.72
DDH0892	36.53	239.96	-46.03
DDH0892	42.65	240.62	-45.9
DDH0892	48.73	240.2	-46.42
DDH0892	54.83	240.45	-46.53
DDH0892	60.92	240.2	-46.7
DDH0892	66.99	240.07	-46.91
DDH0892	73.14	240.01	-47.12
DDH0892	79.2	239.79	-47.36
DDH0892	85.33	239.46	-47.5
DDH0892	91.36	239.07	-47.55
DDH0892	97.49	238.54	-47.66
DDH0892	103.62	238	-47.84
DDH0892	109.67	237.74	-47.89
DDH0892	115.82	237.31	-47.75
DDH0892	121.87	236.95	-47.64
DDH0892	128.01	236.42	-47.59
DDH0892	134.1	236.09	-47.49
DDH0892	140.16	235.68	-47.43
DDH0893	6.07	142.5	-45.04
DDH0893	12.14	142.71	-44.81
DDH0893	18.28	142.88	-44.67
DDH0893	24.33	143.05	-44.7
DDH0893	30.47	143.23	-44.73
DDH0893	36.52	143.43	-44.64
DDH0893	42.65	143.71	-44.58
DDH0893	48.74	144.18	-44.4
DDH0893	54.8	144.49	-44.3
DDH0893	60.94	144.87	-44.29
DDH0893	66.99	145.03	-44.21
DDH0893	73.12	145.19	-44.11
DDH0893	79.24	145.53	-43.77
DDH0893	81.16	145.55	-43.65
DDH0894	0	193	-72.2
DDH0894	6.07	193.81	-72.13
DDH0894	12.16	192.33	-72.38
DDH0894	18.25	191.33	-72.42
DDH0894	24.35	190.45	-72.27
DDH0894	30.45	189.44	-71.91
DDH0894	36.54	188.74	-71.63
DDH0894	42.66	188.24	-71.49
DDH0894	48.74	187.2	-71.27
DDH0894	54.83	185.57	-70.67
DDH0894	60.92	184.67	-70.11
DDH0894	67.03	183.6	-69.71
DDH0894	73.13	182.44	-69.37

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0894	79.22	181.61	-69
DDH0894	85.31	181.21	-69.02
DDH0894	90.61	181.16	-69.13
DDH0895	0	149.3	-52.2
DDH0895	6.08	151.15	-50.33
DDH0895	12.18	151.41	-50.09
DDH0895	18.27	152.02	-49.83
DDH0895	24.35	152.61	-49.13
DDH0895	30.48	152.67	-48.91
DDH0895	36.53	152.58	-48.9
DDH0895	42.65	152.6	-48.88
DDH0895	48.74	152.79	-48.82
DDH0895	54.83	152.78	-48.75
DDH0895	60.92	152.95	-48.75
DDH0895	67.04	153.2	-48.73
DDH0895	73.12	153.42	-48.68
DDH0895	79.21	153.46	-48.56
DDH0895	85.32	153.25	-48.5
DDH0895	91.43	153.23	-48.47
DDH0895	97.49	153.17	-48.46
DDH0895	103.61	153.12	-48.37
DDH0895	109.7	153.21	-48.29
DDH0895	115.8	153.04	-48.11
DDH0895	121.92	153	-48.06
DDH0895	124.21	153.01	-48.05
DDH0896	0	257.1	-72.7
DDH0896	6.05	257.6	-72.01
DDH0896	12.12	257.87	-72.05
DDH0896	18.26	258.26	-72.03
DDH0896	24.33	258.18	-72.18
DDH0896	30.46	257.84	-72.19
DDH0896	36.52	257.55	-72.24
DDH0896	42.66	256.69	-72.42
DDH0896	48.75	256.1	-72.52
DDH0896	54.81	255.82	-72.66
DDH0896	60.9	255.73	-72.72
DDH0896	67.02	255.37	-72.78
DDH0896	73.14	255.31	-72.82
DDH0896	79.21	254.7	-72.85
DDH0896	81.93	254.93	-72.84
DDH0897	0	77.5	-69.4
DDH0897	6.05	78.12	-69.52
DDH0897	12.16	78.76	-69.03
DDH0897	18.27	78.97	-69.17
DDH0897	24.38	79.05	-69.13
DDH0897	30.45	79.61	-69.11
DDH0897	36.53	80.46	-69.08
DDH0897	42.67	80.97	-69.07
DDH0897	48.72	81.42	-69.05

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0897	54.84	81.87	-69.08
DDH0897	60.92	82.24	-69.08
DDH0897	67	82.76	-69.11
DDH0897	73.12	83.38	-69.17
DDH0897	79.2	83.65	-69.18
DDH0897	85.34	84.19	-69.11
DDH0897	91.44	84.83	-69.11
DDH0897	97.54	85.29	-69.15
DDH0897	103.61	85.7	-69.1
DDH0897	106.25	85.79	-69.04
DDH0898	0	120.89	-67.34
DDH0898	6.06	119.73	-67.48
DDH0898	12.19	119.7	-67.41
DDH0898	18.29	120.44	-67.22
DDH0898	24.35	120.8	-67.22
DDH0898	30.48	121.54	-66.92
DDH0898	36.55	122.24	-66.67
DDH0898	42.67	122.67	-66.48
DDH0898	48.76	123.16	-66.42
DDH0898	54.86	123.84	-66.4
DDH0898	60.92	124.06	-66.3
DDH0898	67.04	124.67	-66.31
DDH0898	73.09	125.02	-66.1
DDH0898	79.23	125.28	-65.89
DDH0898	85.35	125.26	-65.65
DDH0898	91.39	125.5	-65.43
DDH0898	97.52	125.66	-65.2
DDH0898	103.6	125.9	-64.94
DDH0898	109.7	126.09	-64.66
DDH0898	115.78	126.32	-64.35
DDH0898	121.91	126.52	-64.13
DDH0898	127.99	126.87	-64
DDH0898	134.11	127.21	-63.85
DDH0898	140.14	127.42	-63.67
DDH0898	146.26	127.64	-63.61
DDH0898	152.38	127.59	-63.47
DDH0898	158.48	127.81	-63.34
DDH0898	164.53	128.13	-63.29
DDH0898	170.65	128.07	-63.21
DDH0898	176.76	128.42	-63.11
DDH0898	182.83	128.55	-63.03
DDH0898	188.92	128.67	-63.01
DDH0898	195.07	128.82	-62.91
DDH0898	201.15	129.1	-62.79
DDH0898	207.21	129.27	-62.64
DDH0898	213.31	129.54	-62.54
DDH0898	219.46	129.72	-62.49
DDH0898	225.53	129.91	-62.43
DDH0898	231.6	130.15	-62.41

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0898	237.68	130.4	-62.33
DDH0898	243.84	130.61	-62.24
DDH0898	249.94	130.92	-62.12
DDH0898	256	131.1	-61.98
DDH0898	256.44	131.1	-61.98
DDH0899	0	146.26	-67.19
DDH0899	6.06	146.26	-67.4
DDH0899	12.16	146.81	-67.48
DDH0899	18.29	147.31	-67.87
DDH0899	24.35	146.78	-67.9
DDH0899	30.48	146.6	-68.16
DDH0899	36.51	146.92	-68.19
DDH0899	42.65	147.42	-68.37
DDH0899	48.74	147.65	-68.31
DDH0899	54.8	147.76	-68.23
DDH0899	60.9	147.73	-68.22
DDH0899	66.99	147.57	-68.15
DDH0899	73.13	147.45	-68.1
DDH0899	79.2	147.57	-67.97
DDH0899	85.33	147.52	-67.73
DDH0899	91.42	147.76	-67.5
DDH0899	97.5	148.03	-67.24
DDH0899	103.6	148.05	-67
DDH0899	109.67	148.17	-66.79
DDH0899	115.82	148.32	-66.5
DDH0899	121.89	148.61	-66.31
DDH0899	127.97	148.51	-66.13
DDH0899	134.1	148.71	-65.86
DDH0899	140.16	148.62	-65.67
DDH0899	146.25	148.68	-65.51
DDH0899	152.37	148.86	-65.36
DDH0899	158.47	148.86	-65.3
DDH0899	164.53	148.84	-65.22
DDH0899	170.65	148.9	-65.17
DDH0899	176.79	148.97	-65.15
DDH0899	182.82	149.06	-65.02
DDH0899	188.97	149.02	-64.93
DDH0899	195.04	148.99	-64.84
DDH0899	201.1	148.99	-64.72
DDH0899	207.25	149	-64.64
DDH0899	213.36	148.92	-64.54
DDH0899	216.08	149.04	-64.45
DDH0899	217.43	149.11	-64.44
DDH0899	219.41	149.04	-64.61
DDH0899	225.49	149.22	-64.54
DDH0899	231.6	149.35	-64.43
DDH0899	237.73	149.38	-64.35
DDH0899	243.82	149.39	-64.29
DDH0899	249.94	149.39	-64.2

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0899	256.03	149.5	-64.18
DDH0899	262.1	149.69	-64.14
DDH0899	268.22	149.9	-64.08
DDH0899	274.25	150.12	-64.07
DDH0899	280.35	150.18	-64.08
DDH0899	286.51	150.3	-64.08
DDH0899	292.57	150.43	-64.08
DDH0899	298.66	150.37	-64.01
DDH0899	304.76	150.34	-63.9
DDH0899	306	150.34	-63.9
DDH0900	0	330.5	-47.82
DDH0900	6.1	330.41	-47.33
DDH0900	10.55	330.15	-47.35
DDH0900	10.58	330.15	-47.35
DDH0900	10.6	330.15	-47.35
DDH0900	10.63	330.15	-47.36
DDH0900	11.52	330.43	-47.37
DDH0900	11.74	330.44	-47.35
DDH0900	12.19	330.17	-46.89
DDH0900	18.23	330.28	-46.96
DDH0900	24.32	330.64	-47.23
DDH0900	30.45	331.04	-47.42
DDH0900	36.57	331.18	-47.18
DDH0900	42.65	331.28	-47.18
DDH0900	48.74	331.34	-47.19
DDH0900	54.82	331.38	-46.93
DDH0900	60.93	331.4	-46.96
DDH0900	67.04	331.44	-46.91
DDH0900	73.08	331.46	-46.93
DDH0900	79.22	331.58	-46.96
DDH0900	85.27	331.62	-46.96
DDH0900	91.39	331.64	-46.87
DDH0900	94.45	332.05	-47.19
DDH0900	94.51	332.05	-47.19
DDH0900	97.54	331.82	-46.73
DDH0900	103.55	332.03	-46.58
DDH0900	109.71	332.28	-46.53
DDH0900	115.81	332.36	-46.39
DDH0900	121.85	332.43	-46.15
DDH0900	127.94	332.5	-46
DDH0900	134.06	332.58	-45.9
DDH0900	140.21	332.6	-45.65
DDH0900	146.28	332.66	-45.51
DDH0900	152.36	332.85	-45.35
DDH0900	158.48	333.03	-45.26
DDH0900	164.57	333.11	-45.22
DDH0900	170.67	333.12	-45.06
DDH0900	176.73	333.23	-44.79
DDH0900	182.84	333.25	-44.67

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0900	188.96	333.34	-44.55
DDH0900	195.04	333.51	-44.39
DDH0900	201.16	333.61	-44.23
DDH0900	207.24	333.76	-44.13
DDH0900	213.3	333.87	-44.03
DDH0900	219.43	333.94	-44.04
DDH0900	225.52	333.99	-43.98
DDH0900	231.64	334.16	-43.87
DDH0900	237.74	334.25	-43.89
DDH0900	243.82	334.5	-43.86
DDH0900	249.91	334.65	-43.8
DDH0900	256.03	334.86	-43.72
DDH0900	262.07	334.98	-43.59
DDH0900	268.18	335.18	-43.49
DDH0900	274.24	335.39	-43.41
DDH0900	280.38	335.55	-43.26
DDH0900	286.48	335.55	-43.25
DDH0900	292.58	335.47	-43
DDH0900	298.64	335.53	-42.8
DDH0900	304.75	335.76	-42.69
DDH0900	310.84	335.85	-42.51
DDH0900	316.95	335.99	-42.34
DDH0900	323.04	336.12	-42.21
DDH0900	329.18	336.27	-42.03
DDH0900	335.25	336.46	-41.85
DDH0900	341.34	336.45	-41.72
DDH0900	347.42	336.59	-41.59
DDH0900	353.55	336.78	-41.49
DDH0900	359.61	336.72	-41.34
DDH0900	365.73	336.5	-41.21
DDH0900	371.78	336.3	-41.3
DDH0900	377.88	335.99	-41.26
DDH0900	383.99	335.64	-41.07
DDH0900	390.09	335.22	-40.86
DDH0900	396.21	334.93	-40.77
DDH0900	402.28	334.81	-40.75
DDH0900	408.42	334.76	-40.77
DDH0900	414.5	334.72	-40.68
DDH0900	420.56	334.64	-40.54
DDH0900	426.7	334.64	-40.45
DDH0900	432.77	334.6	-40.36
DDH0900	438.89	334.56	-40.29
DDH0900	445	334.67	-40.19
DDH0900	446.31	334.67	-40.19
DDH0901	0	127.39	-54.84
DDH0901	6.04	126.79	-54.86
DDH0901	12.18	126.24	-54.64
DDH0901	18.27	126.15	-54.67
DDH0901	24.32	126.56	-54.62

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0901	30.44	127.24	-54.29
DDH0901	36.56	127.92	-53.81
DDH0901	42.66	128.74	-53.19
DDH0901	48.7	129.13	-52.69
DDH0901	54.8	129.32	-52.55
DDH0901	60.95	129.62	-52.55
DDH0901	67.04	129.83	-52.4
DDH0901	73.1	129.91	-52.37
DDH0901	79.25	130.09	-52.31
DDH0901	85.32	130.22	-52.11
DDH0901	91.43	130.29	-51.93
DDH0901	97.51	130.41	-51.67
DDH0901	103.61	130.54	-51.49
DDH0901	109.7	130.8	-51.33
DDH0901	115.81	131.01	-51.08
DDH0901	121.87	131.35	-50.88
DDH0901	127.99	131.46	-50.66
DDH0901	134.07	131.78	-50.42
DDH0901	140.18	131.98	-50.17
DDH0901	146.28	132.09	-49.81
DDH0901	152.39	132.41	-49.54
DDH0901	158.48	132.53	-49.25
DDH0901	164.57	132.77	-48.91
DDH0901	170.63	132.96	-48.63
DDH0901	176.75	133.14	-48.35
DDH0901	182.88	133.29	-48.11
DDH0901	188.93	133.53	-47.84
DDH0901	195.04	133.67	-47.66
DDH0901	201.13	133.97	-47.43
DDH0901	207.26	134.26	-47.12
DDH0901	213.36	134.45	-46.89
DDH0901	219.39	134.73	-46.62
DDH0901	225.49	134.71	-46.39
DDH0901	231.59	134.94	-46.13
DDH0901	237.73	135.15	-45.91
DDH0901	243.78	135.28	-45.72
DDH0901	249.89	135.51	-45.49
DDH0901	256	135.65	-45.32
DDH0901	262.12	135.81	-45.14
DDH0901	268.21	136	-44.99
DDH0901	274.3	136.13	-44.8
DDH0901	280.41	136.32	-44.62
DDH0901	286.49	136.55	-44.43
DDH0901	292.6	136.65	-44.18
DDH0901	296.22	136.71	-44.09
DDH0902	0	178.81	-53.3
DDH0902	6.07	178.47	-53.46
DDH0902	12.18	177.92	-53.87
DDH0902	18.28	178.12	-53.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0902	24.38	178.32	-53.57
DDH0902	30.43	178.76	-54.45
DDH0902	36.53	179.58	-54.58
DDH0902	42.65	180.06	-54.53
DDH0902	48.76	180.09	-54.42
DDH0902	54.82	180.04	-54.29
DDH0902	60.96	180.08	-54.28
DDH0902	67.06	180.1	-54.16
DDH0902	73.12	180.09	-54.19
DDH0902	79.24	180	-54.26
DDH0902	85.28	180.1	-54.43
DDH0902	91.37	180.08	-54.35
DDH0902	97.5	180.05	-54.33
DDH0902	103.61	180.05	-54.34
DDH0902	109.71	180.12	-54.29
DDH0902	115.78	179.91	-54.22
DDH0902	121.92	179.78	-54.14
DDH0902	128	179.59	-54.09
DDH0902	134.1	179.52	-54.03
DDH0902	140.21	179.43	-54.03
DDH0902	146.26	179.39	-53.98
DDH0902	152.38	179.33	-53.93
DDH0902	158.49	179.43	-53.8
DDH0902	164.54	179.31	-53.74
DDH0902	170.63	179.29	-53.71
DDH0902	176.75	179.4	-53.72
DDH0902	182.84	179.28	-53.67
DDH0902	188.93	179.19	-53.65
DDH0902	195.06	179.13	-53.6
DDH0902	201.12	179.01	-53.57
DDH0902	207.26	179.01	-53.54
DDH0902	213.3	178.9	-53.57
DDH0902	219.39	178.94	-53.62
DDH0902	225.52	178.96	-53.67
DDH0902	231.65	178.94	-53.66
DDH0902	237.73	178.95	-53.66
DDH0902	243.81	178.9	-53.61
DDH0902	249.88	178.83	-53.6
DDH0902	256.04	178.81	-53.56
DDH0902	262.08	178.83	-53.54
DDH0902	268.21	178.86	-53.55
DDH0902	274.27	178.87	-53.54
DDH0902	280.4	178.86	-53.57
DDH0902	286.48	178.8	-53.51
DDH0902	287.21	178.81	-53.51
DDH0903	0	263.88	-50.12
DDH0903	0.23	263.7	-50.05
DDH0903	0.28	263.71	-50.05
DDH0903	6.06	265.4	-50.09

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0903	12.19	266.88	-50.13
DDH0903	18.24	266.94	-49.98
DDH0903	24.38	266.91	-49.67
DDH0903	30.44	266.79	-49.66
DDH0903	36.55	266.78	-49.59
DDH0903	42.64	266.76	-49.6
DDH0903	48.76	266.72	-49.54
DDH0903	54.85	266.71	-49.58
DDH0903	60.92	266.75	-49.42
DDH0903	66.99	266.7	-49.43
DDH0903	73.14	266.68	-49.34
DDH0903	79.21	266.74	-49.24
DDH0903	85.35	266.7	-49.21
DDH0903	91.42	266.64	-49.15
DDH0903	97.49	266.71	-49.07
DDH0903	103.58	266.72	-49.05
DDH0903	109.68	266.71	-49.11
DDH0903	115.79	266.65	-49.07
DDH0903	121.89	266.61	-49.08
DDH0903	128.01	266.53	-49.14
DDH0903	134.1	266.52	-49.22
DDH0903	137.19	266.39	-49.17
DDH0903	140.1	266.3	-49.16
DDH0904	0	289.97	-89.91
DDH0904	14.02	61.36	-89.57
DDH0904	29.26	107.19	-89.33
DDH0904	44.5	131.09	-88.98
DDH0904	59.74	136.2	-88.47
DDH0904	74.98	136.68	-88.1
DDH0904	90.22	138.08	-87.74
DDH0904	105.46	142.21	-87.55
DDH0904	120.7	146.8	-87.6
DDH0904	135.94	150.3	-87.52
DDH0904	151.18	146.21	-87.2
DDH0904	166.42	144.29	-86.82
DDH0904	181.66	146.3	-86.4
DDH0904	196.9	148.57	-85.99
DDH0904	212.14	150.32	-85.81
DDH0904	227.38	151.53	-85.54
DDH0904	242.62	150.9	-85.31
DDH0904	257.86	151.92	-85.08
DDH0904	273.1	151.56	-84.86
DDH0904	288.34	151.42	-84.66
DDH0904	303.58	151.39	-84.37
DDH0904	318.82	152.71	-84.02
DDH0904	334.06	152.93	-83.64
DDH0904	349.31	152.29	-83.34
DDH0904	364.55	153.76	-83.17
DDH0904	379.79	153.03	-82.92

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0904	395.03	151.21	-80.52
DDH0904	410.27	149.88	-76.18
DDH0904	425.51	147.34	-71.57
DDH0904	440.75	145.53	-68.71
DDH0904	455.99	144.21	-66.97
DDH0905	0	205.5	-62.31
DDH0905	6.07	204.49	-63.12
DDH0905	12.16	204.66	-62.37
DDH0905	18.23	205.45	-61.66
DDH0905	24.34	205.46	-62.26
DDH0905	30.45	205.8	-62.12
DDH0905	36.56	206.35	-62.03
DDH0905	42.64	207.06	-62.17
DDH0905	48.74	207.54	-62.02
DDH0905	54.86	207.81	-61.99
DDH0905	60.95	208.02	-61.76
DDH0905	67.04	208.03	-61.74
DDH0905	73.13	207.86	-61.69
DDH0905	79.2	207.8	-61.7
DDH0905	85.3	207.81	-61.8
DDH0905	91.43	207.86	-61.62
DDH0905	97.52	207.87	-61.68
DDH0905	103.57	207.66	-61.65
DDH0905	109.7	207.4	-61.66
DDH0905	115.81	207.23	-61.6
DDH0905	121.9	206.86	-61.58
DDH0905	127.99	206.35	-61.57
DDH0905	134.06	206.15	-61.62
DDH0905	140.19	205.97	-61.59
DDH0905	146.26	205.75	-61.52
DDH0905	152.38	205.46	-61.52
DDH0905	158.49	205.25	-61.59
DDH0905	164.52	205.04	-61.59
DDH0905	170.69	205	-61.6
DDH0905	176.77	204.69	-61.58
DDH0905	182.84	204.31	-61.57
DDH0905	188.92	204.16	-61.47
DDH0905	195.06	204.24	-61.4
DDH0905	201.15	204.19	-61.31
DDH0905	207.25	203.96	-61.27
DDH0905	213.31	203.77	-61.27
DDH0905	219.42	203.64	-61.27
DDH0905	225.55	203.57	-61.26
DDH0905	231.62	203.29	-61.26
DDH0905	237.72	203.11	-61.24
DDH0905	243.79	203.02	-61.25
DDH0905	249.9	202.81	-61.28
DDH0905	256.02	202.83	-61.26
DDH0905	262.11	202.65	-61.24

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0905	268.21	202.64	-61.23
DDH0905	274.31	202.55	-61.23
DDH0905	280.4	202.54	-61.2
DDH0905	286.45	202.57	-61.23
DDH0905	292.58	202.59	-61.24
DDH0905	298.66	202.58	-61.24
DDH0905	303.09	202.53	-61.16
DDH0906	0	146.06	-72.87
DDH0906	6.05	145.3	-72.95
DDH0906	12.13	144.78	-73.36
DDH0906	18.28	144.11	-73.23
DDH0906	24.37	144.51	-72.86
DDH0906	30.43	145.08	-72.2
DDH0906	36.54	145.2	-71.72
DDH0906	42.62	145.83	-71.31
DDH0906	48.73	146.31	-70.93
DDH0906	54.86	146.65	-70.61
DDH0906	60.94	146.81	-70.58
DDH0906	67.05	146.87	-70.47
DDH0906	73.12	146.78	-70.23
DDH0906	79.22	146.91	-70.1
DDH0906	85.31	146.98	-70.04
DDH0906	91.44	147.37	-69.93
DDH0906	97.48	147.42	-69.86
DDH0906	103.61	147.6	-69.72
DDH0906	109.67	147.8	-69.6
DDH0906	115.77	148.37	-69.52
DDH0906	121.88	148.82	-69.36
DDH0906	127.98	148.96	-69.41
DDH0906	134.07	149.04	-69.3
DDH0906	140.18	149.12	-69.13
DDH0906	146.3	149.11	-68.98
DDH0906	152.39	149.07	-68.81
DDH0906	158.46	149.15	-68.7
DDH0906	164.55	149.66	-68.55
DDH0906	170.64	150.01	-68.36
DDH0906	176.73	150.1	-68.19
DDH0906	182.84	150.26	-68.02
DDH0906	188.93	150.31	-67.79
DDH0906	195.02	150.5	-67.6
DDH0906	201.14	150.65	-67.42
DDH0906	207.24	150.56	-67.28
DDH0906	213.36	150.69	-67.22
DDH0906	219.44	150.81	-67.14
DDH0906	225.55	151.08	-67.04
DDH0906	231.62	151.03	-66.91
DDH0906	237.74	151.18	-66.82
DDH0906	243.83	151.3	-66.77
DDH0906	249.93	151.59	-66.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0906	250.68	151.59	-66.59
DDH0907	0	246.97	-45.1
DDH0907	6.07	247.44	-44.62
DDH0907	12.17	247.68	-44.33
DDH0907	18.24	247.75	-44.22
DDH0907	24.38	247.68	-44.19
DDH0907	30.44	247.58	-44.1
DDH0907	36.54	247.71	-44.02
DDH0907	42.6	247.89	-43.92
DDH0907	48.71	248.08	-43.78
DDH0907	54.83	248.17	-43.81
DDH0907	60.94	248.41	-43.69
DDH0907	67.05	248.55	-43.62
DDH0907	73.11	248.66	-43.62
DDH0907	79.21	248.71	-43.57
DDH0907	85.31	248.84	-43.49
DDH0907	91.41	248.96	-43.58
DDH0907	97.48	248.93	-43.6
DDH0907	103.61	248.95	-43.65
DDH0907	109.68	248.89	-43.65
DDH0907	115.79	249.04	-43.49
DDH0907	121.9	249.2	-43.33
DDH0907	127.99	249.28	-43.29
DDH0907	134.11	249.32	-43.28
DDH0907	137.31	249.39	-43.33
DDH0907	137.37	249.39	-43.34
DDH0907	140.15	249.44	-43.33
DDH0907	146.27	249.45	-43.28
DDH0907	149.13	249.5	-43.22
DDH0908	0	238.63	-63.95
DDH0908	6.08	238.04	-63.84
DDH0908	12.14	237.53	-63.91
DDH0908	18.27	237.39	-63.93
DDH0908	24.32	237.31	-63.96
DDH0908	30.43	237.29	-64.01
DDH0908	36.54	237.16	-64.02
DDH0908	42.66	237.24	-64.02
DDH0908	48.74	237.23	-63.99
DDH0908	54.85	237.39	-63.98
DDH0908	60.96	237.36	-63.93
DDH0908	67.04	237.45	-63.84
DDH0908	73.14	237.45	-63.8
DDH0908	79.22	237.48	-63.78
DDH0908	85.32	237.56	-63.72
DDH0908	91.4	237.51	-63.71
DDH0908	97.48	237.7	-63.72
DDH0908	103.58	237.76	-63.73
DDH0908	109.71	237.87	-63.67
DDH0908	115.77	238.02	-63.68

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0908	121.89	237.94	-63.73
DDH0908	127.98	238.1	-63.76
DDH0908	133.72	238.23	-63.67
DDH0909	0	218.17	-56.39
DDH0909	6.06	217.64	-56.51
DDH0909	12.16	216.65	-56.58
DDH0909	18.28	217.47	-56.07
DDH0909	24.36	218.35	-55.9
DDH0909	30.47	218.17	-56.28
DDH0909	36.56	218.51	-56.25
DDH0909	42.62	218.68	-56.06
DDH0909	48.74	218.9	-55.78
DDH0909	54.82	218.9	-55.65
DDH0909	60.94	218.98	-55.55
DDH0909	66.99	219.4	-55.61
DDH0909	73.08	220.37	-55.3
DDH0909	79.22	220.21	-54.95
DDH0909	85.31	220.08	-54.93
DDH0909	91.44	219.99	-54.96
DDH0909	97.52	219.82	-55.02
DDH0909	103.58	219.84	-54.94
DDH0909	109.67	219.49	-54.92
DDH0909	115.81	219.01	-54.9
DDH0909	121.85	218.88	-54.91
DDH0909	127.94	218.58	-54.83
DDH0909	134.07	217.95	-54.75
DDH0909	140.18	217.51	-54.75
DDH0909	146.24	216.92	-54.68
DDH0909	152.34	216.37	-54.58
DDH0909	158.43	215.81	-54.59
DDH0909	164.55	215.16	-54.58
DDH0909	170.64	214.84	-54.6
DDH0909	176.76	214.4	-54.59
DDH0909	182.87	213.93	-54.56
DDH0909	188.97	213.37	-54.72
DDH0909	195.04	212.77	-54.76
DDH0909	201.15	212.1	-54.81
DDH0909	207.23	211.42	-54.84
DDH0909	213.32	211.1	-54.82
DDH0909	219.46	210.89	-54.85
DDH0909	225.51	210.85	-54.9
DDH0909	231.63	210.71	-54.92
DDH0909	237.74	210.66	-54.91
DDH0909	243.77	210.59	-54.9
DDH0909	249.86	210.54	-54.89
DDH0909	256	210.47	-54.91
DDH0909	262.08	210.41	-54.99
DDH0909	268.19	210.36	-55.03
DDH0909	274.3	210.39	-55.06

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0909	280.39	210.44	-55.06
DDH0909	286.44	210.42	-55.07
DDH0909	292.61	210.47	-55.04
DDH0909	298.67	210.43	-55.05
DDH0909	304.8	210.4	-55.04
DDH0909	306.16	210.47	-55.01
DDH0909	308.61	210.51	-55.02
DDH0910	0	239.28	-37.01
DDH0910	6.05	241.26	-36.1
DDH0910	12.15	241.98	-35.71
DDH0910	18.25	242.25	-35.67
DDH0910	24.34	242.45	-35.62
DDH0910	30.47	242.42	-35.43
DDH0910	36.57	242.29	-35.54
DDH0910	42.65	242.21	-35.62
DDH0910	48.74	242.19	-35.52
DDH0910	54.86	242.49	-35.55
DDH0910	60.95	242.91	-35.63
DDH0910	67.05	242.56	-35.71
DDH0910	73.14	242	-35.65
DDH0910	79.2	242.02	-35.61
DDH0910	85.3	242.06	-35.52
DDH0910	91.44	242.17	-35.4
DDH0910	97.52	242.17	-35.49
DDH0910	103.63	242.26	-35.57
DDH0910	109.69	242.34	-35.69
DDH0910	115.77	242.43	-35.61
DDH0910	121.9	242.59	-35.53
DDH0910	127.98	242.62	-35.47
DDH0910	134.06	242.74	-35.53
DDH0910	140.18	243.03	-35.62
DDH0910	146.29	243.08	-35.83
DDH0910	152.38	243.16	-35.91
DDH0910	158.48	243.26	-36.02
DDH0910	161.54	243.36	-36.05
DDH0910	161.59	243.36	-36.06
DDH0910	164.59	243.45	-36.07
DDH0910	170.64	243.58	-36.1
DDH0910	176.79	243.64	-36.18
DDH0910	179.51	243.66	-36.16
DDH0911	7.92	321.44	-89.86
DDH0911	23.17	336.21	-89.64
DDH0911	38.41	354.6	-89.62
DDH0911	53.65	4.77	-89.46
DDH0911	68.89	16.6	-89.52
DDH0911	84.13	29.29	-89.66
DDH0911	99.37	70.16	-89.61
DDH0911	114.61	98.44	-89.33
DDH0911	129.85	115.95	-88.93

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0911	145.09	129.4	-88.11
DDH0911	160.33	134.03	-87.67
DDH0911	175.57	136.2	-87.49
DDH0911	190.81	135.85	-87.05
DDH0911	206.05	137.17	-86.69
DDH0911	221.29	138.07	-86.4
DDH0911	236.53	139.92	-86.25
DDH0911	251.77	139.4	-85.89
DDH0911	267.01	140.84	-85.36
DDH0911	282.25	141.06	-84.89
DDH0911	297.49	140.6	-84.45
DDH0911	312.73	141.31	-83.82
DDH0911	327.97	141.66	-83.42
DDH0911	343.21	142.4	-83.4
DDH0911	358.45	142.83	-83.45
DDH0911	373.69	143.31	-83.49
DDH0911	388.93	143.27	-83.45
DDH0911	404.17	144.57	-83.4
DDH0912	0	235.86	-49.9
DDH0912	6.06	235.36	-49.91
DDH0912	12.18	235.02	-49.9
DDH0912	18.27	234.69	-49.91
DDH0912	24.38	234.44	-49.83
DDH0912	30.41	234.01	-49.65
DDH0912	36.55	233.74	-49.66
DDH0912	42.65	233.5	-49.69
DDH0912	48.74	233.06	-49.67
DDH0912	54.84	232.58	-49.64
DDH0912	60.94	232.26	-49.66
DDH0912	67.04	232.13	-49.63
DDH0912	73.09	232.27	-49.66
DDH0912	79.2	232.15	-49.73
DDH0912	85.28	231.54	-50.17
DDH0912	91.4	231.26	-50.45
DDH0912	97.5	230.84	-50.75
DDH0912	103.59	230.45	-50.98
DDH0912	109.72	229.63	-51.23
DDH0912	115.8	228.07	-51.43
DDH0912	121.92	226.93	-51.68
DDH0912	124.19	226.7	-51.78
DDH0913	0	257.37	-29.25
DDH0913	6.07	257.72	-27.53
DDH0913	12.14	258.27	-27.17
DDH0913	18.26	258.63	-27.04
DDH0913	24.38	258.78	-27.29
DDH0913	30.47	258.81	-27.41
DDH0913	36.54	258.79	-27.1
DDH0913	42.64	258.16	-26.98
DDH0913	48.74	257.85	-27.28

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0913	54.83	257.46	-27.43
DDH0913	60.93	257.3	-27.63
DDH0913	67.03	257.32	-27.7
DDH0913	70.69	257.1	-27.68
DDH0913	70.74	257.09	-27.68
DDH0913	73.12	257.33	-27.73
DDH0913	79.22	257.31	-27.8
DDH0913	85.32	257.26	-27.78
DDH0913	91.42	257.17	-27.78
DDH0913	97.54	257.26	-27.77
DDH0913	103.59	257.26	-27.74
DDH0913	109.71	257.28	-27.7
DDH0913	115.82	257.26	-27.68
DDH0913	121.9	257.29	-27.65
DDH0913	128	257.28	-27.58
DDH0913	131.33	257.25	-27.64
DDH0913	131.37	257.26	-27.55
DDH0913	134.1	257.22	-27.61
DDH0913	134.26	257.2	-27.61
DDH0913	134.76	257.19	-27.62
DDH0913	134.79	257.19	-27.61
DDH0913	134.81	257.19	-27.61
DDH0913	134.98	257.19	-27.61
DDH0914	0	116.72	-89.17
DDH0914	6.1	113.63	-89.28
DDH0914	21.34	117.97	-89.11
DDH0914	36.58	123.85	-88.94
DDH0914	51.82	137.24	-88.75
DDH0914	67.06	141.55	-88.62
DDH0914	82.3	144.32	-88.48
DDH0914	97.54	145.41	-88.13
DDH0914	112.78	145.28	-87.88
DDH0914	128.02	146.76	-87.72
DDH0914	143.26	146.69	-87.53
DDH0914	158.5	147.79	-87.45
DDH0914	173.74	149.76	-87.28
DDH0914	188.98	148.5	-87.16
DDH0914	204.22	149.77	-86.96
DDH0914	219.46	150.78	-86.86
DDH0914	234.7	149.01	-86.69
DDH0914	249.94	147.35	-86.74
DDH0914	265.18	149.42	-86.62
DDH0914	280.42	147.79	-86.51
DDH0914	295.66	148.71	-86.48
DDH0914	310.9	149.35	-86.29
DDH0914	326.14	149.37	-85.52
DDH0914	341.38	149.19	-83.51
DDH0914	356.62	150.32	-81.64
DDH0914	371.86	151.1	-80.88

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0914	387.1	153.43	-80.49
DDH0914	402.34	153.82	-80.04
DDH0914	417.58	153.77	-79.56
DDH0914	432.82	153.28	-79.18
DDH0914	448.06	153.21	-78.57
DDH0914	463.3	152.4	-78
DDH0915	0	240.36	-42.25
DDH0915	6.07	240.26	-42.12
DDH0915	12.14	240.03	-41.98
DDH0915	18.25	239.96	-41.85
DDH0915	24.33	239.94	-41.8
DDH0915	30.46	239.91	-41.68
DDH0915	36.56	239.78	-41.66
DDH0915	42.64	239.59	-41.64
DDH0915	48.77	239.37	-41.64
DDH0915	54.84	239.13	-41.56
DDH0915	60.93	239.02	-41.51
DDH0915	67.05	239.03	-41.56
DDH0915	73.13	239.01	-41.49
DDH0915	79.2	238.5	-41.74
DDH0915	85.33	238.23	-41.82
DDH0915	91.4	237.51	-42.12
DDH0915	97.52	236.69	-42.5
DDH0915	103.61	236.22	-42.88
DDH0915	109.71	236.1	-42.69
DDH0915	115.8	235.85	-42.91
DDH0915	117.66	235.84	-42.92
DDH0916	0	123.07	-65.12
DDH0916	6.08	124.28	-64.35
DDH0916	12.19	124.13	-63.83
DDH0916	18.24	124	-63.83
DDH0916	24.37	124	-64.16
DDH0916	30.47	124.05	-64.04
DDH0916	36.57	124.27	-63.99
DDH0916	42.65	124.4	-63.7
DDH0916	48.76	124.76	-63.47
DDH0916	54.86	125	-63.09
DDH0916	60.94	125.24	-62.77
DDH0916	67.03	125.37	-62.58
DDH0916	73.15	125.23	-62.41
DDH0916	79.21	125.07	-62.32
DDH0916	85.34	125.02	-62.22
DDH0916	91.39	124.97	-62.11
DDH0916	97.51	124.93	-61.97
DDH0916	103.61	125.04	-61.98
DDH0916	109.7	125.13	-61.92
DDH0916	115.79	125.23	-61.91
DDH0916	121.9	125.08	-61.77
DDH0916	122.03	124.59	-62.16

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0916	122.08	124.59	-62.16
DDH0916	128.01	125.05	-61.64
DDH0916	134.06	125.19	-61.62
DDH0916	140.17	125.51	-61.53
DDH0916	146.27	125.75	-61.42
DDH0916	152.34	126.21	-61.25
DDH0916	158.44	126.67	-61.05
DDH0916	164.52	127.13	-60.8
DDH0916	170.68	127.33	-60.69
DDH0916	176.77	127.84	-60.43
DDH0916	182.85	128.32	-60.06
DDH0916	188.97	128.65	-59.78
DDH0916	195.05	128.95	-59.59
DDH0916	201.14	129.29	-59.4
DDH0916	207.25	129.59	-59.24
DDH0916	213.3	129.87	-59.06
DDH0916	219.42	130.28	-58.93
DDH0916	225.55	130.48	-58.79
DDH0916	231.63	130.55	-58.67
DDH0916	237.73	130.55	-58.68
DDH0916	243.79	130.55	-58.67
DDH0916	249.88	130.59	-58.58
DDH0916	255.99	130.93	-58.38
DDH0916	262.08	131.02	-58.22
DDH0916	268.2	131.2	-58.12
DDH0916	274.26	131.39	-58.03
DDH0916	280.39	131.75	-57.93
DDH0916	286.49	131.86	-57.7
DDH0916	292.6	132.07	-57.38
DDH0916	298.68	132.31	-57.06
DDH0916	304.77	132.47	-56.82
DDH0916	310.85	132.67	-56.57
DDH0916	316.99	132.96	-56.28
DDH0916	323.07	133.19	-56.05
DDH0916	329.17	133.34	-55.75
DDH0916	335.27	133.6	-55.46
DDH0916	341.35	133.75	-55.16
DDH0916	347.42	133.95	-54.89
DDH0916	353.53	134.13	-54.56
DDH0916	359.63	134.3	-54.29
DDH0916	365.74	134.51	-54
DDH0916	371.86	134.67	-53.74
DDH0916	377.91	134.8	-53.49
DDH0916	384	135.04	-53.22
DDH0916	390.1	135.09	-52.98
DDH0916	396.21	135.35	-52.74
DDH0916	402.3	135.59	-52.53
DDH0916	408.42	135.69	-52.33
DDH0916	414.53	135.88	-52.13

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0916	420.61	136.21	-51.92
DDH0916	426.69	136.35	-51.71
DDH0916	432.78	136.46	-51.53
DDH0916	438.91	136.57	-51.22
DDH0916	444.98	136.64	-50.86
DDH0916	451.06	136.76	-50.56
DDH0916	457.15	137.06	-50.1
DDH0916	463.26	137.14	-49.79
DDH0916	465.82	137.39	-49.55
DDH0916	466.4	137.4	-49.53
DDH0916	469.4	137.27	-49.52
DDH0916	475.48	137.39	-49.3
DDH0916	481.57	137.63	-49.12
DDH0916	487.66	137.75	-48.79
DDH0916	493.78	137.93	-48.38
DDH0916	499.82	138.15	-48.03
DDH0916	505.96	138.33	-47.69
DDH0916	512.01	138.36	-47.28
DDH0916	515.02	138.38	-47.27
DDH0917	0	314.75	-29.63
DDH0917	6.1	314.63	-29.67
DDH0917	12.19	314.55	-30.25
DDH0917	18.28	314.55	-30.43
DDH0917	24.37	314.32	-30.4
DDH0917	30.47	314.2	-30.45
DDH0917	36.58	314.13	-30.38
DDH0917	42.66	314.15	-30.32
DDH0917	44.59	314.07	-30.13
DDH0917	48.77	314.21	-30.08
DDH0917	54.86	314.14	-29.92
DDH0917	60.96	314.11	-29.87
DDH0917	67.05	313.98	-29.85
DDH0917	73.14	313.89	-29.79
DDH0917	79.24	314.01	-29.6
DDH0917	85.35	314.23	-29.33
DDH0917	91.44	314.45	-29.03
DDH0917	97.52	314.54	-28.88
DDH0917	103.63	314.59	-28.54
DDH0917	109.73	314.59	-28.35
DDH0917	115.83	314.59	-28.14
DDH0917	117.74	314.59	-28.09
DDH0918	0	265.82	-61.5
DDH0918	6.06	265.76	-61.27
DDH0918	12.14	265.66	-61.23
DDH0918	18.27	265.7	-61.15
DDH0918	24.37	265.26	-61.3
DDH0918	30.45	264.84	-61.28
DDH0918	36.56	264.42	-61.41
DDH0918	42.63	263.82	-61.43

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0918	48.74	263.12	-61.34
DDH0918	54.86	262.08	-61.51
DDH0918	60.94	261.35	-61.61
DDH0918	67.05	260.51	-61.78
DDH0918	73.09	259.89	-61.86
DDH0918	79.22	259.25	-62.02
DDH0918	85.32	258.47	-62.34
DDH0918	91.38	257.7	-62.59
DDH0918	97.51	257.22	-62.71
DDH0918	103.6	256.71	-62.88
DDH0918	109.71	256.57	-62.95
DDH0918	115.79	256.22	-63.34
DDH0918	121.88	255.63	-63.68
DDH0918	127.99	254.77	-64.3
DDH0918	134.11	253.86	-64.98
DDH0918	140.19	253.19	-65.44
DDH0918	146.3	252.31	-65.75
DDH0918	148.86	252.18	-65.82
DDH0919	0	319.13	-49.88
DDH0919	6.09	318.9	-50.07
DDH0919	12.16	319.24	-50.56
DDH0919	18.25	319.53	-50.58
DDH0919	24.38	319.68	-50.25
DDH0919	30.44	319.63	-50.49
DDH0919	36.51	319.5	-50.98
DDH0919	42.63	319.23	-51.02
DDH0919	48.74	319.33	-51.13
DDH0919	54.83	319.35	-51.11
DDH0919	60.95	319.22	-50.94
DDH0919	67.03	319.08	-50.79
DDH0919	73.11	318.88	-50.52
DDH0919	79.24	318.75	-50.22
DDH0919	85.28	318.67	-50.26
DDH0919	91.4	318.65	-50.26
DDH0919	97.5	318.63	-50.2
DDH0919	103.61	318.61	-50.21
DDH0919	109.67	318.36	-50.26
DDH0919	115.81	318.21	-50.26
DDH0919	121.87	317.92	-50.26
DDH0919	127.97	317.89	-50.27
DDH0919	134.08	317.83	-50.28
DDH0919	140.14	317.56	-50.27
DDH0919	146.24	317.51	-50.28
DDH0919	152.36	317.41	-50.3
DDH0919	158.47	317.29	-50.29
DDH0919	164.57	317.09	-50.29
DDH0919	170.64	317.03	-50.28
DDH0919	176.78	316.89	-50.25
DDH0919	182.82	316.74	-50.32

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0919	188.91	316.52	-50.35
DDH0919	195.05	316.45	-50.36
DDH0919	201.16	316.33	-50.39
DDH0919	207.24	316.2	-50.4
DDH0919	213.36	316.06	-50.38
DDH0919	219.44	316.02	-50.5
DDH0919	225.48	315.68	-50.61
DDH0919	231.61	315.52	-50.73
DDH0919	237.69	315.45	-50.79
DDH0919	243.8	315.46	-50.83
DDH0919	249.91	315.32	-50.86
DDH0919	256.02	315.27	-50.88
DDH0919	262.06	315.17	-50.86
DDH0919	268.18	314.99	-50.91
DDH0919	274.32	314.93	-50.94
DDH0919	280.37	314.85	-50.95
DDH0919	286.48	314.87	-51.04
DDH0919	292.59	314.77	-51.07
DDH0919	298.68	314.85	-51.12
DDH0919	304.75	314.91	-51.12
DDH0919	310.86	314.71	-51.13
DDH0919	316.99	314.53	-51.18
DDH0919	320.73	314.48	-51.18
DDH0920	0	159.92	-70.36
DDH0920	6.07	159.54	-70.21
DDH0920	12.17	159.36	-69.68
DDH0920	18.21	157.95	-68.97
DDH0920	24.31	156.44	-68.95
DDH0920	30.44	156.18	-69.01
DDH0920	36.53	156.93	-69.1
DDH0920	42.62	157.21	-69.31
DDH0920	48.69	156.89	-69.33
DDH0920	54.82	157.33	-69.22
DDH0920	60.93	157.32	-69.32
DDH0920	67.03	157.47	-69.23
DDH0920	73.12	157.67	-69.15
DDH0920	76.91	159.18	-69.35
DDH0920	76.96	159.17	-69.35
DDH0920	79.2	157.67	-69.09
DDH0920	85.31	157.88	-69.09
DDH0920	91.4	158.06	-69.08
DDH0920	97.47	158.33	-68.99
DDH0920	103.57	158.11	-68.96
DDH0920	109.68	158.11	-68.87
DDH0920	115.8	158.01	-68.83
DDH0920	121.92	158.17	-68.79
DDH0920	127.95	158.26	-68.75
DDH0920	134.09	158.3	-68.69
DDH0920	140.15	158.35	-68.62

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0920	146.29	158.32	-68.58
DDH0920	152.38	158.11	-68.5
DDH0920	158.49	158.16	-68.44
DDH0920	164.56	158.23	-68.41
DDH0920	170.65	158.31	-68.37
DDH0920	176.73	158.26	-68.3
DDH0920	182.84	158.21	-68.24
DDH0920	188.92	158.12	-68.17
DDH0920	195.03	158.15	-68.13
DDH0920	201.16	158.13	-68.09
DDH0920	207.26	158.21	-68.08
DDH0920	213.33	158.25	-68.02
DDH0920	219.43	158.14	-67.95
DDH0920	225.49	158.31	-67.92
DDH0920	231.63	158.23	-67.89
DDH0920	237.71	158.25	-67.86
DDH0920	243.82	158.4	-67.81
DDH0920	249.91	158.5	-67.76
DDH0920	255.99	158.21	-67.66
DDH0920	262.12	158.04	-67.55
DDH0920	268.17	158.23	-67.46
DDH0920	274.27	158.2	-67.39
DDH0920	280.35	158.33	-67.29
DDH0920	286.51	158.35	-67.23
DDH0920	292.6	158.22	-66.88
DDH0920	298.67	158.09	-66.74
DDH0920	304.75	157.98	-66.6
DDH0920	310.89	157.98	-66.46
DDH0920	316.97	157.87	-66.36
DDH0920	323.05	157.87	-66.28
DDH0920	329.12	157.92	-66.26
DDH0920	335.24	157.86	-66.19
DDH0920	341.37	157.92	-66.12
DDH0920	347.43	157.8	-66.07
DDH0920	353.55	157.92	-66.04
DDH0920	359.66	157.85	-65.97
DDH0920	365.71	158.01	-65.92
DDH0920	371.84	157.99	-65.86
DDH0920	377.92	157.96	-65.83
DDH0920	384.02	157.95	-65.75
DDH0920	390.14	158.07	-65.66
DDH0920	396.23	158.01	-65.59
DDH0920	402.33	157.97	-65.54
DDH0920	408.39	158.08	-65.46
DDH0920	414.52	158.13	-65.4
DDH0920	420.59	158.09	-65.35
DDH0920	426.72	158	-65.32
DDH0920	432.81	158.19	-65.25
DDH0920	434.61	158.19	-65.25

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0921	0	314.06	-43.32
DDH0921	6.06	313.91	-42.97
DDH0921	12.16	313.75	-43.02
DDH0921	18.29	313.76	-43.11
DDH0921	24.33	313.66	-43.21
DDH0921	30.44	313.45	-43.21
DDH0921	36.54	313.28	-43.36
DDH0921	42.63	313.19	-43.28
DDH0921	48.73	313.21	-43.21
DDH0921	54.86	313.23	-43.17
DDH0921	60.93	313.23	-43.21
DDH0921	67	313.27	-43.13
DDH0921	73.13	313.12	-43.06
DDH0921	79.18	312.98	-43.01
DDH0921	85.32	313.07	-43.1
DDH0921	90.26	313.17	-43.15
DDH0921	90.31	313.17	-43.15
DDH0921	91.42	313.14	-43.1
DDH0921	97.53	312.96	-43.15
DDH0921	103.61	312.86	-43.16
DDH0921	109.68	312.64	-43.31
DDH0921	115.76	312.58	-43.34
DDH0921	121.9	312.47	-43.31
DDH0921	128.01	312.36	-43.36
DDH0921	134.1	312.38	-43.4
DDH0921	136.26	312.39	-43.39
DDH0922	0	349.72	-29.86
DDH0922	6.09	349.87	-29.9
DDH0922	12.19	349.83	-30.4
DDH0922	18.29	349.73	-30.56
DDH0922	24.38	349.43	-30.76
DDH0922	30.48	349.06	-30.99
DDH0922	36.57	348.76	-30.91
DDH0922	42.67	348.67	-30.8
DDH0922	48.77	348.64	-30.8
DDH0922	54.86	348.4	-31
DDH0922	60.96	348.45	-30.78
DDH0922	67.05	348.25	-31.2
DDH0922	73.15	348.2	-31.3
DDH0922	79.24	348.18	-31.65
DDH0922	84.05	347.84	-31.54