

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0779	0	309	-88
DDH0779	4.57	308.5	-87.8
DDH0779	10.67	308	-87.6
DDH0779	16.76	307.5	-87.4
DDH0779	22.86	306.9	-87.3
DDH0779	28.96	306.4	-87.1
DDH0779	35.05	305.9	-86.9
DDH0779	41.15	305.4	-86.7
DDH0779	47.24	304.9	-86.5
DDH0779	53.34	304.4	-86.3
DDH0779	59.44	303.9	-86.1
DDH0779	65.53	303.3	-86
DDH0779	71.63	302.8	-85.8
DDH0779	77.72	302.3	-85.6
DDH0779	83.82	302.3	-85.6
DDH0779	89.92	301.9	-85.6
DDH0779	96.01	302.5	-85.5
DDH0779	102.11	306.6	-85.5
DDH0779	108.2	304.6	-85.5
DDH0779	114.3	303.7	-85.5
DDH0779	120.4	303.1	-85.6
DDH0779	126.49	302.9	-85.6
DDH0779	132.59	304.4	-85.5
DDH0779	138.68	304.9	-85.6
DDH0779	144.78	304.5	-85.6
DDH0779	150.88	304.3	-85.6
DDH0779	156.97	303.9	-85.6
DDH0779	163.07	303.3	-85.8
DDH0779	169.16	302.5	-85.9
DDH0779	175.26	302.6	-86
DDH0779	181.36	302.6	-85.9
DDH0779	187.45	300.5	-86
DDH0779	193.55	298	-86
DDH0779	199.64	296.6	-86.1
DDH0779	205.74	296.4	-86.2
DDH0779	211.84	296.5	-86.2
DDH0779	217.93	296.7	-86.2
DDH0779	224.03	295.3	-86.3
DDH0779	230.12	287.9	-86.6
DDH0779	236.22	279.1	-86.9
DDH0779	242.32	266	-87
DDH0779	248.41	258.9	-87.1
DDH0779	254.51	256.2	-87.2
DDH0779	260.6	249.7	-87.1
DDH0779	266.7	247.6	-87.2
DDH0779	272.8	243.9	-87.1
DDH0779	278.89	232.6	-87.3
DDH0779	284.99	228.9	-87.4
DDH0779	291.08	223.8	-87.4

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0779	297.18	220.8	-87.5
DDH0779	303.28	223	-87.6
DDH0779	309.37	220.8	-87.6
DDH0779	315.47	221.7	-87.4
DDH0779	321.56	216.8	-87.4
DDH0781A	0	61	-55
DDH0781A	1.22	59.8	-54.4
DDH0781A	7.32	59.6	-54.8
DDH0781A	13.41	59.4	-54.6
DDH0781A	19.51	59.2	-54.3
DDH0781A	25.6	59.1	-54.1
DDH0781A	31.7	59	-53.9
DDH0781A	37.8	59	-54
DDH0781A	43.89	59.5	-53.9
DDH0781A	49.99	60.1	-53.9
DDH0781A	56.08	60.2	-53.9
DDH0781A	62.18	60.6	-53.8
DDH0781A	68.28	60.7	-53.8
DDH0781A	74.37	60.8	-53.7
DDH0781A	80.47	60.9	-53.8
DDH0781A	86.56	60.8	-53.6
DDH0781A	92.66	61.3	-53.6
DDH0781A	98.76	60.7	-53.5
DDH0781A	104.85	60.9	-53.5
DDH0781A	110.95	61	-53.3
DDH0781A	117.04	61.9	-53.4
DDH0781A	123.14	63.9	-53.4
DDH0781A	129.24	62.6	-53.3
DDH0781A	135.33	62.8	-53.3
DDH0781A	141.43	63	-53.3
DDH0781A	147.52	62.9	-53.4
DDH0781A	153.62	62.9	-53.4
DDH0781A	159.72	63	-53.4
DDH0781A	165.81	63.3	-53.3
DDH0781A	171.91	63.6	-53.3
DDH0781A	178	64	-53.2
DDH0781A	184.1	64.8	-53.3
DDH0781A	190.2	64.5	-53.2
DDH0781A	196.29	64.8	-53.2
DDH0781A	202.39	64.7	-53.2
DDH0781A	208.48	64.7	-53.2
DDH0781A	214.58	64.7	-53.2
DDH0781A	220.68	65	-53.1
DDH0781A	226.77	65	-53.1
DDH0781A	232.87	64.9	-53.1
DDH0781A	238.96	65	-53.1
DDH0781A	245.06	65.2	-53.1
DDH0781A	251.16	66.1	-53
DDH0781A	257.25	67.1	-52.9

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0781A	263.35	68.2	-52.9
DDH0781A	269.44	68.8	-52.8
DDH0781A	275.54	69.2	-52.8
DDH0781A	281.64	69.4	-52.7
DDH0781A	287.73	69.6	-52.8
DDH0781A	293.83	69.8	-52.8
DDH0781A	299.92	70.1	-52.8
DDH0781A	306.02	70.3	-52.8
DDH0781A	312.12	70.4	-52.8
DDH0781A	318.21	70.5	-52.8
DDH0781A	324.31	70.9	-52.8
DDH0781A	330.4	71.2	-52.7
DDH0781A	336.5	72.1	-52.6
DDH0781A	342.6	72.3	-52.5
DDH0782	0	165	-67
DDH0782	1.83	165	-65
DDH0782	7.92	165	-65.3
DDH0782	14.02	165	-63.3
DDH0782	20.12	165	-65.3
DDH0782	26.21	165	-65
DDH0782	32.31	165	-64.5
DDH0782	38.4	165	-64.6
DDH0782	44.5	165	-63.9
DDH0782	50.6	165	-63.3
DDH0782	56.69	165	-62.8
DDH0782	62.79	164.5	-62
DDH0782	68.88	164.6	-62
DDH0782	74.98	164.8	-61.4
DDH0782	81.08	164.2	-60.8
DDH0782	87.17	163.8	-60.2
DDH0782	93.27	163.3	-59.5
DDH0782	99.36	162.9	-59
DDH0782	105.46	162.9	-58.8
DDH0782	111.56	162.9	-58.7
DDH0782	117.65	162.9	-58.7
DDH0782	123.75	163.1	-58.6
DDH0782	129.84	163.4	-58.6
DDH0782	135.94	164	-58.5
DDH0782	142.04	164.4	-58.5
DDH0782	148.13	164.4	-58.5
DDH0782	154.23	164.2	-58.5
DDH0782	160.32	163.9	-58.5
DDH0782	166.42	163.8	-58.5
DDH0782	172.52	163.4	-58.5
DDH0782	178.61	163.5	-58.4
DDH0782	184.71	163.6	-58.4
DDH0782	190.8	164	-58.4
DDH0782	196.9	164.8	-58.4
DDH0782	203	163.9	-58.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0782	209.09	164	-58.4
DDH0782	215.19	164	-58.4
DDH0782	221.28	163.7	-58.4
DDH0782	227.38	163.1	-58.2
DDH0782	233.48	162.9	-58.1
DDH0782	239.57	162.3	-57.9
DDH0782	245.67	162.3	-57.8
DDH0782	251.76	162.2	-57.6
DDH0782	257.86	162.6	-57.6
DDH0782	263.96	162.6	-57.6
DDH0782	270.05	162.4	-57.6
DDH0782	276.15	162.3	-57.6
DDH0782	282.24	162.8	-57.5
DDH0782	288.34	163	-57.4
DDH0782	294.44	163	-57.4
DDH0782	300.53	162.9	-57.4
DDH0782	306.63	163	-57.3
DDH0782	312.72	163.1	-57.2
DDH0782	318.82	162.9	-57.1
DDH0782	324.92	163	-57.1
DDH0782	331.01	162.8	-57
DDH0783	0	282	-82
DDH0783	1.22	282.7	-82.4
DDH0783	7.32	283.4	-82.7
DDH0783	13.41	284.1	-82.5
DDH0783	19.51	284.8	-82.6
DDH0783	25.6	285.5	-82.1
DDH0783	31.7	286.2	-82
DDH0783	37.8	286.9	-82.2
DDH0783	43.89	287.6	-82.6
DDH0783	49.99	288.3	-82.8
DDH0783	56.08	289	-82.8
DDH0783	62.18	289.7	-82.9
DDH0783	68.28	289.2	-83
DDH0783	74.37	288.8	-83
DDH0783	80.47	288.7	-83.1
DDH0783	86.56	288.3	-83.2
DDH0783	92.66	287.6	-83.3
DDH0783	98.76	287.6	-83.4
DDH0783	104.85	287.4	-83.5
DDH0783	110.95	286.5	-83.6
DDH0783	117.04	285.6	-83.7
DDH0783	123.14	284.9	-83.8
DDH0783	129.24	284.7	-83.8
DDH0783	135.33	284.1	-83.8
DDH0783	141.43	283.8	-83.9
DDH0783	147.52	282.8	-84
DDH0783	153.62	281.7	-84
DDH0783	159.72	281.3	-84

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0783	165.81	281	-84.1
DDH0783	171.91	280.7	-84.1
DDH0783	178	280	-84.1
DDH0783	184.1	278.7	-84.2
DDH0783	190.2	277.6	-84.2
DDH0783	196.29	277.6	-84.3
DDH0783	202.39	277.3	-84.3
DDH0783	208.48	277.7	-84.3
DDH0784	0	72	-79
DDH0784	1.22	73.6	-80
DDH0784	7.32	74.3	-80.3
DDH0784	13.41	75	-79.6
DDH0784	19.51	75.7	-79.2
DDH0784	25.6	76.4	-79.2
DDH0784	31.7	77.1	-78.5
DDH0784	37.8	77.7	-77.5
DDH0784	43.89	78.3	-77.2
DDH0784	49.99	78.9	-77
DDH0784	56.08	79.5	-76.4
DDH0784	62.18	80.1	-76.7
DDH0784	68.28	83.4	-76.5
DDH0784	74.37	84.6	-76.3
DDH0784	80.47	85.4	-76.1
DDH0784	86.56	89.9	-76.1
DDH0784	92.66	87.7	-75.9
DDH0784	98.76	87.2	-75.8
DDH0784	104.85	89	-75.5
DDH0784	110.95	90	-75.4
DDH0784	117.04	89.9	-75.3
DDH0784	123.14	90.6	-75.1
DDH0784	129.24	90.4	-75.1
DDH0784	135.33	90.8	-75
DDH0784	141.43	90.8	-75
DDH0784	147.52	92.3	-74.5
DDH0784	153.62	92.9	-74.4
DDH0784	159.72	94.9	-74
DDH0784	165.81	94.1	-73.9
DDH0784	171.91	94.7	-73.8
DDH0784	178	96.3	-73.6
DDH0784	184.1	97.2	-73.5
DDH0784	190.2	97.5	-73.4
DDH0784	196.29	97.8	-73.3
DDH0784	202.39	98	-73.2
DDH0784	208.48	98.1	-73.2
DDH0784	214.58	98.2	-73.1
DDH0784	220.68	97.9	-72.9
DDH0784	226.77	98.2	-72.9
DDH0784	232.87	98.3	-72.8
DDH0784	238.96	98.2	-72.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0784	245.06	98.2	-72.7
DDH0784	251.16	98.6	-72.6
DDH0784	257.25	98.8	-72.6
DDH0784	263.35	98.9	-72.6
DDH0789	0	143	-72
DDH0789	1.22	135.2	-73
DDH0789	7.32	135.2	-72.9
DDH0789	13.41	135.2	-72.4
DDH0789	19.51	135.2	-72.4
DDH0789	25.6	135.2	-72.5
DDH0789	31.7	135.2	-72.2
DDH0789	37.8	135.2	-71.4
DDH0789	43.89	135.1	-70.4
DDH0789	49.99	133.9	-69.4
DDH0789	56.08	133.7	-68.9
DDH0789	62.18	133	-68.3
DDH0789	68.28	133.4	-68.1
DDH0789	74.37	134.3	-68
DDH0789	80.47	134.7	-67.6
DDH0789	86.56	134.6	-67.2
DDH0789	92.66	134.6	-67.1
DDH0789	98.76	134.7	-67
DDH0789	104.85	135	-67
DDH0789	110.95	135.9	-66.9
DDH0789	117.04	136.1	-66.7
DDH0789	123.14	136.4	-66.7
DDH0789	129.24	136.4	-66.7
DDH0789	135.33	136.5	-66.7
DDH0789	141.43	136.6	-66.7
DDH0789	147.52	136.7	-66.7
DDH0789	153.62	136.5	-66.6
DDH0789	159.72	136.6	-66.5
DDH0789	165.81	136.7	-66.5
DDH0789	171.91	136.7	-66.4
DDH0789	178	136.9	-65.9
DDH0789	184.1	137.1	-65.5
DDH0789	190.2	137.5	-65.3
DDH0789	196.29	137.5	-65.2
DDH0789	202.39	137.1	-65
DDH0789	208.48	137.1	-65
DDH0789	214.58	137.5	-64.8
DDH0789	220.68	137.6	-64.9
DDH0789	226.77	137.5	-64.8
DDH0789	232.87	137.3	-64.7
DDH0789	238.96	137.5	-64.6
DDH0789	245.06	137.7	-64.5
DDH0789	251.16	137.8	-64.5
DDH0791	0	131	-58
DDH0791	1.22	131	-58

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0791	7.32	131	-57.9
DDH0791	13.41	131	-56.5
DDH0791	19.51	131	-56.7
DDH0791	25.6	130.9	-57.3
DDH0791	31.7	130.9	-57.8
DDH0791	37.8	130.9	-58
DDH0791	43.89	130.9	-57.9
DDH0791	49.99	130.9	-57.7
DDH0791	56.08	130.8	-57.7
DDH0791	62.18	130.8	-57.6
DDH0791	68.28	130.8	-57.3
DDH0791	74.37	130.8	-57
DDH0791	80.47	130.6	-56.8
DDH0791	86.56	131.3	-56.9
DDH0791	92.66	131.8	-56.7
DDH0791	98.76	130.7	-56.3
DDH0791	104.85	130.8	-56.3
DDH0791	110.95	131.7	-56.3
DDH0791	117.04	132.4	-56.1
DDH0791	123.14	131.9	-55.9
DDH0791	129.24	131.5	-55.7
DDH0791	135.33	131.5	-55.7
DDH0791	141.43	132.1	-55.6
DDH0791	147.52	132.9	-55.6
DDH0791	153.62	131.9	-55.4
DDH0791	159.72	133.5	-55.2
DDH0791	165.81	133.7	-55
DDH0791	171.91	133.2	-54.7
DDH0791	178	132.7	-54.6
DDH0791	184.1	132.5	-54.4
DDH0791	190.2	132.9	-54.4
DDH0791	196.29	133	-54.4
DDH0791	202.39	133.8	-54.4
DDH0791	208.48	134.4	-54.3
DDH0791	214.58	134.3	-54.3
DDH0791	220.68	134.1	-54
DDH0791	226.77	133.9	-53.9
DDH0791	232.87	133.7	-53.9
DDH0791	238.96	133.6	-53.9
DDH0791	245.06	133.5	-54
DDH0791	251.16	133.9	-54.1
DDH0791	257.25	134.5	-54.2
DDH0791	263.35	135	-54.2
DDH0791	269.44	135.3	-54.2
DDH0791	275.54	135.5	-54.2
DDH0791	281.64	135.6	-54.2
DDH0791	287.73	135.7	-54.1
DDH0791	293.83	135.7	-54.1
DDH0791	299.92	136.1	-54.1

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0791	306.02	136.2	-54
DDH0791	312.12	136.6	-54
DDH0791	318.21	136.9	-54
DDH0791	324.31	137.3	-54
DDH0791	330.4	137.6	-53.9
DDH0791	336.5	137.6	-53.8
DDH0791	342.6	137.9	-53.7
DDH0793	0	156	-72
DDH0793	0.91	155.6	-72.2
DDH0793	7.01	155.4	-72.1
DDH0793	13.11	155.2	-72.3
DDH0793	19.2	155	-72.3
DDH0793	25.3	154.8	-72.5
DDH0793	31.39	154.6	-72.5
DDH0793	37.49	154.4	-72.4
DDH0793	43.59	154.2	-72.1
DDH0793	49.68	154	-72.1
DDH0793	55.78	153.8	-72
DDH0793	61.87	153.6	-71.7
DDH0793	67.97	153.4	-71.7
DDH0793	74.07	153.2	-71.8
DDH0793	80.16	152.9	-71.5
DDH0793	86.26	153	-71.5
DDH0793	92.35	153.1	-71.5
DDH0793	98.45	153.4	-71.4
DDH0793	104.55	153.4	-71.3
DDH0793	110.64	153.8	-71.1
DDH0793	116.74	153.9	-70.8
DDH0793	122.83	153.2	-70.5
DDH0793	128.93	153.4	-70.2
DDH0793	135.03	153.4	-70.1
DDH0793	141.12	152.9	-69.8
DDH0793	147.22	152.5	-69.7
DDH0793	153.31	152.6	-69.3
DDH0793	159.41	152.7	-68.9
DDH0793	165.51	152.6	-68.3
DDH0793	171.6	152.4	-67.6
DDH0793	177.7	152	-66.8
DDH0793	183.79	151.2	-66.3
DDH0793	189.89	150.7	-65.9
DDH0793	195.99	150.4	-65.7
DDH0793	202.08	150.4	-65.7
DDH0793	208.18	150.8	-65.5
DDH0793	214.27	150.6	-65.4
DDH0793	220.37	150.6	-65.3
DDH0793	226.47	150.7	-65.3
DDH0793	232.56	151.2	-65.3
DDH0793	238.66	151.8	-65.3
DDH0793	244.75	151.9	-65.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0793	250.85	152.6	-65.2
DDH0793	256.95	152.2	-65.1
DDH0793	263.04	152	-65
DDH0793	269.14	151.8	-64.9
DDH0793	275.23	151.7	-64.8
DDH0793	281.33	151.8	-64.7
DDH0793	287.43	152	-64.6
DDH0793	293.52	152	-64.7
DDH0793	299.62	152.3	-64.7
DDH0793	305.71	152.5	-64.8
DDH0793	311.81	152.3	-64.8
DDH0793	317.91	152.3	-64.8
DDH0793	324	152.4	-64.8
DDH0793	330.1	152.4	-64.7
DDH0793	336.19	152.6	-64.7
DDH0795	0	188	-66
DDH0795	1.22	188.1	-63
DDH0795	7.32	188.2	-63.4
DDH0795	13.41	188.3	-63.5
DDH0795	19.51	188.4	-63.8
DDH0795	25.6	188.4	-64.3
DDH0795	31.7	188.5	-64.6
DDH0795	37.8	188.5	-64.8
DDH0795	43.89	188.6	-64.8
DDH0795	49.99	188.7	-64.8
DDH0795	56.08	188.7	-64.4
DDH0795	62.18	188.8	-64.5
DDH0795	68.28	188.8	-64.6
DDH0795	74.37	189	-64.7
DDH0795	80.47	189.1	-64.8
DDH0795	86.56	189.2	-65
DDH0795	92.66	189.3	-65.1
DDH0795	98.76	188.7	-65.3
DDH0795	104.85	188.5	-65.4
DDH0795	110.95	188.3	-65.5
DDH0795	117.04	188.1	-65.6
DDH0795	123.14	187.6	-65.7
DDH0795	129.24	187.3	-65.6
DDH0795	135.33	186.8	-65.6
DDH0795	141.43	186.1	-65.6
DDH0795	147.52	185.6	-65.7
DDH0795	153.62	185	-65.6
DDH0795	159.72	184.7	-65.6
DDH0795	165.81	184.4	-65.7
DDH0795	171.91	183.9	-65.7
DDH0795	178	183.5	-65.7
DDH0795	184.1	183.5	-65.6
DDH0795	190.2	183.6	-65.6
DDH0795	196.29	183.5	-65.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0795	202.39	183.7	-65.5
DDH0795	208.48	183.6	-65.4
DDH0795	214.58	183.7	-65.4
DDH0795	220.68	183.7	-65.4
DDH0795	226.77	184	-65.3
DDH0795	232.87	184.2	-65.3
DDH0795	238.96	184.6	-65.4
DDH0795	245.06	185.3	-65.4
DDH0795	251.16	185	-65.4
DDH0795	257.25	185.8	-65.4
DDH0795	263.35	185.8	-65.4
DDH0796	0	349	-70
DDH0796	1.22	349.3	-70.3
DDH0796	7.32	349.7	-70.5
DDH0796	13.41	350	-69.5
DDH0796	19.51	350.4	-69.5
DDH0796	25.6	350.7	-69.8
DDH0796	31.7	351	-70
DDH0796	37.8	351.4	-70.3
DDH0796	43.89	351.8	-70.6
DDH0796	49.99	352	-70.8
DDH0796	56.08	352.7	-71.1
DDH0796	62.18	352.6	-71.3
DDH0796	68.28	352.6	-71.5
DDH0796	74.37	352.6	-71.6
DDH0796	80.47	352.9	-71.8
DDH0796	86.56	352.9	-71.9
DDH0796	92.66	352.9	-71.9
DDH0796	98.76	353.1	-72
DDH0796	104.85	353.2	-72.1
DDH0796	110.95	353.3	-72.2
DDH0796	117.04	353.5	-72.3
DDH0796	123.14	353.7	-72.4
DDH0796	129.24	353.8	-72.5
DDH0796	135.33	354	-72.7
DDH0796	141.43	354.3	-72.9
DDH0796	147.52	354.4	-73
DDH0796	153.62	354.7	-73.1
DDH0796	159.72	354.9	-73.3
DDH0796	165.81	355.2	-73.5
DDH0796	171.91	355.7	-73.8
DDH0797	0	147	-50
DDH0797	7.01	146.77	-50.49
DDH0797	13.11	146.55	-50.87
DDH0797	19.2	146.32	-51.46
DDH0797	25.3	146.1	-51.66
DDH0797	31.39	145.87	-51.84
DDH0797	37.49	145.64	-51.34
DDH0797	43.59	145.42	-51.67

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0797	49.68	145.19	-51.47
DDH0797	55.78	144.96	-51.16
DDH0797	61.87	144.74	-50.85
DDH0797	67.97	144.51	-50.42
DDH0797	74.07	144.29	-50.52
DDH0797	80.16	144.06	-50.58
DDH0797	86.26	144.11	-50.43
DDH0797	92.35	144.38	-50.42
DDH0797	98.45	144.68	-50.44
DDH0797	104.55	144.59	-50.44
DDH0797	110.64	144.92	-50.39
DDH0797	116.74	144.69	-50.29
DDH0797	122.83	144.73	-50.19
DDH0797	128.93	144.64	-50.15
DDH0797	135.03	144.96	-50.18
DDH0797	141.12	145.12	-50.08
DDH0797	147.22	145.09	-50.01
DDH0797	153.31	145.3	-49.98
DDH0797	159.41	145.49	-49.82
DDH0797	165.51	145.75	-49.73
DDH0797	171.6	145.82	-49.63
DDH0797	177.7	145.65	-49.5
DDH0797	183.79	145.64	-49.33
DDH0797	189.89	145.34	-49.21
DDH0797	195.99	145.36	-49.06
DDH0797	202.08	145.29	-48.97
DDH0797	208.18	145.52	-48.9
DDH0797	214.27	145.47	-48.86
DDH0797	220.37	145.73	-48.82
DDH0797	226.47	145.79	-48.77
DDH0797	232.56	146.02	-48.75
DDH0797	238.66	145.86	-48.79
DDH0797	244.75	146.13	-48.68
DDH0797	250.85	146.17	-48.65
DDH0797	256.95	146.09	-48.59
DDH0797	263.04	146.16	-48.59
DDH0797	269.14	146.3	-48.55
DDH0797	275.23	145.94	-48.61
DDH0797	281.33	145.96	-48.6
DDH0797	287.43	145.73	-48.6
DDH0797	293.52	145.66	-48.61
DDH0797	299.62	145.6	-48.58
DDH0797	305.71	145.63	-48.54
DDH0797	311.81	145.98	-48.48
DDH0797	317.91	146.23	-48.5
DDH0797	324	146.36	-48.45
DDH0797	330.1	146.64	-48.49
DDH0797	336.19	146.8	-48.4
DDH0797	342.29	146.91	-48.41

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0797	348.39	147.02	-48.4
DDH0797	354.48	147.49	-48.4
DDH0797	360.58	147.68	-48.36
DDH0797	366.67	147.95	-48.4
DDH0797	372.77	147.96	-48.38
DDH0797	378.87	148.03	-48.37
DDH0797	384.96	147.94	-48.38
DDH0797	391.06	147.75	-48.37
DDH0797	397.15	147.59	-48.4
DDH0797	403.25	147.52	-48.4
DDH0797	409.35	147.29	-48.37
DDH0797	415.44	147.08	-48.33
DDH0797	421.54	147.03	-48.33
DDH0797	427.63	147.07	-48.38
DDH0797	433.73	146.77	-48.46
DDH0797	439.83	146.63	-48.47
DDH0797	445.92	146.51	-48.44
DDH0797	452.02	146.77	-48.51
DDH0797	458.11	147.31	-48.57
DDH0797	464.21	148.3	-48.62
DDH0797	470.31	148.15	-48.63
DDH0797	476.4	148.79	-48.64
DDH0797	482.5	148.52	-48.61
DDH0797	488.59	147.83	-48.62
DDH0797	494.69	147.31	-48.62
DDH0797	500.79	147.16	-48.55
DDH0797	506.88	145.89	-48.5
DDH0797	512.98	147.53	-48.56
DDH0797	519.07	148.36	-48.58
DDH0797	525.17	149.07	-48.54
DDH0797	531.27	149.62	-48.54
DDH0797	537.36	149.37	-48.51
DDH0799	0	133	-56
DDH0799	5.18	134.2	-55.5
DDH0799	11.28	130.29	-54.67
DDH0799	17.37	130.62	-54.85
DDH0799	23.47	131.77	-54.95
DDH0799	29.57	129.57	-54.98
DDH0799	35.66	130.07	-55.05
DDH0799	41.76	130.78	-55.4
DDH0799	47.85	129.71	-55.19
DDH0799	53.95	130.28	-55.17
DDH0799	60.05	129.79	-54.9
DDH0799	66.14	129.65	-55.24
DDH0799	72.24	130.6	-55.65
DDH0799	78.33	131.09	-55.93
DDH0799	84.43	132.22	-56.38
DDH0799	90.53	132.77	-56.8
DDH0799	96.62	133.81	-56.94

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0799	102.72	134.01	-57.54
DDH0799	108.81	133.97	-58.18
DDH0799	114.91	135.02	-57.9
DDH0799	121.01	135.71	-57.78
DDH0799	127.1	135.12	-57.73
DDH0799	133.2	134.5	-57.45
DDH0799	139.29	134.76	-57.22
DDH0799	145.39	134.69	-56.86
DDH0799	151.49	134.83	-56.59
DDH0799	157.58	134.76	-56.23
DDH0799	163.68	134.41	-56
DDH0799	169.77	134.79	-55.63
DDH0799	175.87	135	-55.44
DDH0799	181.97	134.92	-55.12
DDH0799	188.06	135.05	-54.75
DDH0799	194.16	135.19	-54.58
DDH0799	200.25	135.21	-54.43
DDH0799	206.35	135.17	-54.3
DDH0799	212.45	135.8	-54.25
DDH0799	218.54	136.58	-54.04
DDH0801	0	199	-57
DDH0801	1.22	199.1	-55.84
DDH0801	7.32	199.2	-55.76
DDH0801	13.41	199.3	-55.64
DDH0801	19.51	199.4	-55.3
DDH0801	25.6	199.5	-55.41
DDH0801	31.7	199.6	-55.46
DDH0801	37.8	199.76	-55.55
DDH0801	43.89	199.34	-55.48
DDH0801	49.99	199.65	-55.33
DDH0801	56.08	200.34	-56.2
DDH0801	62.18	199.83	-56.01
DDH0801	68.28	199.89	-56.53
DDH0801	74.37	199.54	-56.92
DDH0801	80.47	199.42	-57.45
DDH0801	86.56	199.33	-57.86
DDH0801	92.66	199.27	-58.26
DDH0801	98.76	198.83	-58.51
DDH0801	104.85	198.28	-58.8
DDH0801	110.95	198.4	-59.33
DDH0801	117.04	198.52	-59.59
DDH0801	123.14	197.61	-59.53
DDH0801	129.24	196.54	-59.69
DDH0801	135.33	195.61	-59.63
DDH0801	141.43	193.89	-59.63
DDH0801	147.52	192.78	-59.36
DDH0801	153.62	191.48	-59.4
DDH0801	159.72	190.95	-59.6
DDH0801	165.81	190.44	-59.96

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0801	171.91	189.96	-60.08
DDH0801	178	189.26	-60.33
DDH0801	184.1	188.36	-60.52
DDH0801	190.2	187.25	-60.67
DDH0801	196.29	186.52	-60.97
DDH0802	0	253	-76
DDH0802	11.58	251.677	-76.8
DDH0802	17.68	252.827	-76.72
DDH0802	23.77	253.087	-76.69
DDH0802	29.87	253.567	-76.54
DDH0802	35.97	253.957	-76.43
DDH0802	42.06	254.047	-76.42
DDH0802	48.16	254.547	-76.43
DDH0802	54.25	254.697	-76.43
DDH0802	60.35	254.937	-76.39
DDH0802	66.45	254.957	-76.27
DDH0802	72.54	254.677	-76.18
DDH0802	78.64	254.757	-76.11
DDH0802	84.73	254.487	-76.14
DDH0802	90.83	254.827	-76.08
DDH0802	96.93	254.857	-76.09
DDH0802	103.02	254.537	-76.19
DDH0802	109.12	254.217	-76.25
DDH0802	115.21	253.447	-76.38
DDH0802	121.31	252.867	-76.41
DDH0804	0	109	-68
DDH0804	1.22	109	-72.12
DDH0804	7.32	109.1	-71.97
DDH0804	13.41	109.32	-70.69
DDH0804	19.51	109.71	-70.77
DDH0804	25.6	110.1	-71.67
DDH0804	31.7	110.49	-71.61
DDH0804	37.8	110.88	-71.57
DDH0804	43.89	111.27	-71.38
DDH0804	49.99	111.66	-70.97
DDH0804	56.08	112.05	-70.58
DDH0804	62.18	112.44	-70.22
DDH0804	68.28	112.83	-69.91
DDH0804	74.37	113.22	-69.86
DDH0804	80.47	113.61	-69.35
DDH0804	86.56	114	-69.05
DDH0804	92.66	114.39	-68.96
DDH0804	98.76	114.78	-68.72
DDH0804	104.85	115.17	-68.59
DDH0804	110.95	115.56	-68.43
DDH0804	117.04	115.95	-68.29
DDH0804	123.14	116.34	-67.97
DDH0804	129.24	116.73	-67.68
DDH0804	135.33	117.12	-67.43

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0804	141.43	117.51	-67.29
DDH0804	147.52	117.9	-67.16
DDH0804	153.62	118.29	-66.96
DDH0804	159.72	121.15	-66.91
DDH0804	165.81	121.62	-66.92
DDH0804	171.91	122.34	-66.83
DDH0804	178	122.99	-66.71
DDH0804	184.1	123.97	-66.59
DDH0804	190.2	124.87	-66.33
DDH0804	196.29	125.04	-66.11
DDH0804	202.39	124.77	-65.79
DDH0804	208.48	124.45	-65.44
DDH0804	214.58	124.73	-64.88
DDH0804	220.68	124.51	-64.43
DDH0804	226.77	124.99	-64.35
DDH0804	232.87	126.49	-64.18
DDH0804	238.96	127.8	-63.94
DDH0804	245.06	126.85	-63.73
DDH0804	251.16	126.13	-63.32
DDH0804	257.25	125.9	-62.95
DDH0804	263.35	125.89	-63.04
DDH0804	269.44	126.31	-62.67
DDH0804	275.54	126.52	-62.6
DDH0804	281.64	127	-62.57
DDH0804	287.73	127.48	-62.52
DDH0804	293.83	127.98	-62.47
DDH0804	299.92	128.57	-62.37
DDH0804	306.02	129.25	-62.21
DDH0804	312.12	129.51	-62.05
DDH0804	318.21	130	-61.9
DDH0804	324.31	130.33	-61.73
DDH0804	330.4	129.81	-61.61
DDH0808	0		-90
DDH0808	21.03	8.997	-89.65
DDH0808	27.13	305.937	-89.24
DDH0808	33.22	308.447	-89.58
DDH0808	39.32	277.177	-89.37
DDH0808	45.42	275.897	-89.33
DDH0808	51.51	298.367	-89.3
DDH0808	57.61	305.867	-88.82
DDH0808	63.7	304.857	-88.85
DDH0808	69.8	277.107	-88.67
DDH0810	0	0	-90
DDH0811	0	0	-90
DDH0811	2.74	180	-89.44
DDH0811	8.84	140.48	-89.84
DDH0811	14.94	150	-89.75
DDH0811	21.03	91.15	-89.59
DDH0811	27.13	106.67	-89.78

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0811	33.22	170.03	-89.51
DDH0811	39.32	182.1	-88.59
DDH0812	0	0	-90
DDH0812	2.74	300.82	-89.34
DDH0812	8.84	300	-89.58
DDH0812	14.94	307.36	-89.67
DDH0812	21.03	240.53	-89.63
DDH0812	27.13	198.99	-89.63
DDH0812	33.22	162.36	-89.08
DDH0812	39.32	151.38	-88.64
DDH0812	45.42	147.88	-87.84
DDH0812	51.51	147.11	-86.94
DDH0812	57.61	146.13	-86.24
DDH0812	63.7	146.14	-85.84
DDH0812	69.8	146.22	-85.23
DDH0813	0	0	-90
DDH0813	5.79	0.71	-89.42
DDH0813	11.89	17.03	-87.52
DDH0813	17.98	10.97	-88.33
DDH0813	24.08	8.8	-87.94
DDH0813	30.18	355.82	-88.17
DDH0813	36.27	0.62	-88.71
DDH0813	42.37	1.72	-88.84
DDH0813	48.46	24.41	-89.04
DDH0814	0	0	-90
DDH0814	5.79	117.46	-89.62
DDH0814	11.89	255.96	-89.55
DDH0814	17.98	69.1	-89.45
DDH0814	24.08	121.56	-89.39
DDH0814	30.18	130	-89.16
DDH0814	36.27	120	-89.58
DDH0814	42.37	114.79	-89.79
DDH0814	48.46	220	-89.91
DDH0814	54.56	264.18	-89.75
DDH0814	60.66	249.49	-89.57
DDH0814	66.75	246.23	-89.36
DDH0814	72.85	246.06	-89.42
DDH0815	0	208	-42
DDH0815	5.18	208.5	-42.05
DDH0815	11.28	208.7	-42.52
DDH0815	17.37	208.9	-43.01
DDH0815	23.47	209.1	-43.51
DDH0815	29.57	209.3	-43.58
DDH0815	35.66	209.5	-43.74
DDH0815	41.76	209.6	-44.02
DDH0815	47.85	209.7	-44.08
DDH0815	53.95	209.8	-44.02
DDH0815	60.05	209.99	-43.83
DDH0815	66.14	209.9	-43.78

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0815	72.24	210.3	-43.78
DDH0815	78.33	211.09	-43.74
DDH0815	84.43	211.08	-44.03
DDH0815	90.53	211.01	-44.25
DDH0815	96.62	210.69	-44.41
DDH0816	0	246	-76
DDH0816	5.79	243.5	-75.86
DDH0816	11.89	242.96	-75.81
DDH0816	17.98	244.11	-75.65
DDH0816	24.08	242.85	-75.68
DDH0816	30.18	242.65	-75.53
DDH0816	36.27	240.28	-75.63
DDH0816	42.37	238.17	-75.61
DDH0816	48.46	236.53	-75.52
DDH0816	54.56	235.49	-75.48
DDH0816	63.7	234.92	-75.36
DDH0816	69.8	234.34	-75.43
DDH0816	75.9	234.02	-75.39
DDH0816	81.99	233.75	-75.4
DDH0816	88.09	233.5	-75.4
DDH0816	94.18	233.67	-75.34
DDH0816	100.28	233.07	-75.35
DDH0816	106.38	232.59	-75.47
DDH0816	112.47	231.92	-75.46
DDH0816	118.57	232.93	-76.17
DDH0816	124.66	231.35	-75.45
DDH0817	0	119	-50
DDH0817	0.91	118.8405	-52.32
DDH0817	7.01	118.6811	-52.5
DDH0817	13.11	118.5216	-52.22
DDH0817	19.2	118.3621	-52.37
DDH0817	25.3	118.2026	-52.71
DDH0817	31.39	118.0432	-52.87
DDH0817	37.49	117.8837	-52.79
DDH0817	43.59	117.7242	-52.75
DDH0817	49.68	117.5647	-52.72
DDH0817	55.78	117.4053	-52.63
DDH0817	61.87	117.2458	-52.62
DDH0817	67.97	117.0863	-52.51
DDH0817	74.07	116.9268	-52.27
DDH0817	80.16	116.7674	-52.09
DDH0817	86.26	116.6079	-52.04
DDH0817	92.35	116.4484	-52.1
DDH0817	98.45	116.2889	-51.91
DDH0817	104.55	116.1295	-51.86
DDH0817	110.64	115.97	-51.86
DDH0817	116.74	116.27	-51.79
DDH0817	122.83	116.66	-51.72
DDH0817	128.93	116.87	-51.55

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0817	135.03	116.76	-51.48
DDH0817	141.12	116.27	-51.43
DDH0817	147.22	115.93	-51.46
DDH0817	153.31	116	-51.36
DDH0817	159.41	116.19	-51.44
DDH0817	165.51	116.13	-51.38
DDH0817	171.6	116.45	-51.36
DDH0817	177.7	117.04	-51.27
DDH0817	183.79	117.91	-51.12
DDH0817	189.89	118.32	-51.02
DDH0817	195.99	118.4	-50.82
DDH0817	202.08	118.2	-50.69
DDH0817	208.18	117.82	-50.69
DDH0817	214.27	117.88	-50.65
DDH0817	220.37	117.85	-50.62
DDH0817	226.47	117.95	-50.61
DDH0817	232.56	118.17	-50.41
DDH0817	238.66	118.45	-50.27
DDH0817	244.75	118.75	-50.15
DDH0817	250.85	119.39	-50.04
DDH0817	256.95	119.63	-49.94
DDH0817	263.04	120.17	-49.91
DDH0817	269.14	120.63	-49.71
DDH0817	275.23	120.75	-49.64
DDH0817	281.33	120.81	-49.6
DDH0817	287.43	120.76	-49.6
DDH0817	293.52	120.65	-49.58
DDH0817	299.62	120.81	-49.53
DDH0817	305.71	120.63	-49.53
DDH0817	311.81	120.75	-49.56
DDH0817	317.91	120.69	-49.52
DDH0817	324	120.99	-49.57
DDH0817	330.1	121.22	-49.57
DDH0817	336.19	121.29	-49.57
DDH0817	342.29	121.66	-49.65
DDH0817	348.39	122.14	-49.77
DDH0818	0	275	-57
DDH0818	2.13	274.72	-57.34
DDH0818	8.23	274.84	-57.29
DDH0818	14.33	276.49	-57.66
DDH0818	20.42	277.26	-57.78
DDH0818	26.52	275.25	-58.82
DDH0818	32.61	276.52	-58.3
DDH0818	38.71	277.17	-58.35
DDH0818	44.81	276.38	-58.52
DDH0818	50.9	275.99	-58.67
DDH0818	57	275.51	-59.02
DDH0818	63.09	275.17	-59.27
DDH0818	69.19	274.85	-59.53

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0818	75.29	275.8	-59.7
DDH0819	0	107	-80
DDH0819	8.84	107.8733	-80
DDH0819	14.94	108.9213	-80
DDH0819	21.03	109.9693	-79.65
DDH0819	27.13	111.0173	-79.23
DDH0819	33.22	112.0653	-79.23
DDH0819	39.32	112.24	-79.23
DDH0819	45.42	111.44	-79.04
DDH0819	51.51	110.79	-78.95
DDH0819	57.61	110.42	-78.98
DDH0819	63.7	111.74	-78.95
DDH0819	69.8	113.71	-78.68
DDH0819	75.9	114.95	-78.37
DDH0819	81.99	115.88	-78.05
DDH0819	88.09	116.02	-77.78
DDH0819	94.18	115.41	-77.45
DDH0819	100.28	114.09	-77.39
DDH0819	106.38	115.22	-77.31
DDH0819	112.47	117.02	-77.06
DDH0819	118.57	117.94	-76.84
DDH0819	124.66	119.08	-76.57
DDH0819	130.76	119.01	-76.38
DDH0819	136.86	120.02	-76.19
DDH0819	142.95	120.28	-76.02
DDH0819	149.05	120.09	-75.81
DDH0820	0	127	-73
DDH0820	4.27	127.3655	-72.48
DDH0820	10.36	127.7309	-72.46
DDH0820	16.46	128.0964	-72.33
DDH0820	22.56	128.4618	-72.24
DDH0820	28.65	128.8273	-71.7
DDH0820	34.75	129.1927	-71.28
DDH0820	40.84	129.5582	-71.06
DDH0820	46.94	129.9236	-70.91
DDH0820	53.04	130.2891	-70.91
DDH0820	59.13	130.6545	-70.61
DDH0820	65.23	131	-70.32
DDH0820	71.32	131.02	-70.05
DDH0820	77.42	130.66	-69.89
DDH0820	83.52	130.58	-69.47
DDH0820	89.61	130.75	-69.15
DDH0820	95.71	130.73	-68.74
DDH0820	101.8	130.9	-68.34
DDH0820	107.9	131.74	-67.53
DDH0820	114	132.03	-66.83
DDH0820	120.09	132.39	-66.24
DDH0820	126.19	131.66	-65.84
DDH0820	132.28	131.69	-65.42

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0820	138.38	131.95	-64.4
DDH0820	144.48	131.94	-63.37
DDH0820	150.57	132.38	-62.68
DDH0820	156.67	132.93	-62.23
DDH0820	162.76	132.87	-61.63
DDH0820	168.86	132.7	-61.07
DDH0820	174.96	131.89	-60.51
DDH0820	181.05	131.02	-60.04
DDH0820	187.15	130.83	-59.64
DDH0820	193.24	130.91	-59.2
DDH0820	199.34	130.46	-58.64
DDH0820	205.44	130.57	-58.09
DDH0820	211.53	130.29	-57.59
DDH0820	217.63	130.55	-57.3
DDH0820	223.72	131.56	-56.86
DDH0820	229.82	132.33	-56.68
DDH0820	235.92	132.46	-56.57
DDH0820	242.01	132.19	-56.44
DDH0820	248.11	132.04	-56.03
DDH0820	254.2	132.65	-55.63
DDH0820	260.3	133.13	-55.31
DDH0820	266.4	133.61	-55.06
DDH0820	272.49	134.93	-54.64
DDH0821	0	259	-61
DDH0821	4.27	259.1	-60.36
DDH0821	10.36	259.2	-60.95
DDH0821	16.46	259.3	-60.86
DDH0821	22.56	259.4	-61.2
DDH0821	28.65	259.5	-61.04
DDH0821	34.75	259.6	-61.06
DDH0821	40.84	259.7	-60.83
DDH0821	46.94	259.8	-60.94
DDH0821	53.04	259.9	-60.96
DDH0821	59.13	260.09	-61.09
DDH0821	65.23	259.48	-61.02
DDH0821	71.32	259.51	-61.03
DDH0821	77.42	259.63	-60.87
DDH0821	83.52	259.64	-60.81
DDH0821	89.61	259.67	-60.84
DDH0821	95.71	259.07	-60.94
DDH0821	101.8	258.86	-60.98
DDH0821	107.9	258.53	-61.08
DDH0821	114	258.43	-61.07
DDH0821	120.09	258.69	-61.05
DDH0821	126.19	259.06	-60.94
DDH0821	132.28	258.89	-60.94
DDH0821	138.38	258.82	-61.05
DDH0821	144.48	258.46	-61.09
DDH0821	150.57	258.22	-61.16

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0821	156.67	258.05	-61.19
DDH0821	162.76	257.99	-61.19
DDH0821	168.86	258.06	-61.17
DDH0821	174.96	258.33	-61.08
DDH0821	181.05	258.5	-60.98
DDH0821	187.15	258.71	-60.91
DDH0821	193.24	258.46	-60.92
DDH0821	199.34	258.31	-60.96
DDH0821	205.44	258.11	-60.98
DDH0821	211.53	257.98	-60.97
DDH0821	217.63	257.66	-61.08
DDH0821	223.72	257.24	-61.09
DDH0821	229.82	256.78	-61.26
DDH0821	235.92	256.38	-61.37
DDH0821	242.01	256.07	-61.37
DDH0821	248.11	255.91	-61.45
DDH0821	254.2	255.36	-61.46
DDH0821	260.3	254.8	-61.54
DDH0821	266.4	254.57	-61.61
DDH0821	272.49	254.25	-61.66
DDH0821	278.59	254.27	-61.56
DDH0821	284.68	254.2	-61.5
DDH0821	290.78	253.94	-61.52
DDH0821	296.88	253.96	-61.51
DDH0821	302.97	253.95	-61.53
DDH0821	309.07	253.77	-61.56
DDH0822	0	281	-43
DDH0822	3.66	281.3	-40.28
DDH0822	9.75	281.6	-40.34
DDH0822	15.85	281.9	-40.33
DDH0822	21.95	282.2	-40.46
DDH0822	28.04	282.5	-40.44
DDH0822	34.14	282.56	-40.57
DDH0822	40.23	281.7	-40.65
DDH0822	46.33	282.06	-40.81
DDH0822	52.43	282.81	-40.89
DDH0822	58.52	283.59	-41.05
DDH0822	64.62	282.67	-41.08
DDH0822	70.71	282.44	-41.16
DDH0822	76.81	282.54	-41.34
DDH0822	82.91	283.26	-41.26
DDH0822	89	282.51	-41.41
DDH0822	95.1	282.75	-41.72
DDH0822	101.19	282.65	-41.72
DDH0822	107.29	282.35	-41.77
DDH0822	113.39	282.25	-41.86
DDH0822	119.48	282.17	-42.01
DDH0822	125.58	282.13	-42.05
DDH0822	131.67	281.71	-42.3

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0822	137.77	280.52	-43.24
DDH0822	143.87	279.16	-43.83
DDH0822	149.96	277.31	-44.7
DDH0822	156.06	274.99	-45.74
DDH0822	162.15	273.22	-46.43
DDH0822	168.25	272.84	-46.58
DDH0822	174.35	272.27	-46.81
DDH0822	180.44	272.1	-46.99
DDH0822	186.54	271.68	-47.21
DDH0822	192.63	271.61	-47.48
DDH0822	198.73	271.35	-47.62
DDH0822	204.83	271.18	-47.76
DDH0822	210.92	271.21	-47.84
DDH0822	217.02	271.38	-47.91
DDH0822	223.11	271.85	-48.01
DDH0822	229.21	271.28	-48.56
DDH0822	235.31	271.07	-48.71
DDH0822	241.4	270.03	-49.18
DDH0822	247.5	269	-49.18
DDH0823	0	129	-45
DDH0823	3.96	128.5	-45.88
DDH0823	10.06	128	-45.2
DDH0823	16.15	127.5	-45.04
DDH0823	22.25	127	-46.4
DDH0823	28.35	126.5	-45.87
DDH0823	34.44	126	-46.2
DDH0823	40.54	125.5	-45.95
DDH0823	46.63	125	-46
DDH0823	52.73	124.5	-46.03
DDH0823	58.83	124	-45.71
DDH0823	64.92	124	-45.74
DDH0823	71.02	123.75	-45.77
DDH0823	77.11	123.75	-45.61
DDH0823	83.21	123.63	-45.68
DDH0823	89.31	123.46	-45.71
DDH0823	95.4	123.61	-45.56
DDH0823	101.5	123.89	-45.48
DDH0823	107.59	124.21	-45.43
DDH0823	113.69	123.96	-45.32
DDH0823	119.79	124.21	-45.25
DDH0823	125.88	124.59	-45.15
DDH0823	131.98	124.45	-45.03
DDH0823	138.07	124.7	-44.98
DDH0823	144.17	125.18	-44.91
DDH0823	150.27	125.97	-44.77
DDH0823	156.36	126	-44.65
DDH0823	162.46	126	-44.54
DDH0823	168.55	126.1	-44.47
DDH0823	174.65	125.78	-44.31

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0823	180.75	125.43	-44.27
DDH0823	186.84	125.61	-44.2
DDH0823	192.94	126.33	-44.14
DDH0823	199.03	126.26	-44.02
DDH0823	205.13	126.44	-43.95
DDH0823	211.23	126.97	-43.91
DDH0823	217.32	127.15	-43.84
DDH0823	223.42	127.59	-43.8
DDH0823	229.51	128	-43.76
DDH0823	235.61	127.92	-43.64
DDH0823	241.71	127.78	-43.56
DDH0823	247.8	127.23	-43.63
DDH0823	253.9	126.97	-43.57
DDH0823	259.99	127.21	-43.58
DDH0823	266.09	127.69	-43.59
DDH0823	272.19	128	-43.48
DDH0823	278.28	128.85	-43.33
DDH0823	284.38	129.58	-43.33
DDH0823	290.47	129.97	-43.33
DDH0823	296.57	130.24	-43.37
DDH0823	302.67	130.73	-43.38
DDH0823	308.76	131.04	-43.41
DDH0823	314.86	131.33	-43.35
DDH0823	320.95	131.52	-43.34
DDH0823	327.05	131.84	-43.27
DDH0823	333.15	132	-43.3
DDH0823	339.24	132.35	-43.27
DDH0823	345.34	132.47	-43.21
DDH0823	351.43	132.69	-43.15
DDH0823	357.53	133.01	-43.09
DDH0823	363.63	133.13	-43.02
DDH0823	369.72	133.43	-43.01
DDH0823	375.82	133.19	-43.12
DDH0823	381.91	133.17	-43.05
DDH0823	388.01	133.44	-43.1
DDH0823	394.11	133.63	-43.1
DDH0823	400.2	133.58	-43.09
DDH0823	406.3	133.73	-43.1
DDH0823	412.39	134	-43.13
DDH0823	418.49	134.1	-43.2
DDH0823	424.59	134.16	-43.21
DDH0823	430.68	134.67	-43.2
DDH0823	436.78	134.5	-43.08
DDH0823	442.87	134.34	-42.99
DDH0824	0	256	-69
DDH0824	1.52	256.3	-69.99
DDH0824	7.62	256.6	-69.65
DDH0824	13.72	256.9	-69.88
DDH0824	19.81	257.2	-68.58

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0824	25.91	257.5	-68.74
DDH0824	32	257.8	-68.84
DDH0824	38.1	258.1	-68.85
DDH0824	44.2	258.4	-68.56
DDH0824	50.29	258.7	-68.66
DDH0824	56.39	259	-68.66
DDH0824	62.48	259.85	-68.74
DDH0824	68.58	260.48	-68.65
DDH0824	74.68	260.84	-68.61
DDH0824	80.77	259.39	-68.79
DDH0824	86.87	259.59	-68.74
DDH0824	92.96	262.17	-68.12
DDH0824	99.06	260.33	-68.61
DDH0824	105.16	259.85	-68.66
DDH0824	111.25	259.09	-68.88
DDH0824	117.35	258.41	-68.95
DDH0824	123.44	258.8	-68.87
DDH0824	129.54	259.38	-68.78
DDH0824	135.64	259.02	-68.75
DDH0824	141.73	259.82	-68.75
DDH0824	147.83	259.77	-68.76
DDH0824	153.92	259.34	-68.78
DDH0824	160.02	258.7	-68.95
DDH0824	166.12	258.49	-69.03
DDH0824	172.21	259	-68.9
DDH0824	178.31	259.17	-68.78
DDH0824	184.4	259.43	-68.59
DDH0824	190.5	259.6	-68.56
DDH0824	196.6	259.7	-68.57
DDH0824	202.69	259.66	-68.77
DDH0824	208.79	259.58	-68.78
DDH0824	214.88	259.16	-68.91
DDH0824	220.98	258.4	-68.88
DDH0824	227.08	257.87	-68.89
DDH0824	233.17	257.56	-68.93
DDH0824	239.27	257.28	-68.96
DDH0824	245.36	257.16	-68.96
DDH0824	251.46	256.84	-68.91
DDH0824	257.56	256.73	-68.86
DDH0824	263.65	256.78	-68.82
DDH0824	269.75	257.09	-68.76
DDH0825	0	296	-42
DDH0825	0.61	296.74	-42.48
DDH0825	6.71	297.48	-42.38
DDH0825	12.8	298.22	-42.12
DDH0825	18.9	298.96	-42.47
DDH0825	24.99	299.7	-42.28
DDH0825	31.09	300.45	-42.58
DDH0825	37.19	300.05	-42.47

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0825	43.28	300.15	-42.8
DDH0825	49.38	300.1	-42.68
DDH0825	55.47	299.01	-42.99
DDH0825	61.57	299.64	-43.06
DDH0825	67.67	299.63	-43.08
DDH0825	73.76	298.9	-43.15
DDH0825	79.86	299.26	-43.32
DDH0825	85.95	300.9	-43.28
DDH0825	92.05	301.1	-43.3
DDH0825	98.15	301.33	-43.36
DDH0825	104.24	299.39	-43.48
DDH0825	110.34	300.3	-43.55
DDH0825	116.43	300.11	-43.26
DDH0825	122.53	299.36	-43.72
DDH0825	128.63	299.56	-43.5
DDH0825	134.72	299.51	-43.48
DDH0825	140.82	299.07	-43.72
DDH0825	146.91	299.64	-43.62
DDH0825	153.01	299.7	-43.68
DDH0825	159.11	298.92	-43.81
DDH0825	165.2	299.44	-43.85
DDH0825	171.3	299.32	-43.79
DDH0825	177.39	299.41	-43.88
DDH0825	183.49	299.59	-44.01
DDH0825	189.59	299.82	-43.94
DDH0825	195.68	299.25	-43.85
DDH0825	201.78	298.57	-44.18
DDH0825	207.87	298.7	-43.86
DDH0825	213.97	299.11	-43.55
DDH0825	220.07	299.46	-43.55
DDH0825	226.16	299.04	-43.36
DDH0825	232.26	299.19	-43.25
DDH0825	238.35	299.42	-43.02
DDH0825	244.45	299.67	-42.91
DDH0825	250.55	299.76	-42.55
DDH0825	256.64	298.9	-42.59
DDH0825	262.74	299.03	-42.45
DDH0825	268.83	299.35	-42.25
DDH0825	274.93	299.66	-42.13
DDH0825	281.03	299.72	-41.97
DDH0825	287.12	299.57	-41.74
DDH0826	0	166	-52
DDH0826	1.22	165.8	-53.82
DDH0826	7.32	165.6	-53.73
DDH0826	13.41	165.4	-53.88
DDH0826	19.51	165.2	-54.48
DDH0826	25.6	165	-53.3
DDH0826	31.7	164.8	-53.66
DDH0826	37.8	164.6	-53.72

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0826	43.89	164.4	-53.67
DDH0826	49.99	164.2	-53.63
DDH0826	56.08	164	-53.69
DDH0826	62.18	164	-53.48
DDH0826	68.28	163.8	-53.51
DDH0826	74.37	163.6	-53.47
DDH0826	80.47	163.4	-53.5
DDH0826	86.56	163.3	-53.39
DDH0826	92.66	163.3	-53.17
DDH0826	98.76	162.74	-53.09
DDH0826	104.85	161.76	-53.13
DDH0826	110.95	161.96	-53.32
DDH0826	117.04	162.79	-53.27
DDH0826	123.14	163.68	-53.22
DDH0826	129.24	163.13	-53.12
DDH0826	135.33	163.36	-53.28
DDH0826	141.43	162.94	-53.33
DDH0826	147.52	162.36	-53.48
DDH0826	153.62	161.66	-53.6
DDH0826	159.72	161.87	-53.61
DDH0826	165.81	162.33	-53.59
DDH0826	171.91	162.89	-53.58
DDH0826	178	162.18	-53.67
DDH0826	184.1	162.24	-53.65
DDH0826	190.2	162.46	-53.7
DDH0826	196.29	163.13	-53.69
DDH0826	202.39	163.76	-53.7
DDH0826	208.48	164.11	-53.66
DDH0826	214.58	163.9	-53.54
DDH0826	220.68	163.88	-53.54
DDH0826	226.77	163.5	-53.52
DDH0827	0	166	-60
DDH0827	1.22	166.04	-60.02
DDH0827	7.32	166.08	-60.03
DDH0827	13.41	166.12	-60.5
DDH0827	19.51	166.15	-60.07
DDH0827	25.6	166.19	-60.08
DDH0827	31.7	166.23	-60.1
DDH0827	37.8	166.27	-60.12
DDH0827	43.89	166.31	-60.13
DDH0827	49.99	166.35	-60.15
DDH0827	56.08	166.39	-60.17
DDH0827	62.18	166.43	-60.18
DDH0827	68.28	166.46	-60.2
DDH0827	74.37	166.5	-60.22
DDH0827	80.47	166.54	-60.23
DDH0827	86.56	166.58	-60.25
DDH0827	92.66	166.6	-60.28
DDH0827	98.76	165.64	-60.16

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0827	104.85	165.46	-60.06
DDH0827	110.95	165.94	-59.92
DDH0827	117.04	166.77	-59.76
DDH0827	123.14	166.94	-59.69
DDH0827	129.24	166	-59.7
DDH0827	135.33	165.51	-59.53
DDH0827	141.43	165.38	-59.43
DDH0827	147.52	165.51	-59.41
DDH0827	153.62	165.13	-59.35
DDH0827	159.72	165.08	-59.35
DDH0827	165.81	165.15	-59.34
DDH0827	171.91	165.22	-59.32
DDH0827	178	165.4	-59.29
DDH0827	184.1	165.45	-59.27
DDH0827	190.2	165.44	-59.21
DDH0827	196.29	165.69	-59.16
DDH0827	202.39	166.24	-59.11
DDH0827	208.48	166.45	-59.09
DDH0827	214.58	166.84	-59.01
DDH0827	220.68	166.9	-58.99
DDH0827	226.77	166.96	-58.92
DDH0827	232.87	167.37	-58.9
DDH0827	238.96	167.62	-58.91
DDH0827	245.06	167.59	-58.79
DDH0827	251.16	167.46	-58.69
DDH0827	257.25	167.89	-58.57
DDH0827	263.35	167.72	-58.52
DDH0827	269.44	167.87	-58.4
DDH0827	275.54	167.83	-58.28
DDH0827	281.64	167.75	-58.24
DDH0827	287.73	167.82	-58.18
DDH0827	293.83	167.51	-58.04
DDH0827	299.92	167.69	-57.98
DDH0827	306.02	167.42	-57.74
DDH0827	312.12	167.01	-57.45
DDH0827	318.21	166.64	-57.25
DDH0827	324.31	166.34	-57.09
DDH0827	330.4	166.43	-56.95
DDH0827	336.5	165.6	-56.87
DDH0827	342.6	165.59	-56.67
DDH0827	348.69	165.29	-56.43
DDH0827	354.79	164.28	-56.12
DDH0827	360.88	163.11	-55.98
DDH0827	366.98	162.07	-55.65
DDH0827	373.08	162.2	-55.39
DDH0827	379.17	161.51	-55.28
DDH0827	385.27	162.24	-55.2
DDH0827	391.36	163.21	-55.18
DDH0827	397.46	163.68	-55.05

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0828	0	288	-53
DDH0828	5.49	288.06	-53.11
DDH0828	11.58	288.11	-53.22
DDH0828	17.68	288.17	-53.33
DDH0828	23.77	288.23	-53.44
DDH0828	29.87	288.28	-53.54
DDH0828	35.97	288.34	-53.65
DDH0828	42.06	288.4	-53.76
DDH0828	48.16	288.45	-53.87
DDH0828	54.25	288.51	-53.98
DDH0828	60.35	288.64	-53.91
DDH0828	66.45	288.31	-54.04
DDH0828	72.54	287.55	-54.11
DDH0828	78.64	286.94	-54.18
DDH0828	84.73	286.36	-54.19
DDH0828	90.83	286.2	-54.02
DDH0828	96.93	286.05	-54.03
DDH0828	103.02	285.78	-53.93
DDH0828	109.12	285.22	-53.93
DDH0828	115.21	284.69	-53.97
DDH0828	121.31	284.24	-53.88
DDH0828	127.41	283.8	-53.95
DDH0828	133.5	282.94	-54
DDH0828	139.6	282.52	-53.98
DDH0828	145.69	282.55	-53.81
DDH0828	151.79	282.38	-53.72
DDH0828	157.89	281.94	-53.81
DDH0828	163.98	281.5	-53.7
DDH0828	170.08	281.46	-53.51
DDH0828	176.17	281.41	-53.29
DDH0828	182.27	281.31	-53.13
DDH0828	188.37	281.03	-52.87
DDH0828	194.46	280.7	-52.7
DDH0828	200.56	280.6	-52.49
DDH0828	206.65	280.64	-52.26
DDH0828	212.75	280.85	-51.98
DDH0828	218.85	281.01	-51.71
DDH0828	224.94	281.31	-51.43
DDH0828	231.04	281.56	-51.08
DDH0828	237.13	281.38	-50.89
DDH0828	243.23	281.19	-50.63
DDH0828	249.33	281.69	-50.35
DDH0828	255.42	281.77	-50.06
DDH0828	261.52	281.82	-49.73
DDH0828	267.61	281.76	-49.56
DDH0828	273.71	281.74	-49.25
DDH0829	0	340	-40
DDH0829	0.61	340.25	-39.58
DDH0829	6.71	340.5	-39.6

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0829	12.8	340.74	-39
DDH0829	18.9	340.99	-39.26
DDH0829	24.99	341.24	-39.38
DDH0829	31.09	341.49	-39.2
DDH0829	37.19	341.74	-39.12
DDH0829	43.28	341.99	-39.1
DDH0829	49.38	342.23	-39.18
DDH0829	55.47	342.73	-39.33
DDH0829	61.57	340.01	-39.26
DDH0829	67.67	339.41	-39.08
DDH0829	73.76	339.21	-39.06
DDH0829	79.86	339.21	-38.92
DDH0829	85.95	339	-38.77
DDH0829	92.05	338.87	-38.87
DDH0829	98.15	338.97	-39.15
DDH0829	104.24	338.59	-39.14
DDH0829	110.34	338.18	-39.14
DDH0829	116.43	338.15	-39.23
DDH0829	122.53	338.05	-39.3
DDH0829	128.63	337.86	-39.33
DDH0829	134.72	337.8	-39.29
DDH0829	140.82	337.74	-39.22
DDH0829	146.91	337.67	-39.19
DDH0829	153.01	337.46	-39.13
DDH0829	159.11	337.43	-39.1
DDH0829	165.2	337.41	-39.11
DDH0829	171.3	337.27	-38.99
DDH0829	177.39	337.52	-38.94
DDH0829	183.49	337.59	-38.92
DDH0829	189.59	337.39	-38.92
DDH0829	195.68	337.5	-38.88
DDH0829	201.78	337.58	-38.9
DDH0829	207.87	337.77	-38.88
DDH0829	213.97	338.18	-38.87
DDH0829	220.07	338.37	-38.78
DDH0829	226.16	338.48	-38.79
DDH0829	232.26	338.32	-38.6
DDH0829	238.35	337.47	-38.57
DDH0829	244.45	336.92	-38.47
DDH0829	250.55	337.58	-38.49
DDH0829	256.64	337.7	-38.27
DDH0829	262.74	338.07	-38.15
DDH0829	268.83	338.68	-37.95
DDH0829	274.93	338.63	-37.7
DDH0829	281.03	338.04	-37.44
DDH0829	287.12	337.64	-37.21
DDH0829	293.22	337.51	-36.93
DDH0830	0	311	-74
DDH0830	4.57	311.4	-74.91

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0830	10.67	311.8	-74.9
DDH0830	16.76	312.2	-75.02
DDH0830	22.86	312.6	-75.09
DDH0830	28.96	313	-74.75
DDH0830	35.05	313.4	-74.86
DDH0830	41.15	313.8	-74.94
DDH0830	47.24	314.2	-75.29
DDH0830	53.34	314.6	-75.29
DDH0830	59.44	315	-75.46
DDH0830	65.53	315.46	-75.71
DDH0830	71.63	315.78	-75.58
DDH0830	77.72	315.61	-75.74
DDH0830	83.82	315.6	-75.84
DDH0830	89.92	315.41	-75.84
DDH0830	96.01	315.11	-75.91
DDH0830	102.11	314.96	-76.13
DDH0830	108.2	314.29	-76.3
DDH0830	114.3	313.73	-76.44
DDH0830	120.4	313.24	-76.6
DDH0830	126.49	312.51	-76.76
DDH0830	132.59	312.28	-76.87
DDH0830	138.68	312.13	-76.88
DDH0830	144.78	312.05	-76.86
DDH0830	150.88	311.5	-76.9
DDH0830	156.97	310.96	-76.91
DDH0830	163.07	310.92	-76.99
DDH0830	169.16	310.73	-77
DDH0830	175.26	310.77	-77.13
DDH0830	181.36	310.72	-77.16
DDH0830	187.45	311	-77.33
DDH0830	193.55	310.36	-77.32
DDH0830	199.64	309.9	-77.58
DDH0830	205.74	309.77	-77.76
DDH0830	211.84	309.3	-77.96
DDH0830	217.93	309.37	-78.02
DDH0830	224.03	309.1	-78.23
DDH0830	230.12	308.15	-78.43
DDH0830	236.22	307.8	-78.55
DDH0830	242.32	307.11	-78.65
DDH0830	248.41	305.26	-78.74
DDH0830	254.51	304.76	-78.83
DDH0830	260.6	304.02	-78.92
DDH0830	266.7	303.81	-79.01
DDH0831	3.96	165.9	-45.55
DDH0831	10.06	165.8	-45.52
DDH0831	16.15	165.6	-45.67
DDH0831	22.25	165.4	-45.29
DDH0831	28.35	165.2	-45.69
DDH0831	34.44	165	-45.8

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0831	40.54	164.8	-45.87
DDH0831	46.63	164.6	-46.07
DDH0831	52.73	164.4	-45.94
DDH0831	58.83	164.2	-45.84
DDH0831	64.92	164	-45.83
DDH0831	71.02	163.8	-45.73
DDH0831	77.11	163.68	-45.43
DDH0831	83.21	164.18	-45.34
DDH0831	89.31	163.25	-45.16
DDH0831	95.4	162.56	-45.14
DDH0831	101.5	163.11	-45.18
DDH0831	107.59	162.7	-45.24
DDH0831	113.69	162.9	-45.31
DDH0831	119.79	163.26	-45.4
DDH0831	125.88	163.01	-45.43
DDH0831	131.98	163.07	-45.47
DDH0831	138.07	163.31	-45.49
DDH0831	144.17	163.03	-45.5
DDH0831	150.27	163.15	-45.54
DDH0831	156.36	163.07	-45.56
DDH0831	162.46	162.84	-45.52
DDH0831	168.55	162.77	-45.52
DDH0831	174.65	162.26	-45.52
DDH0831	180.75	162.72	-45.51
DDH0831	186.84	162.56	-45.54
DDH0831	192.94	162.83	-45.55
DDH0831	199.03	162.8	-45.58
DDH0831	205.13	163.37	-45.62
DDH0831	211.23	163.28	-45.58
DDH0831	217.32	163.24	-45.58
DDH0831	223.42	163.33	-45.64
DDH0831	229.51	163.35	-45.69
DDH0831	235.61	163.37	-45.72
DDH0831	241.71	163.37	-45.73
DDH0831	247.8	163.37	-45.78
DDH0831	253.9	163.5	-45.81
DDH0831	259.99	163.33	-45.77
DDH0831	266.09	163.47	-45.83
DDH0831	272.19	163.15	-45.8
DDH0831	278.28	163.36	-45.74
DDH0831	284.38	163.75	-45.78
DDH0831	290.47	162.93	-45.73
DDH0831	296.57	162.48	-45.7
DDH0831	302.67	164.84	-45.64
DDH0831	308.76	164.59	-45.7
DDH0831	314.86	164.16	-45.65
DDH0831	320.95	163.76	-45.69
DDH0831	327.05	163.43	-45.73
DDH0831	333.15	163.18	-45.79

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0831	339.24	163.19	-45.8
DDH0831	345.34	162.88	-45.8
DDH0831	351.43	163.05	-45.77
DDH0831	357.53	162.77	-45.6
DDH0831	363.63	162.5	-45.53
DDH0831	369.72	162.62	-45.39
DDH0831	375.82	162.99	-45.33
DDH0831	381.91	163.46	-45.21
DDH0831	388.01	164.02	-45.08
DDH0831	394.11	163.83	-45.1
DDH0832	1.52	243.6	-74.65
DDH0832	7.62	244.4	-74.61
DDH0832	13.72	244.7	-74.54
DDH0832	19.81	245.1	-74.37
DDH0832	25.91	245.5	-74.58
DDH0832	32	245.9	-74.49
DDH0832	38.1	246.3	-74.6
DDH0832	44.2	246.7	-74.79
DDH0832	50.29	247.1	-74.82
DDH0832	56.39	247.59	-74.85
DDH0832	62.48	247.15	-74.93
DDH0832	68.58	245.78	-74.94
DDH0832	74.68	245.8	-74.93
DDH0832	80.77	245.71	-74.92
DDH0832	86.87	245.84	-74.92
DDH0832	92.96	245.52	-74.87
DDH0832	99.06	244.89	-74.85
DDH0832	105.16	244.95	-74.72
DDH0832	111.25	244.93	-74.68
DDH0832	117.35	245.16	-74.66
DDH0832	123.44	244.87	-74.69
DDH0832	129.54	244.39	-74.67
DDH0832	135.64	244.82	-74.6
DDH0832	141.73	244.87	-74.63
DDH0832	147.83	245.27	-74.56
DDH0832	153.92	244.84	-74.52
DDH0832	160.02	244.51	-74.43
DDH0832	166.12	244.98	-74.46
DDH0832	172.21	244.9	-74.51
DDH0832	178.31	243.49	-74.71
DDH0832	184.4	243.48	-74.59
DDH0832	190.5	242.62	-74.62
DDH0832	196.6	241.12	-74.47
DDH0832	202.69	240.76	-74.44
DDH0832	208.79	241.05	-74.43
DDH0833	0	82	-53
DDH0833	7.32	81.98	-53.21
DDH0833	13.41	81.96	-53.24
DDH0833	19.51	81.94	-53.22

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0833	25.6	81.92	-53.06
DDH0833	31.7	81.9	-52.89
DDH0833	37.8	81.88	-52.72
DDH0833	43.89	81.85	-52.52
DDH0833	49.99	81.95	-52.48
DDH0833	56.08	82.06	-52.5
DDH0833	62.18	83.22	-52.65
DDH0833	68.28	83.69	-52.63
DDH0833	74.37	83.66	-52.61
DDH0833	80.47	83.66	-52.62
DDH0833	86.56	83.66	-52.61
DDH0833	92.66	83.65	-52.63
DDH0833	98.76	83.65	-52.66
DDH0833	104.85	83.65	-52.58
DDH0833	110.95	83.64	-52.7
DDH0833	117.04	83.63	-52.69
DDH0833	123.14	84.29	-52.78
DDH0833	129.24	84.05	-52.81
DDH0833	135.33	83.9	-52.87
DDH0833	141.43	83.8	-52.82
DDH0833	147.52	83.77	-52.73
DDH0833	153.62	84.36	-52.74
DDH0833	159.72	85.03	-52.64
DDH0833	165.81	82.68	-52.48
DDH0833	171.91	82.5	-52.27
DDH0833	178	82.91	-52.14
DDH0833	184.1	83.28	-52.17
DDH0833	190.2	83.63	-52.21
DDH0833	196.29	83.73	-52.16
DDH0833	202.39	83.62	-52.16
DDH0833	208.48	83.95	-52.14
DDH0833	214.58	84.63	-52.24
DDH0833	220.68	85.02	-52.18
DDH0833	226.77	85.15	-52.1
DDH0833	232.87	85.34	-52.11
DDH0833	238.96	85.6	-52.11
DDH0833	245.06	85.58	-52.11
DDH0833	251.16	86.04	-52.03
DDH0833	257.25	86.19	-51.97
DDH0833	263.35	86.54	-52.03
DDH0833	269.44	86.76	-52.07
DDH0833	275.54	87.22	-52.07
DDH0833	281.64	87.19	-52.05
DDH0833	287.73	87.41	-52.02
DDH0833	293.83	87.53	-52.03
DDH0833	299.92	87.77	-52
DDH0833	306.02	87.82	-51.95
DDH0833	312.12	87.96	-51.89
DDH0833	318.21	87.99	-51.87

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0833	324.31	88.19	-51.87
DDH0833	330.4	88.3	-51.81
DDH0833	336.5	87.86	-51.83
DDH0833	342.6	88.2	-51.81
DDH0833	348.69	88.41	-51.76
DDH0833	354.79	89.08	-51.73
DDH0833	360.88	90.02	-51.83
DDH0833	366.98	90.81	-51.88
DDH0833	373.08	91.06	-51.84
DDH0833	379.17	91.49	-51.84
DDH0833	385.27	91.9	-51.88
DDH0834	4.27	333	-78.54
DDH0834	10.36	333	-78.5
DDH0834	16.46	332.95	-78.5
DDH0834	22.56	332.95	-77.15
DDH0834	28.65	332.95	-78.49
DDH0834	34.75	332.9	-78.43
DDH0834	40.84	332.9	-78.53
DDH0834	46.94	332.9	-78.63
DDH0834	53.04	332.9	-78.69
DDH0834	59.13	332.9	-78.71
DDH0834	65.23	332.85	-78.78
DDH0834	71.32	333.03	-78.81
DDH0834	77.42	332.26	-78.73
DDH0834	83.52	331.88	-78.79
DDH0834	89.61	331.97	-78.8
DDH0834	95.71	332.09	-78.86
DDH0834	101.8	332.19	-78.97
DDH0834	107.9	332.28	-79.12
DDH0834	114	332.87	-79.24
DDH0834	120.09	333.38	-79.53
DDH0834	126.19	333.43	-79.77
DDH0834	132.28	333.03	-79.9
DDH0834	138.38	332.8	-80.39
DDH0834	144.48	332.47	-80.5
DDH0834	150.57	332.33	-80.82
DDH0834	156.67	332.54	-81.14
DDH0834	162.76	332.35	-81.43
DDH0834	168.86	332.37	-81.82
DDH0834	174.96	332.77	-82.12
DDH0834	181.05	333.7	-82.41
DDH0834	187.15	333.69	-82.42
DDH0834	193.24	334.04	-82.43
DDH0834	199.34	335.82	-82.56
DDH0834	205.44	335.45	-82.56
DDH0834	211.53	335.29	-82.76
DDH0834	217.63	333.8	-82.76
DDH0834	223.72	333.53	-82.69
DDH0834	229.82	333.58	-82.71

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0834	235.92	334.49	-82.78
DDH0835	0	166	-52
DDH0835	1.22	165.97	-52.16
DDH0835	7.32	165.94	-52.32
DDH0835	13.41	165.91	-52.49
DDH0835	19.51	165.88	-52.69
DDH0835	25.6	165.86	-52.81
DDH0835	31.7	165.83	-52.97
DDH0835	37.8	165.8	-53.14
DDH0835	43.89	165.77	-53.3
DDH0835	49.99	165.74	-53.46
DDH0835	56.08	165.71	-53.62
DDH0835	62.18	165.68	-53.78
DDH0835	68.28	165.65	-53.95
DDH0835	74.37	165.62	-54.11
DDH0835	80.47	165.6	-54.27
DDH0835	86.56	165.57	-54.43
DDH0835	92.66	165.54	-54.6
DDH0835	98.76	165.51	-54.76
DDH0835	104.85	165.48	-54.94
DDH0835	110.95	166.54	-54.9
DDH0835	117.04	167.43	-54.69
DDH0835	123.14	167.33	-54.52
DDH0835	129.24	167.39	-54.6
DDH0835	135.33	166.15	-54.58
DDH0835	141.43	165.04	-54.64
DDH0835	147.52	165.4	-54.66
DDH0835	153.62	165.83	-54.66
DDH0835	159.72	166.19	-54.54
DDH0835	165.81	166.87	-54.38
DDH0835	171.91	166.6	-54.18
DDH0835	178	165.71	-54.07
DDH0835	184.1	165	-54.06
DDH0835	190.2	164.61	-54.09
DDH0835	196.29	164.69	-54.18
DDH0835	202.39	165.41	-54.2
DDH0835	208.48	166.02	-54.21
DDH0835	214.58	167.01	-53.98
DDH0835	220.68	167.04	-53.84
DDH0835	226.77	166.98	-53.85
DDH0835	232.87	166.84	-53.72
DDH0835	238.96	165.17	-53.69
DDH0835	245.06	165.17	-53.65
DDH0835	251.16	165.54	-53.69
DDH0835	257.25	165.8	-53.7
DDH0835	263.35	166.35	-53.71
DDH0835	269.44	167.27	-53.7
DDH0835	275.54	167.52	-53.55
DDH0835	281.64	167.22	-53.51

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0835	287.73	167	-53.53
DDH0835	293.83	166.67	-53.58
DDH0835	299.92	166.28	-53.6
DDH0835	306.02	165.62	-53.61
DDH0835	312.12	165.69	-53.79
DDH0835	318.21	165.67	-53.76
DDH0835	324.31	165.6	-53.73
DDH0835	330.4	165.87	-53.71
DDH0835	336.5	166.15	-53.74
DDH0835	342.6	166.44	-53.74
DDH0835	348.69	166.36	-53.73
DDH0836	0	73	-85
DDH0836	7.62	73.45	-84.92
DDH0836	13.72	73.9	-84.88
DDH0836	19.81	74.35	-84.89
DDH0836	25.91	74.8	-84.76
DDH0836	32	75.25	-84.91
DDH0836	38.1	75.7	-84.91
DDH0836	44.2	76.14	-84.79
DDH0836	50.29	76.59	-84.93
DDH0836	56.39	77.04	-84.99
DDH0836	62.48	77.49	-84.94
DDH0836	68.58	77.94	-85.08
DDH0836	74.68	78.39	-85.13
DDH0836	80.77	78.84	-85.13
DDH0836	86.87	79.78	-85.2
DDH0836	92.96	79.66	-85.3
DDH0836	99.06	78.5	-85.28
DDH0836	105.16	78.62	-85.18
DDH0836	111.25	78.35	-85.09
DDH0836	117.35	78.76	-85.07
DDH0836	123.44	79.27	-84.82
DDH0836	129.54	80.62	-84.78
DDH0836	135.64	81.71	-84.63
DDH0836	141.73	86.54	-84.3
DDH0836	147.83	90.62	-84.39
DDH0836	153.92	92.62	-84.39
DDH0836	160.02	94.51	-84.57
DDH0836	166.12	95.1	-84.55
DDH0836	172.21	98.55	-84.46
DDH0836	178.31	94.87	-84.56
DDH0836	184.4	93.43	-84.53
DDH0836	190.5	92.05	-84.43
DDH0836	196.6	91.74	-84.14
DDH0836	202.69	94.41	-84
DDH0836	208.79	97.89	-83.93
DDH0836	214.88	100.78	-83.98
DDH0836	220.98	102.42	-84.14
DDH0836	227.08	103.07	-84.28

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0836	233.17	102.28	-84.31
DDH0836	239.27	101.25	-84.1
DDH0836	245.36	101.95	-83.8
DDH0836	251.46	104.52	-83.58
DDH0836	257.56	108.52	-83.41
DDH0836	263.65	111.83	-83.46
DDH0836	269.75	106.89	-83.41
DDH0836	275.84	112.04	-83.11
DDH0836	281.94	114.71	-83.11
DDH0837	0	165	-42
DDH0837	3.96	164.64	-42.86
DDH0837	10.06	164.28	-42.62
DDH0837	16.15	163.92	-42.54
DDH0837	22.25	163.55	-42.1
DDH0837	28.35	163.19	-41.97
DDH0837	34.44	162.83	-41.55
DDH0837	40.54	162.47	-41.42
DDH0837	46.63	162.24	-41.21
DDH0837	52.73	161.83	-41.13
DDH0837	58.83	161.46	-41.01
DDH0837	64.92	161.02	-40.87
DDH0837	71.02	161.21	-40.66
DDH0837	77.11	161.34	-40.58
DDH0837	83.21	160.72	-40.48
DDH0838	0	141	-69
DDH0838	0.91	141.27	-71.19
DDH0838	7.01	141.54	-71.75
DDH0838	13.11	141.81	-70.22
DDH0838	19.2	142.08	-68.86
DDH0838	25.3	142.35	-67.95
DDH0838	31.39	142.62	-69.03
DDH0838	37.49	142.89	-69.92
DDH0838	43.59	143.16	-69.88
DDH0838	49.68	143.43	-69.95
DDH0838	55.78	143.7	-69.93
DDH0838	61.87	143.97	-69.89
DDH0838	67.97	144.24	-69.74
DDH0838	74.07	144.51	-69.48
DDH0838	80.16	144.72	-69.24
DDH0838	86.26	144.57	-69.01
DDH0838	92.35	143.84	-68.83
DDH0838	98.45	143.12	-68.75
DDH0838	104.55	143.45	-68.6
DDH0838	110.64	143.27	-68.55
DDH0838	116.74	143.53	-68.42
DDH0838	122.83	144.3	-68.35
DDH0838	128.93	143.95	-68.36
DDH0838	135.03	144.2	-68.33
DDH0838	141.12	144.91	-68.33

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0838	147.22	145.71	-68.32
DDH0838	153.31	146.8	-68.06
DDH0838	159.41	147.51	-68.06
DDH0838	165.51	148.14	-67.88
DDH0838	171.6	148.39	-67.74
DDH0838	177.7	148.73	-67.68
DDH0838	183.79	149.13	-67.45
DDH0838	189.89	149.68	-66.99
DDH0838	195.99	150.26	-66.62
DDH0838	202.08	149.36	-66.07
DDH0838	208.18	150.27	-65.75
DDH0838	214.27	148.98	-65.61
DDH0838	220.37	148.92	-65.44
DDH0838	226.47	148.73	-65.24
DDH0838	232.56	148.54	-65.24
DDH0838	238.66	148.48	-65
DDH0838	244.75	147.75	-64.79
DDH0838	250.85	148	-64.71
DDH0838	256.95	149.2	-64.69
DDH0838	263.04	148.8	-64.68
DDH0838	269.14	150	-64.58
DDH0838	275.23	151.49	-64.47
DDH0838	281.33	149.64	-64.49
DDH0838	287.43	149.55	-64.33
DDH0838	293.52	149.17	-64.32
DDH0838	299.62	149.11	-64.18
DDH0838	305.71	148.45	-63.95
DDH0838	311.81	149.04	-63.79
DDH0838	317.91	149.66	-63.64
DDH0838	324	150.73	-63.63
DDH0838	330.1	150.47	-63.66
DDH0838	336.19	150.02	-63.58
DDH0839	0	305	-82
DDH0839	1.52	305.1	-80.79
DDH0839	7.62	305.2	-80.88
DDH0839	13.72	305.3	-80.98
DDH0839	19.81	305.4	-80.79
DDH0839	25.91	305.5	-80.87
DDH0839	32	305.6	-80.95
DDH0839	38.1	305.7	-80.93
DDH0839	44.2	305.8	-81
DDH0839	50.29	305.85	-81.16
DDH0839	56.39	304.79	-81.25
DDH0839	62.48	304.97	-81.08
DDH0839	68.58	304.56	-81.31
DDH0839	74.68	303.34	-81.52
DDH0839	80.77	302.3	-81.83
DDH0839	86.87	302.15	-82.25
DDH0839	92.96	302	-82.97

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0839	99.06	301.77	-82.8
DDH0839	105.16	301.44	-83.16
DDH0839	111.25	297.95	-83.64
DDH0839	117.35	296.47	-83.9
DDH0839	123.44	295.25	-84.11
DDH0839	129.54	294.17	-84.17
DDH0839	135.64	294.18	-84.23
DDH0839	141.73	291.8	-84.38
DDH0839	147.83	289.77	-84.51
DDH0839	153.92	289.95	-84.68
DDH0839	160.02	288.7	-84.98
DDH0839	166.12	287.55	-85.37
DDH0839	172.21	286.97	-85.7
DDH0839	178.31	287.8	-86.02
DDH0839	184.4	289.2	-86.21
DDH0839	190.5	290.28	-86.46
DDH0839	196.6	289.62	-86.78
DDH0839	202.69	290.74	-87.2
DDH0839	208.79	292.49	-87.58
DDH0839	214.88	285.95	-88
DDH0839	220.98	274.78	-88.33
DDH0839	227.08	259.11	-88.55
DDH0839	233.17	249.11	-88.75
DDH0839	239.27	240.7	-88.77
DDH0839	245.36	232.41	-88.72
DDH0840	0	147	-50
DDH0840	4.27	146.8	-52.47
DDH0840	10.36	146.6	-52.57
DDH0840	16.46	146.4	-52.81
DDH0840	22.56	146.2	-52.77
DDH0840	28.65	146	-52.85
DDH0840	34.75	145.8	-53.19
DDH0840	40.84	145.6	-53.16
DDH0840	46.94	145.4	-53.16
DDH0840	53.04	145.2	-53.04
DDH0840	59.13	145	-52.93
DDH0840	65.23	144.8	-52.88
DDH0840	71.32	144.41	-52.74
DDH0840	77.42	143.89	-52.68
DDH0840	83.52	143.65	-52.79
DDH0840	89.61	143.73	-52.84
DDH0840	95.71	143.46	-52.78
DDH0840	101.8	144.23	-52.85
DDH0840	107.9	144.21	-52.82
DDH0840	114	144.68	-52.73
DDH0840	120.09	144.69	-52.66
DDH0840	126.19	143.91	-52.61
DDH0840	132.28	143.74	-52.63
DDH0840	138.38	144.59	-52.7

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0840	144.48	145.98	-52.71
DDH0840	150.57	145.2	-52.78
DDH0840	156.67	145.8	-52.8
DDH0840	162.76	147.06	-52.71
DDH0840	168.86	146.31	-52.66
DDH0840	174.96	145.28	-52.75
DDH0840	181.05	144.94	-52.86
DDH0840	187.15	145.18	-52.94
DDH0840	193.24	145.78	-53.02
DDH0840	199.34	145.94	-52.96
DDH0840	205.44	146.47	-52.9
DDH0840	211.53	146.28	-52.85
DDH0840	217.63	145.47	-52.9
DDH0840	223.72	145.44	-53
DDH0840	229.82	145.99	-53.11
DDH0840	235.92	145.35	-53.16
DDH0840	242.01	145.76	-53.13
DDH0840	248.11	146.2	-53.12
DDH0840	254.2	145.75	-53.1
DDH0840	260.3	145.24	-53.2
DDH0840	266.4	145.31	-53.27
DDH0840	272.49	146.1	-53.3
DDH0840	278.59	146.9	-53.38
DDH0840	284.68	146.54	-53.36
DDH0840	290.78	147.18	-53.23
DDH0840	296.88	147.45	-53.07
DDH0840	302.97	147.31	-52.83
DDH0840	309.07	147.19	-52.77
DDH0840	315.16	146.97	-52.78
DDH0840	321.26	147.08	-52.82
DDH0840	327.36	147.51	-52.94
DDH0840	333.45	147.65	-52.96
DDH0840	339.55	147.93	-52.97
DDH0840	345.64	148.24	-52.94
DDH0840	351.74	148.37	-52.86
DDH0840	357.84	148.18	-52.74
DDH0842	0	0	-90
DDH0842	4.27	12.2069	-89.6
DDH0842	10.36	24.4138	-89.65
DDH0842	16.46	36.6208	-89.76
DDH0842	22.56	48.8277	-89.64
DDH0842	28.65	61.0346	-88.47
DDH0842	34.75	73.2415	-88.23
DDH0842	40.84	85.4485	-88.85
DDH0842	46.94	97.6554	-87.72
DDH0842	53.04	109.8623	-87.15
DDH0842	59.13	122.0692	-86.13
DDH0842	65.23	134.2762	-86.33
DDH0842	71.32	146.4831	-85.65

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0842	77.42	158.69	-85.74
DDH0842	83.52	160.24	-85.47
DDH0842	89.61	160.61	-85.49
DDH0842	95.71	159.25	-85.46
DDH0842	101.8	156.82	-85.4
DDH0842	107.9	158.09	-85.3
DDH0842	114	156.14	-85.2
DDH0842	120.09	150.79	-84.93
DDH0842	126.19	156.56	-84.97
DDH0842	132.28	154.48	-84.95
DDH0842	138.38	155.21	-84.88
DDH0842	144.48	155.99	-84.62
DDH0842	150.57	153.95	-84.43
DDH0842	156.67	150.78	-84.28
DDH0842	162.77	152.41	-83.88
DDH0842	168.86	153.43	-83.74
DDH0842	174.96	153.36	-83.58
DDH0842	181.05	153.29	-83.49
DDH0842	187.15	153.28	-83.38
DDH0842	193.25	152.97	-83.41
DDH0842	199.34	153.02	-83.32
DDH0842	205.44	152.62	-83.3
DDH0842	211.53	152.19	-83.17
DDH0842	217.63	153.47	-83.08
DDH0842	223.73	154.19	-83.08
DDH0842	229.82	153.23	-83.08
DDH0842	235.92	151.97	-83.15
DDH0842	242.01	151.02	-83.14
DDH0842	248.11	150.09	-83.04
DDH0842	254.21	150.28	-83.01
DDH0842	260.3	150.11	-82.91
DDH0842	266.4	153.3	-82.84
DDH0842	272.49	154.28	-82.93
DDH0842	278.59	153.84	-82.94
DDH0842	284.69	153.39	-82.94
DDH0842	290.78	151.89	-82.99
DDH0842	296.88	150.09	-82.86
DDH0843	0	166	-52
DDH0843	3.96	165.94	-52.45
DDH0843	10.06	165.86	-52.42
DDH0843	16.15	165.78	-52.44
DDH0843	22.25	165.7	-52.75
DDH0843	28.35	165.62	-52.91
DDH0843	34.44	165.54	-52.72
DDH0843	40.54	165.46	-52.8
DDH0843	46.63	165.38	-52.82
DDH0843	52.73	165.3	-52.76
DDH0843	58.83	165.22	-52.89
DDH0843	64.92	165.58	-52.92

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0843	71.02	166.38	-52.87
DDH0843	77.11	166.99	-52.75
DDH0843	83.21	166.89	-52.69
DDH0843	89.31	165.76	-52.78
DDH0843	95.4	165.59	-52.84
DDH0843	101.5	166.11	-52.94
DDH0843	107.59	167.02	-52.92
DDH0843	113.69	166.55	-52.86
DDH0843	119.79	165.34	-52.93
DDH0843	125.88	164.84	-53.01
DDH0843	131.98	164.76	-53.04
DDH0843	138.07	165.02	-53.12
DDH0843	144.17	165.72	-53.14
DDH0843	150.27	166.12	-53.13
DDH0843	156.36	165.95	-53.06
DDH0843	162.46	165.07	-53.01
DDH0843	168.55	164.92	-53.11
DDH0843	174.65	165.36	-53.13
DDH0843	180.75	165.85	-53.09
DDH0843	186.84	166.48	-52.93
DDH0843	192.94	165.89	-52.77
DDH0843	199.03	165.4	-52.71
DDH0843	205.13	164.74	-52.7
DDH0843	211.23	164.56	-52.74
DDH0843	217.32	164.74	-52.77
DDH0843	223.42	164.83	-52.76
DDH0843	229.51	165.11	-52.73
DDH0843	235.61	165.27	-52.71
DDH0843	241.71	165.74	-52.6
DDH0844	0	125	-63
DDH0844	0.91	124.83	-62.7
DDH0844	7.01	124.65	-62.63
DDH0844	13.11	124.48	-62.84
DDH0844	19.2	124.3	-62.75
DDH0844	25.3	124.13	-62.88
DDH0844	31.39	123.96	-62.95
DDH0844	37.49	123.78	-63.1
DDH0844	43.59	123.61	-62.82
DDH0844	49.68	123.43	-62.86
DDH0844	55.78	123.26	-62.66
DDH0844	61.88	123.33	-62.37
DDH0844	67.97	123.67	-62.49
DDH0844	74.07	123.32	-62.17
DDH0844	80.16	123.48	-62.18
DDH0844	86.26	123.99	-61.96
DDH0844	92.36	124.46	-61.89
DDH0844	98.45	124.8	-61.66
DDH0844	104.55	125.8	-61.58
DDH0844	110.64	126.72	-61.54

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0844	116.74	127.91	-61.67
DDH0844	122.84	128.39	-61.72
DDH0844	128.93	129.13	-61.58
DDH0844	135.03	130.08	-61.26
DDH0844	141.12	130.57	-61.1
DDH0844	147.22	131.01	-60.98
DDH0844	153.32	131.47	-60.78
DDH0844	159.41	132.09	-60.54
DDH0844	165.51	132.95	-60.38
DDH0844	171.6	133.51	-60.2
DDH0844	177.7	134.13	-60.11
DDH0844	183.8	135.06	-59.85
DDH0844	189.89	135.78	-59.65
DDH0844	195.99	136.4	-59.41
DDH0844	202.08	137.1	-59.18
DDH0844	208.18	137.43	-59.03
DDH0844	214.28	137.63	-59.04
DDH0844	220.37	138.11	-59.01
DDH0844	226.47	137.84	-59.12
DDH0844	232.57	137.29	-59.33
DDH0844	238.66	137.18	-59.34
DDH0844	244.76	137.03	-59.27
DDH0844	250.85	137.51	-59.11
DDH0844	256.95	138.07	-58.88
DDH0844	263.05	138.83	-58.58
DDH0845	0	144	-52
DDH0845	1.22	143.26	-54.3
DDH0845	7.32	142.98	-53.99
DDH0845	13.41	142.7	-54.15
DDH0845	19.51	142.42	-53.51
DDH0845	25.6	142.14	-52.56
DDH0845	31.7	141.86	-52.46
DDH0845	37.8	141.58	-52.5
DDH0845	43.89	141.3	-52.51
DDH0845	49.99	141.02	-53.02
DDH0845	56.08	140.74	-53.7
DDH0845	62.18	140.46	-53.59
DDH0845	68.28	140.18	-53.6
DDH0845	74.37	139.9	-53.65
DDH0845	80.47	139.62	-53.66
DDH0845	86.56	139.34	-53.39
DDH0845	92.66	139.06	-53.73
DDH0845	98.76	138.78	-53.46
DDH0845	104.85	138.5	-53.11
DDH0845	110.95	138.22	-53.11
DDH0845	117.04	138.4	-53.05
DDH0845	123.14	138.5	-53
DDH0845	129.24	138.62	-52.94
DDH0845	135.33	138.7	-52.86

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0845	141.43	138.77	-52.87
DDH0845	147.52	138.76	-52.79
DDH0845	153.62	138.74	-52.71
DDH0845	159.72	138.82	-52.62
DDH0845	165.81	138.79	-52.53
DDH0845	171.91	140.91	-52.49
DDH0845	178.01	139.13	-52.4
DDH0845	184.1	139.13	-52.3
DDH0845	190.2	139.26	-52.22
DDH0845	196.29	139.3	-52.06
DDH0845	202.39	139.34	-51.96
DDH0845	208.49	139.3	-51.84
DDH0845	214.58	139.24	-51.73
DDH0845	220.68	139.21	-51.63
DDH0845	226.77	139.23	-51.72
DDH0845	232.87	139.81	-51.7
DDH0845	238.97	139.38	-51.72
DDH0845	245.06	139.5	-51.82
DDH0845	251.16	139.43	-51.92
DDH0845	257.25	139.49	-51.97
DDH0845	263.35	139.66	-52.04
DDH0845	269.45	139.75	-51.93
DDH0845	275.54	139.92	-51.86
DDH0845	281.64	140.02	-51.73
DDH0845	287.73	140.34	-51.71
DDH0845	293.83	140.59	-51.7
DDH0845	299.93	140.66	-51.74
DDH0845	306.02	140.95	-51.79
DDH0845	312.12	141.43	-51.86
DDH0845	318.22	141.84	-51.8
DDH0845	324.31	142.52	-51.78
DDH0845	330.41	143.34	-51.79
DDH0845	336.5	143.94	-51.9
DDH0845	342.6	144.48	-52.01
DDH0845	348.7	143.61	-52.17
DDH0845	354.79	143.85	-52.36
DDH0845	360.89	143.18	-52.43
DDH0845	366.98	143.47	-52.45
DDH0845	373.08	144.01	-52.47
DDH0845	379.18	144.9	-52.57
DDH0845	385.27	145.7	-52.84
DDH0845	391.37	144.62	-52.94
DDH0847	0	253	-57
DDH0847	0.61	252.64	-57
DDH0847	6.71	252.28	-57
DDH0847	12.8	251.92	-57.2
DDH0847	18.9	251.56	-57.3
DDH0847	24.99	251.2	-57.5
DDH0847	31.09	250.84	-57.5

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0847	37.19	250.5	-57.6
DDH0847	43.28	249.5	-57.5
DDH0847	49.38	249.2	-57.4
DDH0847	55.47	249	-57.5
DDH0847	61.57	249.1	-57.4
DDH0847	67.67	249.1	-57.3
DDH0847	73.76	248.6	-57.5
DDH0847	79.86	248.4	-57.4
DDH0847	85.95	248.3	-57.5
DDH0847	92.05	248.3	-57.5
DDH0847	98.15	248.4	-57.6
DDH0847	104.24	248.3	-57.7
DDH0847	110.34	248.1	-57.8
DDH0847	116.43	248	-58.1
DDH0847	122.53	247.8	-58.1
DDH0847	128.63	247.4	-58.3
DDH0847	134.72	247.5	-58.4
DDH0847	140.82	247.2	-58.5
DDH0850	0	96	-53
DDH0850	0.91	95.8	-52.73
DDH0850	7.01	95.6	-52.94
DDH0850	13.11	95.4	-52.93
DDH0850	19.2	95.2	-52.9
DDH0850	25.3	95	-53.16
DDH0850	31.39	94.8	-53.1
DDH0850	37.49	94.6	-53.3
DDH0850	43.59	94.4	-53.08
DDH0850	49.68	94.14	-53.01
DDH0850	55.78	94.93	-52.95
DDH0850	61.87	95.55	-52.95
DDH0850	67.97	95.89	-52.93
DDH0850	74.07	96.4	-52.95
DDH0850	80.16	96.77	-52.95
DDH0850	86.26	97.13	-52.97
DDH0850	92.35	97.38	-52.98
DDH0850	98.45	97.69	-53.03
DDH0850	104.55	97.79	-53.01
DDH0850	110.64	98.19	-53.05
DDH0850	116.74	98.45	-53
DDH0850	122.83	98.64	-52.91
DDH0850	128.93	98.97	-52.91
DDH0850	135.03	99.28	-52.86
DDH0850	141.12	99.56	-52.88
DDH0850	147.22	100.21	-52.96
DDH0850	153.31	100.72	-52.96
DDH0850	159.41	101.08	-53.03
DDH0850	165.51	101.5	-53
DDH0850	171.6	102.08	-53.1
DDH0850	177.7	102.4	-53.15

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0850	183.79	102.53	-53.16
DDH0850	189.89	102.83	-53.13
DDH0850	195.99	103.15	-53.07
DDH0850	202.08	103.32	-52.93
DDH0850	208.18	103.36	-52.82
DDH0850	214.27	103.86	-52.73
DDH0850	220.37	104.18	-52.86
DDH0850	226.47	104.54	-52.52
DDH0850	232.56	104.81	-52.44
DDH0850	238.66	104.98	-52.38
DDH0850	244.75	105.2	-52.29
DDH0850	250.85	105.41	-52.28
DDH0850	256.95	105.56	-52.16
DDH0850	263.04	105.9	-52.12
DDH0850	269.14	106.12	-52.04
DDH0850	275.23	106.36	-51.88
DDH0850	281.33	106.64	-51.79
DDH0850	287.43	106.87	-51.71
DDH0850	293.52	106.96	-51.66
DDH0850	299.62	107.21	-51.64
DDH0850	305.71	107.31	-51.57
DDH0850	311.81	107.48	-51.51
DDH0850	317.91	107.75	-51.45
DDH0850	324	108.1	-51.33
DDH0850	330.1	108.1	-51.31
DDH0850	336.19	108.51	-51.17
DDH0850	342.29	108.64	-50.99
DDH0850	348.39	108.73	-50.82
DDH0850	354.48	109.32	-50.75
DDH0850	360.58	109.9	-50.65
DDH0850	366.67	110.29	-50.51
DDH0850	372.77	110.36	-50.51
DDH0850	378.87	110.15	-50.46
DDH0850	384.96	111.49	-50.42
DDH0850	391.06	110.99	-50.31
DDH0851	0	117	-73
DDH0851	10.36	117.3	-74.45
DDH0851	16.46	117.6	-74.72
DDH0851	22.56	117.9	-75.28
DDH0851	28.65	118.2	-75.48
DDH0851	34.75	118.5	-75.92
DDH0851	40.84	118.8	-76.2
DDH0851	46.94	119.1	-76.92
DDH0851	53.04	119.4	-76.96
DDH0851	59.13	119.7	-76.99
DDH0851	65.23	120	-76.99
DDH0851	71.32	120.3	-77.04
DDH0851	77.42	120.35	-76.9
DDH0851	83.52	120.48	-76.81

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0851	89.61	120.85	-76.75
DDH0851	95.71	121.12	-76.72
DDH0851	101.8	121.99	-76.7
DDH0851	107.9	122.11	-76.57
DDH0851	114	122.33	-76.38
DDH0851	120.09	122.54	-76.22
DDH0851	126.19	122.37	-76.15
DDH0851	132.28	122.49	-76.01
DDH0851	138.38	122.45	-75.93
DDH0851	144.48	123.09	-75.9
DDH0851	150.57	124.31	-75.84
DDH0851	156.67	122.8	-75.8
DDH0851	162.76	122.6	-75.72
DDH0851	168.86	122.52	-75.62
DDH0851	174.96	123.35	-75.62
DDH0851	181.05	124.05	-75.55
DDH0851	187.15	123.95	-75.52
DDH0851	193.24	123.83	-75.37
DDH0851	199.34	124.41	-75.2
DDH0851	205.44	124.8	-75.06
DDH0851	211.53	126.02	-74.75
DDH0851	217.63	125.96	-74.55
DDH0851	223.72	125.93	-74.35
DDH0851	229.82	124.6	-74.25
DDH0851	235.92	125.5	-74.08
DDH0851	242.01	126.57	-74.01
DDH0851	248.11	126.5	-73.89
DDH0851	254.2	127.59	-73.68
DDH0851	260.3	126.72	-73.65
DDH0851	266.4	126.94	-73.59
DDH0851	272.49	128.3	-73.44
DDH0851	278.59	128.06	-73.46
DDH0851	284.68	128.15	-73.47
DDH0852	0	141	-56
DDH0852	1.22	142	-54.96
DDH0852	7.32	143	-54.69
DDH0852	13.41	144.19	-54.38
DDH0852	19.51	143.72	-54.28
DDH0852	25.59	143.92	-54.13
DDH0852	31.69	143.94	-53.94
DDH0852	37.79	144.47	-53.76
DDH0852	43.88	145.23	-53.64
DDH0852	49.98	145.58	-53.5
DDH0852	56.07	145.8	-53.32
DDH0852	62.16	145.9	-53.34
DDH0852	68.26	146.08	-53.27
DDH0852	74.35	146.23	-53.06
DDH0852	80.45	146.37	-52.69
DDH0852	86.54	146.5	-52.35

HOLEID	DEPTH (m)	AZIMUTH	DIP
DDH0852	92.64	144.95	-52.13
DDH0852	98.73	146.31	-51.77
DDH0852	104.82	146.51	-51.55
DDH0852	110.92	146.84	-51.28
DDH0852	117.01	146.47	-50.96
DDH0852	123.11	146.5	-50.56
DDH0852	129.21	146.69	-50.18
DDH0852	135.3	146.84	-49.8
DDH0852	141.39	146.94	-49.52
DDH0852	147.48	147.24	-49.21
DDH0852	153.58	147.29	-49.21
DDH0852	159.68	147.34	-48.99
DDH0852	165.77	147.71	-48.7
DDH0852	171.87	148.23	-48.5
DDH0852	177.96	148.74	-47.94
DDH0852	184.05	148.82	-47.56
DDH0852	190.15	148.93	-47.62
DDH0852	196.24	148.99	-47.39
DDH0852	202.34	149.34	-47.2
DDH0852	208.44	149.47	-47.02
DDH0852	214.53	149.72	-46.81
DDH0852	220.62	149.62	-46.62
DDH0852	226.71	149.75	-46.37
DDH0852	232.81	149.67	-46.1
DDH0852	238.91	149.6	-46
DDH0852	238.91	149.5	-45.93