

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP1MN1197	0	295.2	-38.6
800SP1MN1197	20	295.1	-38.9
800SP1MN1197	40	297.4	-39.2
800SP1MN1197	60	296.9	-39.5
800SP1MN1197	90	297.1	-39.8
800SP1MN1197	120	295.7	-40.0
800SP1MN1197	150	295.6	-40.4
800SP1MN1197	180	297.2	-40.5
800SP1MN1197	210	297.1	-40.6
800SP1MN1197	227.3	297.3	-40.8
800SP1MN1197	237.6	288.2	-42.9
800SP1MN1197	254	288.8	-43.0
800SP1MN1197	272	288.6	-43.0
800SP1MN1197	280	289.2	-43.1
800SP1MN1199	0	282.8	-35.0
800SP1MN1199	20	285.2	-35.8
800SP1MN1199	40	285.5	-35.9
800SP1MN1199	60	285.2	-36.3
800SP1MN1199	90	284.0	-36.6
800SP1MN1199	120	284.2	-36.9
800SP1MN1199	150	284.7	-37.3
800SP1MN1199	180	284.0	-37.6
800SP1MN1199	210	284.2	-37.9
800SP1MN1199	240	284.1	-38.1
800SP1MN1199	270	288.1	-37.7
800SP2MN1186	0	338.5	-31.9
800SP2MN1186	20	338.5	-32.0
800SP2MN1186	40	339.8	-32.3
800SP2MN1186	60	339.4	-32.6
800SP2MN1186	90	339.2	-33.1
800SP2MN1186	120	338.5	-33.3
800SP2MN1186	150	339.1	-33.4
800SP2MN1186	180	338.6	-34.8
800SP2MN1186	210	337.8	-35.4
800SP2MN1186	230	337.3	-35.8
800SP2MN1186	260	336.7	-36.3
800SP2MN1186	286	336.9	-35.9
800SP2MN1187	0	304.0	-28.8
800SP2MN1187	20	304.1	-29.2
800SP2MN1187	40	305.3	-29.2
800SP2MN1187	60	304.3	-29.7
800SP2MN1187	90	304.7	-29.9
800SP2MN1187	120	304.9	-30.2
800SP2MN1187	156	304.6	-30.5
800SP2MN1187	180	305.9	-30.6
800SP2MN1187	210	305.0	-30.3
800SP2MN1187	240	305.2	-30.6
800SP2MN1187	287	305.4	-30.7

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP2MN1191	0	307.7	-43.3
800SP2MN1191	20	308.2	-43.8
800SP2MN1191	40	309.0	-43.9
800SP2MN1191	60	309.6	-44.3
800SP2MN1191	90	309.8	-44.5
800SP2MN1191	120	309.4	-44.5
800SP2MN1191	150	309.9	-44.7
800SP2MN1191	180	310.5	-44.8
800SP2MN1191	210	311.6	-44.5
800SP2MN1191	240	311.2	-44.3
800SP2MN1191	274	310.9	-44.8
800SP2MN1195	0	329.6	-45.3
800SP2MN1195	20	330.6	-46.2
800SP2MN1195	40	330.7	-46.4
800SP2MN1195	60	330.3	-46.4
800SP2MN1195	90	329.7	-46.5
800SP2MN1195	120	329.9	-46.7
800SP2MN1195	150	329.3	-46.7
800SP2MN1195	180	329.5	-46.8
800SP2MN1195	210	329.7	-46.6
800SP2MN1195	240	329.4	-46.8
800SP2MN1195	270	329.9	-46.9
800SP2MN1195	310	330.4	-47.6
800SP3MN1135	0	4.4	3.3
800SP3MN1135	20	4.7	2.8
800SP3MN1135	40	5.0	2.5
800SP3MN1135	60	4.6	2.2
800SP3MN1135	90	4.6	1.6
800SP3MN1135	120	4.8	1.2
800SP3MN1135	150	4.9	0.6
800SP3MN1135	196	4.5	-0.4
800SP3MN1135	210	4.4	-0.2
800SP3MN1135	240	4.6	0.4
800SP3MN1135	270	5.2	0.1
800SP3MN1135	310	5.2	-0.7
800SP3MN1135	325	5.4	-1.2
800SP3MN1188	0	8.8	-12.7
800SP3MN1188	20	8.9	-13.1
800SP3MN1188	40	8.9	-13.4
800SP3MN1188	60	8.5	-13.8
800SP3MN1188	90	8.8	-13.9
800SP3MN1188	120	8.6	-14.5
800SP3MN1188	150	8.7	-14.6
800SP3MN1188	180	8.5	-15.0
800SP3MN1188	226.5	8.3	-15.6
800SP3MN1188	231.6	12.4	-17.2
800SP3MN1188	240	12.4	-17.3
800SP3MN1188	270	9.8	-18.3

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
800SP3MN1188	289	9.5	-18.2
800SP3MN1196	0	351.3	-30.8
800SP3MN1196	20	351.0	-31.2
800SP3MN1196	40	351.3	-31.8
800SP3MN1196	60	350.7	-32.2
800SP3MN1196	90	350.5	-32.6
800SP3MN1196	120	351.0	-32.6
800SP3MN1196	150	351.3	-33.0
800SP3MN1196	197	352.1	-33.3
800SP3MN1196	210	351.8	-33.5
800SP3MN1196	240	351.6	-34.0
800SP3MN1196	270	351.1	-34.2
800SP3MN1196	300	351.3	-34.5
800SP3MN1196	316	350.0	-35.1
800SP3MN1198	0	344.8	-43.9
800SP3MN1198	20	343.5	-44.0
800SP3MN1198	40	343.2	-44.3
800SP3MN1198	60	343.8	-44.5
800SP3MN1198	90	343.1	-44.8
800SP3MN1198	120	342.9	-45.2
800SP3MN1198	150	343.2	-45.3
800SP3MN1198	180	343.5	-45.8
800SP3MN1198	210	343.3	-45.9
800SP3MN1198	240	342.9	-46.2
800SP3MN1198	260	343.4	-46.0
800SP3MN1200	0	1.2	-38.2
800SP3MN1200	20	1.2	-38.5
800SP3MN1200	40	1.7	-38.8
800SP3MN1200	60	1.3	-38.9
800SP3MN1200	90	0.9	-39.2
800SP3MN1200	120	0.2	-39.4
800SP3MN1200	150	0.1	-39.4
800SP3MN1200	180	0.6	-39.6
800SP3MN1200	210	0.1	-39.3
800SP3MN1200	240	0.5	-39.0
800SP3MN1200	270	0.2	-39.1
800SP3MN1200	287	0.4	-39.6
920DDCRN1176	0	151.2	8.6
920DDCRN1176	20	151.3	7.8
920DDCRN1176	40	152.0	7.7
920DDCRN1177	0	127.0	-24.6
920DDCRN1177	20	128.3	-25.4
920DDCRN1177	40	126.3	-26.3
920DDCRN1177	90	127.5	-26.9
920DDCRN1177	120	126.2	-26.6
920DDCRN1180	0	114.8	7.4
920DDCRN1180	20	114.2	6.9
920DDCRN1180	40	114.7	7.0

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920DDCRN1180	60	113.0	6.2
920DDCRN1180	105	113.7	6.0
920DDCRN1180	120	113.8	5.8
920DDCRN1180	141	113.7	6.2
920DDCRN1183	0	100.3	-52.6
920DDCRN1183	20	100.8	-53.3
920DDCRN1183	40	101.5	-53.7
920DDCRN1183	60	101.3	-54.3
920DDCRN1183	90	99.7	-55.5
920DDCRN1183	120	104.1	-54.8
920DDCRN1183	140	102.4	-55.1
920DDCRN1185	0	97.3	-19.2
920DDCRN1185	20	97.2	-19.9
920DDCRN1185	40	96.5	-20.2
920DDCRN1185	60	96.8	-20.7
920DDCRN1185	90	94.3	-21.4
920DDCRN1185	120	94.5	-19.9
920DDCRN1185	145	94.7	-22.2
920DDCRN1189	0	142.7	10.1
920DDCRN1189	20	143.0	9.1
920DDCRN1189	40	142.8	8.6
920DDCRN1189	60	142.8	7.8
920DDCRN1189	90	140.8	7.2
920DDCRN1189	101	142.3	6.9
920SP3MN1173	0	331.7	-17.4
920SP3MN1173	20	331.4	-17.8
920SP3MN1173	40	330.5	-18.2
920SP3MN1173	60	329.9	-18.5
920SP3MN1173	90	330.0	-18.8
920SP3MN1173	120	329.7	-19.2
920SP3MN1173	150	328.9	-19.9
920SP3MN1173	180	328.9	-20.0
920SP3MN1173	210	328.5	-20.4
920SP3MN1173	249	328.2	-21.4
920SP3MN1179	0	326.3	-0.3
920SP3MN1179	20	328.6	-0.8
920SP3MN1179	40	328.5	-1.2
920SP3MN1179	60	327.7	-1.5
920SP3MN1179	90	328.5	-2.1
920SP3MN1179	120	327.5	-2.0
920SP3MN1179	150	327.8	-2.9
920SP3MN1179	180	327.3	-3.0
920SP3MN1179	210	326.3	-3.8
920SP3MN1179	240	326.9	-3.6
920SP3MN1179	270	324.7	-4.0
920SP3MN1179	300	324.6	-5.1
920SP3MN1179	330	324.5	-6.1
920SP3MN1179	360	323.8	-7.4

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920SP3MN1179	380	323.1	-8.7
920SP3MN1179	410	323.7	-8.9
920SP3MR1190	0	325.7	-11.8
920SP3MR1190	20	326.1	-12.0
920SP3MR1190	40	325.1	-12.1
920SP3MR1190	60	324.5	-12.7
920SP3MR1190	90	322.2	-13.1
920SP3MR1190	120	322.9	-13.5
920SP3MR1190	160	322.4	-14.0
920SP3MR1190	180	322.9	-14.4
920SP3MR1190	222	322.4	-14.7
920SP3MR1190	240	322.8	-15.0
920SP3MR1190	270	321.3	-15.1
920SP3MR1190	300	322.5	-15.9
920SP3MR1190	360	322.6	-17.8
920SP3MR1190	390	323.2	-18.7
920SP3MR1190	402	323.2	-18.3
920SP3MR1192	0	329.2	-13.4
920SP3MR1192	20	328.5	-14.6
920SP3MR1192	40	329.4	-14.6
920SP3MR1192	60	329.2	-15.0
920SP3MR1192	90	326.7	-14.7
920SP3MR1192	120	329.6	-15.8
920SP3MR1192	150	328.7	-16.1
920SP3MR1192	180	328.0	-16.4
920SP3MR1192	210	329.0	-16.7
920SP3MR1192	240	327.0	-17.4
920SP3MR1192	270	328.4	-17.8
920SP3MR1192	300	327.5	-18.7
920SP3MR1192	330	328.6	-18.8
920SP3MR1192	360	328.8	-18.6
920SP3MR1192	396	327.9	-19.8
920SP4MN1175	0	315.5	-29.0
920SP4MN1175	20	314.0	-29.6
920SP4MN1175	40	314.3	-29.4
920SP4MN1175	60	313.9	-29.5
920SP4MN1175	90	312.8	-29.5
920SP4MN1175	120	312.9	-29.0
920SP4MN1175	140	312.1	-29.3
920SP4MN1181	0	304.3	-14.0
920SP4MN1181	20	304.5	-14.5
920SP4MN1181	40	304.3	-14.7
920SP4MN1181	60	304.7	-15.1
920SP4MN1181	90	303.5	-15.7
920SP4MN1181	116	303.6	-16.3
920SP4MN1181	154	303.1	-17.3
920SP5MN1184	0	343.5	-2.9
920SP5MN1184	20	343.8	-3.4

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
920SP5MN1184	40	344.3	-3.6
920SP5MN1184	60	344.0	-4.0
920SP5MN1184	90	344.3	-4.4
920SP5MN1184	120	343.6	-4.9
920SP5MN1184	150	343.9	-5.3
920SP5MN1184	180	343.9	-5.5
920SP5MN1184	210	343.6	-6.1
920SP5MN1184	240	343.3	-6.6
920SP5MN1184	270	342.6	-7.3
920SP5MN1184	300	341.9	-7.3
920SP5MN1184	330	339.1	-7.9
920SP5MN1193	0	344.7	-31.1
920SP5MN1193	20	344.5	-30.8
920SP5MN1193	40	344.7	-31.0
920SP5MN1193	60	344.5	-31.3
920SP5MN1193	90	344.8	-31.9
920SP5MN1193	105	342.8	-32.3
920SP5MN1193	115	343.2	-32.7
920SP5MN1193	125	342.4	-32.5
920SP5MN1193	135	342.4	-32.4
920SP5MN1193	150	337.3	-32.8
920SP5MN1193	180	341.7	-32.7
920SP5MN1193	210	342.2	-32.9
920SP5MN1201	0	341.7	-12.8
920SP5MN1201	20	340.9	-13.3
920SP5MN1201	40	339.5	-13.7
920SP5MN1201	60	339.4	-14.0
920SP5MN1201	90		
920SP5MN1201	150	340.46	-14.7
920SP5MN1201	180	340.46	-15.5
920SP5MN1201	240	340.66	-16.3
920SP5MN1201	270	339.46	-17.8
920SP5MN1201	315	338.06	-19.4
920SP5MN1201	332	338.66	-19.9
UW520	0	172.33	-34.2
UW520	20	172.46	-33
UW520	49	172.16	-35.4
UW520	60	170.96	-35.5
UW520	90	170.76	-36.7
UW520	120	169.56	-37.3
UW520	150	169.36	-38
UW520	180	167.66	-39.5
UW520	210	167.46	-40.5
UW520	240	166.86	-41.9
UW520	270	166.76	-42
UW520	298.5	166.36	-42
UW520	330	165.66	-42.3
UW520	360	165.46	-42.5

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
UW520	390	165.36	-42.7
UW520	420	165.76	-43.8
UW520	450	165.06	-44.6
UW520	490	163.56	-46.3
UW520	499.5	163.86	-46.3
UW522	0	123.63	-44
UW522	20	123.96	-43.5
UW522	50	123.06	-44.7
UW522	60	122.66	-44.9
UW522	90	121.56	-45.8
UW522	120	121.16	-46.3
UW522	150	120.16	-46.8
UW522	180	119.46	-47.5
UW522	210	119.16	-48.2
UW522	240	120.06	-48.8
UW522	270	119.26	-48.9
UW522	330	117.86	-50.1
UW522	360	116.86	-50.9
UW522	368	116.66	-51.6
UW535	0	131.53	-41
UW535	30	133.56	-41.3
UW535	40	129.86	-41.7
UW535	60	132.36	-42
UW535	90	132.36	-42.9
UW535	120	133.96	-43.4
UW535	150	131.86	-43.6
UW535	179	132.46	-43.7
UW535	210	132.16	-44.4
UW535	240	129.76	-45.2
UW535	270	131.06	-45.4
UW535	300	129.36	-45.5
UW535	330	129.56	-45.9
UW535	370	128.36	-46.1
UW539	0	117.13	-22.5
UW539	20	117.66	-22.2
UW539	40	118.86	-22.5
UW539	60	116.76	-22.8
UW539	90	116.16	-23.3
UW539	120	115.26	-23.8
UW539	150	115.66	-25.2
UW539	180	115.96	-26
UW539	210	115.86	-27.5
UW539	240	114.26	-29
UW539	270	113.46	-29.1
UW539	300	112.86	-30.4
UW539	330	112.16	-31.2
UW539	350	112.26	-31.3
UW648	0	49.52	-35

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
UW648	20	51.06	-34.8
UW648	40	51.06	-35.1
UW648	60	50.96	-35.8
UW648	90	52.06	-35.9
UW648	120	51.86	-36.5
UW648	150	51.16	-36.5
UW648	190	51.36	-37.5
UW648	210	51.66	-38
UW648	244	50.76	-38.5
UW654	0	39.92	-37.6
UW654	21	42.06	-37
UW654	40	41.06	-37.3
UW654	60	42.26	-37.2
UW654	90	41.76	-37.4
UW654	120	42.46	-37.5
UW654	150	41.36	-37.5
UW654	180	41.16	-37.4
UW654	210	41.86	-37.2
UW654	242	39.56	-37.2
UW654	281	40.26	-37.7
UW658	0	288.42	-23.1
UW658	20	286.96	-21.9
UW658	44	285.96	-21.6
UW658	60	287.06	-22.2
UW658	75	285.56	-23.2
UW658	87	284.56	-22.9
UW658	98	283.96	-21.9
UW658	119	286.36	-23.9
UW658	125	286.06	-23.5
UW658	140.1	286.66	-24.5
UW658	164	285.86	-25.5
UW658	180	288.26	-25.7
UW658	210	287.96	-27.1
UW658	250	286.86	-28.7
UW658	275.2	286.36	-29.8
UW658	300	286.86	-30.2
UW658	330	284.66	-31.2
UW658	360	285.06	-31.9
UW658	390	284.46	-32.8
UW658	420	283.96	-33.1
UW658	470	282.76	-35.1
UW658	496.7	280.76	-35.2
UW659	0	323.92	-30.4
UW659	20	324.16	-29.2
UW659	40	323.46	-29.9
UW659	60	323.76	-30.5
UW659	90	322.46	-30.2
UW659	120	322.66	-29.7

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
UW659	150	321.46	-29.3
UW659	180	321.06	-30.3
UW659	235.5	320.16	-30.7
UW660	0	301.32	-19.4
UW660	20	303.06	-18.8
UW660	40	302.56	-19.9
UW660	60	302.36	-20.2
UW660	90	301.96	-21.8
UW660	120	300.76	-23.5
UW660	150	300.76	-25.2
UW660	180	301.76	-23.3
UW660	200	301.06	-25.1
UW664	0	306.2	-25.5
UW664	20	305.91	-25.9
UW664	40	305.46	-24.9
UW664	60	305.66	-26
UW664	90	304.86	-27.3
UW664	120	304.76	-27.9
UW664	150	303.36	-28.2
UW664	180	304.06	-29
UW664	220	303.76	-29.6
UW664	227	303.86	-29.8
UW665	0	293.52	-27.5
UW665	20	293.56	-26.9
UW665	40	293.76	-27
UW665	60	292.96	-27.3
UW665	90	293.16	-27.8
UW665	120	293.16	-28.5
UW665	150	292.36	-29.5
UW665	180	291.76	-30.3
UW665	210	291.56	-31
UW665	240	290.76	-32.2
UW665	270	291.06	-32.8
UW665	300	292.16	-34
UW665	330	291.06	-34.9
UW665	360	289.36	-34.9
UW665	401	289.46	-34.8
UW665	420	289.86	-35.1
UW665	420	289.26	-36.5
UW665	450	289.086	-37.3
UW665	480	287.4	-37.8
UW665	498.9	287	-38.48
UW667	0	204.22	-31.2
UW667	20	204.66	-30.1
UW667	40	206.86	-31
UW667	59	204.06	-31.4
UW667	90	204.36	-32.2
UW667	120	203.96	-33.3

Local Mine Grid Mt Eden Old Cadastral

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
UW667	150	204.16	-34.6
UW667	180	203.56	-35.4
UW667	210	203.86	-36.3
UW667	240	203.66	-36.9
UW667	270	203.26	-37
UW667	300	203.36	-37.7
UW667	343.2	204.06	-37.7
UW669	0	310.62	-18.5
UW669	20	310.64	-18.5
UW669	40	310.66	-18.9
UW669	60	310.46	-19.5
UW669	90	309.06	-18.9
UW669	120	307.56	-18.2
UW669	150	307.56	-18.5
UW669	180	306.86	-19.6
UW669	213	306.06	-20.6
UW669	240	305.46	-20.8
UW669	264.3	305.46	-20.8
UW671	0	167.22	-36.9
UW671	20	168.76	-36.9
UW671	40	168.26	-37.5
UW671	60	168.96	-37.9
UW671	90	169.48	-38.7
UW671	120	169.76	-39.6
UW671	150	167.56	-40.4
UW671	180	168.56	-40.8
UW671	210	167.86	-42
UW671	235	168.46	-42.1
UW671	247	168.26	-42.3
UW673	0	157.82	-25.5
UW673	20	159.56	-24.9
UW673	40	159.16	-24.2
UW673	60	159.16	-24.9
UW673	90	158.76	-25.4
UW673	120	158.46	-25.8
UW673	150	157.96	-27.4
UW673	180	158.36	-29.4
UW673	205	158.66	-30.7