

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
800SP1MN1095	10.2	11	<0.01	0.6
800SP1MN1095	14.7	15	0.01	1.2
800SP1MN1095	17.1	17.5	<0.01	0.9
800SP1MN1095	18.55	18.85	<0.01	0.7
800SP1MN1095	19.9	20.3	<0.01	0.5
800SP1MN1095	21.3	21.8	<0.01	0.2
800SP1MN1095	25.3	26.1	<0.01	0.5
800SP1MN1095	26.1	26.6	<0.01	0.6
800SP1MN1095	36.7	37	<0.01	0.2
800SP1MN1095	37	37.7	0.01	0.2
800SP1MN1095	37.7	38.2	<0.01	0.1
800SP1MN1095	38.2	38.5	0.04	0.1
800SP1MN1095	38.5	38.95	0.03	<0.1
800SP1MN1095	38.95	39.3	0.01	<0.1
800SP1MN1095	39.3	40	<0.01	<0.1
800SP1MN1095	44.3	44.6	<0.01	0.3
800SP1MN1095	44.6	45	<0.01	0.3
800SP1MN1095	45	45.5	<0.01	0.4
800SP1MN1095	45.5	45.8	<0.01	0.4
800SP1MN1095	45.8	46.2	0.02	0.4
800SP1MN1095	48.7	49	<0.01	0.4
800SP1MN1095	49	49.3	0.01	0.6
800SP1MN1095	49.3	49.7	0.30	0.9
800SP1MN1095	49.7	50	0.02	1.0
800SP1MN1095	50.3	50.6	<0.01	1.1
800SP1MN1095	56.8	57.1	<0.01	0.6
800SP1MN1095	57.1	57.4	0.01	0.9
800SP1MN1095	59	59.4	<0.01	0.7
800SP1MN1095	66.4	67	0.01	1.4
800SP1MN1095	67	67.6	<0.01	1.4
800SP1MN1095	67.6	68	0.08	2.3
800SP1MN1095	68	68.5	<0.01	1.2
800SP1MN1095	68.5	68.8	<0.01	1.1
800SP1MN1095	68.8	69.2	0.02	0.9
800SP1MN1095	74.2	74.8	0.01	0.9
800SP1MN1095	82	82.4	<0.01	1.0
800SP1MN1095	82.4	83.2	0.01	1.1
800SP1MN1095	89.4	89.7	0.01	1.1
800SP1MN1095	89.7	90.1	0.02	1.9
800SP1MN1095	90.1	90.8	0.01	3.8
800SP1MN1095	90.8	91.2	<0.01	1.7
800SP1MN1095	91.2	91.6	0.02	1.3
800SP1MN1095	91.6	91.9	0.02	1.2
800SP1MN1095	91.9	92.4	<0.01	1.7
800SP1MN1095	92.4	93.2	<0.01	1.6
800SP1MN1095	93.2	94	0.01	1.5
800SP1MN1095	112.4	112.8	<0.01	0.4
800SP1MN1095	120	121	0.01	0.5
800SP1MN1095	121	121.3	0.01	0.5

800SP1MN1095	121.3	121.6	<0.01	1.2
800SP1MN1095	121.6	122	0.01	0.4
800SP1MN1095	123	123.8	0.03	0.4
800SP1MN1095	123.8	124.2	13.80	22.2
800SP1MN1095	124.2	125	0.02	1.5
800SP1MN1095	131.5	131.8	0.26	1.1
800SP1MN1095	133.1	134	0.08	1.0
800SP1MN1095	143.3	143.85	0.01	0.9
800SP1MN1095	143.85	145	<0.01	0.4
800SP1MN1095	145	145.3	<0.01	0.3
800SP1MN1095	145.3	146.4	0.04	1.8
800SP1MN1095	146.6	147	0.17	2.1
800SP1MN1095	147	148	0.04	2.8
800SP1MN1095	148	149	0.02	2.7
800SP1MN1095	149	149.7	<0.01	1.0
800SP1MN1095	149.7	150.3	<0.01	0.7
800SP1MN1095	150.3	151	0.82	1.7
800SP1MN1095	151	151.3	2.26	5.1
800SP1MN1095	151.6	152	0.02	1.2
800SP1MN1095	152	152.8	0.03	1.6
800SP1MN1095	154.7	155.3	0.03	0.6
800SP1MN1095	155.3	156.3	0.01	0.6
800SP1MN1095	156.3	156.6	4.73	12.8
800SP1MN1095	157	158	20.20	49.1
800SP1MN1095	158.3	159	0.04	0.6
800SP1MN1095	159	159.3	2.99	3.8
800SP1MN1095	159.3	160	0.02	2.5
800SP1MN1095	160	161	0.02	0.4
800SP1MN1095	161	161.4	0.02	3.7
800SP1MN1095	161.4	161.8	3.07	9.4
800SP1MN1095	162.3	162.6	0.15	2.0
800SP1MN1095	162.6	163	6.66	7.7
800SP1MN1095	163	163.8	31.90	23.0
800SP1MN1095	163.8	164.4	3.71	14.0
800SP1MN1095	164.4	164.9	27.60	126.0
800SP1MN1095	164.9	165.3	0.11	1.4
800SP1MN1095	165.3	165.6	0.10	1.1
800SP1MN1095	165.6	166	0.07	1.3
800SP1MN1095	166	167	0.19	1.2
800SP1MN1095	167	167.3	0.34	2.5
800SP1MN1095	167.3	167.7	1.67	85.0
800SP1MN1095	167.7	168	3.67	40.9
800SP1MN1095	168	168.3	20.30	22.9
800SP1MN1095	168.3	168.7	13.40	39.1
800SP1MN1095	168.7	169	1.80	4.7
800SP1MN1095	169	169.3	4.76	12.2
800SP1MN1095	169.3	170	4.40	11.3
800SP1MN1095	170	171.05	15.40	14.4
800SP1MN1095	171.35	172.25	0.13	9.7
800SP1MN1095	172.25	172.8	36.10	43.3

800SP1MN1095	172.8	173.6	23.70	173.0
800SP1MN1095	173.6	174	1.07	3.8
800SP1MN1095	174	174.7	8.36	39.5
800SP1MN1095	174.7	175	7.25	29.5
800SP1MN1095	175	176	4.38	8.3
800SP1MN1095	176	176.7	0.27	13.6
800SP1MN1095	177	177.3	0.83	7.4
800SP1MN1095	177.3	178	0.10	3.3
800SP1MN1095	178	179	0.04	4.4
800SP1MN1095	179	180	0.15	8.9
800SP1MN1095	181	181.85	0.03	4.2
800SP1MN1095	182.7	183	0.18	7.9
800SP1MN1095	183.4	184	0.04	7.8
800SP1MN1095	184	184.5	0.03	3.0
800SP1MN1095	187.9	188.25	0.02	2.0
800SP1MN1095	188.25	188.65	0.46	2.1
800SP1MN1095	188.65	189.2	0.06	1.3
800SP1MN1095	189.2	189.9	0.02	3.5
800SP1MN1095	189.9	190.5	0.25	1.2
800SP1MN1095	190.5	191	0.06	1.1
800SP1MN1095	191	192	0.02	1.7
800SP1MN1095	200	201	0.01	1.1
800SP1MN1095	201	202	<0.01	1.2
800SP1MN1095	202	202.7	0.02	2.0
800SP1MN1095	202.7	203	0.02	1.6
800SP1MN1095	203	203.8	<0.01	1.9
800SP1MN1095	203.8	204.3	0.02	2.5
800SP1MN1095	204.3	204.6	<0.01	1.1
800SP1MN1095	204.6	205	<0.01	0.9
800SP1MN1095	205	206	0.01	0.4
800SP1MN1095	206	206.4	0.01	0.4
800SP1MN1095	206.4	207.2	0.02	1.5
800SP1MN1095	207.2	208	<0.01	0.3
800SP1MN1095	213.4	213.7	0.12	2.2
800SP1MN1095	215.6	216	0.03	1.8
800SP1MN1095	219	219.65	<0.01	2.4
800SP1MN1095	219.65	220	4.08	11.8
800SP1MN1095	220	221	0.03	2.5
800SP1MN1095	223.55	224	4.99	12.3
800SP1MN1095	224.4	224.7	0.12	3.7
800SP1MN1095	227.5	227.9	0.12	2.9
800SP1MN1095	227.9	228.2	0.48	2.9
800SP1MN1095	228.65	228.95	0.12	4.7
800SP1MN1095	231.4	232	0.06	2.7
800SP1MN1095	236.2	236.6	0.09	5.8
800SP1MN1095	237.6	237.9	0.03	5.6
800SP1MN1095	238.5	238.8	0.64	4.8
800SP1MN1095	238.8	239.3	0.09	9.2
800SP1MN1095	239.3	239.6	0.04	8.0
800SP1MN1095	244.35	245	0.03	2.4

800SP1MN1095	245	246	0.01	2.3
800SP1MN1095	246	247	0.02	2.8
800SP1MN1095	247	247.9	0.02	2.2
800SP1MN1095	247.9	248.5	0.02	2.1
800SP1MN1095	248.5	248.9	1.69	11.4
800SP1MN1095	248.9	250	0.02	2.9
800SP1MN1095	250	251	0.01	1.4
800SP1MN1095	251	251.7	0.14	8.8
800SP1MN1095	253.1	253.7	3.70	242.0
800SP1MN1095	254.1	254.6	3.80	61.4
800SP1MN1095	254.85	255.15	0.05	3.4
800SP1MN1095	255.15	255.7	1.54	126.0
800SP1MN1095	255.7	256.2	65.70	558.0
800SP1MN1095	256.2	256.6	38.30	1320.0
800SP1MN1095	257.05	257.4	1.34	14.9
800SP1MN1095	257.4	257.7	1.05	11.1
800SP1MN1095	257.7	258	0.09	7.1
800SP1MN1095	258	259	0.54	11.1
800SP1MN1095	259	260	1.00	66.4
800SP1MN1095	260	260.3	20.90	317.0
800SP1MN1095	260.6	261.2	0.89	13.0
800SP1MN1095	261.65	261.8	21.40	55.9
800SP1MN1095	262.4	263.05	1.23	11.6
800SP1MN1095	263.3	263.55	0.20	23.1
800SP1MN1095	263.8	264	0.69	21.5
800SP1MN1095	264.3	264.65	0.25	23.1
800SP1MN1095	264.8	265.3	1.22	9.0
800SP1MN1095	265.4	266	0.97	16.9
800SP1MN1095	266.3	266.6	0.23	16.5
800SP1MN1095	266.8	267	0.42	12.7
800SP1MN1095	267.7	268.1	0.38	10.2
800SP1MN1095	268.1	268.7	0.66	6.3
800SP1MN1095	268.7	269	0.28	3.0
800SP1MN1095	269	269.5	0.25	2.6
800SP1MN1095	269.7	270	0.59	1.5
800SP1MN1095	270	270.5	0.22	0.5
800SP1MN1095	270.5	270.9	0.28	0.8
800SP1MN1095	270.9	272	0.02	0.2
800SP1MN1095	272	272.5	0.02	0.2
800SP1MN1095	272.5	273	0.02	1.0
800SP1MN1095	273	273.6	0.12	0.3
800SP1MN1095	273.6	274.3	8.06	7.2
800SP1MN1095	274.3	275	2.81	2.2
800SP1MN1095	275	275.3	0.57	0.4
800SP1MN1095	275.3	276	0.08	0.3
800SP1MN1095	285.1	285.8	0.05	0.5
800SP1MN1095	290.9	291.6	0.05	0.4
800SP1MN1095	292.4	292.9	0.04	0.1
800SP1MN1095	292.9	293.4	0.02	0.1
800SP1MN1095	293.4	294.2	0.02	0.1

800SP1MN1095	294.9	295.2	0.06	0.5
800SP1MN1095	295.2	295.8	0.05	0.3
800SP1MN1095	301	301.3	0.01	0.2
800SP1MN1095	301.8	302.5	0.01	0.4
800SP1MN1095	302.5	303	0.02	0.5
800SP1MN1095	303.5	304	0.05	0.4
800SP1MN1095	304	305	0.04	0.4
800SP1MN1095	305	305.6	0.05	0.7
800SP1MN1100	1.3	2.5	0.05	1.0
800SP1MN1100	2.5	3.5	0.80	1.2
800SP1MN1100	3.5	4.7	0.01	1.4
800SP1MN1100	4.7	5	0.02	1.4
800SP1MN1100	5	5.5	0.11	1.3
800SP1MN1100	5.5	6.7	0.01	1.4
800SP1MN1100	20.4	20.7	0.02	1.1
800SP1MN1100	29.9	30.2	<0.01	0.2
800SP1MN1100	36	37	<0.01	0.4
800SP1MN1100	37	37.3	<0.01	0.8
800SP1MN1100	40	40.3	0.02	1.0
800SP1MN1100	40.3	41.1	<0.01	0.3
800SP1MN1100	44.8	45.8	0.01	0.6
800SP1MN1100	47.4	48.4	0.02	0.7
800SP1MN1100	60.4	61.6	<0.01	1.5
800SP1MN1100	61.6	62.7	<0.01	1.5
800SP1MN1100	62.7	63.5	<0.01	1.1
800SP1MN1100	63.5	64.1	<0.01	1.2
800SP1MN1100	69.3	70.5	0.01	1.8
800SP1MN1100	70.5	71.7	0.02	1.8
800SP1MN1100	74.9	75.7	0.02	2.3
800SP1MN1100	75.7	76.1	<0.01	1.8
800SP1MN1100	83.6	83.9	0.17	15.4
800SP1MN1100	84.3	84.6	<0.01	0.5
800SP1MN1100	94	94.3	0.01	0.7
800SP1MN1100	95.9	96.2	0.83	2.5
800SP1MN1100	102	102.7	0.02	0.7
800SP1MN1100	102.7	103	<0.01	0.6
800SP1MN1100	108	108.7	0.01	0.8
800SP1MN1100	108.7	109.5	0.12	0.6
800SP1MN1100	109.5	110.6	<0.01	0.9
800SP1MN1100	110.6	110.9	0.04	1.1
800SP1MN1100	110.9	111.4	0.04	1.2
800SP1MN1100	111.4	112.6	0.02	1.5
800SP1MN1101	0.85	1.7	1.88	4.0
800SP1MN1101	1.7	2.65	0.90	2.2
800SP1MN1101	2.65	3.2	0.01	1.7
800SP1MN1101	3.2	4.1	0.19	1.5
800SP1MN1101	16	17	<0.01	0.8
800SP1MN1101	32	33	<0.01	0.4
800SP1MN1101	47	48	<0.01	0.7
800SP1MN1101	53	54	0.02	0.9

800SP1MN1101	54	55.1	<0.01	0.5
800SP1MN1101	55.1	56.2	<0.01	0.7
800SP1MN1101	56.2	56.7	1.78	1.8
800SP1MN1101	56.7	57.2	0.02	1.5
800SP1MN1101	57.2	58	<0.01	0.8
800SP1MN1101	58	59	<0.01	0.7
800SP1MN1101	59	60	<0.01	0.6
800SP1MN1101	61	62	<0.01	0.7
800SP1MN1101	63	64	<0.01	0.8
800SP1MN1101	67	68	<0.01	0.7
800SP1MN1101	68	69	<0.01	0.6
800SP1MN1101	69	70	<0.01	1.2
800SP1MN1101	73	74	<0.01	1.3
800SP1MN1101	74	75	<0.01	0.6
800SP1MN1101	82	83	0.01	0.4
800SP1MN1101	83	84	0.01	0.5
800SP1MN1101	84	85	0.12	0.5
800SP1MN1101	85	86	0.05	0.3
800SP1MN1101	86	87	<0.01	0.4
800SP1MN1101	90	90.7	<0.01	0.2
800SP1MN1101	90.7	91.4	<0.01	0.2
800SP1MN1101	91.4	92.4	<0.01	0.3
800SP1MN1101	92.4	93.5	<0.01	0.5
800SP1MN1101	93.5	94.5	<0.01	0.4
800SP1MN1101	94.5	95.5	<0.01	0.5
800SP1MN1101	95.5	96.3	<0.01	0.4
800SP1MN1101	99.3	99.9	0.01	0.2
800SP1MN1101	99.9	100.4	0.02	0.3
800SP1MN1101	100.4	101.55	0.01	0.3
800SP1MN1101	102.5	103	0.01	0.4
800SP1MN1101	103	104	0.01	0.5
800SP1MN1101	104	105	0.03	0.5
800SP1MN1101	105	106	0.01	0.4
800SP1MN1101	106	107	0.02	0.3
800SP1MN1101	107	108	0.02	0.3
800SP1MN1101	108	109	0.01	0.5
800SP1MN1101	109	110	0.08	0.3
800SP1MN1101	116	117	<0.01	0.3
800SP1MN1101	118	119	0.05	0.2
800SP1MN1101	119	119.9	0.04	0.5
800SP1MN1101	119.9	120.45	0.11	0.6
800SP1MN1101	120.45	121.25	26.10	16.8
800SP1MN1101	121.25	122	4.70	2.7
800SP1MN1101	122	123	3.04	1.4
800SP1MN1101	123	123.7	25.60	17.2
800SP1MN1101	123.7	124.85	14.60	12.1
800SP1MN1101	124.85	125.5	0.05	1.2
800SP1MN1101	125.5	126.5	0.05	0.9
800SP1MN1101	126.5	127.6	0.05	0.5
800SP1MN1101	127.6	128.6	0.01	0.5

800SP1MN1101	128.6	129	3.35	2.1
800SP1MN1101	129	130	6.57	3.4
800SP1MN1101	130	131	0.41	0.9
800SP1MN1101	131	132.1	0.04	0.5
800SP1MN1101	134.7	135.7	1.80	4.0
800SP1MN1101	135.7	136.6	0.24	2.3
800SP1MN1101	136.6	137.5	1.62	1.1
800SP1MN1101	137.5	137.9	0.04	1.9
800SP1MN1101	137.9	138.4	4.07	6.1
800SP1MN1101	138.4	139.5	0.04	0.6
800SP1MN1101	139.5	140.5	0.02	0.7
800SP1MN1101	142.75	143.5	0.17	0.7
800SP1MN1101	143.5	144	<0.01	0.5
800SP1MN1101	144	144.7	0.43	1.2
800SP1MN1101	147.1	147.5	0.30	1.3
800SP1MN1101	149.45	149.9	8.14	6.6
800SP1MN1101	149.9	150.55	0.01	0.4
800SP1MN1101	150.55	151.5	0.01	0.2
800SP1MN1101	151.5	152.5	0.08	0.3
800SP1MN1101	152.5	153.5	0.04	0.7
800SP1MN1101	154.5	155.5	0.05	0.4
800SP1MN1101	156.5	157.5	<0.01	0.3
800SP1MN1101	157.5	158.5	0.05	0.3
800SP1MN1101	158.5	159	0.02	0.3
800SP1MN1103	0.1	1.1	0.14	1.3
800SP1MN1103	1.1	2.15	0.98	1.9
800SP1MN1103	2.15	2.9	0.56	2.5
800SP1MN1103	2.9	3.7	0.04	2.0
800SP1MN1103	3.7	4.5	0.15	1.1
800SP1MN1103	4.5	4.9	0.13	2.0
800SP1MN1103	10	11	0.01	0.5
800SP1MN1103	18	19	0.01	0.3
800SP1MN1103	22	23	0.02	0.8
800SP1MN1103	37	38	0.02	0.5
800SP1MN1103	46	47	0.03	0.4
800SP1MN1103	50	51	0.02	0.3
800SP1MN1103	57.5	58.5	0.01	0.3
800SP1MN1103	65.5	66.5	0.02	0.5
800SP1MN1103	66.5	67	0.02	0.8
800SP1MN1103	67	68	0.01	0.8
800SP1MN1103	68	69.1	0.01	0.8
800SP1MN1103	69.1	69.9	0.89	1.9
800SP1MN1103	69.9	70.9	0.06	1.5
800SP1MN1103	71.9	72.6	<0.01	0.3
800SP1MN1103	72.6	73.7	<0.01	0.5
800SP1MN1103	73.7	74.2	0.01	0.5
800SP1MN1103	76.8	77.5	<0.01	0.5
800SP1MN1103	82.5	83.5	<0.01	0.6
800SP1MN1103	83.5	84.5	0.01	1.5
800SP1MN1103	84.5	85.5	0.01	0.7

800SP1MN1103	87.15	88	0.01	0.8
800SP1MN1103	88	88.6	0.02	0.3
800SP1MN1103	88.6	89.2	0.04	0.4
800SP1MN1103	89.2	90.2	0.01	0.3
800SP1MN1103	90.2	91.2	0.02	0.2
800SP1MN1103	91.2	92.4	0.03	0.3
800SP1MN1103	92.4	93.25	0.03	0.3
800SP1MN1103	94	95	0.02	0.3
800SP1MN1103	101	102	0.01	0.3
800SP1MN1103	104	105	0.01	0.2
800SP1MN1103	107	108	<0.01	0.3
800SP1MN1103	110	111	<0.01	0.2
800SP1MN1103	115	115.5	<0.01	0.1
800SP1MN1103	124.5	125.5	1.77	1.8
800SP1MN1103	125.5	126.5	0.01	0.7
800SP1MN1103	126.5	127.4	<0.01	0.7
800SP1MN1103	127.4	128	<0.01	0.5
800SP1MN1103	128	128.65	<0.01	0.4
800SP1MN1103	128.65	129.2	2.59	3.4
800SP1MN1103	129.2	130	0.02	0.3
800SP1MN1103	130	130.7	<0.01	0.2
800SP1MN1103	130.7	131.7	<0.01	0.3
800SP1MN1103	131.7	132.75	0.07	0.6
800SP1MN1103	132.75	133.75	0.01	0.7
800SP1MN1103	133.75	134.75	0.06	0.4
800SP1MN1103	134.75	135.65	0.05	0.4
800SP1MN1103	135.65	136.55	0.02	0.5
800SP1MN1103	136.55	137.4	0.08	1.0
800SP1MN1103	141	141.65	13.70	9.4
800SP1MN1103	141.65	142.6	3.31	4.0
800SP1MN1103	142.6	143.6	1.57	1.8
800SP1MN1103	143.6	144	8.35	8.7
800SP1MN1103	144	145	1.09	2.4
800SP1MN1103	145	146	6.30	8.5
800SP1MN1103	146	147	11.80	6.2
800SP1MN1103	147	148	1.75	2.2
800SP1MN1103	148	149	0.43	0.8
800SP1MN1103	149	150	0.37	0.8
800SP1MN1103	150	151	0.17	0.8
800SP1MN1103	151	152	0.03	0.5
800SP1MN1103	152	153	0.07	0.5
800SP1MN1103	153	154	0.33	0.5
800SP1MN1103	154	155	0.09	0.6
800SP1MN1103	155	155.9	0.03	0.4
800SP1MN1103	155.9	156.8	0.19	0.7
800SP1MN1103	156.8	157.9	0.28	1.3
800SP1MN1103	157.9	158.9	5.56	13.4
800SP1MN1103	158.9	159.6	9.54	11.5
800SP1MN1103	159.6	160	1.19	1.7
800SP1MN1103	160	161	3.47	3.7

800SP1MN1103	161	162	0.02	0.7
800SP1MN1103	162	163	0.02	0.4
800SP1MN1103	163	164	<0.01	0.6
800SP1MN1103	164	164.8	0.02	0.5
800SP1MN1103	165	165.5	0.11	0.9
800SP1MN1103	165.7	166.55	5.63	9.3
800SP1MN1103	167.6	168.2	8.23	12.9
800SP1MN1103	168.2	169.35	0.56	1.7
800SP1MN1103	169.35	170.15	3.73	4.7
800SP1MN1103	170.15	171.2	2.63	2.4
800SP1MN1103	171.2	172.7	0.39	2.6
800SP1MN1103	172.7	173.7	0.10	1.7
800SP1MN1103	173.7	174.7	0.04	1.4
800SP1MN1103	174.7	175.7	0.05	2.6
800SP1MN1103	175.7	176.7	0.64	1.5
800SP1MN1103	176.7	177.7	0.04	0.6
800SP1MN1103	177.7	178.7	0.03	0.9
800SP1MN1103	178.7	179.6	1.11	3.5
800SP1MN1103	179.6	180.2	0.74	3.9
800SP1MN1103	180.2	180.6	0.04	1.9
800SP1MN1103	180.6	181.2	0.13	1.2
800SP1MN1103	181.2	181.8	0.49	4.1
800SP1MN1103	181.8	182.4	0.03	1.2
800SP1MN1103	182.4	183.2	0.27	2.2
800SP1MN1103	183.2	184.2	0.03	1.2
800SP1MN1103	184.2	184.7	0.04	0.8
800SP1MN1103	184.7	185.6	0.05	1.1
800SP1MN1103	185.6	186.7	0.32	1.2
800SP1MN1103	186.7	187.7	0.24	1.4
800SP1MN1103	187.7	188.7	0.04	1.8
800SP1MN1103	188.7	189.7	0.23	1.4
800SP1MN1103	189.7	190.7	0.34	1.4
800SP1MN1103	190.7	191.2	0.03	1.1
800SP1MN1103	191.2	192.2	0.02	1.3
800SP1MN1103	192.2	193.2	0.95	4.6
800SP1MN1103	193.2	194.2	1.28	2.6
800SP1MN1103	194.2	195.2	0.12	1.3
800SP1MN1103	195.2	196.2	0.07	1.9
800SP1MN1103	196.2	197.2	0.07	1.9
800SP1MN1103	197.2	198.2	0.64	2.9
800SP1MN1103	204.4	205	1.79	3.6
800SP1MN1103	205	206	3.88	4.5
800SP1MN1103	206	207	0.05	1.4
800SP1MN1103	207	208	8.51	36.7
800SP1MN1103	208	209	34.50	83.6
800SP1MN1103	209	210	2.03	3.8
800SP1MN1103	210	210.9	1.22	4.2
800SP1MN1103	210.9	211.5	9.40	11.9
800SP1MN1103	211.5	212.5	6.23	11.1
800SP1MN1103	212.5	213.5	20.60	30.5

800SP1MN1103	213.5	214.6	22.30	31.8
800SP1MN1103	214.6	215.7	1.36	4.2
800SP1MN1103	215.7	216.7	0.76	3.2
800SP1MN1103	216.7	217.7	3.97	6.1
800SP1MN1103	217.7	218.4	0.08	1.5
800SP1MN1103	218.4	219.15	0.86	3.4
800SP1MN1103	219.15	220.1	0.15	2.3
800SP1MN1103	220.1	220.85	0.06	2.5
800SP1MN1103	220.85	221.6	0.18	2.6
800SP1MN1103	221.6	221.9	0.07	5.2
800SP1MN1103	221.9	222.45	0.23	3.2
800SP1MN1103	222.45	223.4	0.67	5.1
800SP1MN1103	226.1	226.9	2.14	6.2
800SP1MN1103	226.9	227.5	3.14	7.1
800SP1MN1103	227.5	228.5	7.55	16.3
800SP1MN1103	228.5	229.6	2.60	11.8
800SP1MN1103	229.6	230.7	11.60	52.1
800SP1MN1103	230.7	231.7	9.01	32.1
800SP1MN1103	231.7	232.6	8.06	16.6
800SP1MN1103	232.6	233.3	0.08	13.5
800SP1MN1103	233.3	234.5	0.08	11.5
800SP1MN1103	234.5	235.25	0.10	6.8
800SP1MN1103	235.25	236	0.26	4.9
800SP1MN1103	236	236.6	3.57	37.0
800SP1MN1103	236.6	237.2	2.48	13.2
800SP1MN1103	237.2	237.9	9.68	14.7
800SP1MN1103	237.9	238.5	0.32	2.3
800SP1MN1103	238.5	239.1	9.28	8.9
800SP1MN1103	239.1	239.7	1.67	5.2
800SP1MN1103	239.7	240.9	2.14	3.4
800SP1MN1103	240.9	241.55	8.45	9.8
800SP1MN1103	241.55	242.45	1.50	5.6
800SP1MN1103	242.45	243.25	0.23	2.0
800SP1MN1103	243.25	243.7	1.32	1.2
800SP1MN1103	243.7	244.2	7.32	7.8
800SP1MN1103	244.2	245.2	9.57	12.8
800SP1MN1103	245.2	245.95	0.81	2.1
800SP1MN1103	245.95	246.7	0.68	1.4
800SP1MN1103	246.7	247.8	0.18	1.5
800SP1MN1103	247.8	248.7	0.47	1.4
800SP1MN1103	248.7	249.6	0.92	3.2
800SP1MN1103	249.6	250.6	0.14	1.3
800SP1MN1103	250.6	251.4	0.17	1.3
800SP1MN1103	251.4	252.3	0.06	0.9
800SP1MN1103	252.3	252.8	0.24	3.8
800SP1MN1103	252.8	253.7	0.11	0.8
800SP1MN1103	253.7	254.7	0.05	0.5
800SP1MN1103	254.7	255.7	0.02	0.3
800SP1MN1103	256.2	257	0.02	0.3
800SP1MN1103	258	259	0.02	0.3

800SP1MN1103	259	260	0.05	0.6
800SP1MN1103	260	261.2	0.05	0.8
800SP1MN1103	261.2	262.2	0.02	0.4
800SP1MN1103	262.2	263.2	0.02	0.4
800SP1MN1103	263.2	264.2	0.15	0.5
800SP1MN1103	264.2	265.2	0.06	0.3
800SP1MN1103	265.2	266.2	0.07	0.7
800SP1MN1103	266.2	267.2	0.05	0.6
800SP1MN1103	267.2	268.2	0.06	0.4
800SP1MN1103	268.2	269.2	0.03	0.4
800SP1MN1103	269.2	270.25	1.37	2.5
800SP1MN1103	270.25	270.75	0.16	0.3
800SP1MN1103	270.75	271.75	13.20	10.0
800SP1MN1103	271.75	272.75	0.08	0.9
800SP1MN1103	272.75	273.75	0.03	0.8
800SP1MN1103	273.75	274.6	0.01	0.3
800SP1MN1103	274.6	275.7	0.05	0.6
800SP1MN1103	276.7	277.7	0.02	0.3
800SP1MN1103	277.7	278.8	0.06	0.4
800SP1MN1103	278.8	279.8	0.03	0.4
800SP1MN1103	279.8	280.6	0.06	0.4
800SP1MN1103	280.6	281.7	0.03	1.2
800SP1MN1103	281.7	282.7	0.04	0.9
800SP1MN1103	282.7	283.7	0.21	0.8
800SP1MN1103	283.7	284.7	0.06	1.0
800SP1MN1103	284.7	285.7	0.04	0.7
800SP1MN1103	285.7	286.7	0.19	0.4
800SP1MN1103	286.7	287.7	0.04	0.3
800SP2MN1088	5.7	6.4	0.01	0.9
800SP2MN1088	10.4	11.6	0.02	2.3
800SP2MN1088	14	15.1	0.01	1.6
800SP2MN1088	18.1	19.1	0.01	1.2
800SP2MN1088	19.5	20	<0.01	1.0
800SP2MN1088	20.3	21.3	0.01	0.8
800SP2MN1088	21.3	22.3	0.01	1.1
800SP2MN1088	22.3	22.6	<0.01	0.8
800SP2MN1088	30	30.6	0.01	0.7
800SP2MN1088	40.5	40.9	0.01	1.1
800SP2MN1088	42	42.8	<0.01	1.1
800SP2MN1088	45.1	45.4	<0.01	1.7
800SP2MN1088	45.8	46.1	1.55	1.3
800SP2MN1088	46.1	47.2	0.03	1.8
800SP2MN1088	47.2	48.4	0.01	1.7
800SP2MN1088	48.4	49.3	0.02	2.9
800SP2MN1088	49.3	49.6	0.02	1.5
800SP2MN1088	57.4	57.7	0.01	0.9
800SP2MN1088	60	60.3	0.01	0.6
800SP2MN1088	61.5	61.9	0.01	0.8
800SP2MN1088	63.4	64.5	0.01	0.7
800SP2MN1088	64.5	64.8	0.03	0.8

800SP2MN1088	70.9	72.2	0.02	0.9
800SP2MN1088	75.6	76	0.01	0.6
800SP2MN1088	77.4	77.7	0.01	0.8
800SP2MN1088	79.4	79.7	0.35	1.7
800SP2MN1088	79.7	80.8	0.02	1.7
800SP2MN1088	83.8	84.1	0.27	1.7
800SP2MN1088	84.1	85.1	0.02	1.8
800SP2MN1088	86.5	87.1	<0.01	1.1
800SP2MN1088	87.1	88.3	0.01	0.7
800SP2MN1088	100.5	101	1.70	2.1
800SP2MN1088	101.5	102.3	0.04	1.1
800SP2MN1088	106.2	106.5	0.02	0.3
800SP2MN1088	107.7	108.1	<0.01	0.4
800SP2MN1088	108.9	109.4	0.72	0.6
800SP2MN1088	110.2	110.6	0.36	1.8
800SP2MN1088	110.6	111.8	0.34	0.6
800SP2MN1088	111.8	112.8	0.16	0.4
800SP2MN1088	112.8	113.9	0.02	0.5
800SP2MN1088	115.6	116.5	4.07	4.5
800SP2MN1088	116.5	117.3	0.04	1.5
800SP2MN1088	117.3	118.1	0.08	1.6
800SP2MN1088	118.1	119	<0.01	1.4
800SP2MN1088	119	119.7	0.02	1.4
800SP2MN1088	119.7	120.7	0.13	0.7
800SP2MN1088	123.9	124.2	0.02	1.0
800SP2MN1088	135.1	135.4	<0.01	0.4
800SP2MN1088	135.9	136.3	0.25	7.9
800SP2MN1088	138.5	139.2	0.02	1.5
800SP2MN1088	139.2	140.5	0.01	1.3
800SP2MN1088	144.2	145.1	0.01	1.6
800SP2MN1088	146.6	146.9	1.31	1.5
800SP2MN1088	146.9	147.2	0.06	0.9
800SP2MN1088	147.2	147.9	2.64	9.9
800SP2MN1088	147.9	148.5	0.21	6.0
800SP2MN1097	3	4	<0.01	0.8
800SP2MN1097	4	4.9	<0.01	0.9
800SP2MN1097	4.9	5.4	<0.01	0.7
800SP2MN1097	13.5	14.5	0.02	0.7
800SP2MN1097	27.5	28.5	<0.01	0.4
800SP2MN1097	30.5	31.5	<0.01	0.2
800SP2MN1097	36.5	37.5	<0.01	0.4
800SP2MN1097	47.5	48.5	<0.01	0.3
800SP2MN1097	52.5	53.5	<0.01	0.4
800SP2MN1097	55.95	56.4	0.11	0.5
800SP2MN1097	56.4	57.5	0.02	0.6
800SP2MN1097	60.7	61.35	<0.01	0.3
800SP2MN1097	63	64	0.01	0.7
800SP2MN1097	66	66.8	<0.01	0.3
800SP2MN1097	67.55	68.1	<0.01	0.2
800SP2MN1097	68.1	69.1	<0.01	0.2

800SP2MN1097	69.1	70.1	<0.01	0.4
800SP2MN1097	70.1	71	0.24	0.6
800SP2MN1097	71	72	0.10	0.7
800SP2MN1097	72	73	0.36	4.7
800SP2MN1097	77	78	0.01	0.6
800SP2MN1097	79.9	80.9	0.01	0.3
800SP2MN1097	83	84	<0.01	0.6
800SP2MN1097	84	85	<0.01	0.3
800SP2MN1097	86	87	<0.01	0.2
800SP2MN1097	90	91	<0.01	0.2
800SP2MN1097	96	97	<0.01	0.2
800SP2MN1097	98	99	<0.01	0.1
800SP2MN1097	100	101	0.01	0.1
800SP2MN1097	103	104	0.01	0.2
800SP2MN1097	104	105	<0.01	0.1
800SP2MN1097	105	106	<0.01	0.1
800SP2MN1097	106	107.05	<0.01	0.2
800SP2MN1097	107.3	108.3	<0.01	0.1
800SP2MN1097	108.3	109.3	<0.01	<0.1
800SP2MN1097	111.3	112.3	<0.01	0.5
800SP2MN1097	112.3	113.3	0.01	0.7
800SP2MN1097	113.3	114.3	0.02	0.4
800SP2MN1097	114.3	115.3	0.02	0.2
800SP2MN1097	115.3	116.3	0.01	0.3
800SP2MN1097	116.3	117.3	<0.01	0.3
800SP2MN1097	117.3	118.3	<0.01	0.2
800SP2MN1097	118.3	119.3	0.01	0.2
800SP2MN1097	119.3	120.4	<0.01	0.6
800SP2MN1097	120.4	121.6	0.22	0.7
800SP2MN1097	127.3	128	1.08	3.0
800SP2MN1097	128	129	0.81	1.4
800SP2MN1097	129	130	10.30	10.5
800SP2MN1097	130	131.05	0.48	10.2
800SP2MN1097	131.05	132.05	0.04	2.7
800SP2MN1097	132.05	133	1.08	0.9
800SP2MN1097	133	134.15	0.54	2.4
800SP2MN1097	134.15	135	0.07	0.6
800SP2MN1097	135	136	0.04	0.4
800SP2MN1097	136	137	0.02	0.5
800SP2MN1097	137	138	0.03	0.5
800SP2MN1097	138	139	<0.01	0.5
800SP2MN1097	139	140	1.59	1.2
800SP2MN1097	140	141	0.17	1.1
800SP2MN1097	141	142	0.77	1.4
800SP2MN1097	142	143	0.21	1.0
800SP2MN1097	143	144	0.51	1.1
800SP2MN1097	144	145	1.27	2.7
800SP2MN1097	145	145.6	0.05	0.5
800SP2MN1097	145.6	146.5	0.02	0.6
800SP2MN1097	146.5	147.6	1.57	1.3

800SP2MN1097	147.6	148.6	0.03	0.9
800SP2MN1097	148.6	149.2	0.16	0.9
800SP2MN1097	149.2	150	<0.01	0.2
800SP2MN1097	150	150.5	0.67	2.3
800SP2MN1097	150.5	151.5	0.08	0.6
800SP2MN1097	151.5	152.7	0.03	0.5
800SP2MN1097	152.7	153.1	0.26	7.5
800SP2MN1097	153.1	154.1	0.02	0.8
800SP2MN1097	154.1	155	0.01	0.5
800SP2MN1097	155	155.6	0.07	1.5
800SP2MN1097	155.6	156.35	0.33	1.8
800SP2MN1097	156.35	157	40.00	68.4
800SP2MN1097	157	157.6	2.63	10.7
800SP2MN1097	157.6	158.3	0.34	2.4
800SP2MN1097	158.3	159	8.91	22.5
800SP2MN1097	159	160	0.25	6.9
800SP2MN1097	160	161	0.22	4.7
800SP2MN1097	161	161.9	0.12	1.5
800SP2MN1097	161.9	163	2.93	52.6
800SP2MN1097	163	164	0.98	32.5
800SP2MN1097	164	165	0.93	3.6
800SP2MN1097	165	165.8	0.86	5.4
800SP2MN1097	165.8	167	4.53	20.2
800SP2MN1097	167	167.7	9.08	13.9
800SP2MN1097	167.7	168.55	5.64	12.6
800SP2MN1097	168.55	169.2	4.25	9.4
800SP2MN1097	169.2	169.7	0.86	13.8
800SP2MN1097	169.7	170.7	1.99	11.7
800SP2MN1097	170.7	171.2	2.64	7.6
800SP2MN1097	171.7	172.8	2.23	48.1
800SP2MN1097	172.8	173.8	3.47	64.7
800SP2MN1097	173.8	175.2	0.60	7.5
800SP2MN1097	175.2	176	1.36	30.7
800SP2MN1097	176	176.5	1.15	5.0
800SP2MN1097	176.5	177.4	2.18	10.6
800SP2MN1097	177.4	178.2	5.79	15.5
800SP2MN1097	178.2	179.25	63.00	71.0
800SP2MN1097	179.25	180.25	13.20	15.2
800SP2MN1097	180.25	180.9	0.16	2.4
800SP2MN1097	180.9	181.5	0.22	1.7
800SP2MN1097	181.5	182.5	0.38	2.2
800SP2MN1097	182.5	183.5	0.35	1.9
800SP2MN1097	183.5	184.5	0.29	2.0
800SP2MN1097	184.5	185.5	1.59	7.1
800SP2MN1097	185.5	186.5	1.48	6.0
800SP2MN1097	186.5	187.05	0.83	3.3
800SP2MN1097	187.05	187.8	0.64	6.1
800SP2MN1097	187.8	188.5	0.99	3.4
800SP2MN1097	188.5	189.7	0.41	2.5
800SP2MN1097	189.7	190.7	0.19	2.9

800SP2MN1097	190.7	191.65	1.53	3.0
800SP2MN1097	191.65	192.2	0.06	10.1
800SP2MN1097	193.6	194.7	0.02	2.0
800SP2MN1097	194.7	195.7	0.33	10.7
800SP2MN1097	195.7	196.5	0.72	6.6
800SP2MN1097	196.5	197.55	0.04	1.8
800SP2MN1097	197.55	198.5	7.07	19.2
800SP2MN1097	198.5	199.2	5.12	30.6
800SP2MN1097	199.2	200.2	29.60	38.6
800SP2MN1097	200.2	200.7	8.18	38.2
800SP2MN1097	200.7	201.2	6.11	9.8
800SP2MN1097	201.2	201.8	3.04	9.0
800SP2MN1097	201.8	202.7	6.15	5.7
800SP2MN1097	202.7	203.45	2.02	21.1
800SP2MN1097	203.45	204.2	2.86	11.1
800SP2MN1097	204.2	205.2	0.77	4.8
800SP2MN1097	205.2	206.2	1.90	13.5
800SP2MN1097	206.2	207.2	0.75	5.4
800SP2MN1097	207.2	208.2	0.13	1.0
800SP2MN1097	208.2	209.15	0.76	8.1
800SP2MN1097	209.15	209.7	0.10	1.3
800SP2MN1097	209.7	210.7	0.05	1.3
800SP2MN1097	210.7	211.1	0.05	1.1
800SP2MN1097	211.1	212	0.30	3.1
800SP2MN1097	212	213	0.02	1.4
800SP2MN1097	213	214	0.05	0.9
800SP2MN1097	214	215.05	0.02	0.8
800SP2MN1097	215.05	216	<0.01	0.4
800SP2MN1097	216	217.1	0.03	0.7
800SP2MN1097	217.1	218.2	0.02	0.7
800SP2MN1097	218.2	219.3	0.04	0.7
800SP2MN1097	219.3	220.4	0.06	0.5
800SP2MN1097	220.4	221.5	0.03	0.3
800SP2MN1097	221.5	222.6	0.03	0.4
800SP2MN1097	222.6	223.6	0.01	0.4
800SP2MN1097	223.6	224.7	<0.01	0.2
800SP2MN1097	224.7	225.7	0.04	0.2
800SP2MN1097	225.7	226.45	0.02	0.3
800SP2MN1097	226.45	227.1	0.04	0.3
800SP2MN1097	227.1	227.85	0.03	0.6
800SP2MN1097	227.85	228.65	0.02	0.5
800SP2MN1097	228.65	229.25	0.02	0.5
800SP2MN1097	229.25	229.8	0.05	0.4
800SP2MN1097	229.8	230.2	<0.01	0.3
800SP2MN1097	230.2	231.4	0.02	0.5
800SP2MN1097	231.4	232.4	0.02	0.5
800SP2MN1097	232.4	233.4	0.02	0.6
800SP2MN1097	233.4	234.4	0.08	0.5
800SP2MN1097	234.4	235.55	0.02	0.6
800SP2MN1097	235.55	236.7	0.03	0.8

800SP2MN1097	236.7	237.8	0.04	1.5
800SP2MN1097	237.8	238.9	0.02	0.3
800SP2MN1097	238.9	240	<0.01	0.2
800SP2MN1097	240	241	<0.01	0.2
800SP2MN1097	241	242	<0.01	0.2
800SP2MN1097	246	247	0.02	0.3
800SP2MN1097	250.7	251.6	0.01	0.2
800SP2MN1097	252.1	253.3	<0.01	0.3
800SP2MN1097	261.3	262.3	<0.01	0.2
800SP2MN1097	262.3	263.3	<0.01	0.3
800SP2MN1097	265.3	266.3	0.01	0.4
800SP2MN1097	266.3	267.3	0.02	0.5
800SP2MN1097	270.3	271.3	<0.01	0.2
800SP2MN1099	12	13.2	0.02	1.1
800SP2MN1099	13.2	14	<0.01	0.9
800SP2MN1099	14	15	<0.01	0.5
800SP2MN1099	15	16	<0.01	0.5
800SP2MN1099	16	17	<0.01	0.4
800SP2MN1099	54	54.5	<0.01	0.6
800SP2MN1099	54.5	55	0.46	0.8
800SP2MN1099	55	56	<0.01	0.6
800SP2MN1099	56	57	<0.01	0.8
800SP2MN1099	57	58.1	<0.01	0.8
800SP2MN1099	58.1	58.8	<0.01	0.9
800SP2MN1099	58.8	60	0.01	1.7
800SP2MN1099	60	60.3	<0.01	0.7
800SP2MN1099	60.3	60.9	<0.01	0.3
800SP2MN1099	60.9	62	<0.01	0.2
800SP2MN1099	62	62.3	<0.01	0.1
800SP2MN1099	64.6	65.2	0.02	0.6
800SP2MN1099	67.1	68.1	0.02	1.0
800SP2MN1099	68.1	68.7	0.28	1.4
800SP2MN1099	68.7	70	0.01	1.3
800SP2MN1099	70	71	<0.01	0.5
800SP2MN1099	72	73	0.02	0.7
800SP2MN1099	73	74	0.01	1.5
800SP2MN1099	81	81.7	0.09	0.8
800SP2MN1099	81.7	82	0.02	0.5
800SP2MN1099	82	83	0.07	0.5
800SP2MN1099	83	83.8	<0.01	0.6
800SP2MN1099	83.8	84.1	0.39	1.4
800SP2MN1099	84.1	85	0.06	0.7
800SP2MN1099	92	93	<0.01	0.4
800SP2MN1099	93	94	<0.01	0.3
800SP2MN1099	94	95	0.03	0.4
800SP2MN1099	95	96	<0.01	0.4
800SP2MN1099	98	98.9	<0.01	0.4
800SP2MN1099	98.9	99.3	0.70	1.4
800SP2MN1099	99.3	100	0.02	0.4
800SP2MN1099	102	103	<0.01	0.2

800SP2MN1099	103	103.5	<0.01	0.2
800SP2MN1099	103.5	103.8	0.01	0.6
800SP2MN1099	103.8	105	<0.01	0.3
800SP2MN1099	105	105.7	<0.01	0.2
800SP2MN1099	105.7	106.1	<0.01	0.1
800SP2MN1099	106.1	107	<0.01	0.2
800SP2MN1099	107	108	<0.01	0.3
800SP2MN1099	115	115.7	<0.01	0.7
800SP2MN1099	119	119.4	0.04	0.9
800SP2MN1099	119.4	120	2.08	5.1
800SP2MN1099	120	121	0.04	1.6
800SP2MN1099	121	121.8	1.57	1.8
800SP2MN1099	121.8	122.8	9.66	6.2
800SP2MN1099	122.8	124	0.19	1.3
800SP2MN1099	124	125	0.02	1.5
800SP2MN1099	126	127	0.01	0.8
800SP2MN1099	127	128	<0.01	0.8
800SP2MN1099	128	129	0.01	0.4
800SP2MN1099	129	129.4	0.02	0.3
800SP2MN1099	129.4	129.8	36.80	23.4
800SP2MN1099	129.8	131	0.01	0.3
800SP2MN1099	131	131.3	<0.01	0.2
800SP2MN1099	131.3	132	<0.01	0.4
800SP2MN1099	132	133	<0.01	0.4
800SP2MN1099	133	134	<0.01	1.4
800SP2MN1099	137	138	<0.01	0.5
800SP2MN1099	138	139	0.01	0.4
800SP2MN1099	139	140	<0.01	0.4
800SP2MN1099	140	140.5	0.02	0.4
800SP2MN1099	140.5	141.5	4.81	6.0
800SP2MN1099	141.5	142	0.03	0.8
800SP2MN1099	142	143	<0.01	0.6
800SP2MN1099	143	144	0.02	0.8
800SP2MN1099	144	145	0.01	0.5
800SP2MN1099	145	146.2	0.01	0.6
800SP2MN1099	146.2	147.2	0.43	1.3
800SP2MN1099	147.2	148	0.05	0.6
800SP2MN1099	148	148.7	0.03	0.6
800SP2MN1099	148.7	149	5.06	4.5
800SP2MN1099	149	150	0.01	1.1
800SP2MN1099	150	151	0.01	1.1
800SP2MN1099	151	152	0.06	0.7
800SP2MN1099	152	152.9	<0.01	0.7
800SP2MN1099	152.9	153.6	20.80	20.9
800SP2MN1099	162.3	163	0.10	2.3
800SP2MN1099	163	163.8	0.04	1.4
800SP2MN1099	164.5	165.2	0.10	2.1
800SP2MN1099	165.2	166	23.60	22.2
800SP2MN1099	166	167.2	33.10	40.1
800SP2MN1099	167.2	168.2	21.10	28.4

800SP2MN1099	168.2	169.1	1.93	4.2
800SP2MN1099	169.1	170	0.06	2.2
800SP2MN1099	170	171	0.10	1.2
800SP2MN1099	171	172	0.42	2.2
800SP2MN1099	172	173	0.19	2.1
800SP2MN1099	173	173.7	0.02	1.6
800SP2MN1099	174.1	175	0.01	1.0
800SP2MN1099	175	176	6.37	12.9
800SP2MN1099	176	177	0.02	0.3
800SP2MN1099	177	178	0.02	2.4
800SP2MN1099	178	179	0.04	0.8
800SP2MN1099	179	179.9	0.04	0.6
800SP2MN1099	179.9	180.4	0.06	0.3
800SP2MN1099	180.4	181	0.04	0.6
800SP2MN1099	181	182	0.07	1.7
800SP2MN1099	182	183	0.07	0.8
800SP2MN1099	183	184	0.17	1.7
800SP2MN1099	184	185	0.06	1.8
800SP2MN1099	185	186	0.10	0.8
800SP2MN1099	186	187	0.05	0.9
800SP2MN1099	187	188.1	0.02	0.7
800SP2MN1099	188.1	189.1	0.05	0.6
800SP2MN1099	192.3	193	0.82	4.8
800SP2MN1099	193	193.6	1.12	3.6
800SP2MN1099	193.6	194.4	0.12	1.8
800SP2MN1099	194.4	194.8	0.09	5.0
800SP2MN1099	194.8	195.6	0.35	2.5
800SP2MN1099	195.6	196.2	0.05	0.9
800SP2MN1099	196.2	196.8	0.06	4.1
800SP2MN1099	196.8	197.8	0.17	1.4
800SP2MN1099	198	198.5	0.04	1.8
800SP2MN1099	198.5	198.8	0.04	3.6
800SP2MN1099	198.8	199.45	0.05	0.7
800SP2MN1099	199.45	200.3	0.06	7.3
800SP2MN1099	200.3	200.8	7.99	33.8
800SP2MN1099	201	201.4	6.84	19.1
800SP2MN1099	201.4	202.6	0.02	3.9
800SP2MN1106	4	5	<0.01	0.3
800SP2MN1106	7.5	8	0.06	0.9
800SP2MN1106	9	10	0.02	0.5
800SP2MN1106	13	14	0.01	0.5
800SP2MN1106	14	15	0.01	0.6
800SP2MN1106	21.1	21.55	0.01	0.5
800SP2MN1106	32.5	33.5	<0.01	0.2
800SP2MN1106	44.5	45.5	0.01	0.1
800SP2MN1106	45.5	46.5	0.01	0.2
800SP2MN1106	52.5	53.5	0.01	0.5
800SP2MN1106	58.5	59.5	0.01	0.3
800SP2MN1106	65.5	66.5	<0.01	0.3
800SP2MN1106	68.5	69	<0.01	0.2

800SP2MN1106	73.2	74.3	0.01	0.2
800SP2MN1106	74.3	75.15	0.01	0.3
800SP2MN1106	78	79	0.01	0.2
800SP2MN1106	79	80	<0.01	0.2
800SP2MN1106	80	81	<0.01	0.1
800SP2MN1106	81	82	<0.01	0.2
800SP2MN1106	82	83	<0.01	0.2
800SP2MN1106	83	83.9	<0.01	0.3
800SP2MN1106	83.9	84.3	0.01	0.3
800SP2MN1106	84.3	85	<0.01	0.3
800SP2MN1106	85	86	<0.01	0.4
800SP2MN1106	91.6	92	<0.01	0.2
800SP2MN1106	94	95	<0.01	0.2
800SP2MN1106	95	96	<0.01	0.4
800SP2MN1106	100	101	<0.01	0.4
800SP2MN1106	101	102	0.02	1.0
800SP2MN1106	102	103	0.02	0.8
800SP2MN1106	103	104	<0.01	0.4
800SP2MN1106	104	105	<0.01	0.5
800SP2MN1106	105	106	<0.01	0.5
800SP2MN1106	108	109	<0.01	0.4
800SP2MN1106	111	112	0.04	0.5
800SP2MN1106	112	113	0.02	0.5
800SP2MN1106	115	115.8	0.01	0.3
800SP2MN1106	115.8	116.4	0.02	0.6
800SP2MN1106	116.4	117.2	0.05	1.4
800SP2MN1106	117.2	118.7	0.08	1.0
800SP2MN1106	118.7	119.7	<0.01	0.6
800SP2MN1106	119.7	120.6	2.55	5.0
800SP2MN1106	120.6	121.2	0.05	1.1
800SP2MN1106	122.2	122.7	0.03	1.0
800SP2MN1106	122.7	123.5	0.71	1.0
800SP2MN1106	123.5	124.6	0.03	1.2
800SP2MN1106	124.6	125	<0.01	0.4
800SP2MN1106	125	125.8	0.19	0.5
800SP2MN1106	125.8	126.5	0.01	0.3
800SP2MN1106	126.5	127	1.22	0.5
800SP2MN1106	129	129.5	0.20	0.4
800SP2MN1106	129.5	130.3	0.36	0.3
800SP2MN1106	132	133	<0.01	0.4
800SP2MN1106	135	136	<0.01	0.4
800SP2MN1106	136	137	0.02	0.7
800SP2MN1106	137.55	138	0.05	1.9
800SP2MN1106	138	138.7	0.06	1.0
800SP2MN1106	140.45	141.4	<0.01	0.4
800SP2MN1106	142.3	142.7	0.06	1.1
800SP2MN1106	144.7	145.2	0.01	0.6
800SP2MN1106	149	150	0.01	0.5
800SP2MN1106	153	154	0.01	0.4
800SP2MN1106	154	155	<0.01	0.6

800SP2MN1106	155	155.5	<0.01	0.6
800SP2MN1106	155.5	156.1	0.02	1.0
800SP2MN1106	156.1	157	12.80	10.2
800SP2MN1106	157	157.85	10.50	9.6
800SP2MN1106	157.85	158.6	3.16	5.6
800SP2MN1106	158.6	159.5	1.35	4.1
800SP2MN1106	159.5	160.55	0.44	7.3
800SP2MN1106	160.55	161.6	0.44	10.4
800SP2MN1106	161.6	162.65	1.23	10.2
800SP2MN1106	162.65	163.65	2.97	13.6
800SP2MN1106	163.65	164.3	0.15	2.2
800SP2MN1106	164.3	164.75	1.03	3.0
800SP2MN1106	164.75	165.7	0.40	1.3
800SP2MN1106	165.7	166.5	0.26	1.3
800SP2MN1106	166.5	167.35	0.01	0.8
800SP2MN1106	167.35	168.15	0.01	2.3
800SP2MN1106	168.15	168.9	0.01	1.6
800SP2MN1106	168.9	169.8	0.39	2.6
800SP2MN1106	169.8	170.8	1.24	2.3
800SP2MN1106	179.5	180.5	0.54	2.0
800SP2MN1106	180.5	181.5	0.61	2.0
800SP2MN1106	181.5	182.4	0.39	1.9
800SP2MN1106	182.4	183.3	9.48	11.8
800SP2MN1106	183.3	184.3	2.00	4.3
800SP2MN1106	184.3	185	3.12	4.5
800SP2MN1106	185	186	3.03	8.4
800SP2MN1106	186	187.1	0.47	1.2
800SP2MN1106	187.1	188.25	2.81	13.2
800SP2MN1106	188.25	188.7	0.51	1.9
800SP2MN1106	188.7	189.8	0.38	0.9
800SP2MN1106	189.8	190.9	3.26	2.6
800SP2MN1106	190.9	191.65	1.77	5.0
800SP2MN1106	191.65	192.6	0.19	1.0
800SP2MN1106	192.6	193.5	0.07	0.8
800SP2MN1106	193.5	194.7	0.36	36.8
800SP2MN1106	194.7	195.6	0.33	0.7
800SP2MN1106	195.6	196.5	0.73	2.1
800SP2MN1106	196.5	197.6	2.84	5.2
800SP2MN1106	197.6	198.2	0.95	1.9
800SP2MN1108	5	5.6	0.01	0.2
800SP2MN1108	5.6	6.5	0.01	0.7
800SP2MN1108	6.5	7	0.02	0.5
800SP2MN1108	8.5	9	0.01	0.8
800SP2MN1108	11	12	0.03	2.6
800SP2MN1108	13	14	0.01	0.8
800SP2MN1108	14	14.5	<0.01	0.7
800SP2MN1108	18	19	0.01	1.3
800SP2MN1108	23	24	<0.01	0.8
800SP2MN1108	25.5	26	<0.01	0.2
800SP2MN1108	30	31	<0.01	0.7

800SP2MN1108	31	32	0.01	0.8
800SP2MN1108	37	38	0.01	0.5
800SP2MN1108	44	45	0.01	1.0
800SP2MN1108	45	46	0.01	1.4
800SP2MN1108	46	46.5	3.91	2.5
800SP2MN1108	46.5	47	0.02	1.2
800SP2MN1108	57	58	<0.01	0.3
800SP2MN1108	58	59	<0.01	0.7
800SP2MN1108	59	60	<0.01	0.3
800SP2MN1108	60	60.7	<0.01	0.3
800SP2MN1108	60.7	61	0.01	0.6
800SP2MN1108	61	62	<0.01	0.2
800SP2MN1108	64	65	<0.01	0.2
800SP2MN1108	71	71.7	<0.01	0.2
800SP2MN1108	71.7	72	<0.01	0.8
800SP2MN1108	74	74.3	0.02	1.1
800SP2MN1108	74.3	75	<0.01	0.6
800SP2MN1108	75	76	0.01	0.9
800SP2MN1108	78	78.5	<0.01	0.9
800SP2MN1108	78.5	79.3	0.13	1.2
800SP2MN1108	79.3	79.9	0.01	1.8
800SP2MN1108	79.9	80.3	0.10	2.4
800SP2MN1108	80.3	81	<0.01	2.4
800SP2MN1108	81	82	<0.01	1.9
800SP2MN1108	87	87.3	0.07	3.5
800SP2MN1108	87.3	88	0.05	1.0
800SP2MN1108	92	92.7	<0.01	0.7
800SP2MN1108	92.7	93.7	0.01	0.9
800SP2MN1108	93.7	94	<0.01	0.7
800SP2MN1108	95.5	96	0.01	0.6
800SP2MN1108	97	98	<0.01	0.5
800SP2MN1108	99.4	100	0.27	0.6
800SP2MN1108	100	100.5	0.42	1.8
800SP2MN1108	100.5	101	0.02	0.9
800SP2MN1108	111	111.3	<0.01	0.6
800SP2MN1108	111.3	111.7	0.67	0.9
800SP2MN1108	111.7	112	0.11	0.8
800SP2MN1108	112	113	0.11	0.7
800SP2MN1108	113	114	0.04	0.7
800SP2MN1108	114	115	0.06	0.6
800SP2MN1108	115	115.6	0.14	0.5
800SP2MN1108	117.9	119	0.05	1.1
800SP2MN1108	120	120.5	0.09	0.9
800SP2MN1108	120.5	121.2	2.64	7.0
800SP2MN1108	121.2	122	0.04	1.5
800SP2MN1108	122	122.3	0.02	0.7
800SP2MN1108	122.3	123	0.02	0.6
800SP2MN1108	127	127.5	<0.01	0.4
800SP2MN1108	128	129	<0.01	0.6
800SP2MN1108	129	130	0.01	0.9

800SP2MN1108	130	131	<0.01	0.8
800SP2MN1108	131	132	<0.01	1.2
800SP2MN1108	132	133	<0.01	0.8
800SP2MN1108	133	134	0.02	0.4
800SP2MN1108	134	134.8	<0.01	0.4
800SP2MN1108	136.4	136.8	0.06	5.0
800SP2MN1108	136.8	138	0.09	0.8
800SP2MN1108	138	139	0.06	0.5
800SP2MN1108	139	140	0.02	0.4
800SP2MN1108	140	141	0.05	0.8
800SP2MN1108	141	141.5	0.07	0.5
800SP2MN1108	141.5	142	7.14	10.0
800SP2MN1108	143.7	144	2.22	6.6
800SP2MN1108	144.9	145.7	0.48	12.2
800SP2MN1108	145.7	146.1	0.06	5.5
800SP2MN1108	146.1	147	0.07	8.6
800SP2MN1108	147.3	148	0.14	6.2
800SP2MN1108	148	148.5	6.14	173.0
800SP2MN1108	149.2	150	0.03	4.4
800SP2MN1108	150.8	151.5	0.10	4.2
800SP2MN1108	151.6	152	0.36	4.3
800SP2MN1108	152	153.1	0.06	3.5
800SP2MN1108	153.1	153.6	0.04	2.7
800SP2MN1108	153.6	154.2	2.24	7.7
800SP2MN1108	154.4	155	0.23	3.0
800SP2MN1108	155	155.4	1.01	2.5
800SP2MN1108	155.4	156.6	0.03	0.8
800SP2MN1108	156.6	157.5	4.52	5.9
800SP2MN1108	157.5	158.6	0.01	0.9
800SP2MN1108	158.6	159	0.02	0.3
800SP2MN1108	159	160	0.06	5.0
800SP2MN1108	160	160.7	0.33	4.5
800SP2MN1108	160.7	161	0.26	1.4
800SP2MN1108	161	162	0.03	1.2
800SP2MN1108	162	163.1	0.02	1.0
800SP2MN1108	163.1	163.7	0.47	1.6
800SP2MN1108	163.7	164.4	0.17	1.6
800SP2MN1108	164.4	165	0.35	4.0
800SP2MN1108	165	166.1	0.05	4.6
800SP2MN1108	166.1	167.1	0.04	3.2
800SP2MN1108	167.1	168	0.02	0.9
800SP2MN1108	168	169	0.05	9.2
800SP2MN1108	169	169.4	0.01	1.2
800SP2MN1108	169.4	169.9	12.00	226.0
800SP2MN1108	169.9	170.4	0.06	9.2
800SP2MN1108	170.4	171	0.08	8.4
800SP2MN1108	171	172	0.04	6.9
800SP2MN1108	173	174	0.21	5.6
800SP2MN1108	174	175	0.92	26.8
800SP2MN1108	175	176	0.37	10.2

800SP2MN1108	176	177	0.01	4.5
800SP2MN1108	177	178	1.47	7.8
800SP2MN1108	178	179	0.04	6.5
800SP2MN1108	179	180	0.05	4.6
800SP2MN1108	180	181	0.33	4.5
800SP2MN1108	181	181.3	0.18	3.8
800SP2MN1108	181.3	182.1	0.40	1.0
800SP2MN1108	182.1	183.1	0.03	1.8