

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW486	92.00	93.50	<0.01	0.2
UW486	93.50	94.00	<0.01	<0.1
UW486	94.00	95.50	<0.01	<0.1
UW486	95.50	97.00	0.01	<0.1
UW486	97.00	98.00	<0.01	0.5
UW486	98.00	99.00	<0.01	0.6
UW486	99.00	99.90	<0.01	0.6
UW486	99.90	100.50	<0.01	1.1
UW486	100.50	101.80	<0.01	0.4
UW486	101.80	102.30	<0.01	0.9
UW486	102.30	103.40	<0.01	2.2
UW486	103.40	104.00	<0.01	0.7
UW486	104.00	104.80	0.02	2.1
UW486	104.80	105.60	<0.01	1.3
UW486	105.60	106.70	0.02	2.6
UW486	106.70	108.20	0.01	1.1
UW486	108.20	109.70	0.01	0.3
UW486	109.70	111.20	<0.01	<0.1
UW486	111.20	112.70	<0.01	0.1
UW486	112.70	114.20	<0.01	<0.1
UW486	114.20	115.70	<0.01	<0.1
UW486	115.70	117.20	<0.01	0.7
UW486	117.20	118.70	<0.01	1.1
UW486	118.70	120.20	<0.01	0.3
UW486	120.20	121.70	<0.01	1.1
UW486	121.70	123.20	<0.01	0.5
UW486	123.20	124.70	<0.01	1.3
UW486	124.70	126.20	0.02	1.4
UW486	126.20	127.70	<0.01	0.7
UW486	127.70	129.20	<0.01	0.4
UW486	129.20	130.70	0.01	0.2
UW486	130.70	132.00	<0.01	0.1
UW486	132.00	132.40	0.01	0.2
UW486	132.40	134.00	<0.01	<0.1
UW486	134.00	135.50	0.02	0.2
UW486	135.50	137.00	0.05	0.2
UW486	137.00	138.50	0.01	1.0
UW486	138.50	139.50	0.02	0.6
UW486	139.50	140.40	0.02	0.5
UW486	140.40	141.50	0.02	0.3
UW486	141.50	142.10	0.01	0.3
UW486	142.10	143.80	<0.01	0.5
UW486	143.80	144.90	0.01	0.8
UW486	144.90	145.60	<0.01	1.5
UW486	145.60	147.10	0.01	0.8
UW486	147.10	148.60	<0.01	0.7
UW486	148.60	149.20	0.01	0.7
UW486	149.20	150.70	<0.01	0.7
UW486	150.70	152.20	<0.01	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW486	152.20	153.40	<0.01	0.9
UW486	153.40	155.00	0.02	1.0
UW486	155.00	156.50	<0.01	0.6
UW486	156.50	157.50	<0.01	0.7
UW486	157.50	158.40	0.04	1.6
UW486	158.40	159.90	0.01	1.1
UW486	159.90	160.80	0.02	1.5
UW486	160.80	162.30	0.01	1.6
UW486	162.30	163.80	0.01	0.9
UW486	163.80	165.30	<0.01	1.0
UW486	165.30	165.80	0.03	1.4
UW486	165.80	167.20	0.01	1.0
UW486	167.20	167.80	0.03	1.2
UW486	167.80	169.20	0.02	1.3
UW486	169.20	170.30	1.74	3.2
UW486	170.30	171.30	0.09	2.1
UW486	171.30	171.80	0.15	2.1
UW486	171.80	172.20	0.04	21.3
UW486	172.20	173.25	0.06	15.0
UW486	173.25	173.70	0.13	17.2
UW486	173.70	174.40	0.03	12.4
UW486	174.40	175.20	7.98	51.9
UW486	175.20	176.00	2.34	47.3
UW486	176.00	176.50	0.09	8.7
UW486	176.50	177.60	2.61	27.0
UW486	177.60	178.20	3.70	32.2
UW486	182.90	183.70	0.04	2.6
UW486	183.70	184.60	0.03	0.9
UW486	184.60	185.70	0.06	1.9
UW486	185.70	186.60	<0.01	1.3
UW486	186.60	187.70	0.04	5.4
UW486	187.70	188.40	<0.01	0.4
UW486	188.40	189.20	<0.01	0.2
UW486	189.20	190.70	0.02	0.6
UW486	190.70	191.90	0.02	1.1
UW486	191.90	192.30	0.18	4.3
UW486	192.30	193.70	0.01	0.7
UW486	193.70	194.70	0.02	0.8
UW486	194.70	195.30	0.01	0.7
UW486	195.30	196.80	0.02	0.7
UW486	196.80	198.00	0.02	0.3
UW486	198.00	199.50	0.02	0.4
UW486	199.50	200.00	0.01	0.2
UW486	200.00	201.60	0.01	0.3
UW486	201.60	202.60	0.02	0.5
UW486	202.60	203.30	0.01	0.7
UW486	203.30	204.00	0.01	0.3
UW486	204.00	205.00	0.02	0.3
UW486	205.00	205.90	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW486	205.90	206.70	34.80	290.0
UW486	206.70	207.20	0.06	3.3
UW486	207.20	207.90	0.04	2.0
UW486	207.90	208.80	0.02	0.8
UW486	208.80	210.20	0.01	0.2
UW486	210.20	211.60	0.03	0.7
UW486	211.60	213.00	0.03	0.5
UW486	213.00	214.50	0.04	0.9
UW486	214.50	216.00	0.04	1.6
UW486	216.00	217.30	0.02	1.0
UW486	217.30	218.20	0.02	1.0
UW486	218.20	219.40	0.21	3.6
UW486	219.40	220.90	0.02	1.3
UW486	220.90	222.40	0.03	3.1
UW486	222.40	223.90	0.01	1.0
UW486	223.90	224.50	0.05	1.5
UW486	224.50	224.90	0.06	1.3
UW486	224.90	226.50	0.04	0.5
UW486	226.50	228.00	0.02	0.5
UW486	228.00	228.50	0.02	1.2
UW486	228.50	229.30	0.06	2.0
UW486	229.30	230.40	<0.01	0.7
UW486	230.40	231.50	0.02	1.1
UW486	231.50	232.60	0.01	0.6
UW486	232.60	233.60	0.01	1.2
UW486	233.60	235.00	0.08	1.5
UW486	235.00	235.80	<0.01	1.3
UW486	235.80	236.60	0.03	1.9
UW486	236.60	238.00	0.02	2.1
UW486	238.00	238.50	<0.01	1.9
UW486	238.50	239.60	0.01	1.9
UW486	239.60	240.60	0.01	0.9
UW486	240.60	241.70	0.03	1.4
UW486	241.70	243.20	0.01	1.2
UW486	243.20	244.10	0.01	1.2
UW486	244.10	245.20	<0.01	1.4
UW486	245.20	246.30	<0.01	1.2
UW486	246.30	247.30	<0.01	1.3
UW486	247.30	248.20	0.02	1.2
UW486	248.20	249.40	0.02	0.9
UW486	249.40	250.70	0.11	1.3
UW486	250.70	251.60	10.20	23.7
UW486	251.60	252.50	0.03	0.8
UW486	252.50	254.00	0.03	0.5
UW486	254.00	255.60	0.02	0.7
UW486	255.60	257.20	<0.01	0.3
UW486	257.20	258.70	0.01	0.7
UW486	258.70	259.70	0.02	0.8
UW486	259.70	261.20	0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW486	261.20	262.00	0.02	1.7
UW486	262.00	263.50	<0.01	1.6
UW486	263.50	264.50	0.01	1.3
UW486	264.50	265.60	<0.01	1.0
UW486	265.60	267.10	<0.01	0.8
UW486	267.10	268.60	0.02	2.8
UW486	269.30	270.20	0.04	3.9
UW486	270.20	270.90	0.73	1.8
UW486	270.90	271.60	0.03	2.1
UW486	271.60	272.50	4.21	5.7
UW486	272.50	273.90	0.03	1.0
UW486	273.90	274.20	0.03	1.4
UW486	274.20	275.50	0.02	0.9
UW486	275.50	276.50	0.02	0.5
UW486	276.50	277.50	0.01	1.3
UW486	277.50	278.10	3.30	8.2
UW486	278.10	279.60	0.03	0.8
UW486	279.60	281.10	0.02	0.4
UW486	281.10	282.30	<0.01	1.6
UW486	282.30	282.90	0.53	4.3
UW486	282.90	284.40	0.01	0.6
UW486	284.40	285.90	0.01	0.3
UW486	285.90	286.90	0.01	0.7
UW486	286.90	287.80	0.01	1.3
UW486	287.80	288.60	0.06	3.4
UW486	288.60	289.00	0.07	2.4
UW486	289.00	290.50	0.02	2.6
UW486	290.50	291.80	<0.01	0.6
UW486	291.80	292.10	0.02	3.0
UW486	292.10	292.70	0.02	2.5
UW486	292.70	293.30	0.06	7.7
UW486	293.30	294.80	0.03	3.6
UW486	294.80	296.30	0.01	0.9
UW486	296.30	297.80	0.01	0.7
UW486	297.80	299.30	0.02	0.9
UW486	299.30	300.80	0.02	0.8
UW486	300.80	302.30	0.02	1.0
UW486	302.30	303.80	0.04	2.1
UW486	303.80	305.30	0.05	3.3
UW486	305.30	306.80	0.03	2.2
UW486	306.80	308.30	0.04	2.5
UW486	308.30	309.20	0.03	2.3
UW486	309.20	310.70	0.06	2.7
UW486	310.70	311.00	0.06	2.4
UW486	311.00	312.50	0.05	2.7
UW486	312.50	314.00	0.03	1.4
UW486	314.00	315.50	0.01	0.7
UW486	315.50	317.00	0.02	0.7
UW486	317.00	317.90	0.02	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW486	317.90	318.20	0.24	0.9
UW486	318.20	318.50	0.05	0.5
UW486	318.50	320.00	0.01	0.3
UW486	320.00	321.50	0.07	0.6
UW486	321.50	323.00	<0.01	0.3
UW486	323.00	324.50	0.01	0.3
UW486	324.50	326.00	0.01	0.2
UW486	326.00	326.30	0.04	0.7
UW486	326.30	327.80	0.02	0.1
UW486	327.80	329.30	<0.01	<0.1
UW486	329.30	330.30	<0.01	0.1
UW486	330.30	331.20	0.02	0.4
UW486	331.20	331.50	0.30	2.2
UW486	331.50	331.80	0.23	4.4
UW486	331.80	333.30	0.04	0.6
UW486	333.30	334.80	0.07	1.2
UW486	334.80	335.70	0.02	0.7
UW486	335.70	337.00	0.13	1.4
UW486	337.00	338.50	0.01	0.6
UW486	338.50	340.00	<0.01	0.2
UW486	340.00	341.50	0.03	0.2
UW486	341.50	343.00	<0.01	0.3
UW486	343.00	344.50	1.19	1.6
UW486	344.50	346.00	0.02	0.9
UW486	346.00	347.40	0.03	1.4
UW486	347.40	348.90	0.02	0.6
UW486	348.90	350.40	<0.01	0.6
UW486	350.40	351.00	0.02	1.5
UW486	351.00	351.40	0.17	3.5
UW486	351.40	352.00	0.04	2.0
UW486	352.00	353.50	0.03	2.7
UW486	353.50	354.50	0.03	2.6
UW486	354.50	356.00	0.03	2.1
UW486	356.00	357.50	0.03	3.0
UW486	357.50	359.00	0.03	2.0
UW486	359.00	359.90	2.09	20.5
UW486	359.90	361.30	0.01	1.8
UW486	361.30	362.80	<0.01	0.5
UW486	362.80	364.30	0.01	1.3
UW486	364.30	365.80	0.02	1.9
UW486	365.80	366.30	0.03	2.8
UW486	366.30	366.60	0.08	5.1
UW486	366.60	367.10	1.26	8.9
UW486	367.10	368.60	0.01	2.1
UW486	368.60	370.10	0.01	1.3
UW486	370.10	371.00	<0.01	0.6
UW486	371.00	372.00	0.71	10.0
UW486	372.00	372.40	0.13	7.5
UW486	372.40	373.50	3.23	203.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW486	373.50	374.40	2.60	200.0
UW486	374.40	375.90	0.01	3.7
UW486	375.90	377.40	<0.01	3.4
UW486	377.40	378.20	0.36	7.5
UW486	378.20	378.70	<0.01	2.0
UW486	378.70	380.00	1.15	8.7
UW486	380.00	381.50	<0.01	2.1
UW486	381.50	382.10	<0.01	1.5
UW486	382.10	382.40	0.42	7.0
UW486	382.40	383.10	<0.01	2.3
UW486	383.10	384.60	0.02	1.4
UW486	384.60	385.60	0.01	1.4
UW486	385.60	386.40	0.03	1.8
UW486	386.40	387.90	0.02	1.9
UW486	387.90	389.40	0.04	1.7
UW486	389.40	390.90	0.03	1.8
UW486	390.90	391.90	0.01	0.8
UW486	391.90	392.30	2.42	20.0
UW486	392.30	393.80	0.02	1.1
UW486	393.80	395.00	0.02	0.6
UW486	395.00	395.40	0.03	0.6
UW486	395.40	395.80	0.03	21.0
UW486	395.80	397.00	0.05	3.5
UW486	397.00	397.50	1.02	8.2
UW486	397.50	398.60	0.04	7.4
UW486	398.60	399.10	0.02	1.7
UW486	399.10	400.40	0.03	1.4
UW486	400.40	401.70	0.01	0.6
UW486	401.70	403.20	<0.01	0.4
UW486	403.20	404.70	0.01	0.8
UW486	404.70	406.20	<0.01	0.4
UW486	406.20	407.70	<0.01	0.5
UW486	407.70	408.70	<0.01	0.3
UW486	408.70	409.00	1.84	3.8
UW486	409.00	409.60	<0.01	1.1
UW486	409.60	410.20	0.01	0.7
UW486	410.20	411.70	<0.01	0.9
UW486	411.70	413.00	<0.01	0.7
UW486	413.00	414.50	0.02	1.4
UW486	414.50	416.00	<0.01	1.2
UW486	416.00	416.80	0.03	4.1
UW486	416.80	417.30	<0.01	1.2
UW486	417.30	418.80	<0.01	0.5
UW486	418.80	419.60	<0.01	1.2
UW486	419.60	420.50	<0.01	0.4
UW486	420.50	422.00	0.01	0.5
UW486	422.00	423.50	0.02	0.8
UW486	423.50	424.00	<0.01	0.6
UW486	424.00	424.30	0.02	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW486	424.30	425.70	<0.01	1.0
UW486	425.70	427.20	0.03	1.9
UW486	427.20	428.40	0.02	3.0
UW486	428.40	429.50	0.02	2.6
UW486	429.50	431.00	0.02	7.4
UW486	431.00	432.20	0.18	4.6
UW486	432.20	432.60	0.02	3.4
UW486	432.60	434.00	0.01	2.0
UW486	434.00	434.30	0.02	5.1
UW486	434.30	435.80	<0.01	2.3
UW486	435.80	438.50	0.02	2.7
UW487	4.00	4.50	<0.01	<0.1
UW487	4.50	5.00	0.01	<0.1
UW487	5.00	5.80	<0.01	0.1
UW487	5.80	7.20	<0.01	<0.1
UW487	7.20	8.00	<0.01	<0.1
UW487	8.00	9.00	<0.01	<0.1
UW487	9.00	10.05	0.01	0.1
UW487	10.05	10.90	<0.01	<0.1
UW487	10.90	11.90	0.01	<0.1
UW487	11.90	12.90	0.04	<0.1
UW487	12.90	14.00	<0.01	0.1
UW487	14.00	15.00	<0.01	<0.1
UW487	15.00	16.00	<0.01	<0.1
UW487	16.00	17.00	<0.01	<0.1
UW487	17.00	18.00	<0.01	<0.1
UW487	18.00	19.00	<0.01	<0.1
UW487	19.00	20.40	<0.01	<0.1
UW487	20.40	21.30	0.03	<0.1
UW487	21.30	22.30	<0.01	<0.1
UW487	22.30	23.50	0.02	<0.1
UW487	23.50	24.70	0.01	<0.1
UW487	24.70	25.80	0.02	<0.1
UW487	25.80	27.00	0.02	<0.1
UW487	27.00	28.50	<0.01	<0.1
UW487	28.50	30.00	0.01	<0.1
UW487	30.00	31.00	<0.01	<0.1
UW487	31.00	32.00	0.01	<0.1
UW487	32.00	33.00	0.01	<0.1
UW487	33.00	34.00	0.01	<0.1
UW487	34.00	35.10	<0.01	<0.1
UW487	35.10	36.00	0.01	<0.1
UW487	36.00	37.00	<0.01	<0.1
UW487	37.00	38.00	<0.01	<0.1
UW487	38.00	39.00	0.02	<0.1
UW487	39.00	40.00	<0.01	<0.1
UW487	40.00	41.00	<0.01	<0.1
UW487	41.00	42.00	<0.01	0.1
UW487	42.00	43.00	0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	43.00	44.00	<0.01	0.2
UW487	44.00	45.00	<0.01	0.3
UW487	45.00	46.00	<0.01	0.2
UW487	46.00	47.00	<0.01	0.3
UW487	47.00	48.00	<0.01	0.6
UW487	48.00	49.00	<0.01	0.9
UW487	49.00	50.00	0.03	1.0
UW487	50.00	51.00	0.02	1.6
UW487	51.00	52.00	0.01	1.5
UW487	52.00	52.70	0.02	1.4
UW487	52.70	53.30	0.02	1.9
UW487	53.30	54.00	0.03	3.8
UW487	54.00	54.50	0.03	2.1
UW487	54.50	55.30	0.03	2.1
UW487	55.30	56.10	0.02	1.3
UW487	56.10	57.00	0.02	1.3
UW487	57.00	58.00	0.06	2.6
UW487	58.00	59.00	0.15	2.6
UW487	59.00	60.00	0.02	2.1
UW487	60.00	61.00	0.03	2.2
UW487	61.00	61.65	<0.01	1.4
UW487	61.65	62.70	0.03	3.4
UW487	62.70	63.35	0.01	1.9
UW487	63.35	64.00	<0.01	1.5
UW487	64.00	65.00	0.03	3.4
UW487	65.00	66.00	0.03	5.7
UW487	66.00	67.00	0.02	4.1
UW487	67.00	68.00	0.05	3.7
UW487	68.00	69.00	0.05	1.2
UW487	69.00	69.50	0.12	4.2
UW487	69.50	70.50	0.23	5.8
UW487	70.50	71.50	0.10	11.0
UW487	71.50	72.70	0.07	10.6
UW487	72.70	73.30	0.18	11.3
UW487	73.30	74.00	0.33	8.4
UW487	74.00	75.00	0.28	12.2
UW487	75.00	75.90	0.18	7.2
UW487	75.90	76.70	0.06	2.1
UW487	76.70	78.00	0.08	4.1
UW487	78.00	78.90	0.04	4.9
UW487	78.90	79.65	0.16	4.3
UW487	79.65	80.50	0.03	3.3
UW487	80.50	81.50	0.03	5.5
UW487	81.50	82.50	0.86	19.5
UW487	82.50	83.50	1.10	26.4
UW487	83.50	84.50	0.04	3.9
UW487	84.50	85.50	3.12	28.5
UW487	85.50	86.50	0.04	4.9
UW487	86.50	87.50	0.06	5.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	87.50	88.50	0.05	3.8
UW487	88.50	89.50	1.02	20.8
UW487	89.50	90.50	0.05	2.5
UW487	90.50	91.50	0.04	2.6
UW487	91.50	92.50	0.03	3.2
UW487	92.50	93.20	0.06	2.7
UW487	93.20	94.00	0.03	3.8
UW487	94.00	95.00	0.04	4.6
UW487	95.00	96.00	0.02	3.2
UW487	96.00	97.00	0.03	3.3
UW487	97.00	98.00	0.03	3.6
UW487	98.00	99.00	0.21	5.9
UW487	99.00	100.00	0.11	5.2
UW487	100.00	101.00	0.07	3.5
UW487	101.00	102.00	0.07	3.7
UW487	102.00	103.00	0.07	3.7
UW487	103.00	104.00	0.11	3.6
UW487	104.00	105.00	0.07	3.2
UW487	105.00	106.00	0.11	2.5
UW487	106.00	107.00	0.11	2.2
UW487	107.00	108.00	1.06	8.9
UW487	108.00	109.00	0.10	4.5
UW487	109.00	110.00	0.10	2.8
UW487	110.00	111.00	0.02	3.2
UW487	111.00	112.00	0.52	20.8
UW487	112.00	113.00	0.03	3.0
UW487	113.00	114.00	0.06	3.3
UW487	114.00	115.00	0.79	4.0
UW487	115.00	116.00	0.61	8.2
UW487	116.00	117.00	0.05	4.4
UW487	117.00	118.00	0.68	16.6
UW487	118.00	119.00	0.08	5.7
UW487	119.00	120.00	0.04	4.5
UW487	120.00	121.00	0.05	3.4
UW487	121.00	122.00	0.03	4.1
UW487	122.00	123.00	0.10	4.3
UW487	123.00	123.90	0.03	3.8
UW487	123.90	124.75	0.02	3.0
UW487	124.75	125.60	0.03	5.0
UW487	125.60	126.45	0.04	6.5
UW487	126.45	127.50	0.03	3.0
UW487	127.50	128.00	0.03	2.2
UW487	128.00	129.00	0.02	2.3
UW487	129.00	129.90	0.01	1.7
UW487	129.90	131.05	0.02	3.3
UW487	131.05	132.00	0.02	3.2
UW487	132.00	133.00	0.01	3.0
UW487	133.00	134.00	0.02	1.5
UW487	134.00	135.00	0.01	1.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	135.00	136.00	0.01	1.9
UW487	136.00	136.50	0.02	2.9
UW487	136.50	138.00	0.02	2.8
UW487	138.00	139.50	0.02	2.3
UW487	139.50	140.35	0.02	1.7
UW487	140.35	140.85	<0.01	4.8
UW487	140.85	141.40	0.09	6.4
UW487	141.40	142.50	0.03	2.1
UW487	142.50	143.90	0.03	1.5
UW487	143.90	145.10	<0.01	2.6
UW487	145.10	146.50	0.03	2.0
UW487	146.50	147.00	0.01	1.7
UW487	147.00	148.00	0.02	2.3
UW487	148.00	149.50	0.02	2.2
UW487	149.50	150.60	0.02	1.6
UW487	150.60	151.65	0.05	2.3
UW487	151.65	153.15	0.03	2.8
UW487	153.15	153.65	0.04	2.9
UW487	153.65	154.80	0.07	7.9
UW487	154.80	155.50	0.02	3.8
UW487	155.50	156.50	0.14	2.8
UW487	156.50	157.55	0.10	5.9
UW487	157.55	158.20	0.07	3.7
UW487	158.20	159.00	0.08	2.6
UW487	159.00	159.50	0.14	4.7
UW487	159.50	160.00	0.57	10.1
UW487	160.00	161.10	0.04	2.1
UW487	161.10	162.10	0.12	8.2
UW487	162.10	163.10	5.51	250.0
UW487	163.10	164.10	0.05	4.0
UW487	164.10	165.00	0.09	1.8
UW487	165.00	165.90	0.02	2.6
UW487	165.90	166.40	0.01	1.7
UW487	166.40	167.30	0.04	2.0
UW487	167.30	168.00	0.08	2.5
UW487	168.00	169.00	0.03	2.4
UW487	169.00	170.00	0.10	1.9
UW487	170.00	171.00	0.03	1.5
UW487	171.00	172.00	0.02	2.2
UW487	172.00	173.00	0.07	9.2
UW487	173.00	174.00	0.03	2.6
UW487	174.00	175.50	0.04	3.1
UW487	175.50	176.55	0.06	6.1
UW487	176.55	178.00	0.04	1.0
UW487	178.00	179.00	0.12	0.9
UW487	179.00	180.00	0.04	2.7
UW487	180.00	180.80	1.59	16.5
UW487	180.80	181.40	0.96	4.3
UW487	181.40	182.10	0.07	2.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	182.10	183.00	0.04	1.7
UW487	183.00	184.00	0.25	1.7
UW487	184.00	185.00	0.12	0.6
UW487	185.00	186.00	0.09	0.8
UW487	186.00	187.00	0.11	0.7
UW487	187.00	188.00	0.06	1.4
UW487	188.00	189.00	0.05	1.6
UW487	189.00	190.00	0.02	1.9
UW487	190.00	191.00	0.05	2.9
UW487	191.00	192.00	0.05	2.3
UW487	192.00	192.70	0.08	3.2
UW487	192.70	193.60	0.10	8.2
UW487	193.60	194.35	0.07	6.0
UW487	194.35	195.05	0.07	3.7
UW487	195.05	196.00	0.05	2.9
UW487	196.00	196.60	0.05	3.9
UW487	196.60	197.70	0.04	2.0
UW487	197.70	198.70	0.12	0.6
UW487	198.70	199.30	0.01	1.7
UW487	199.30	199.85	0.02	1.1
UW487	199.85	201.00	0.04	1.6
UW487	201.00	201.70	0.04	1.7
UW487	201.70	202.70	0.03	1.5
UW487	202.70	203.70	0.02	1.0
UW487	203.70	205.20	0.01	0.3
UW487	205.20	206.50	0.02	0.7
UW487	206.50	207.25	11.40	105.0
UW487	207.25	208.40	0.10	2.1
UW487	208.40	209.40	0.03	1.5
UW487	209.40	210.25	0.13	7.3
UW487	210.25	211.35	0.04	2.0
UW487	211.35	212.40	0.03	1.7
UW487	212.40	213.40	0.04	3.1
UW487	213.40	214.90	0.03	2.1
UW487	214.90	215.80	0.02	1.1
UW487	215.80	217.00	0.04	1.4
UW487	217.00	217.40	0.03	1.3
UW487	217.40	218.20	0.01	1.7
UW487	218.20	219.00	<0.01	1.6
UW487	219.00	220.00	0.02	3.0
UW487	220.00	221.35	0.03	4.2
UW487	221.35	222.70	0.02	3.5
UW487	222.70	223.40	0.10	10.9
UW487	223.40	224.35	0.23	8.7
UW487	224.35	225.60	0.03	3.7
UW487	225.60	226.60	0.02	4.5
UW487	226.60	227.60	0.03	2.4
UW487	227.60	228.60	0.01	2.1
UW487	228.60	229.10	<0.01	1.6

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	229.10	230.20	0.04	3.1
UW487	230.20	231.00	0.01	2.0
UW487	231.00	232.00	0.41	10.5
UW487	232.00	233.00	0.02	1.9
UW487	233.00	233.85	0.01	1.4
UW487	233.85	234.65	0.01	1.5
UW487	234.65	235.50	0.20	2.4
UW487	235.50	237.00	0.03	2.2
UW487	237.00	237.50	0.03	2.9
UW487	237.50	238.60	0.05	2.9
UW487	238.60	239.50	0.04	2.2
UW487	239.50	240.50	0.04	1.9
UW487	240.50	241.50	0.04	2.1
UW487	241.50	242.25	0.02	3.2
UW487	242.25	243.00	<0.01	1.7
UW487	243.00	244.00	0.06	6.7
UW487	244.00	245.00	0.24	1.7
UW487	245.00	246.00	0.01	1.8
UW487	246.00	247.50	0.01	1.0
UW487	247.50	249.00	<0.01	1.3
UW487	249.00	250.50	<0.01	2.4
UW487	250.50	252.00	0.03	1.2
UW487	252.00	252.40	0.02	1.5
UW487	252.40	253.60	0.02	1.3
UW487	253.60	254.60	0.06	5.2
UW487	254.60	255.60	0.03	3.0
UW487	255.60	256.75	0.10	5.0
UW487	256.75	257.15	0.02	1.1
UW487	257.15	258.30	0.05	1.5
UW487	258.30	259.15	1.06	36.1
UW487	259.15	260.20	0.06	2.4
UW487	260.20	260.85	0.23	12.2
UW487	260.85	261.55	0.12	6.0
UW487	261.55	262.65	0.03	2.1
UW487	262.65	264.00	0.03	1.5
UW487	264.00	265.50	0.02	1.2
UW487	265.50	267.00	0.04	2.6
UW487	267.00	268.00	0.33	3.9
UW487	268.00	269.00	0.06	1.9
UW487	269.00	270.00	0.02	2.1
UW487	270.00	271.00	0.03	2.4
UW487	271.00	272.00	0.03	1.9
UW487	272.00	273.00	0.04	2.4
UW487	273.00	274.00	0.02	2.4
UW487	274.00	274.70	0.02	2.8
UW487	274.70	275.20	0.54	8.7
UW487	275.20	275.60	0.08	3.0
UW487	275.60	276.20	0.33	4.2
UW487	276.20	277.00	14.20	30.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	277.00	278.90	4.91	43.2
UW487	278.90	279.40	0.85	17.2
UW487	280.30	280.80	0.91	9.0
UW487	280.80	282.00	1.64	28.5
UW487	282.00	283.60	0.27	4.8
UW487	283.60	284.60	0.03	1.6
UW487	284.60	285.60	0.34	3.0
UW487	285.60	286.60	0.45	8.6
UW487	286.60	287.60	0.12	2.0
UW487	287.60	288.60	0.11	3.0
UW487	288.60	289.60	0.08	5.2
UW487	289.60	290.60	0.10	2.6
UW487	290.60	291.35	0.06	2.0
UW487	291.35	292.10	0.14	1.4
UW487	292.10	293.00	0.04	1.4
UW487	293.00	294.00	0.07	1.4
UW487	294.00	295.00	0.23	3.4
UW487	295.00	296.00	0.06	2.3
UW487	296.00	297.00	0.02	1.9
UW487	297.00	298.00	0.02	2.9
UW487	298.00	299.00	0.01	2.6
UW487	299.00	300.00	0.01	2.5
UW487	300.00	301.00	<0.01	2.5
UW487	301.00	302.00	0.01	1.8
UW487	302.00	303.00	0.02	3.4
UW487	303.00	303.65	0.03	3.5
UW487	303.65	304.50	7.82	27.1
UW487	305.20	305.30	14.90	18.2
UW487	305.30	306.00	0.10	3.6
UW487	306.00	307.00	0.03	2.9
UW487	307.00	308.00	0.04	3.1
UW487	308.00	309.00	0.01	2.9
UW487	309.00	310.10	0.03	3.1
UW487	310.10	311.20	0.02	3.1
UW487	311.20	312.30	0.02	3.7
UW487	312.30	312.70	0.03	2.6
UW487	312.70	313.50	0.03	3.7
UW487	313.50	313.90	0.09	1.8
UW487	313.90	314.50	0.05	1.2
UW487	314.50	315.30	0.02	1.5
UW487	315.30	316.30	0.03	1.8
UW487	316.30	317.25	0.02	1.8
UW487	317.25	317.70	<0.01	1.0
UW487	317.70	318.40	0.40	2.6
UW487	318.40	319.20	0.07	1.1
UW487	319.20	320.20	0.01	0.5
UW487	320.20	321.20	<0.01	0.6
UW487	321.20	322.20	0.01	1.0
UW487	322.20	323.10	0.03	3.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	323.10	323.90	0.02	2.1
UW487	323.90	324.45	1.45	3.6
UW487	324.45	325.50	0.01	1.3
UW487	325.50	327.00	<0.01	2.1
UW487	327.00	328.55	<0.01	1.6
UW487	328.55	329.15	0.17	2.9
UW487	329.15	330.30	<0.01	1.9
UW487	330.30	331.25	3.47	53.1
UW487	331.25	332.25	0.72	6.1
UW487	332.25	333.25	0.03	4.6
UW487	333.25	333.90	0.01	2.4
UW487	333.90	334.95	0.18	5.9
UW487	334.95	335.70	0.19	2.6
UW487	335.70	336.45	0.02	7.0
UW487	336.45	337.25	21.60	588.0
UW487	337.25	338.00	23.90	1170.0
UW487	338.00	338.80	7.53	268.0
UW487	338.80	339.60	27.60	1340.0
UW487	339.60	340.40	0.13	5.2
UW487	340.40	341.00	0.13	10.1
UW487	341.00	342.00	0.03	3.6
UW487	342.00	343.00	0.03	16.4
UW487	343.00	343.80	0.01	3.7
UW487	343.80	344.70	0.01	5.8
UW487	344.70	345.60	<0.01	1.5
UW487	345.60	346.60	0.13	5.6
UW487	346.60	347.15	0.01	2.6
UW487	347.15	348.00	0.02	3.6
UW487	348.00	349.10	0.07	9.2
UW487	349.40	350.00	0.02	3.4
UW487	350.00	351.00	0.02	2.0
UW487	351.00	352.00	0.02	2.6
UW487	352.00	353.00	0.02	4.2
UW487	353.00	354.00	0.01	6.5
UW487	354.00	355.00	0.02	2.5
UW487	355.00	356.10	0.01	1.5
UW487	356.10	357.10	<0.01	2.8
UW487	357.10	358.00	0.02	2.2
UW487	358.00	359.00	0.01	5.5
UW487	359.00	360.00	0.01	1.0
UW487	360.00	361.00	0.02	1.7
UW487	361.00	362.00	0.01	3.1
UW487	362.00	363.20	0.01	1.4
UW487	363.50	365.50	0.01	6.5
UW487	365.50	366.30	<0.01	4.9
UW487	366.30	367.20	<0.01	2.7
UW487	367.20	369.00	0.01	9.0
UW487	369.00	370.00	0.02	2.9
UW487	370.00	371.00	0.02	3.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW487	371.00	371.40	0.02	9.9
UW487	372.90	374.00	0.02	3.2
UW487	374.00	375.00	0.01	13.5
UW487	375.00	376.10	0.02	16.5
UW487	376.70	377.50	0.03	3.8
UW487	377.50	378.30	0.10	9.3
UW487	378.30	379.50	0.24	10.9
UW488	29.60	30.40	0.04	0.2
UW488	30.40	31.00	0.07	0.2
UW488	31.00	32.20	<0.01	4.8
UW488	32.20	33.00	0.03	0.6
UW488	33.00	34.30	0.04	5.1
UW488	34.30	35.40	0.02	1.2
UW488	35.40	36.40	<0.01	1.0
UW488	36.40	37.90	<0.01	2.2
UW488	37.90	38.90	0.06	1.4
UW488	38.90	40.00	<0.01	1.1
UW488	40.00	40.90	0.01	2.6
UW488	40.90	41.30	0.03	2.9
UW488	41.30	42.30	0.02	2.0
UW488	42.30	43.30	<0.01	1.6
UW488	43.30	44.10	<0.01	1.8
UW488	44.10	45.10	0.04	2.6
UW488	45.10	46.10	2.77	9.8
UW488	46.10	47.00	0.05	2.7
UW488	47.00	48.00	0.02	0.9
UW488	48.00	49.00	0.02	1.4
UW488	49.00	49.90	0.04	1.4
UW488	49.90	51.00	0.02	0.5
UW488	51.00	52.00	0.03	1.1
UW488	52.00	53.00	0.01	0.9
UW488	53.00	54.10	0.03	2.4
UW488	54.10	55.20	0.02	1.8
UW488	55.20	56.20	0.01	1.5
UW488	56.20	57.20	0.02	2.1
UW488	57.20	58.40	0.01	1.1
UW488	58.40	59.50	0.01	0.9
UW488	59.50	60.60	0.02	1.8
UW488	60.60	61.40	0.02	1.7
UW488	61.40	62.50	0.01	2.2
UW488	62.50	63.40	0.01	1.9
UW488	63.40	64.20	0.16	3.5
UW488	64.20	65.00	0.02	1.5
UW488	65.00	66.00	<0.01	0.9
UW488	66.00	67.00	0.01	0.8
UW488	67.00	68.00	0.01	1.2
UW488	68.00	69.20	<0.01	0.8
UW488	69.20	70.20	<0.01	0.4
UW488	70.20	70.50	0.11	1.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	70.50	71.70	0.18	1.7
UW488	71.70	72.80	0.02	1.2
UW488	72.80	73.10	0.02	0.9
UW488	73.10	73.90	0.02	0.6
UW488	73.90	75.10	0.01	0.5
UW488	75.10	76.50	<0.01	0.4
UW488	76.50	77.80	<0.01	0.6
UW488	77.80	79.00	<0.01	0.4
UW488	79.00	80.00	<0.01	0.7
UW488	80.00	81.00	0.02	0.5
UW488	81.00	82.00	0.02	0.8
UW488	82.00	83.20	0.04	0.9
UW488	83.20	83.80	<0.01	0.5
UW488	83.80	84.40	0.01	0.7
UW488	84.40	85.00	<0.01	0.8
UW488	85.00	86.00	0.01	0.5
UW488	86.00	87.00	0.02	0.6
UW488	87.00	88.00	<0.01	0.5
UW488	88.00	89.00	<0.01	0.6
UW488	89.00	90.00	<0.01	0.5
UW488	90.00	91.00	<0.01	0.6
UW488	91.00	92.00	<0.01	0.6
UW488	92.00	93.00	0.01	0.5
UW488	93.00	94.00	<0.01	0.2
UW488	94.00	95.00	0.04	0.3
UW488	95.00	96.00	0.01	0.3
UW488	96.00	97.00	0.02	0.3
UW488	97.00	98.00	0.02	0.2
UW488	98.00	99.00	0.01	0.2
UW488	99.00	100.00	<0.01	0.2
UW488	100.00	101.00	0.02	0.3
UW488	101.00	102.00	0.02	0.1
UW488	102.00	103.20	0.03	0.1
UW488	103.20	104.20	0.02	<0.1
UW488	104.20	105.00	0.01	0.4
UW488	105.00	106.00	<0.01	0.3
UW488	106.00	107.00	0.02	0.1
UW488	107.00	108.00	0.01	<0.1
UW488	108.00	109.00	0.02	0.2
UW488	109.00	110.00	0.01	<0.1
UW488	110.00	111.00	<0.01	<0.1
UW488	111.00	112.00	0.01	<0.1
UW488	112.00	113.00	<0.01	<0.1
UW488	113.00	114.00	<0.01	<0.1
UW488	114.00	115.10	<0.01	<0.1
UW488	115.10	116.30	0.02	0.2
UW488	116.30	117.00	<0.01	0.2
UW488	117.00	118.00	0.01	0.6
UW488	118.00	119.00	0.05	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	119.00	120.00	<0.01	<0.1
UW488	120.00	121.00	<0.01	<0.1
UW488	121.00	122.00	<0.01	<0.1
UW488	122.00	123.00	0.02	0.4
UW488	123.00	124.00	<0.01	<0.1
UW488	124.00	125.00	<0.01	<0.1
UW488	125.00	126.00	<0.01	<0.1
UW488	126.00	127.00	<0.01	<0.1
UW488	127.00	128.00	<0.01	0.2
UW488	128.00	128.70	<0.01	<0.1
UW488	128.70	130.00	<0.01	<0.1
UW488	130.00	131.00	<0.01	<0.1
UW488	131.00	132.00	<0.01	<0.1
UW488	132.00	133.00	<0.01	<0.1
UW488	133.00	134.00	<0.01	<0.1
UW488	134.00	135.00	0.01	0.1
UW488	135.00	136.00	0.01	<0.1
UW488	136.00	137.00	<0.01	0.1
UW488	137.00	138.00	<0.01	<0.1
UW488	138.00	139.00	<0.01	<0.1
UW488	139.00	140.00	0.01	0.1
UW488	140.00	141.00	0.01	0.3
UW488	141.00	142.00	0.01	0.3
UW488	142.00	143.00	0.01	0.2
UW488	143.00	144.00	<0.01	0.1
UW488	144.00	145.00	0.01	0.2
UW488	145.00	145.90	<0.01	0.3
UW488	145.90	146.60	<0.01	0.2
UW488	146.60	148.00	<0.01	0.3
UW488	148.00	149.00	<0.01	0.4
UW488	149.00	150.00	<0.01	0.4
UW488	150.00	151.00	<0.01	0.6
UW488	151.00	152.00	<0.01	0.6
UW488	152.00	152.80	<0.01	0.8
UW488	152.80	153.10	<0.01	0.8
UW488	153.10	154.00	<0.01	0.3
UW488	154.00	155.00	<0.01	0.5
UW488	155.00	156.00	<0.01	0.3
UW488	156.00	157.00	<0.01	0.2
UW488	157.00	158.00	<0.01	0.2
UW488	158.00	159.00	<0.01	0.2
UW488	159.00	160.00	<0.01	0.3
UW488	160.00	161.00	<0.01	0.3
UW488	161.00	162.00	<0.01	0.3
UW488	162.00	163.00	<0.01	0.6
UW488	163.00	164.00	0.02	0.4
UW488	164.00	165.00	0.02	0.5
UW488	165.00	166.00	0.03	0.4
UW488	166.00	167.00	0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	167.00	168.30	0.02	0.3
UW488	168.30	169.00	0.02	0.6
UW488	169.00	170.00	0.03	0.4
UW488	170.00	171.00	0.02	0.3
UW488	171.00	172.00	0.02	0.3
UW488	172.00	173.00	0.01	0.2
UW488	173.00	174.00	0.01	0.2
UW488	174.00	175.00	0.02	0.1
UW488	175.00	176.00	<0.01	0.2
UW488	176.00	176.60	0.02	0.3
UW488	176.60	177.80	0.01	0.3
UW488	177.80	178.50	0.02	0.5
UW488	178.50	179.10	0.01	0.7
UW488	179.10	180.00	<0.01	0.3
UW488	180.00	181.00	<0.01	0.4
UW488	181.00	182.00	<0.01	0.4
UW488	182.00	183.00	<0.01	0.3
UW488	183.00	184.00	<0.01	0.3
UW488	184.00	185.00	<0.01	0.3
UW488	185.00	185.90	<0.01	0.3
UW488	185.90	186.30	<0.01	0.5
UW488	186.30	187.00	<0.01	0.4
UW488	187.00	188.00	<0.01	0.4
UW488	188.00	188.50	<0.01	0.5
UW488	188.50	189.70	<0.01	0.4
UW488	189.70	190.10	<0.01	0.3
UW488	190.10	191.00	<0.01	0.4
UW488	191.00	191.60	<0.01	0.4
UW488	191.60	192.00	<0.01	0.2
UW488	192.00	193.00	<0.01	0.3
UW488	193.00	194.30	<0.01	0.2
UW488	194.30	195.00	<0.01	0.4
UW488	195.00	196.00	<0.01	0.5
UW488	196.00	197.00	<0.01	0.5
UW488	197.00	198.00	<0.01	0.4
UW488	198.00	199.00	<0.01	0.5
UW488	199.00	199.80	<0.01	0.2
UW488	199.80	201.10	<0.01	0.4
UW488	201.10	202.00	<0.01	1.4
UW488	202.00	203.00	0.01	0.6
UW488	203.00	204.00	<0.01	0.3
UW488	204.00	205.00	<0.01	0.4
UW488	205.00	206.00	<0.01	0.6
UW488	206.00	206.50	<0.01	1.2
UW488	206.50	207.70	<0.01	1.1
UW488	207.70	208.90	<0.01	0.7
UW488	208.90	210.00	<0.01	0.4
UW488	210.00	211.00	<0.01	0.2
UW488	211.00	212.10	<0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	212.10	213.00	<0.01	0.5
UW488	213.00	214.00	<0.01	0.3
UW488	214.00	215.00	<0.01	0.6
UW488	215.00	216.00	<0.01	0.4
UW488	216.00	217.00	<0.01	0.4
UW488	217.00	218.20	<0.01	1.0
UW488	218.20	219.00	<0.01	0.5
UW488	219.00	220.00	<0.01	0.5
UW488	220.00	220.70	0.02	0.6
UW488	220.70	221.90	<0.01	1.0
UW488	221.90	223.00	<0.01	0.6
UW488	223.00	224.00	<0.01	0.3
UW488	224.00	225.00	<0.01	0.4
UW488	225.00	226.10	<0.01	0.7
UW488	226.10	226.90	<0.01	0.4
UW488	226.90	227.50	0.02	0.5
UW488	227.50	228.30	0.01	0.5
UW488	228.30	229.30	0.01	0.4
UW488	229.30	229.70	0.02	0.2
UW488	229.70	231.00	<0.01	0.2
UW488	231.00	232.00	<0.01	0.1
UW488	232.00	233.00	<0.01	0.2
UW488	233.00	233.50	0.02	0.9
UW488	233.50	234.30	<0.01	0.3
UW488	234.30	235.30	0.02	0.2
UW488	235.30	236.30	0.01	0.2
UW488	236.30	237.10	0.02	0.3
UW488	237.10	238.00	0.02	0.2
UW488	238.00	238.60	<0.01	0.5
UW488	238.60	239.60	0.01	0.5
UW488	239.60	240.60	0.05	0.4
UW488	240.60	241.20	0.01	0.4
UW488	241.20	242.20	0.01	0.4
UW488	242.20	243.40	0.01	0.5
UW488	243.40	244.20	<0.01	0.3
UW488	244.20	245.00	<0.01	0.3
UW488	245.00	246.00	0.01	0.5
UW488	246.00	247.00	0.02	0.5
UW488	247.00	248.00	0.01	0.5
UW488	248.00	249.00	0.01	0.6
UW488	249.00	250.00	0.01	0.5
UW488	250.00	251.00	<0.01	0.4
UW488	251.00	252.00	0.02	0.7
UW488	252.00	253.00	0.02	0.7
UW488	253.00	253.70	0.01	0.8
UW488	253.70	254.10	0.02	1.0
UW488	254.10	255.00	0.02	0.6
UW488	255.00	256.00	<0.01	0.5
UW488	256.00	257.00	<0.01	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	257.00	258.00	<0.01	0.5
UW488	258.00	259.00	<0.01	0.5
UW488	259.00	260.00	<0.01	0.4
UW488	260.00	261.00	<0.01	2.4
UW488	261.00	262.20	0.02	1.1
UW488	262.20	262.90	<0.01	1.2
UW488	262.90	264.00	<0.01	0.7
UW488	264.00	265.00	0.02	0.7
UW488	265.00	266.00	<0.01	0.8
UW488	266.00	267.00	<0.01	0.7
UW488	267.00	267.70	<0.01	0.7
UW488	267.70	269.00	<0.01	1.4
UW488	269.00	269.90	<0.01	1.4
UW488	269.90	271.10	<0.01	1.1
UW488	271.10	272.00	<0.01	0.7
UW488	272.00	273.00	<0.01	0.7
UW488	273.00	274.00	0.01	2.5
UW488	274.00	275.00	<0.01	0.7
UW488	275.00	276.00	<0.01	0.4
UW488	276.00	277.00	0.01	0.3
UW488	277.00	278.00	<0.01	0.2
UW488	278.00	279.00	<0.01	0.2
UW488	279.00	280.00	<0.01	0.3
UW488	280.00	281.00	<0.01	0.2
UW488	281.00	282.00	0.01	0.3
UW488	282.00	283.10	<0.01	0.3
UW488	283.10	284.00	<0.01	0.4
UW488	284.00	285.00	0.02	0.5
UW488	285.00	286.50	0.02	0.4
UW488	286.50	286.90	<0.01	0.8
UW488	286.90	288.20	<0.01	0.4
UW488	288.20	289.20	0.01	0.8
UW488	289.20	290.10	<0.01	0.7
UW488	290.10	291.00	0.01	1.3
UW488	291.00	292.00	0.02	1.4
UW488	292.00	293.00	0.01	0.7
UW488	293.00	294.00	<0.01	0.4
UW488	294.00	295.00	<0.01	0.4
UW488	295.00	296.00	<0.01	0.3
UW488	296.00	297.00	0.01	0.5
UW488	297.00	298.00	<0.01	0.5
UW488	298.00	299.00	<0.01	0.9
UW488	299.00	300.00	<0.01	0.4
UW488	300.00	301.20	<0.01	0.7
UW488	301.20	301.90	<0.01	0.4
UW488	301.90	302.90	<0.01	1.7
UW488	302.90	304.20	<0.01	0.5
UW488	304.20	304.80	<0.01	0.8
UW488	304.80	305.60	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	305.60	306.40	<0.01	0.3
UW488	306.40	306.80	0.01	1.3
UW488	306.80	308.00	0.01	0.4
UW488	308.00	309.00	<0.01	0.3
UW488	309.00	310.00	0.02	0.3
UW488	310.00	311.00	<0.01	0.3
UW488	311.00	312.00	0.01	0.4
UW488	312.00	313.00	0.01	0.4
UW488	313.00	314.00	<0.01	0.3
UW488	314.00	315.00	<0.01	0.2
UW488	315.00	316.00	<0.01	0.3
UW488	316.00	316.60	0.02	0.7
UW488	316.60	317.00	0.07	6.1
UW488	317.00	317.60	<0.01	0.7
UW488	317.60	318.40	0.01	0.3
UW488	318.40	319.40	<0.01	0.3
UW488	319.40	320.60	<0.01	0.9
UW488	320.60	321.00	<0.01	0.7
UW488	321.00	322.00	<0.01	0.6
UW488	322.00	323.00	0.01	0.2
UW488	323.00	324.00	0.01	0.3
UW488	324.00	325.00	0.02	0.6
UW488	325.00	326.00	0.02	1.2
UW488	326.00	327.00	0.01	1.0
UW488	327.00	328.00	0.02	0.8
UW488	328.00	329.20	0.02	1.0
UW488	329.20	330.10	0.02	0.7
UW488	330.10	331.00	0.02	0.6
UW488	331.00	332.00	0.02	1.0
UW488	332.00	332.60	0.03	1.0
UW488	332.60	333.60	0.02	0.6
UW488	333.60	334.80	<0.01	0.6
UW488	334.80	336.00	0.02	0.4
UW488	336.00	337.30	0.01	0.3
UW488	337.30	338.50	0.01	0.3
UW488	338.50	339.40	<0.01	0.3
UW488	339.40	340.10	0.01	0.2
UW488	340.10	340.90	0.03	0.2
UW488	340.90	342.00	0.02	0.2
UW488	342.00	343.00	0.01	0.2
UW488	343.00	344.00	0.01	0.2
UW488	344.00	345.00	<0.01	0.1
UW488	345.00	346.00	<0.01	0.2
UW488	346.00	346.70	<0.01	0.2
UW488	346.70	347.30	<0.01	0.6
UW488	347.30	348.30	<0.01	0.5
UW488	348.30	349.20	<0.01	0.3
UW488	349.20	350.30	<0.01	0.3
UW488	350.30	350.80	<0.01	0.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	350.80	352.00	<0.01	0.3
UW488	352.00	353.00	<0.01	0.3
UW488	353.00	353.80	<0.01	0.2
UW488	353.80	354.90	<0.01	0.2
UW488	354.90	356.20	<0.01	0.3
UW488	356.20	357.00	0.01	0.3
UW488	357.00	357.70	<0.01	0.6
UW488	357.70	359.00	<0.01	0.9
UW488	359.00	360.40	0.01	0.4
UW488	360.40	361.30	<0.01	1.0
UW488	361.30	362.00	<0.01	0.3
UW488	362.00	362.90	<0.01	0.3
UW488	362.90	363.60	<0.01	0.3
UW488	363.60	364.30	<0.01	0.3
UW488	364.30	365.00	0.02	0.4
UW488	365.00	366.00	<0.01	0.3
UW488	366.00	366.90	<0.01	0.3
UW488	366.90	368.00	<0.01	0.3
UW488	368.00	368.60	<0.01	0.2
UW488	368.60	369.00	0.01	0.2
UW488	369.00	369.90	0.01	0.2
UW488	369.90	371.15	0.02	0.3
UW488	371.15	371.40	0.01	0.4
UW488	371.40	372.10	<0.01	0.3
UW488	372.10	373.10	<0.01	0.6
UW488	373.10	374.20	<0.01	0.4
UW488	374.20	374.60	0.02	0.4
UW488	374.60	375.50	<0.01	0.3
UW488	375.50	376.60	0.01	0.3
UW488	376.60	377.50	0.01	0.4
UW488	377.50	377.80	<0.01	1.2
UW488	377.80	378.50	<0.01	2.0
UW488	378.50	379.50	<0.01	0.5
UW488	379.50	380.50	0.01	1.7
UW488	380.50	381.40	<0.01	0.3
UW488	381.40	382.30	<0.01	0.1
UW488	382.30	382.70	<0.01	0.5
UW488	382.70	383.50	<0.01	0.7
UW488	383.50	384.60	0.02	0.2
UW488	384.60	385.80	<0.01	0.3
UW488	385.80	387.00	<0.01	0.5
UW488	387.00	388.00	0.01	0.3
UW488	388.00	389.00	<0.01	0.3
UW488	389.00	390.00	<0.01	0.3
UW488	390.00	390.60	<0.01	0.2
UW488	390.60	391.80	<0.01	0.1
UW488	391.80	393.00	<0.01	0.2
UW488	393.00	394.00	<0.01	0.4
UW488	394.00	395.00	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	395.00	396.00	<0.01	0.2
UW488	396.00	397.00	<0.01	0.2
UW488	397.00	398.00	<0.01	0.2
UW488	398.00	399.00	<0.01	0.2
UW488	399.00	400.00	<0.01	0.2
UW488	400.00	401.00	<0.01	0.2
UW488	401.00	402.00	<0.01	0.3
UW488	402.00	402.70	<0.01	0.4
UW488	402.70	403.00	<0.01	0.4
UW488	403.00	404.00	<0.01	0.3
UW488	404.00	405.20	<0.01	0.2
UW488	405.20	406.40	<0.01	0.2
UW488	406.40	406.70	0.01	0.8
UW488	406.70	407.50	<0.01	0.2
UW488	407.50	408.40	<0.01	0.2
UW488	408.40	408.70	<0.01	0.5
UW488	408.70	410.00	0.01	0.3
UW488	410.00	411.00	<0.01	0.3
UW488	411.00	411.80	<0.01	0.2
UW488	411.80	412.10	<0.01	0.2
UW488	412.10	413.00	<0.01	0.1
UW488	413.00	414.00	<0.01	0.1
UW488	414.00	415.00	<0.01	0.1
UW488	415.00	416.00	0.01	0.2
UW488	416.00	417.00	<0.01	0.3
UW488	417.00	418.20	<0.01	0.3
UW488	418.20	419.00	<0.01	0.2
UW488	419.00	420.00	<0.01	0.1
UW488	420.00	421.00	<0.01	0.1
UW488	421.00	422.00	<0.01	0.1
UW488	422.00	423.00	<0.01	0.2
UW488	423.00	423.40	<0.01	0.2
UW488	423.40	424.40	<0.01	0.2
UW488	424.40	425.40	<0.01	0.3
UW488	425.40	426.40	<0.01	0.2
UW488	426.40	427.40	<0.01	0.3
UW488	427.40	427.80	<0.01	0.1
UW488	427.80	429.00	<0.01	0.3
UW488	429.00	430.00	<0.01	0.2
UW488	430.00	430.90	<0.01	<0.1
UW488	430.90	432.00	<0.01	<0.1
UW488	432.00	432.80	<0.01	<0.1
UW488	432.80	434.00	<0.01	<0.1
UW488	434.00	435.00	0.01	<0.1
UW488	435.00	436.00	0.01	<0.1
UW488	436.00	437.00	0.01	<0.1
UW488	437.00	438.00	0.01	<0.1
UW488	438.00	439.00	<0.01	<0.1
UW488	439.00	440.00	0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW488	440.00	441.00	0.01	<0.1
UW488	441.00	442.00	0.01	0.1
UW488	442.00	443.00	0.01	<0.1
UW488	443.00	444.00	<0.01	<0.1
UW488	444.00	445.00	0.01	<0.1
UW488	445.00	446.00	<0.01	<0.1
UW488	446.00	447.00	<0.01	<0.1
UW488	447.00	448.00	0.01	<0.1
UW488	448.00	449.00	<0.01	<0.1
UW488	449.00	450.00	<0.01	<0.1
UW488	450.00	451.00	<0.01	<0.1
UW488	451.00	452.00	<0.01	<0.1
UW488	452.00	453.00	<0.01	<0.1
UW488	453.00	454.00	<0.01	<0.1
UW488	454.00	455.00	<0.01	<0.1
UW488	455.00	456.00	<0.01	<0.1
UW488	456.00	457.00	<0.01	<0.1
UW488	457.00	457.90	<0.01	<0.1
UW489	94.00	95.00	<0.01	<0.1
UW489	95.00	96.00	0.01	<0.1
UW489	96.00	97.00	0.01	0.5
UW489	97.00	98.00	0.01	0.6
UW489	98.00	99.00	0.01	0.5
UW489	99.00	100.00	0.01	0.9
UW489	100.00	101.00	0.01	0.3
UW489	101.00	102.00	<0.01	0.3
UW489	102.00	103.00	0.01	0.3
UW489	103.00	104.00	0.02	0.7
UW489	104.00	105.00	0.02	0.5
UW489	105.00	106.10	0.02	0.9
UW489	106.10	107.10	0.03	1.0
UW489	107.10	108.00	0.01	0.3
UW489	108.00	109.00	0.02	0.3
UW489	109.00	110.00	0.01	0.1
UW489	110.00	110.80	0.01	0.2
UW489	110.80	111.30	0.02	0.5
UW489	111.30	112.30	0.07	2.1
UW489	112.30	112.90	<0.01	0.2
UW489	112.90	113.40	0.04	1.0
UW489	113.40	114.00	0.06	0.2
UW489	114.00	115.00	<0.01	0.1
UW489	115.00	116.00	0.01	0.4
UW489	116.00	117.00	0.01	0.2
UW489	117.00	118.00	0.02	0.3
UW489	118.00	119.00	0.01	0.7
UW489	119.00	120.00	<0.01	0.2
UW489	120.00	121.00	<0.01	<0.1
UW489	121.00	122.00	<0.01	0.1
UW489	122.00	123.00	0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW489	123.00	124.00	<0.01	<0.1
UW489	124.00	125.00	0.01	<0.1
UW489	125.00	126.00	0.02	0.3
UW489	126.00	127.00	0.02	0.3
UW489	127.00	128.00	0.01	0.2
UW489	128.00	129.00	0.02	0.3
UW489	129.00	130.00	<0.01	0.2
UW489	130.00	131.00	<0.01	0.4
UW489	131.00	132.00	0.01	2.0
UW489	132.00	133.00	<0.01	1.1
UW489	133.00	134.00	<0.01	0.9
UW489	134.00	135.00	<0.01	0.7
UW489	135.00	136.00	<0.01	0.8
UW489	136.00	137.00	<0.01	0.5
UW489	137.00	138.00	<0.01	0.6
UW489	138.00	139.00	<0.01	0.6
UW489	139.00	139.60	<0.01	0.7
UW489	139.60	140.20	<0.01	0.7
UW489	140.20	141.00	<0.01	0.6
UW489	141.00	142.00	0.02	1.7
UW489	142.00	143.00	0.01	0.1
UW489	143.00	144.00	0.01	0.6
UW489	144.00	145.00	<0.01	0.4
UW489	145.00	146.00	<0.01	0.4
UW489	146.00	147.00	0.01	0.3
UW489	147.00	148.00	<0.01	0.3
UW489	148.00	149.00	<0.01	0.2
UW489	149.00	150.00	<0.01	0.1
UW489	150.00	151.00	<0.01	0.5
UW489	151.00	152.00	<0.01	0.6
UW489	152.00	153.00	<0.01	0.5
UW489	153.00	154.00	<0.01	1.1
UW489	154.00	155.00	<0.01	0.5
UW489	155.00	156.00	<0.01	0.5
UW489	156.00	157.00	<0.01	0.8
UW489	157.00	158.10	0.01	1.2
UW489	158.10	159.00	<0.01	1.6
UW489	159.00	159.70	<0.01	1.3
UW489	159.70	160.90	<0.01	0.5
UW489	160.90	162.20	<0.01	0.4
UW489	162.20	163.20	<0.01	1.2
UW489	163.20	164.00	<0.01	2.1
UW489	164.00	165.50	0.01	1.2
UW489	165.50	167.00	<0.01	0.7
UW489	167.00	168.50	<0.01	0.8
UW489	168.50	169.50	0.02	9.0
UW489	169.50	171.00	<0.01	1.4
UW489	171.00	172.50	0.02	2.6
UW489	172.50	174.00	0.02	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW489	174.00	175.50	<0.01	0.9
UW489	175.50	177.00	0.01	1.1
UW489	177.00	178.50	<0.01	1.1
UW489	178.50	179.10	0.02	1.0
UW489	179.10	180.30	0.75	1.4
UW489	180.30	181.70	0.03	0.8
UW489	181.70	182.30	0.07	1.3
UW489	182.30	183.10	0.12	2.1
UW489	183.10	183.70	0.25	1.2
UW489	183.70	184.20	0.01	0.9
UW489	184.20	184.50	6.47	90.5
UW489	184.50	184.90	0.10	1.9
UW489	184.90	185.70	0.24	3.1
UW489	185.70	186.80	3.12	22.5
UW489	186.80	187.80	2.36	19.1
UW489	187.80	188.50	0.12	1.3
UW489	188.50	188.90	2.56	13.3
UW489	188.90	189.90	0.02	0.8
UW489	189.90	190.90	<0.01	0.5
UW489	190.90	192.00	<0.01	0.5
UW489	192.00	192.50	<0.01	0.5
UW489	192.50	193.40	0.02	0.4
UW489	193.40	194.90	0.02	0.4
UW489	194.90	196.40	0.01	0.4
UW489	196.40	197.00	0.01	0.8
UW489	197.00	197.70	2.45	13.6
UW489	197.70	198.70	0.04	0.8
UW489	198.70	199.40	0.39	3.8
UW489	199.40	200.90	0.02	0.5
UW489	200.90	202.40	0.02	0.4
UW489	202.40	203.90	0.01	0.3
UW489	203.90	204.70	0.02	0.4
UW489	204.70	205.70	0.11	0.5
UW489	205.70	206.50	0.10	0.7
UW489	206.50	207.20	0.03	0.6
UW489	207.20	208.00	2.79	25.5
UW489	208.00	208.40	0.03	1.4
UW489	208.40	209.70	0.02	0.7
UW489	209.70	210.50	<0.01	0.3
UW489	210.50	212.00	0.01	0.9
UW489	212.00	213.50	0.02	2.3
UW489	213.50	215.00	0.01	0.7
UW489	215.00	216.50	<0.01	0.7
UW489	216.50	218.00	0.04	1.7
UW489	218.00	219.50	0.02	3.5
UW489	219.50	221.00	0.02	1.8
UW489	221.00	222.30	0.02	1.1
UW489	222.30	223.50	0.45	4.6
UW489	223.50	225.00	0.01	1.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW489	225.00	225.80	0.04	1.1
UW489	225.80	226.30	2.23	12.1
UW489	226.30	227.00	0.02	1.2
UW489	227.00	228.20	<0.01	1.3
UW489	228.20	229.20	0.01	1.3
UW489	229.20	230.00	<0.01	1.2
UW489	230.00	231.10	<0.01	1.2
UW489	231.10	232.50	0.02	0.7
UW489	232.50	234.00	0.05	1.0
UW489	234.00	235.50	0.02	0.5
UW489	235.50	237.00	0.02	0.5
UW489	237.00	238.50	0.01	1.1
UW489	238.50	239.80	0.02	1.2
UW489	239.80	241.40	0.01	1.1
UW489	241.40	242.80	0.48	7.7
UW489	242.80	244.30	0.01	2.2
UW489	244.30	245.50	<0.01	1.4
UW489	245.50	247.00	0.01	1.0
UW489	247.00	248.50	<0.01	1.0
UW489	248.50	249.50	<0.01	0.9
UW489	249.50	250.40	<0.01	0.5
UW491	8.90	9.40	0.03	0.2
UW491	9.40	9.80	0.03	<0.1
UW491	9.80	10.80	0.03	<0.1
UW491	10.80	11.80	0.02	<0.1
UW491	11.80	12.80	0.02	<0.1
UW491	12.80	13.30	0.02	<0.1
UW491	13.30	13.70	0.02	<0.1
UW491	13.70	15.00	0.02	<0.1
UW491	15.00	16.00	0.03	0.4
UW491	16.00	17.00	0.05	0.2
UW491	17.00	18.00	0.02	0.2
UW491	18.00	19.00	0.02	0.1
UW491	19.00	20.00	0.01	0.2
UW491	20.00	21.00	0.02	0.2
UW491	21.00	22.00	0.02	<0.1
UW491	22.00	22.60	0.01	<0.1
UW491	22.60	23.20	0.02	<0.1
UW491	23.20	24.20	0.02	<0.1
UW491	24.20	25.20	<0.01	<0.1
UW491	25.20	26.20	0.01	<0.1
UW491	26.20	27.10	0.02	0.2
UW491	27.10	28.00	<0.01	0.3
UW491	28.00	28.50	<0.01	0.3
UW491	28.50	29.20	<0.01	0.1
UW491	29.20	30.40	<0.01	<0.1
UW491	30.40	31.20	<0.01	0.1
UW491	31.20	32.20	<0.01	<0.1
UW491	32.20	33.20	0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW491	33.20	34.20	0.01	0.1
UW491	34.20	35.20	<0.01	0.1
UW491	35.20	36.00	<0.01	<0.1
UW491	36.00	36.70	<0.01	0.2
UW491	36.70	37.70	<0.01	<0.1
UW491	37.70	38.90	<0.01	<0.1
UW491	38.90	39.80	0.08	<0.1
UW491	39.80	40.80	0.02	<0.1
UW491	40.80	41.80	0.02	0.1
UW491	41.80	42.30	0.03	0.3
UW491	42.30	43.30	0.08	2.3
UW491	43.30	44.20	<0.01	0.3
UW491	44.20	44.70	0.02	0.3
UW491	44.70	45.10	0.01	0.1
UW491	45.10	46.10	0.02	0.4
UW491	46.10	47.20	<0.01	<0.1
UW491	47.20	48.20	0.02	0.1
UW491	48.20	48.70	<0.01	0.1
UW491	48.70	49.40	0.05	2.6
UW491	49.40	50.30	0.09	1.4
UW491	50.30	50.70	0.10	1.0
UW491	50.70	51.80	0.05	0.4
UW491	51.80	52.80	0.03	1.2
UW491	52.80	171.60	awaited	awaited
UW492	92.30	93.30	0.07	5.1
UW492	93.30	94.00	0.04	3.8
UW492	94.00	95.00	0.03	2.2
UW492	95.00	96.00	0.02	0.5
UW492	96.00	97.00	0.04	0.2
UW492	97.00	98.00	0.02	0.3
UW492	98.00	99.00	0.03	0.9
UW492	99.00	100.00	0.02	1.4
UW492	100.00	101.00	<0.01	1.9
UW492	101.00	102.00	0.01	0.7
UW492	102.00	103.00	0.08	1.4
UW492	103.00	104.00	0.05	0.7
UW492	104.00	105.00	0.02	0.5
UW492	105.00	106.00	0.05	1.5
UW492	106.00	106.50	0.11	5.0
UW492	106.50	107.10	0.03	1.7
UW492	107.10	107.70	0.08	2.4
UW492	107.70	108.40	0.04	0.7
UW492	108.40	109.00	0.01	0.2
UW492	109.00	110.00	0.04	1.7
UW492	110.00	111.00	<0.01	0.2
UW492	111.00	112.00	0.02	1.1
UW492	112.00	112.90	0.03	2.9
UW492	112.90	113.40	0.02	2.6
UW492	113.40	113.80	0.08	15.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW492	113.80	114.20	0.04	2.4
UW492	114.20	115.20	0.03	1.0
UW492	115.20	116.20	0.02	0.9
UW492	116.20	117.20	0.09	1.4
UW492	117.20	118.20	0.06	1.3
UW492	118.20	119.20	0.02	0.9
UW492	119.20	119.60	0.03	1.2
UW492	119.60	120.00	0.07	6.2
UW492	120.00	120.60	0.04	1.2
UW492	120.60	121.60	1.14	51.7
UW492	121.60	122.00	6.52	426.0
UW492	122.00	123.00	0.44	93.1
UW492	123.00	124.00	0.03	2.9
UW492	124.00	125.00	0.13	2.2
UW492	125.00	126.00	0.02	1.3
UW492	126.00	127.00	0.03	1.1
UW492	127.00	128.00	0.03	2.0
UW492	128.00	128.80	0.03	1.6
UW492	128.80	129.80	0.05	3.3
UW492	129.80	130.10	0.66	7.1
UW492	130.10	131.10	0.14	7.6
UW492	131.10	131.60	0.15	30.1
UW492	131.60	132.30	0.06	3.7
UW492	132.30	133.30	0.03	2.2
UW492	133.30	134.30	0.02	2.2
UW492	134.30	135.80	0.12	2.4
UW492	135.80	136.70	0.05	2.1
UW492	136.70	138.20	0.03	1.2
UW492	138.20	139.70	0.06	2.0
UW492	139.70	141.20	0.02	1.6
UW492	141.20	142.70	0.02	1.6
UW492	142.70	144.00	0.01	1.5
UW492	144.00	145.50	0.01	1.4
UW492	145.50	147.00	0.03	2.0
UW492	147.00	148.20	0.10	2.4
UW492	148.20	148.50	1.66	52.7
UW492	148.50	150.00	0.18	1.9
UW492	150.00	151.50	0.03	1.7
UW492	151.50	153.00	0.07	1.8
UW492	153.00	154.50	0.01	1.5
UW492	154.50	155.50	<0.01	1.9
UW492	155.50	157.30	0.01	2.6
UW492	157.30	158.80	0.02	2.7
UW492	158.80	160.30	0.03	1.6
UW492	160.30	160.80	0.04	1.6
UW492	160.80	162.30	0.03	1.0
UW492	162.30	163.80	0.02	0.7
UW492	163.80	165.30	0.03	2.3
UW492	165.30	166.80	0.03	3.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW492	166.80	168.30	0.02	3.6
UW492	168.30	169.80	0.02	2.9
UW492	169.80	171.30	0.02	2.0
UW492	171.30	172.80	0.02	0.8
UW492	172.80	174.30	0.04	0.5
UW492	174.30	175.50	0.24	0.5
UW492	175.50	176.90	0.02	1.2
UW492	176.90	178.40	<0.01	0.3
UW492	178.40	179.90	0.01	0.5
UW492	179.90	181.40	<0.01	0.3
UW492	181.40	182.40	0.20	2.6
UW492	182.40	183.70	0.04	0.6
UW492	183.70	185.30	0.03	0.5
UW492	185.30	186.80	0.02	0.5
UW492	186.80	188.30	0.03	0.6
UW492	188.30	188.90	0.03	0.5
UW492	188.90	190.30	0.02	0.6
UW492	190.30	190.70	0.06	1.9
UW492	190.70	192.20	0.01	0.7
UW492	192.20	193.70	0.02	0.9
UW492	193.70	195.20	<0.01	0.4
UW492	195.20	196.70	<0.01	0.6
UW492	196.70	198.20	0.01	1.8
UW492	198.20	199.60	0.02	2.6
UW492	199.60	199.90	0.12	5.4
UW492	199.90	200.80	0.01	2.6
UW492	200.80	201.80	0.02	3.5
UW492	201.80	202.80	0.02	3.3
UW492	202.80	203.90	0.49	3.5
UW492	203.90	204.70	0.02	3.2
UW492	204.70	205.30	2.32	7.8
UW492	205.30	206.80	0.02	1.8
UW492	206.80	208.20	0.01	1.9
UW492	208.20	209.70	0.07	1.8
UW492	209.70	211.20	0.02	2.9
UW492	211.20	212.70	0.34	3.0
UW492	212.70	214.20	0.01	1.7
UW492	214.20	215.70	0.03	1.3
UW492	215.70	217.20	0.01	1.1
UW492	217.20	218.70	0.01	1.3
UW492	218.70	220.20	0.01	1.2
UW492	220.20	221.00	0.02	1.8
UW492	221.00	221.30	0.23	4.0
UW492	221.30	222.80	0.02	2.0
UW492	222.80	224.30	0.04	1.6
UW492	224.30	225.80	0.02	1.3
UW492	225.80	227.30	0.02	1.3
UW492	227.30	228.80	<0.01	1.3
UW492	228.80	230.30	0.01	1.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW492	230.30	230.70	<0.01	1.6
UW492	230.70	231.00	0.47	27.0
UW492	231.00	231.30	0.02	2.3
UW492	231.30	232.80	0.03	1.5
UW492	232.80	233.40	0.01	1.4
UW492	233.40	233.70	0.03	1.7
UW492	233.70	235.20	0.02	1.3
UW492	235.20	236.70	0.02	4.4
UW492	236.70	238.20	0.63	10.3
UW492	238.20	239.70	0.02	1.1
UW492	239.70	241.20	0.02	1.2
UW492	241.20	242.70	0.01	1.0
UW492	242.70	244.20	<0.01	1.1
UW492	244.20	244.70	<0.01	1.5
UW492	244.70	245.00	0.02	1.4
UW492	245.00	246.50	0.02	1.1
UW492	246.50	248.00	0.01	1.3
UW492	248.00	248.90	0.02	1.9
UW492	248.90	249.20	2.24	7.5
UW492	249.20	250.70	0.02	2.0
UW492	250.70	252.10	0.01	2.0
UW492	252.10	253.10	0.02	4.1
UW492	253.10	253.40	0.04	1.9
UW492	253.40	254.80	0.05	1.9
UW492	254.80	256.40	0.02	0.5
UW492	256.40	257.90	<0.01	0.9
UW492	257.90	259.40	<0.01	0.9
UW492	259.40	259.80	<0.01	1.1
UW492	259.80	260.50	1.34	66.9
UW492	260.50	261.40	0.21	12.9
UW492	261.40	261.90	0.40	4.1
UW492	261.90	262.80	0.12	9.6
UW492	262.80	263.40	0.09	5.1
UW492	263.40	263.80	0.02	1.7
UW492	263.80	264.70	0.05	2.1
UW492	264.70	265.00	0.04	2.4
UW492	265.00	265.80	4.07	60.0
UW492	265.80	267.00	0.09	3.0
UW492	267.00	267.90	<0.01	1.0
UW492	267.90	269.40	0.03	1.2
UW492	269.40	269.80	0.05	2.8
UW492	269.80	271.30	0.02	0.5
UW492	271.30	272.80	0.01	0.5
UW492	272.80	273.20	0.02	0.7
UW492	273.20	274.70	0.02	0.4
UW492	274.70	275.60	0.02	0.3
UW492	275.60	276.00	0.04	4.6
UW492	276.00	277.50	0.01	0.5
UW492	277.50	278.00	0.02	0.7

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW492	278.00	278.80	0.02	1.0
UW492	278.80	279.20	0.03	1.4
UW492	279.20	280.00	0.04	3.7
UW492	280.00	281.00	0.01	0.8
UW492	281.00	282.40	0.01	1.2
UW492	282.40	283.60	0.02	1.3
UW492	283.60	284.50	0.02	1.5
UW492	284.50	284.80	0.05	1.6
UW492	284.80	286.30	0.03	1.8
UW492	286.30	287.60	0.01	0.9
UW492	287.60	288.20	<0.01	1.4
UW492	288.20	289.20	0.02	1.6
UW492	289.20	289.70	0.02	1.3
UW492	289.70	291.20	0.02	1.1
UW492	291.20	292.70	0.01	1.7
UW492	292.70	294.00	0.08	0.9
UW492	294.00	294.40	<0.01	0.9
UW492	294.40	295.30	<0.01	1.1
UW492	295.30	295.60	0.02	2.1
UW492	295.60	296.80	0.01	2.2
UW492	296.80	297.80	0.01	2.7
UW492	297.80	298.10	0.04	2.1
UW492	298.10	299.50	0.04	1.5
UW492	299.50	300.00	0.04	1.6
UW492	300.00	301.00	0.02	1.8
UW492	301.00	302.00	0.02	8.8
UW492	302.00	303.50	0.03	3.8
UW492	303.50	305.00	0.02	2.0
UW492	305.00	305.70	0.07	3.1
UW492	305.70	306.00	0.02	2.1
UW492	306.00	306.40	0.02	1.3
UW492	306.40	307.90	0.01	0.9
UW492	307.90	309.10	0.02	1.9
UW492	309.10	310.30	0.02	1.6
UW492	310.30	310.60	0.01	1.5
UW492	310.60	312.10	0.03	2.4
UW492	312.10	313.00	0.02	1.6
UW492	313.00	314.40	0.01	1.7
UW493	11.80	13.30	0.03	<0.1
UW493	13.30	14.80	0.01	<0.1
UW493	14.80	16.30	<0.01	<0.1
UW493	16.30	17.30	<0.01	<0.1
UW493	17.30	19.20	0.01	<0.1
UW493	19.20	20.70	0.01	<0.1
UW493	20.70	22.20	0.02	0.1
UW493	22.20	23.70	<0.01	<0.1
UW493	23.70	25.50	<0.01	<0.1
UW493	25.50	27.00	0.01	<0.1
UW493	27.00	28.50	<0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW493	28.50	30.00	0.03	0.2
UW493	30.00	31.50	0.04	0.2
UW493	31.50	33.00	0.02	<0.1
UW493	33.00	34.50	<0.01	<0.1
UW493	34.50	36.00	<0.01	<0.1
UW493	36.00	38.10	0.02	<0.1
UW493	38.10	39.60	<0.01	<0.1
UW493	39.60	41.10	0.01	<0.1
UW493	41.10	43.00	0.01	<0.1
UW493	43.00	44.50	<0.01	0.2
UW493	44.50	46.00	<0.01	0.3
UW493	46.00	47.50	<0.01	0.3
UW493	47.50	49.00	<0.01	0.9
UW493	49.00	50.50	<0.01	2.3
UW493	50.50	52.00	0.01	1.7
UW493	52.00	53.50	0.04	2.9
UW493	53.50	54.20	0.02	3.3
UW493	54.20	54.50	0.03	4.0
UW493	54.50	55.10	0.03	5.1
UW493	55.10	55.60	0.02	3.0
UW493	55.60	55.90	0.02	3.3
UW493	55.90	56.30	0.03	4.9
UW493	56.30	56.70	0.02	5.0
UW493	56.70	58.20	0.03	4.5
UW493	58.20	59.40	0.08	3.0
UW493	59.40	60.90	0.01	2.4
UW493	60.90	62.40	0.02	3.2
UW493	62.40	63.90	0.02	2.9
UW493	63.90	65.40	0.01	2.1
UW493	65.40	66.90	0.02	3.2
UW493	66.90	67.30	0.03	0.2
UW493	67.30	67.70	0.05	1.0
UW493	67.70	69.20	0.17	1.6
UW493	69.20	70.10	0.13	4.1
UW493	70.10	70.60	0.07	5.9
UW493	70.60	70.90	1.31	3.9
UW493	70.90	71.70	0.11	1.0
UW493	71.70	72.00	0.11	1.7
UW493	72.00	73.20	0.04	1.4
UW493	73.20	74.10	0.02	2.8
UW493	74.10	276.60	awaited	awaited
UW494	121.30	122.00	0.13	0.6
UW494	122.00	123.00	<0.01	0.5
UW494	123.00	124.00	<0.01	0.3
UW494	124.00	125.00	0.01	0.7
UW494	125.00	126.00	<0.01	0.3
UW494	126.00	127.00	<0.01	0.2
UW494	127.00	128.00	<0.01	0.2
UW494	128.00	129.00	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW494	129.00	130.00	<0.01	<0.1
UW494	130.00	131.00	<0.01	0.5
UW494	131.00	132.00	<0.01	0.2
UW494	132.00	133.00	<0.01	0.1
UW494	133.00	134.00	<0.01	0.1
UW494	134.00	134.50	<0.01	0.1
UW494	134.50	135.20	<0.01	0.2
UW494	135.20	136.00	<0.01	0.1
UW494	136.00	137.00	<0.01	0.6
UW494	137.00	138.00	<0.01	0.3
UW494	138.00	139.00	<0.01	0.2
UW494	139.00	140.00	<0.01	0.2
UW494	140.00	141.00	<0.01	0.5
UW494	141.00	142.00	0.01	0.8
UW494	142.00	143.00	<0.01	0.3
UW494	143.00	144.00	<0.01	0.9
UW494	144.00	145.00	<0.01	1.1
UW494	145.00	146.00	<0.01	0.7
UW494	146.00	147.50	<0.01	0.5
UW494	147.50	149.00	<0.01	0.2
UW494	149.00	150.50	<0.01	0.3
UW494	150.50	151.60	<0.01	0.2
UW494	151.60	152.00	<0.01	0.4
UW494	152.00	153.50	<0.01	0.7
UW494	153.50	155.00	<0.01	1.1
UW494	155.00	155.70	<0.01	2.4
UW494	155.70	156.60	0.04	1.7
UW494	156.60	157.50	0.01	4.4
UW494	157.50	159.00	0.03	3.5
UW494	159.00	160.50	0.01	1.5
UW494	160.50	162.00	<0.01	1.1
UW494	162.00	163.50	<0.01	1.3
UW494	163.50	165.00	<0.01	1.5
UW494	165.00	166.50	<0.01	1.1
UW494	166.50	168.00	0.01	0.9
UW494	168.00	168.60	0.07	2.1
UW494	168.60	169.60	0.01	1.5
UW494	169.60	171.00	0.01	1.5
UW494	171.00	172.50	<0.01	0.9
UW494	172.50	174.00	0.01	1.5
UW494	174.00	175.50	0.02	1.8
UW494	175.50	177.00	0.03	1.5
UW494	177.00	178.50	0.01	1.6
UW494	178.50	180.00	0.05	1.9
UW494	180.00	181.50	0.02	1.5
UW494	181.50	183.00	0.04	1.3
UW494	183.00	184.50	0.03	1.0
UW494	184.50	186.00	0.04	2.1
UW494	186.00	187.50	0.04	4.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW494	187.50	189.00	0.16	3.8
UW494	189.00	190.00	16.60	551.0
UW494	190.00	191.20	17.80	132.0
UW494	191.20	192.40	16.10	91.0
UW494	192.40	192.90	3.07	56.6
UW494	192.90	194.30	25.60	218.0
UW494	194.30	195.10	0.78	11.1
UW494	195.10	196.20	11.10	36.3
UW494	196.20	197.80	13.90	60.3
UW494	197.80	198.70	0.09	1.4
UW494	198.70	200.70	6.99	62.8
UW494	200.70	202.30	1.57	6.5
UW494	202.30	203.30	0.57	9.9
UW494	203.30	204.30	0.05	0.9
UW494	204.30	205.20	8.74	187.0
UW494	205.20	205.80	1.06	27.4
UW494	205.80	207.10	0.16	3.2
UW494	207.10	207.70	0.08	1.9
UW494	207.70	209.00	0.26	5.3
UW494	209.00	210.40	0.03	1.2
UW494	210.40	212.30	0.05	3.3
UW494	212.30	212.90	1.85	20.9
UW494	212.90	214.40	0.03	1.4
UW494	214.40	216.00	0.02	0.5
UW494	216.00	216.90	0.09	2.0
UW494	216.90	217.50	0.32	6.0
UW494	217.50	218.90	0.02	0.6
UW494	218.90	220.40	0.02	0.4
UW494	220.40	221.90	0.02	0.5
UW494	221.90	223.80	0.02	1.0
UW494	223.80	225.00	0.03	2.1
UW494	225.00	226.50	0.02	1.9
UW494	226.50	228.00	0.03	2.0
UW494	228.00	229.50	0.03	1.8
UW494	229.50	230.80	0.02	0.7
UW494	230.80	231.20	0.02	0.6
UW494	231.20	232.00	0.02	0.4
UW494	232.00	232.50	0.06	0.9
UW494	232.50	234.00	0.02	0.9
UW494	234.00	235.50	0.01	0.7
UW494	235.50	237.00	<0.01	0.3
UW494	237.00	238.50	0.02	0.4
UW494	238.50	240.00	0.02	0.5
UW494	240.00	241.50	0.04	0.6
UW494	241.50	243.00	0.02	0.8
UW494	243.00	244.50	0.02	0.5
UW494	244.50	246.00	0.02	0.3
UW494	246.00	247.50	0.02	0.4
UW494	247.50	249.00	0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW494	249.00	250.50	0.02	0.3
UW494	250.50	252.00	0.02	0.6
UW494	252.00	253.50	0.01	0.6
UW494	253.50	255.00	0.02	0.2
UW494	255.00	256.50	<0.01	0.3
UW494	256.50	258.00	0.01	0.7
UW494	258.00	259.50	0.03	1.7
UW494	259.50	260.10	0.12	3.6
UW494	260.10	261.50	0.01	1.7
UW494	261.50	263.00	0.03	3.2
UW494	263.00	264.50	0.03	2.0
UW494	264.50	266.00	0.01	2.4
UW494	266.00	266.80	0.02	2.2
UW494	266.80	267.70	0.13	5.7
UW494	267.70	268.40	0.04	2.2
UW494	268.40	269.30	<0.01	1.3
UW494	269.30	270.00	0.05	1.9
UW494	270.00	271.00	0.02	1.3
UW494	271.00	272.00	0.01	2.2
UW494	272.00	272.90	0.02	2.4
UW494	272.90	273.60	0.04	2.4
UW494	273.60	275.00	<0.01	1.9
UW494	275.00	276.50	0.02	2.0
UW494	276.50	277.30	0.01	1.6
UW494	277.30	278.50	0.05	1.5
UW494	278.50	279.00	0.06	3.1
UW494	279.00	280.00	0.02	2.2
UW494	280.00	281.20	0.03	2.1
UW494	281.20	281.80	4.93	8.7
UW494	281.80	283.00	0.03	0.6
UW494	283.00	284.10	0.02	0.4
UW494	284.10	285.30	0.03	1.2
UW494	285.30	286.30	9.35	8.7
UW494	286.30	287.00	0.03	1.6
UW494	287.00	288.00	0.05	0.8
UW494	288.00	289.00	0.11	0.9
UW494	289.00	290.00	0.03	1.1
UW494	290.00	291.00	0.02	0.9
UW494	291.00	292.00	<0.01	0.7
UW494	292.00	293.00	<0.01	0.7
UW494	293.00	293.80	<0.01	1.0
UW494	293.80	294.20	0.06	1.3
UW494	294.20	295.00	0.17	0.7
UW494	295.00	296.00	0.03	2.3
UW494	296.00	297.00	0.12	1.7
UW494	297.00	298.00	0.02	1.1
UW494	298.00	299.00	<0.01	0.8
UW494	299.00	299.80	<0.01	0.6
UW494	299.80	300.30	0.19	16.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW494	300.30	301.00	0.03	0.8
UW494	301.00	302.00	<0.01	0.9
UW494	302.00	303.00	0.23	1.2
UW494	303.00	303.80	0.81	40.4
UW494	303.80	305.00	0.04	2.8
UW494	305.00	306.50	<0.01	1.3
UW494	306.50	308.00	<0.01	0.5
UW494	308.00	309.50	<0.01	0.4
UW494	309.50	310.00	<0.01	1.2
UW494	310.00	310.60	0.05	5.0
UW494	310.60	311.40	0.06	3.5
UW494	311.40	312.00	0.03	1.7
UW494	312.00	312.90	0.03	1.0
UW494	312.90	314.40	0.07	1.6
UW494	314.40	315.90	0.02	1.6
UW494	315.90	317.40	0.06	2.6
UW494	317.40	318.40	0.10	4.9
UW494	318.40	318.80	9.83	608.0
UW494	318.80	320.00	0.03	0.8
UW494	320.00	321.50	<0.01	1.2
UW494	321.50	323.00	<0.01	1.0
UW494	323.00	324.50	0.04	3.3
UW494	324.50	326.00	<0.01	2.7
UW494	326.00	326.80	<0.01	3.3
UW494	326.80	327.50	0.01	2.2
UW494	327.50	328.60	0.02	2.5
UW494	328.60	329.35	<0.01	2.4
UW494	329.35	330.50	<0.01	1.5
UW494	330.50	332.00	<0.01	1.3
UW494	332.00	335.20	0.02	2.4
UW496	0.00	1.00	0.02	0.2
UW496	1.00	1.70	0.03	0.2
UW496	1.70	2.40	0.03	0.2
UW496	2.40	3.00	0.01	0.1
UW496	3.00	4.20	0.02	0.2
UW496	4.20	4.80	0.03	<0.1
UW496	4.80	6.00	0.02	0.2
UW496	6.00	7.00	0.02	0.1
UW496	7.00	8.00	0.02	<0.1
UW496	8.00	9.00	0.03	<0.1
UW496	9.00	10.00	0.02	0.2
UW496	10.00	11.00	0.04	0.1
UW496	11.00	12.00	0.02	0.2
UW496	12.00	13.00	0.03	0.1
UW496	13.00	14.40	0.03	<0.1
UW496	14.40	15.00	0.03	0.1
UW496	15.00	16.20	0.03	0.1
UW496	16.20	16.80	0.03	0.2
UW496	16.80	18.00	0.02	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	18.00	19.00	0.01	0.2
UW496	19.00	19.50	0.02	0.2
UW496	19.50	20.00	0.37	2.4
UW496	20.00	21.00	0.04	0.4
UW496	21.00	22.00	0.02	0.2
UW496	22.00	23.20	0.02	0.3
UW496	23.20	24.00	0.03	0.2
UW496	24.00	25.00	0.01	0.9
UW496	25.00	26.00	0.02	0.4
UW496	26.00	27.00	0.02	0.3
UW496	27.00	27.40	0.02	0.2
UW496	27.40	28.00	0.06	0.2
UW496	28.00	29.40	0.02	0.2
UW496	29.40	30.60	0.01	0.6
UW496	30.60	31.80	0.01	0.3
UW496	31.80	33.00	0.03	0.2
UW496	33.00	34.00	0.02	0.1
UW496	34.00	35.00	0.15	0.1
UW496	35.00	36.00	0.13	0.1
UW496	36.00	37.00	0.01	<0.1
UW496	37.00	37.80	<0.01	<0.1
UW496	37.80	39.00	0.02	1.0
UW496	39.00	40.00	0.04	0.6
UW496	40.00	41.00	0.03	0.8
UW496	41.00	42.20	0.02	1.2
UW496	42.20	43.40	0.02	3.5
UW496	43.40	43.90	0.02	2.2
UW496	43.90	45.00	0.02	0.9
UW496	45.00	46.00	0.05	0.8
UW496	46.00	47.00	0.02	0.6
UW496	47.00	48.00	0.03	4.0
UW496	48.00	49.00	0.01	0.8
UW496	49.00	50.00	0.02	0.3
UW496	50.00	51.00	0.02	2.5
UW496	51.00	52.00	0.03	0.5
UW496	52.00	53.00	0.03	1.3
UW496	53.00	54.00	0.03	0.5
UW496	54.00	55.00	0.03	0.3
UW496	55.00	56.00	0.04	0.2
UW496	56.00	57.00	0.03	0.8
UW496	57.00	58.00	0.03	0.7
UW496	58.00	59.20	0.03	1.3
UW496	59.20	60.00	0.03	0.5
UW496	60.00	60.70	0.04	0.4
UW496	60.70	61.00	0.05	1.1
UW496	61.00	62.00	0.03	1.2
UW496	62.00	63.00	0.03	1.2
UW496	63.00	64.10	0.02	1.0
UW496	64.10	65.00	0.02	0.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	65.00	66.10	0.02	1.5
UW496	66.10	66.70	0.03	0.7
UW496	66.70	68.00	0.03	2.0
UW496	68.00	69.00	0.04	1.4
UW496	69.00	69.70	0.06	1.0
UW496	69.70	70.60	0.05	0.7
UW496	70.60	71.20	0.03	1.7
UW496	71.20	72.50	0.04	1.0
UW496	72.50	73.00	0.03	1.8
UW496	73.00	74.00	0.03	1.2
UW496	74.00	75.00	0.05	1.7
UW496	75.00	75.50	0.08	1.5
UW496	75.50	76.00	0.23	4.0
UW496	76.00	76.90	0.13	1.2
UW496	76.90	78.00	0.03	1.5
UW496	78.00	79.00	0.03	1.2
UW496	79.00	80.00	0.02	0.8
UW496	80.00	80.90	0.02	0.5
UW496	80.90	81.80	0.07	1.1
UW496	81.80	82.10	0.09	4.0
UW496	82.10	83.00	0.07	2.7
UW496	83.00	84.00	0.07	2.1
UW496	84.00	85.00	0.08	2.7
UW496	85.00	86.00	0.09	7.6
UW496	86.00	87.00	0.06	1.0
UW496	87.00	88.00	0.02	0.6
UW496	88.00	89.00	0.01	0.8
UW496	89.00	90.30	0.02	0.5
UW496	90.30	91.45	0.01	0.7
UW496	91.45	92.00	0.02	0.6
UW496	92.00	93.00	0.03	0.3
UW496	93.00	94.00	0.02	0.2
UW496	94.00	95.00	0.02	0.5
UW496	95.00	96.00	0.02	0.3
UW496	96.00	97.00	0.02	0.4
UW496	97.00	98.00	0.01	0.3
UW496	98.00	99.00	<0.01	0.4
UW496	100.70	101.90	0.01	0.3
UW496	101.90	102.40	<0.01	0.4
UW496	103.30	103.60	<0.01	0.8
UW496	103.60	104.80	<0.01	1.2
UW496	113.40	113.90	0.01	0.6
UW496	113.90	115.00	0.02	0.6
UW496	115.80	117.00	0.11	4.2
UW496	117.00	117.30	0.14	3.8
UW496	117.30	118.00	0.09	1.3
UW496	124.50	125.00	<0.01	0.2
UW496	126.80	128.00	<0.01	0.1
UW496	128.00	129.00	0.07	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	130.40	131.40	<0.01	<0.1
UW496	131.40	132.00	<0.01	<0.1
UW496	132.00	133.00	0.01	<0.1
UW496	135.40	136.40	<0.01	<0.1
UW496	138.00	139.30	<0.01	<0.1
UW496	139.30	140.40	<0.01	<0.1
UW496	140.40	141.50	<0.01	<0.1
UW496	141.50	142.40	<0.01	<0.1
UW496	142.40	143.50	<0.01	<0.1
UW496	143.50	144.50	<0.01	<0.1
UW496	144.50	145.50	<0.01	<0.1
UW496	145.50	146.70	<0.01	0.1
UW496	146.70	147.90	0.01	0.1
UW496	147.90	148.80	<0.01	0.1
UW496	152.00	153.30	0.01	<0.1
UW496	153.30	153.90	<0.01	<0.1
UW496	153.90	154.50	<0.01	<0.1
UW496	154.50	155.00	<0.01	<0.1
UW496	155.00	156.00	<0.01	<0.1
UW496	157.00	158.10	0.01	0.2
UW496	158.10	158.70	0.01	0.1
UW496	158.70	159.70	<0.01	0.1
UW496	160.40	161.00	0.01	<0.1
UW496	161.00	161.90	0.01	0.1
UW496	161.90	163.00	<0.01	<0.1
UW496	164.70	165.70	<0.01	0.2
UW496	165.70	166.90	<0.01	0.1
UW496	166.90	168.00	<0.01	<0.1
UW496	168.00	168.90	<0.01	0.4
UW496	168.90	169.70	0.01	0.2
UW496	172.00	173.00	<0.01	0.1
UW496	173.70	174.40	<0.01	<0.1
UW496	178.30	178.60	<0.01	<0.1
UW496	178.60	179.00	<0.01	<0.1
UW496	181.90	183.00	<0.01	<0.1
UW496	183.00	184.00	0.01	<0.1
UW496	184.00	185.00	<0.01	<0.1
UW496	185.00	185.70	<0.01	<0.1
UW496	185.70	186.70	<0.01	<0.1
UW496	188.30	189.20	<0.01	<0.1
UW496	189.20	190.00	<0.01	<0.1
UW496	190.00	191.00	<0.01	<0.1
UW496	191.00	192.00	<0.01	0.3
UW496	192.00	192.60	<0.01	0.5
UW496	192.60	193.80	0.03	0.2
UW496	197.40	198.60	<0.01	0.4
UW496	198.60	199.20	0.02	0.2
UW496	199.20	200.40	0.01	0.1
UW496	200.40	201.50	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	201.50	202.50	<0.01	<0.1
UW496	202.50	203.00	<0.01	<0.1
UW496	203.00	204.00	<0.01	<0.1
UW496	204.00	205.00	<0.01	<0.1
UW496	205.00	206.00	<0.01	<0.1
UW496	206.00	207.00	<0.01	<0.1
UW496	207.00	208.00	<0.01	<0.1
UW496	208.00	209.00	<0.01	<0.1
UW496	209.00	210.00	<0.01	<0.1
UW496	210.00	211.20	<0.01	<0.1
UW496	211.20	212.40	<0.01	<0.1
UW496	215.40	216.10	<0.01	<0.1
UW496	216.10	217.00	<0.01	<0.1
UW496	217.00	218.00	<0.01	0.3
UW496	218.00	219.00	<0.01	<0.1
UW496	219.00	219.90	<0.01	<0.1
UW496	219.90	220.30	<0.01	<0.1
UW496	220.30	221.40	<0.01	<0.1
UW496	221.40	222.00	<0.01	<0.1
UW496	222.00	223.00	<0.01	<0.1
UW496	223.00	224.00	<0.01	<0.1
UW496	224.00	225.00	<0.01	<0.1
UW496	225.00	226.00	<0.01	<0.1
UW496	226.00	227.00	<0.01	<0.1
UW496	229.20	230.40	<0.01	<0.1
UW496	234.50	235.50	<0.01	<0.1
UW496	235.50	236.20	<0.01	0.1
UW496	238.50	239.40	<0.01	<0.1
UW496	239.40	240.00	<0.01	<0.1
UW496	240.00	240.50	<0.01	<0.1
UW496	242.00	243.00	<0.01	<0.1
UW496	243.00	244.10	<0.01	<0.1
UW496	244.10	244.80	<0.01	<0.1
UW496	244.80	246.00	<0.01	<0.1
UW496	248.00	249.00	<0.01	<0.1
UW496	255.30	256.30	<0.01	<0.1
UW496	256.30	257.20	<0.01	<0.1
UW496	257.20	258.10	<0.01	<0.1
UW496	258.10	259.00	<0.01	<0.1
UW496	262.90	263.70	<0.01	<0.1
UW496	273.90	275.00	<0.01	<0.1
UW496	276.80	278.00	<0.01	<0.1
UW496	286.90	288.00	<0.01	<0.1
UW496	288.00	289.00	0.02	0.2
UW496	289.00	290.20	<0.01	0.1
UW496	290.20	291.00	<0.01	<0.1
UW496	291.00	292.00	0.02	<0.1
UW496	292.00	293.00	0.01	<0.1
UW496	293.00	294.10	0.01	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	294.10	295.30	<0.01	0.1
UW496	295.30	296.40	<0.01	0.1
UW496	296.40	297.30	<0.01	0.3
UW496	297.30	298.20	0.04	0.1
UW496	298.20	299.20	<0.01	<0.1
UW496	299.20	300.20	<0.01	<0.1
UW496	300.20	301.20	0.02	0.2
UW496	303.00	304.00	<0.01	0.3
UW496	304.00	304.90	<0.01	0.2
UW496	308.40	309.00	0.02	0.2
UW496	309.00	309.90	0.02	<0.1
UW496	309.90	310.40	0.02	<0.1
UW496	311.30	312.00	0.01	0.1
UW496	313.90	315.00	0.01	0.2
UW496	315.00	316.00	<0.01	<0.1
UW496	316.00	317.00	<0.01	<0.1
UW496	317.00	318.00	<0.01	<0.1
UW496	318.00	318.60	<0.01	<0.1
UW496	321.00	321.90	0.02	<0.1
UW496	321.90	323.00	0.02	<0.1
UW496	323.00	324.00	0.01	0.1
UW496	324.00	325.00	0.02	<0.1
UW496	328.50	329.20	0.02	<0.1
UW496	333.00	333.90	<0.01	<0.1
UW496	336.90	337.40	<0.01	<0.1
UW496	345.00	346.00	<0.01	<0.1
UW496	346.00	347.00	0.03	0.2
UW496	347.00	348.20	<0.01	0.1
UW496	348.20	349.00	<0.01	<0.1
UW496	349.00	350.00	<0.01	<0.1
UW496	350.00	351.20	<0.01	<0.1
UW496	351.20	351.70	<0.01	<0.1
UW496	351.70	352.90	<0.01	<0.1
UW496	352.90	354.00	<0.01	<0.1
UW496	357.00	358.00	0.09	<0.1
UW496	362.00	363.00	<0.01	<0.1
UW496	363.00	364.00	0.03	<0.1
UW496	364.00	365.00	0.05	<0.1
UW496	365.00	366.00	0.12	<0.1
UW496	366.00	367.00	<0.01	<0.1
UW496	367.00	368.00	<0.01	<0.1
UW496	370.00	371.00	<0.01	<0.1
UW496	371.00	372.00	<0.01	<0.1
UW496	378.90	379.70	<0.01	<0.1
UW496	382.00	382.60	0.01	0.1
UW496	389.40	389.90	0.01	0.1
UW496	389.90	390.90	0.01	<0.1
UW496	390.90	392.00	0.01	0.1
UW496	392.00	393.00	0.04	0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	393.00	394.00	0.02	0.4
UW496	396.40	397.50	0.01	0.6
UW496	397.50	398.00	<0.01	0.3
UW496	398.00	399.00	0.01	0.2
UW496	399.00	399.90	0.01	0.2
UW496	399.90	401.00	0.01	0.4
UW496	401.00	402.00	0.01	0.3
UW496	402.00	403.20	0.01	0.4
UW496	414.20	415.00	<0.01	0.1
UW496	415.00	416.00	<0.01	0.2
UW496	416.00	416.50	<0.01	0.2
UW496	416.50	417.50	<0.01	0.1
UW496	417.50	418.30	<0.01	0.1
UW496	418.30	419.10	<0.01	0.2
UW496	419.10	420.00	0.01	0.1
UW496	422.70	423.90	<0.01	0.2
UW496	423.90	425.00	<0.01	<0.1
UW496	425.00	426.00	<0.01	0.2
UW496	426.00	426.60	<0.01	0.4
UW496	426.60	427.40	0.01	0.4
UW496	427.40	428.20	<0.01	0.7
UW496	428.20	428.90	<0.01	0.3
UW496	428.90	430.60	<0.01	0.3
UW496	430.60	431.00	<0.01	0.3
UW496	431.00	432.00	<0.01	0.2
UW496	432.00	433.00	0.01	0.3
UW496	435.20	435.70	<0.01	0.1
UW496	438.90	439.60	0.01	0.2
UW496	440.10	441.00	0.02	0.2
UW496	441.00	441.70	0.02	0.3
UW496	441.70	442.40	0.02	0.2
UW496	442.40	443.40	0.02	0.3
UW496	443.40	444.40	0.01	0.2
UW496	444.40	445.40	0.01	0.3
UW496	445.40	446.20	0.02	0.1
UW496	446.20	447.00	0.01	0.3
UW496	447.00	448.00	0.01	0.2
UW496	448.00	448.40	<0.01	0.3
UW496	448.40	449.10	0.02	0.2
UW496	449.10	449.90	<0.01	0.3
UW496	449.90	451.00	0.02	<0.1
UW496	451.00	451.70	<0.01	<0.1
UW496	451.70	452.40	<0.01	<0.1
UW496	452.40	453.40	<0.01	<0.1
UW496	453.40	454.40	<0.01	<0.1
UW496	454.40	455.40	<0.01	<0.1
UW496	455.40	456.50	0.01	<0.1
UW496	456.50	457.40	<0.01	<0.1
UW496	457.40	458.30	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	458.30	459.00	<0.01	<0.1
UW496	459.00	460.00	0.01	<0.1
UW496	460.00	461.00	<0.01	<0.1
UW496	461.00	462.00	<0.01	<0.1
UW496	462.00	463.00	0.01	<0.1
UW496	463.00	464.40	0.01	<0.1
UW496	464.40	465.00	<0.01	<0.1
UW496	465.00	466.00	<0.01	<0.1
UW496	466.00	466.80	<0.01	<0.1
UW496	466.80	468.00	<0.01	<0.1
UW496	468.00	468.90	<0.01	<0.1
UW496	468.90	469.90	<0.01	<0.1
UW496	469.90	470.40	<0.01	<0.1
UW496	470.40	471.20	0.01	<0.1
UW496	471.20	472.00	0.01	<0.1
UW496	472.00	473.00	<0.01	<0.1
UW496	473.00	474.00	<0.01	<0.1
UW496	474.00	475.00	0.01	<0.1
UW496	475.00	476.00	<0.01	<0.1
UW496	476.00	476.80	0.01	0.3
UW496	476.80	477.80	0.01	<0.1
UW496	477.80	478.60	0.01	<0.1
UW496	478.60	479.30	0.01	<0.1
UW496	479.30	480.20	0.01	0.1
UW496	480.20	481.00	0.01	0.4
UW496	481.00	482.00	<0.01	<0.1
UW496	482.00	483.30	<0.01	<0.1
UW496	483.30	484.50	<0.01	<0.1
UW496	484.50	485.60	<0.01	<0.1
UW496	485.60	486.30	<0.01	<0.1
UW496	486.30	487.00	<0.01	<0.1
UW496	487.00	488.00	<0.01	<0.1
UW496	488.00	489.00	<0.01	<0.1
UW496	489.00	490.00	<0.01	<0.1
UW496	490.00	491.20	<0.01	<0.1
UW496	491.20	491.70	<0.01	<0.1
UW496	491.70	492.40	<0.01	<0.1
UW496	492.40	493.40	<0.01	<0.1
UW496	493.40	494.60	<0.01	<0.1
UW496	494.60	495.60	<0.01	0.1
UW496	495.60	496.70	<0.01	<0.1
UW496	496.70	497.80	<0.01	<0.1
UW496	497.80	499.00	<0.01	<0.1
UW496	499.00	500.20	<0.01	<0.1
UW496	500.20	501.00	<0.01	<0.1
UW496	501.00	502.00	<0.01	<0.1
UW496	502.00	503.30	<0.01	<0.1
UW496	503.30	504.10	<0.01	<0.1
UW496	504.10	505.30	<0.01	0.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	505.30	506.00	<0.01	0.1
UW496	506.00	507.00	<0.01	<0.1
UW496	507.00	508.20	<0.01	<0.1
UW496	508.20	509.00	<0.01	<0.1
UW496	509.00	510.00	<0.01	0.4
UW496	510.00	511.00	<0.01	0.1
UW496	511.00	512.00	<0.01	<0.1
UW496	512.00	513.00	<0.01	<0.1
UW496	513.00	514.00	<0.01	<0.1
UW496	514.00	515.00	<0.01	<0.1
UW496	515.00	516.00	<0.01	<0.1
UW496	516.00	517.20	<0.01	<0.1
UW496	517.20	518.10	0.18	<0.1
UW496	518.10	519.00	0.01	<0.1
UW496	519.00	519.90	<0.01	<0.1
UW496	519.90	521.00	<0.01	0.7
UW496	521.00	521.60	<0.01	0.1
UW496	521.60	522.90	0.01	<0.1
UW496	522.90	524.00	0.01	<0.1
UW496	524.00	525.00	0.01	<0.1
UW496	525.00	526.00	0.01	<0.1
UW496	526.00	527.00	<0.01	0.4
UW496	527.00	528.00	<0.01	0.1
UW496	528.00	529.10	0.01	<0.1
UW496	529.10	530.30	<0.01	<0.1
UW496	530.30	531.00	<0.01	<0.1
UW496	531.00	531.70	0.01	<0.1
UW496	531.70	533.00	0.02	<0.1
UW496	533.00	533.80	<0.01	<0.1
UW496	533.80	535.10	<0.01	<0.1
UW496	535.10	536.00	<0.01	<0.1
UW496	536.00	537.20	<0.01	<0.1
UW496	537.20	538.40	<0.01	0.6
UW496	538.40	539.30	<0.01	0.2
UW496	539.30	540.00	<0.01	<0.1
UW496	540.00	541.00	<0.01	<0.1
UW496	541.00	542.00	<0.01	<0.1
UW496	542.00	543.00	<0.01	0.1
UW496	543.00	544.00	<0.01	0.4
UW496	544.00	545.00	<0.01	0.1
UW496	550.00	551.00	<0.01	<0.1
UW496	551.00	551.80	<0.01	<0.1
UW496	551.80	552.60	<0.01	0.4
UW496	552.60	553.60	<0.01	<0.1
UW496	553.60	554.60	<0.01	<0.1
UW496	562.00	563.20	<0.01	<0.1
UW496	563.20	564.40	<0.01	<0.1
UW496	564.40	565.00	<0.01	<0.1
UW496	565.00	565.50	0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	565.50	566.60	<0.01	<0.1
UW496	566.60	567.80	<0.01	0.7
UW496	567.80	569.00	<0.01	0.2
UW496	569.00	570.20	<0.01	<0.1
UW496	570.20	571.40	<0.01	<0.1
UW496	571.40	572.30	<0.01	<0.1
UW496	572.30	573.00	<0.01	0.5
UW496	573.00	573.60	<0.01	0.1
UW496	573.60	574.80	<0.01	<0.1
UW496	579.00	580.00	<0.01	<0.1
UW496	584.30	585.50	<0.01	<0.1
UW496	585.50	586.60	<0.01	<0.1
UW496	586.60	587.00	<0.01	<0.1
UW496	587.00	588.00	<0.01	<0.1
UW496	588.00	589.00	0.05	<0.1
UW496	593.00	594.00	0.02	<0.1
UW496	594.00	595.00	<0.01	<0.1
UW496	595.00	596.00	<0.01	<0.1
UW496	596.00	596.90	0.02	<0.1
UW496	596.90	598.00	<0.01	<0.1
UW496	603.00	604.00	<0.01	<0.1
UW496	604.00	605.90	<0.01	<0.1
UW496	605.90	606.50	<0.01	<0.1
UW496	614.30	615.00	0.02	<0.1
UW496	615.00	615.80	<0.01	0.2
UW496	615.80	616.30	<0.01	0.1
UW496	616.30	617.30	<0.01	<0.1
UW496	624.00	625.00	0.01	<0.1
UW496	629.70	630.90	<0.01	<0.1
UW496	630.90	632.00	<0.01	<0.1
UW496	635.30	636.30	<0.01	<0.1
UW496	636.30	637.30	<0.01	<0.1
UW496	637.30	638.30	<0.01	<0.1
UW496	638.30	639.00	<0.01	<0.1
UW496	639.00	639.80	<0.01	<0.1
UW496	639.80	640.30	<0.01	<0.1
UW496	640.30	641.30	<0.01	<0.1
UW496	644.60	645.00	0.01	<0.1
UW496	649.00	649.80	<0.01	<0.1
UW496	656.00	657.00	<0.01	<0.1
UW496	657.00	658.00	<0.01	<0.1
UW496	658.00	659.00	<0.01	0.1
UW496	659.00	660.00	<0.01	<0.1
UW496	660.00	660.70	<0.01	0.1
UW496	664.60	665.20	<0.01	<0.1
UW496	665.20	666.30	<0.01	<0.1
UW496	666.30	666.60	<0.01	<0.1
UW496	666.60	667.30	0.02	<0.1
UW496	667.30	668.90	<0.01	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW496	668.90	669.70	<0.01	<0.1
UW496	669.70	670.30	<0.01	<0.1
UW496	670.30	671.30	<0.01	<0.1
UW496	671.30	671.80	<0.01	<0.1
UW496	671.80	673.00	<0.01	0.4
UW496	673.00	674.00	<0.01	<0.1
UW496	674.00	675.00	<0.01	<0.1
UW496	675.00	676.00	<0.01	<0.1
UW496	676.00	677.00	<0.01	0.3
UW496	677.00	677.90	<0.01	<0.1
UW496	677.90	679.10	<0.01	<0.1
UW496	680.00	681.00	0.01	<0.1
UW496	685.00	686.00	<0.01	<0.1
UW496	686.00	686.80	<0.01	<0.1
UW496	686.80	687.20	<0.01	<0.1
UW496	687.20	688.20	<0.01	<0.1
UW496	688.20	689.10	<0.01	0.1
UW496	689.10	690.20	0.01	<0.1
UW496	690.20	691.30	<0.01	<0.1
UW496	691.30	692.60	<0.01	<0.1
UW496	692.60	694.00	<0.01	<0.1
UW496	694.00	695.00	<0.01	<0.1
UW496	695.00	696.00	<0.01	<0.1
UW496	699.60	700.60	<0.01	0.6
UW496	701.90	703.40	<0.01	0.1
UW496	703.40	704.00	<0.01	0.4
UW496	708.90	709.60	<0.01	0.1
UW496	709.60	711.00	<0.01	0.1
UW496	711.00	712.00	<0.01	<0.1
UW496	713.80	715.00	<0.01	<0.1
UW496	715.00	716.00	<0.01	<0.1
UW496	716.00	716.90	<0.01	<0.1
UW496	716.90	718.00	<0.01	0.2
UW496	718.00	718.90	0.01	0.1
UW496	718.90	720.20	<0.01	<0.1
UW496	720.20	721.60	<0.01	<0.1
UW496	721.60	722.50	<0.01	<0.1
UW496	722.50	723.50	<0.01	<0.1
UW496	723.50	724.50	<0.01	<0.1
UW496	724.50	725.50	<0.01	<0.1
UW496	725.50	726.60	<0.01	<0.1
UW499	3.50	4.30	0.45	<0.1
UW499	4.30	4.80	0.12	<0.1
UW499	4.80	5.90	0.08	<0.1
UW499	5.90	7.20	0.08	<0.1
UW499	7.20	8.00	0.04	<0.1
UW499	8.00	8.80	0.02	<0.1
UW499	8.80	9.55	0.02	<0.1
UW499	9.55	10.30	0.02	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW499	10.30	11.80	0.06	0.1
UW499	11.80	13.30	0.01	<0.1
UW499	13.30	15.10	0.01	<0.1
UW499	15.10	15.80	<0.01	<0.1
UW499	15.80	16.70	0.02	<0.1
UW499	16.70	17.40	0.04	<0.1
UW499	17.40	18.40	0.04	<0.1
UW499	18.40	19.40	0.02	<0.1
UW499	19.40	19.90	<0.01	<0.1
UW499	19.90	20.60	0.02	<0.1
UW499	20.60	21.00	0.04	<0.1
UW499	21.00	22.00	0.03	<0.1
UW499	22.00	23.00	0.02	<0.1
UW499	23.00	24.00	0.01	<0.1
UW499	24.00	25.00	0.03	<0.1
UW499	25.00	26.00	0.03	0.1
UW499	26.00	27.00	0.02	<0.1
UW499	27.00	28.00	0.06	<0.1
UW499	28.00	29.00	0.03	<0.1
UW499	29.00	30.00	0.02	<0.1
UW499	30.00	31.00	0.02	<0.1
UW499	31.00	32.10	0.08	<0.1
UW499	32.10	33.10	0.04	<0.1
UW499	33.10	33.90	<0.01	<0.1
UW499	33.90	34.60	0.04	0.2
UW499	34.60	35.30	0.09	0.2
UW499	35.30	36.00	0.09	0.1
UW499	36.00	36.40	0.22	0.7
UW499	36.40	37.30	0.17	0.4
UW499	37.30	38.80	0.17	0.3
UW499	38.80	39.90	0.15	0.6
UW499	39.90	40.90	0.93	2.0
UW499	40.90	41.65	0.19	0.3
UW499	41.65	42.40	0.14	0.6
UW499	42.40	43.30	0.18	1.0
UW499	43.30	44.80	0.11	0.4
UW499	44.80	45.55	0.09	0.2
UW499	45.55	46.30	0.11	0.4
UW499	46.30	47.80	0.20	0.3
UW499	47.80	48.80	0.16	0.4
UW499	48.80	49.30	0.17	0.6
UW499	49.30	50.80	0.12	0.3
UW499	50.80	52.00	0.44	0.6
UW499	52.00	52.50	0.14	0.8
UW499	55.30	55.60	0.10	0.5
UW499	55.60	56.00	0.09	0.4
UW499	56.00	56.55	0.05	2.6
UW499	56.55	57.60	0.27	2.4
UW499	57.60	58.10	0.55	13.3

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW499	58.10	58.80	0.16	8.6
UW499	58.80	59.70	0.22	1.4
UW499	59.70	60.60	1.55	3.1
UW499	60.60	61.30	2.92	2.3
UW499	61.30	62.10	7.46	10.8
UW499	62.10	62.70	1.07	2.9
UW499	62.70	63.50	2.15	9.3
UW499	63.50	64.20	0.87	2.6
UW499	64.20	65.10	0.41	2.9
UW499	65.10	66.10	0.13	2.7
UW499	66.10	67.00	0.10	0.5
UW499	67.00	68.00	0.10	0.3
UW499	68.00	69.00	0.19	2.1
UW499	69.00	69.85	0.68	1.6
UW499	69.85	70.60	0.08	2.0
UW499	70.60	71.55	0.06	4.0
UW499	71.55	72.40	0.02	4.2
UW499	72.40	73.15	0.96	2.6
UW499	73.15	74.10	0.85	2.3
UW499	74.10	75.00	0.05	3.4
UW499	75.00	76.00	0.10	3.0
UW499	76.00	77.00	0.17	1.3
UW499	77.00	77.80	0.18	1.1
UW499	77.80	79.10	0.17	1.6
UW499	79.10	80.10	0.25	1.3
UW499	80.10	81.20	0.37	1.9
UW499	81.20	82.30	0.09	1.5
UW499	82.30	83.40	0.08	1.1
UW499	83.40	84.50	0.19	1.8
UW499	84.50	85.50	0.01	6.4
UW499	85.50	86.50	0.05	4.6
UW499	86.50	87.00	0.04	6.0
UW499	87.00	87.40	0.62	1.1
UW499	87.40	88.50	2.38	2.2
UW499	88.50	89.10	1.76	1.7
UW499	89.10	89.60	0.28	1.0
UW499	89.60	90.60	3.35	2.1
UW499	90.60	91.10	17.30	7.7
UW499	92.00	93.60	0.16	2.1
UW499	93.60	94.80	0.27	3.5
UW499	94.80	95.70	0.03	0.7
UW499	95.70	96.70	0.23	1.3
UW499	96.70	97.20	0.08	0.9
UW499	97.50	98.10	0.25	1.5
UW499	98.10	99.30	0.45	2.6
UW499	99.30	100.40	0.32	1.1
UW499	100.40	101.60	0.54	4.3
UW499	101.60	102.40	0.47	3.5
UW499	102.40	103.40	0.43	4.9

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW499	103.40	105.00	0.17	0.9
UW499	105.00	105.60	0.88	3.6
UW499	105.60	106.40	1.56	3.6
UW499	106.40	107.10	0.95	7.7
UW499	107.10	107.75	0.30	2.8
UW499	107.75	109.00	2.71	23.1
UW499	109.00	109.60	0.35	3.6
UW499	109.60	110.60	1.40	6.5
UW499	110.60	111.50	0.36	3.1
UW499	111.50	112.50	0.45	2.6
UW499	112.50	113.50	0.14	1.1
UW499	113.50	114.50	0.21	1.2
UW499	114.50	115.50	0.06	1.3
UW499	115.50	116.50	0.08	1.8
UW499	116.50	117.50	2.72	2.9
UW499	117.50	118.50	2.80	2.3
UW499	118.50	119.60	3.25	4.0
UW499	119.60	120.30	0.02	1.2
UW499	120.30	121.00	0.17	2.3
UW499	121.00	122.00	0.13	2.1
UW499	122.00	123.00	0.05	1.2
UW499	123.00	124.00	0.10	3.9
UW499	124.00	125.00	0.06	1.4
UW499	125.00	126.00	0.12	0.9
UW499	126.00	127.00	0.13	0.7
UW499	127.00	128.00	0.11	0.6
UW499	128.00	128.90	0.10	0.4
UW500	0.00	1.50	0.02	0.1
UW500	1.50	3.00	0.05	0.2
UW500	3.00	4.00	0.31	1.8
UW500	4.00	5.10	0.16	0.2
UW500	5.10	6.50	0.10	0.5
UW500	6.50	6.90	0.18	0.2
UW500	6.90	7.80	0.32	0.1
UW500	7.80	8.30	0.22	0.2
UW500	8.30	9.70	0.47	<0.1
UW500	9.70	10.60	0.07	0.3
UW500	10.60	12.10	0.02	0.5
UW500	12.10	13.10	<0.01	0.3
UW500	13.10	14.10	0.02	0.2
UW500	14.10	14.70	<0.01	<0.1
UW500	14.70	15.70	0.03	0.2
UW500	15.70	16.70	0.06	0.5
UW500	16.70	17.70	0.06	0.8
UW500	17.70	18.80	0.04	0.4
UW500	18.80	19.90	0.03	0.2
UW500	19.90	21.00	0.01	0.1
UW500	21.00	21.80	0.01	0.1
UW500	21.80	22.80	<0.01	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW500	22.80	23.80	<0.01	0.3
UW500	23.80	24.80	<0.01	0.3
UW500	24.80	26.00	<0.01	0.3
UW500	26.00	26.90	<0.01	0.4
UW500	26.90	27.70	0.02	3.9
UW500	27.70	28.40	0.03	0.8
UW500	28.40	29.90	0.08	0.2
UW500	29.90	30.70	0.11	0.1
UW500	30.70	31.40	0.04	<0.1
UW500	32.50	33.10	0.01	<0.1
UW500	33.10	34.10	0.02	0.1
UW500	34.10	35.10	0.04	<0.1
UW500	35.10	36.10	0.04	0.1
UW500	36.10	37.10	0.03	<0.1
UW500	37.10	38.50	0.05	0.1
UW500	38.50	39.50	0.05	0.1
UW500	39.50	40.20	0.09	0.2
UW500	40.20	41.00	0.31	0.8
UW500	41.00	42.10	0.03	0.2
UW500	42.10	43.20	0.02	0.2
UW500	43.20	44.20	0.06	0.3
UW500	44.20	45.30	0.06	0.4
UW500	45.30	45.80	0.07	0.6
UW500	45.80	46.40	0.03	0.3
UW500	46.40	47.20	0.06	0.4
UW500	47.20	48.00	0.06	0.8
UW500	48.00	49.00	0.05	1.1
UW500	49.00	50.00	0.08	0.7
UW500	50.00	51.00	0.04	0.3
UW500	51.00	51.90	0.05	0.3
UW500	51.90	53.20	0.10	1.2
UW500	53.20	53.90	0.46	3.0
UW500	53.90	55.20	0.08	1.0
UW500	55.20	55.80	0.07	1.2
UW500	55.80	56.40	0.07	2.0
UW500	56.40	57.40	0.08	0.9
UW500	57.40	58.40	0.06	1.1
UW500	58.40	59.40	0.09	0.8
UW500	59.40	60.40	0.05	1.0
UW500	60.40	61.40	0.06	1.2
UW500	61.40	62.40	0.05	1.3
UW500	62.40	63.40	0.06	1.3
UW500	63.40	64.40	0.11	1.0
UW500	64.40	65.20	0.09	0.9
UW500	65.20	65.90	0.26	1.5
UW500	65.90	66.90	0.08	0.4
UW500	66.90	68.00	0.09	0.6
UW500	68.00	68.80	0.13	0.8
UW500	68.80	69.40	0.55	2.5

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW500	69.40	70.40	0.18	1.5
UW500	70.40	71.00	0.27	0.9
UW500	71.00	71.80	0.11	0.5
UW500	71.80	72.50	0.12	1.1
UW500	72.50	72.80	0.07	0.8
UW500	72.80	74.00	0.06	0.6
UW500	74.00	75.00	0.06	0.9
UW500	75.00	76.20	0.05	0.8
UW500	76.20	77.40	0.04	0.8
UW500	77.40	78.80	0.13	0.6
UW500	78.80	79.80	0.30	0.7
UW500	79.80	80.90	0.14	0.4
UW500	80.90	82.00	0.07	0.5
UW500	82.00	83.00	0.06	0.7
UW500	83.00	84.00	0.10	0.4
UW500	84.00	85.00	0.10	0.8
UW500	85.00	86.00	0.06	1.2
UW500	86.00	86.90	0.08	1.3
UW500	86.90	88.00	0.15	2.1
UW500	88.00	89.00	0.32	2.0
UW500	89.00	89.60	0.45	2.9
UW500	89.60	90.30	0.23	1.2
UW500	90.30	91.40	0.29	1.1
UW500	91.90	93.10	0.33	1.8
UW500	93.10	93.80	1.39	4.4
UW500	93.80	94.90	1.27	8.1
UW500	94.90	95.50	0.54	2.6
UW500	95.50	96.30	0.24	5.8
UW500	96.30	97.10	0.84	3.6
UW500	97.10	98.50	0.09	1.5
UW500	98.50	98.90	0.43	2.1
UW500	98.90	99.80	0.10	2.6
UW500	99.80	100.20	0.04	1.1
UW500	100.20	101.00	0.07	1.4
UW500	101.00	101.90	0.54	2.6
UW500	101.90	102.60	0.08	1.4
UW500	102.60	103.40	0.09	1.3
UW500	103.40	104.40	0.11	1.4
UW500	104.40	105.40	0.16	1.9
UW500	105.40	106.40	0.07	1.5
UW500	106.40	107.40	0.10	1.6
UW500	107.40	108.10	0.14	1.0
UW500	108.10	109.00	0.65	1.7
UW500	109.00	109.70	0.13	1.2
UW500	109.70	110.90	0.26	2.9
UW500	110.90	111.80	0.43	1.8
UW500	111.80	112.80	0.60	2.5
UW500	112.80	113.60	0.27	2.6
UW500	113.60	114.60	0.56	0.8

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW500	114.60	115.50	0.32	1.2
UW500	115.50	116.30	0.19	2.2
UW500	116.30	117.30	0.22	2.1
UW500	117.30	118.00	0.42	2.3
UW500	118.00	118.80	0.35	3.7
UW500	118.80	119.90	0.63	6.7
UW500	119.90	120.30	0.14	2.2
UW500	120.30	120.90	0.73	3.4
UW500	120.90	121.40	1.76	7.7
UW500	121.40	122.00	1.71	3.2
UW500	122.00	122.80	0.75	2.3
UW500	122.80	123.50	0.51	1.6
UW500	123.50	124.40	2.70	2.3
UW500	124.40	125.60	2.42	2.9
UW500	125.60	126.50	0.84	3.6
UW500	126.50	127.30	0.90	4.4
UW500	127.30	128.20	0.86	8.8
UW500	128.20	129.00	1.22	5.3
UW500	129.00	130.30	0.76	2.2
UW500	130.30	131.30	1.02	8.5
UW500	131.30	132.30	0.89	9.1
UW500	132.30	132.90	2.50	17.5
UW500	132.90	133.80	0.40	6.8
UW500	133.80	135.00	0.32	2.0
UW500	135.00	135.60	0.09	1.8
UW500	135.60	136.70	0.35	2.7
UW500	136.70	137.80	0.81	7.7
UW500	137.80	138.10	0.08	1.5
UW500	138.10	138.60	0.88	3.8
UW500	138.60	139.40	0.08	2.5
UW500	139.40	140.60	0.11	2.5
UW500	140.60	141.30	0.02	1.1
UW500	141.30	142.20	0.04	0.6
UW500	142.20	143.30	0.03	0.7
UW500	143.30	144.40	0.01	0.4
UW500	144.40	145.50	0.01	0.5
UW500	145.50	146.50	<0.01	0.3
UW500	146.50	147.50	0.01	0.2
UW500	147.50	148.50	0.01	0.2
UW500	148.50	149.50	<0.01	0.1
UW501	7.00	8.00	0.09	<0.1
UW501	8.00	9.00	0.14	<0.1
UW501	9.00	10.00	0.02	0.1
UW501	10.00	11.00	0.04	0.6
UW501	11.00	12.00	0.04	0.2
UW501	12.00	13.00	0.03	0.1
UW501	13.00	14.00	0.04	0.1
UW501	14.00	15.00	0.05	<0.1
UW501	15.00	16.10	0.02	<0.1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW501	16.10	16.90	0.02	0.3
UW501	16.90	17.60	0.08	0.2
UW501	17.60	19.10	0.01	<0.1
UW501	19.10	20.00	0.02	<0.1
UW501	20.00	21.00	0.08	<0.1
UW501	21.00	22.10	0.17	0.2
UW501	22.10	23.00	0.02	<0.1
UW501	23.00	24.00	0.13	0.2
UW501	24.00	25.10	0.10	<0.1
UW501	25.10	26.00	0.05	<0.1
UW501	26.00	27.00	0.04	<0.1
UW501	27.00	28.00	0.06	0.1
UW501	28.00	29.00	0.03	<0.1
UW501	29.00	29.90	0.08	0.2
UW501	29.90	31.00	0.09	<0.1
UW501	31.00	31.70	0.36	0.9
UW501	31.70	32.40	0.06	0.1
UW501	32.40	34.10	0.12	0.1
UW501	34.10	35.00	0.06	0.2
UW501	35.00	36.00	0.05	<0.1
UW501	36.00	37.10	0.03	<0.1
UW501	37.10	38.20	0.09	0.2
UW501	38.20	38.70	0.04	0.1
UW501	38.70	39.50	0.06	<0.1
UW501	39.50	40.50	0.06	0.2
UW501	40.50	41.60	0.24	0.5
UW501	41.60	42.70	0.22	1.3
UW501	42.70	43.70	0.09	0.3
UW501	43.70	44.60	0.14	0.3
UW501	44.60	45.35	0.08	0.6
UW501	45.35	46.10	0.10	0.4
UW501	46.10	47.00	0.06	0.3
UW501	47.00	48.00	0.02	0.2
UW501	48.00	49.00	0.06	0.2
UW501	49.00	49.75	0.11	0.5
UW501	49.75	50.45	0.06	0.2
UW501	50.45	51.25	0.41	1.9
UW501	51.25	52.00	0.14	0.6
UW501	52.00	53.00	0.04	0.2
UW501	53.00	54.00	0.05	0.2
UW501	54.00	55.00	0.06	0.2
UW501	55.00	56.00	0.04	0.1
UW501	56.00	57.00	0.04	<0.1
UW501	57.00	58.00	0.02	<0.1
UW501	58.00	59.00	0.10	0.2
UW501	59.00	60.00	0.06	0.1
UW501	60.00	60.70	0.15	0.4
UW501	60.70	61.75	0.06	0.5
UW501	61.75	62.60	0.08	0.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW501	62.60	63.60	0.09	0.2
UW501	63.60	64.10	0.13	0.2
UW501	64.10	64.90	0.42	1.7
UW501	64.90	65.75	0.26	0.7
UW501	65.75	66.40	0.35	0.6
UW501	66.40	67.80	0.48	2.0
UW501	67.80	68.35	0.08	0.3
UW501	68.35	69.40	0.17	0.5
UW501	69.40	70.20	0.37	0.8
UW501	70.20	71.20	1.19	3.4
UW501	71.20	72.30	0.37	0.9
UW501	72.30	73.00	0.56	1.4
UW501	73.00	73.60	0.33	0.3
UW501	73.60	74.60	0.62	2.4
UW501	74.60	75.75	0.19	0.5
UW501	75.75	76.50	4.14	6.1
UW501	76.50	77.50	0.21	0.3
UW501	77.50	78.10	0.60	0.6
UW501	78.10	78.70	0.28	0.5
UW501	78.70	79.40	0.21	0.8
UW501	79.40	80.10	0.18	0.8
UW501	80.10	81.00	0.20	1.2
UW501	81.00	82.00	0.68	2.1
UW501	82.00	83.00	0.32	1.5
UW501	83.00	83.50	0.21	0.8
UW501	83.50	84.10	0.74	1.9
UW501	84.10	84.70	0.58	1.8
UW501	84.70	85.50	0.59	2.0
UW501	85.50	86.50	0.42	1.2
UW501	86.50	87.50	1.81	1.7
UW501	87.50	88.45	1.13	3.0
UW501	88.45	89.40	0.32	1.2
UW501	89.40	90.40	0.63	1.1
UW501	90.40	91.40	0.61	1.2
UW501	91.40	92.00	0.86	2.2
UW501	92.00	93.00	0.11	0.8
UW501	93.00	94.00	0.20	1.9
UW501	94.00	94.70	0.13	1.5
UW501	94.70	95.20	0.05	0.6
UW501	95.20	96.00	0.08	0.4
UW501	96.00	97.10	0.11	1.3
UW501	97.10	98.10	0.44	4.6
UW501	98.10	98.60	0.36	5.1
UW501	98.60	99.15	2.54	21.4
UW501	99.15	113.80	awaited	awaited
UW501	113.80	114.80	5.28	19.1
UW501	114.80	115.70	2.21	15.6
UW501	115.70	116.70	3.75	18.0
UW501	116.70	117.90	4.05	15.4

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW501	117.90	118.60	0.45	2.7
UW501	118.60	119.60	0.56	2.9
UW501	119.60	120.60	0.14	4.4
UW501	120.60	121.60	1.09	2.3
UW501	121.60	122.60	7.26	38.9
UW501	122.60	123.30	5.53	21.5
UW501	123.30	124.30	2.44	18.3
UW501	124.30	125.10	1.32	6.7
UW501	125.10	125.80	2.04	8.0
UW501	125.80	126.50	0.27	2.2
UW501	126.50	127.25	0.30	3.5
UW501	127.25	128.00	0.13	2.6
UW501	128.00	129.00	0.15	2.2
UW501	129.00	130.00	0.23	2.9
UW501	130.00	131.00	0.27	2.4
UW501	131.00	132.00	0.16	1.7
UW501	132.00	133.00	0.22	2.2
UW501	133.00	134.00	0.22	1.2
UW501	134.00	134.60	0.58	3.3
UW501	134.60	135.70	0.53	2.5
UW501	135.70	136.35	0.15	1.3
UW501	136.35	137.20	1.05	7.0
UW501	137.20	137.90	0.22	1.8
UW501	137.90	138.60	0.22	1.4
UW501	138.60	139.30	0.09	1.3
UW501	139.30	140.05	0.12	2.6
UW501	140.05	141.20	0.12	1.4
UW501	141.20	142.05	0.20	1.9
UW501	142.05	142.80	0.08	1.6
UW501	142.80	143.60	0.11	1.4
UW501	143.60	144.60	0.21	2.5
UW501	144.60	145.60	0.13	2.4
UW501	145.60	146.35	0.41	3.1
UW501	146.35	146.90	0.13	1.6
UW501	146.90	148.00	0.25	2.7
UW501	148.00	149.00	0.24	2.0
UW501	149.00	150.00	0.18	1.1
UW501	150.00	151.00	0.20	1.5
UW501	151.00	152.00	0.25	1.0
UW501	152.00	153.00	0.85	1.7
UW501	153.00	154.00	0.56	3.2
UW501	154.00	155.00	1.27	8.4
UW501	155.00	156.00	0.84	9.2
UW501	156.00	157.00	0.57	4.2
UW501	157.00	158.00	1.21	4.9
UW501	158.00	159.10	0.67	4.1
UW501	159.10	159.70	0.19	3.0
UW501	159.70	160.50	0.09	1.5
UW501	160.50	161.50	0.06	1.2

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
UW501	161.50	162.50	0.06	1.0
UW501	162.50	163.50	0.09	1.2
UW501	163.50	164.10	0.11	2.5
UW501	164.10	164.70	0.38	3.5
UW501	164.70	165.40	0.14	2.5
UW501	165.40	166.00	0.57	3.8
UW501	166.00	167.10	0.30	2.3
UW501	167.10	168.10	0.38	3.7
UW501	168.10	168.60	0.75	3.0
UW501	168.60	169.50	0.10	2.8
UW501	169.50	170.20	0.12	1.8
UW501	170.20	170.65	0.92	2.1
UW501	170.65	171.50	0.18	2.5
UW501	171.50	172.50	0.18	2.1
UW501	172.50	173.50	1.00	6.1
UW501	173.50	194.60	awaited	awaited