

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP99	288.0	289.0	<0.01	<1
WKP99	289.0	290.0	<0.01	<1
WKP99	290.0	291.0	<0.01	<1
WKP99	291.0	292.0	<0.01	<1
WKP99	292.0	293.0	<0.01	<1
WKP99	293.0	294.0	<0.01	<1
WKP99	294.0	295.0	0.01	<1
WKP99	295.0	296.0	<0.01	<1
WKP99	296.0	297.0	<0.01	<1
WKP99	297.0	298.0	<0.01	<1
WKP99	298.0	299.2	<0.01	<1
WKP99	299.2	300.0	<0.01	<1
WKP99	300.0	301.1	<0.01	<1
WKP99	301.1	302.0	<0.01	<1
WKP99	302.0	303.0	<0.01	<1
WKP99	303.0	303.9	<0.01	<1
WKP99	303.9	305.0	0.01	<1
WKP99	305.0	306.3	<0.01	<1
WKP99	306.3	307.0	0.01	<1
WKP99	307.0	308.0	<0.01	<1
WKP99	308.0	309.0	<0.01	<1
WKP99	309.0	310.0	<0.01	<1
WKP99	310.0	310.7	<0.01	<1
WKP99	310.7	312.3	<0.01	<1
WKP99	312.3	313.0	<0.01	<1
WKP99	313.0	314.0	0.02	<1
WKP99	314.0	315.9	<0.01	<1
WKP99	315.9	317.0	<0.01	<1
WKP99	317.0	318.0	<0.01	<1
WKP99	318.0	319.0	<0.01	<1
WKP99	319.0	320.0	<0.01	<1
WKP99	320.0	321.0	<0.01	<1
WKP99	321.0	322.0	<0.01	<1
WKP99	322.0	323.0	0.01	<1
WKP99	323.0	324.0	<0.01	<1
WKP99	324.0	325.0	<0.01	<1
WKP99	325.0	326.0	<0.01	<1
WKP99	326.0	327.0	<0.01	<1
WKP99	327.0	328.2	<0.01	<1
WKP99	328.2	329.0	<0.01	<1
WKP99	329.0	330.0	<0.01	<1
WKP99	330.0	331.0	<0.01	<1
WKP99	331.0	332.0	<0.01	<1
WKP99	332.0	333.0	<0.01	<1
WKP99	333.0	334.0	<0.01	<1
WKP99	334.0	335.0	<0.01	<1
WKP99	335.0	336.0	<0.01	<1
WKP99	336.0	337.0	0.01	<1
WKP99	337.0	338.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP99	338.0	339.0	<0.01	<1
WKP99	339.0	340.0	<0.01	<1
WKP99	340.0	341.0	<0.01	<1
WKP99	341.0	342.0	<0.01	<1
WKP99	342.0	343.0	<0.01	<1
WKP99	343.0	344.0	<0.01	<1
WKP99	344.0	345.0	<0.01	<1
WKP99	345.0	345.8	<0.01	<1
WKP99	345.8	347.0	<0.01	<1
WKP99	347.0	348.0	<0.01	<1
WKP99	348.0	349.0	<0.01	<1
WKP99	349.0	350.0	<0.01	<1
WKP99	350.0	351.0	<0.01	<1
WKP99	351.0	352.0	<0.01	<1
WKP99	352.0	353.0	<0.01	<1
WKP99	353.0	354.0	<0.01	<1
WKP99	354.0	355.2	<0.01	<1
WKP99	355.2	356.0	<0.01	<1
WKP99	356.0	357.0	0.01	<1
WKP99	357.0	358.0	<0.01	<1
WKP99	358.0	359.0	<0.01	<1
WKP99	359.7	360.5	<0.01	<1
WKP99	361.8	362.4	<0.01	<1
WKP99	362.4	363.1	<0.01	<1
WKP99	363.1	364.0	<0.01	<1
WKP99	364.0	365.0	<0.01	<1
WKP99	365.0	366.1	<0.01	<1
WKP99	366.1	367.0	<0.01	<1
WKP99	367.0	368.0	0.02	<1
WKP99	368.0	369.0	<0.01	<1
WKP99	369.0	370.0	0.02	<1
WKP99	370.0	371.0	<0.01	<1
WKP99	371.0	372.0	<0.01	<1
WKP99	372.0	373.0	<0.01	<1
WKP99	373.0	374.0	<0.01	<1
WKP99	374.0	375.3	<0.01	<1
WKP99	375.3	376.0	<0.01	<1
WKP99	376.0	377.0	<0.01	<1
WKP99	377.0	378.0	<0.01	<1
WKP99	378.0	379.0	<0.01	<1
WKP99	379.0	380.0	<0.01	<1
WKP99	380.0	381.0	<0.01	<1
WKP99	381.0	382.2	<0.01	<1
WKP99	382.2	383.0	<0.01	<1
WKP99	383.0	384.0	<0.01	<1
WKP99	384.0	385.1	<0.01	<1
WKP99	385.1	386.0	<0.01	<1
WKP99	386.0	387.0	<0.01	<1
WKP99	387.0	388.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP99	388.0	389.0	<0.01	<1
WKP99	389.0	390.0	<0.01	<1
WKP99	390.0	391.0	<0.01	<1
WKP99	391.0	392.0	<0.01	<1
WKP99	392.0	393.1	<0.01	<1
WKP99	393.1	394.0	<0.01	<1
WKP99	394.0	395.0	<0.01	<1
WKP99	395.0	396.0	<0.01	<1
WKP99	396.0	397.0	<0.01	<1
WKP99	397.0	398.0	<0.01	<1
WKP99	398.0	398.8	<0.01	<1
WKP99	398.8	399.4	<0.01	<1
WKP99	399.4	400.2	<0.01	<1
WKP99	400.2	401.0	<0.01	<1
WKP99	401.0	402.5	<0.01	<1
WKP99	402.5	403.3	<0.01	<1
WKP99	403.3	404.0	<0.01	<1
WKP99	404.0	405.0	0.01	<1
WKP99	405.0	406.0	<0.01	<1
WKP99	406.0	407.0	<0.01	<1
WKP99	407.0	408.0	<0.01	<1
WKP99	408.0	409.0	<0.01	<1
WKP99	409.0	410.0	<0.01	<1
WKP99	410.0	411.0	<0.01	<1
WKP99	411.0	412.2	<0.01	<1
WKP99	412.2	413.0	<0.01	<1
WKP99	413.0	414.0	<0.01	<1
WKP99	414.0	415.0	<0.01	<1
WKP99	415.0	416.0	<0.01	<1
WKP99	416.0	417.0	<0.01	<1
WKP99	417.0	418.0	<0.01	<1
WKP99	418.0	419.0	<0.01	<1
WKP99	419.0	420.0	<0.01	<1
WKP99	420.0	421.0	<0.01	<1
WKP99	421.0	422.0	<0.01	<1
WKP99	422.0	423.0	<0.01	<1
WKP99	423.0	424.0	<0.01	<1
WKP99	424.0	425.0	<0.01	<1
WKP99	425.0	426.0	<0.01	<1
WKP99	426.0	427.0	<0.01	<1
WKP99	427.0	428.0	<0.01	<1
WKP99	428.0	429.0	<0.01	<1
WKP99	429.0	430.0	<0.01	<1
WKP99	430.0	431.0	<0.01	<1
WKP99	431.0	432.0	<0.01	<1
WKP99	432.0	433.0	<0.01	<1
WKP99	433.0	434.0	<0.01	<1
WKP99	434.0	435.0	<0.01	<1
WKP99	435.0	436.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP99	436.0	437.0	<0.01	<1
WKP100	328.0	329.0	<0.01	<1
WKP100	329.0	330.0	<0.01	<1
WKP100	330.0	331.0	<0.01	<1
WKP100	331.0	332.0	<0.01	<1
WKP100	332.0	333.5	<0.01	<1
WKP100	333.5	334.2	<0.01	<1
WKP100	334.2	335.0	<0.01	<1
WKP100	335.0	336.2	<0.01	<1
WKP100	336.2	337.0	<0.01	<1
WKP100	337.0	337.9	<0.01	<1
WKP100	337.9	339.0	<0.01	<1
WKP100	339.0	340.0	0.03	<1
WKP100	340.0	341.0	<0.01	<1
WKP100	341.0	342.0	<0.01	<1
WKP100	342.0	343.0	<0.01	<1
WKP100	343.0	344.0	<0.01	<1
WKP100	344.0	345.0	<0.01	<1
WKP100	345.0	346.0	<0.01	<1
WKP100	346.0	347.0	<0.01	<1
WKP100	347.0	348.0	<0.01	<1
WKP100	348.0	349.0	0.01	<1
WKP100	349.0	350.0	<0.01	<1
WKP100	350.0	351.0	<0.01	<1
WKP100	351.0	352.0	<0.01	<1
WKP100	352.0	352.8	<0.01	<1
WKP100	353.2	354.2	<0.01	<1
WKP100	354.2	355.0	<0.01	<1
WKP100	355.0	356.0	<0.01	<1
WKP100	356.0	357.0	<0.01	<1
WKP100	357.0	358.0	<0.01	<1
WKP100	358.0	359.2	<0.01	<1
WKP100	359.2	360.4	<0.01	<1
WKP100	360.4	361.0	<0.01	<1
WKP100	361.0	362.0	<0.01	<1
WKP100	362.0	363.0	<0.01	<1
WKP100	363.0	364.0	<0.01	<1
WKP100	364.0	364.9	<0.01	<1
WKP100	364.9	366.0	<0.01	<1
WKP100	366.0	367.0	<0.01	<1
WKP100	367.0	368.0	<0.01	<1
WKP100	368.0	369.0	<0.01	<1
WKP100	369.0	370.0	<0.01	<1
WKP100	370.0	371.0	<0.01	<1
WKP100	371.0	372.0	<0.01	<1
WKP100	372.0	373.0	<0.01	<1
WKP100	373.0	374.0	<0.01	<1
WKP100	374.0	375.0	<0.01	<1
WKP100	375.0	376.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	376.0	377.0	<0.01	<1
WKP100	377.0	378.0	<0.01	<1
WKP100	378.0	379.0	<0.01	<1
WKP100	379.0	380.0	<0.01	<1
WKP100	380.0	381.0	0.02	<1
WKP100	381.0	382.0	<0.01	<1
WKP100	382.0	383.0	<0.01	<1
WKP100	383.0	383.4	<0.01	<1
WKP100	383.4	384.0	<0.01	<1
WKP100	384.0	385.1	<0.01	<1
WKP100	385.1	386.3	<0.01	<1
WKP100	386.3	387.0	<0.01	<1
WKP100	387.0	388.0	<0.01	<1
WKP100	388.0	389.0	<0.01	<1
WKP100	389.0	390.0	<0.01	<1
WKP100	390.0	391.0	<0.01	<1
WKP100	391.0	392.0	<0.01	<1
WKP100	392.0	393.0	<0.01	<1
WKP100	393.0	394.0	<0.01	<1
WKP100	394.0	395.0	<0.01	<1
WKP100	395.0	396.0	<0.01	<1
WKP100	396.0	397.0	<0.01	<1
WKP100	397.0	398.0	<0.01	<1
WKP100	398.0	399.0	<0.01	<1
WKP100	399.0	400.0	<0.01	<1
WKP100	400.0	401.0	<0.01	<1
WKP100	401.0	402.0	<0.01	<1
WKP100	402.0	403.0	0.02	<1
WKP100	403.0	404.0	<0.01	<1
WKP100	404.0	404.8	<0.01	<1
WKP100	404.8	406.0	0.01	<1
WKP100	406.0	407.0	<0.01	<1
WKP100	407.0	407.5	<0.01	<1
WKP100	407.5	408.0	<0.01	<1
WKP100	408.0	409.0	<0.01	<1
WKP100	409.0	410.0	<0.01	<1
WKP100	410.0	411.0	<0.01	<1
WKP100	411.0	412.0	<0.01	<1
WKP100	412.0	413.0	<0.01	<1
WKP100	413.0	413.8	<0.01	<1
WKP100	413.8	415.0	<0.01	<1
WKP100	415.0	416.0	<0.01	<1
WKP100	416.0	417.0	<0.01	<1
WKP100	417.0	418.0	0.02	<1
WKP100	418.0	419.0	0.02	<1
WKP100	419.0	420.0	0.02	<1
WKP100	420.0	421.0	0.04	<1
WKP100	421.0	422.0	0.02	<1
WKP100	422.0	422.8	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	422.8	424.0	<0.01	<1
WKP100	424.0	425.0	<0.01	<1
WKP100	425.0	426.0	<0.01	<1
WKP100	426.0	427.0	<0.01	<1
WKP100	427.0	428.0	<0.01	<1
WKP100	428.0	429.0	<0.01	<1
WKP100	429.0	430.0	0.01	<1
WKP100	430.0	431.0	<0.01	<1
WKP100	431.0	432.0	0.02	<1
WKP100	432.0	433.0	<0.01	<1
WKP100	433.0	434.0	0.01	<1
WKP100	434.0	435.0	0.01	<1
WKP100	435.0	436.0	0.02	<1
WKP100	436.0	437.0	<0.01	<1
WKP100	437.0	438.0	<0.01	<1
WKP100	438.0	439.0	0.02	<1
WKP100	439.0	440.0	<0.01	<1
WKP100	440.0	441.0	<0.01	<1
WKP100	441.0	442.0	<0.01	<1
WKP100	442.0	443.0	<0.01	<1
WKP100	443.0	444.0	0.02	<1
WKP100	444.0	445.0	<0.01	<1
WKP100	445.0	446.0	<0.01	<1
WKP100	446.0	447.0	<0.01	<1
WKP100	447.0	448.0	<0.01	<1
WKP100	448.0	449.0	0.01	<1
WKP100	449.0	450.0	0.01	<1
WKP100	450.0	451.0	<0.01	<1
WKP100	451.0	452.0	<0.01	<1
WKP100	452.0	453.0	0.01	<1
WKP100	453.0	454.0	<0.01	<1
WKP100	454.0	455.1	0.02	<1
WKP100	455.1	456.4	0.03	<1
WKP100	456.4	457.0	0.02	<1
WKP100	457.0	458.0	0.02	<1
WKP100	458.0	459.0	0.02	<1
WKP100	459.0	460.1	0.02	<1
WKP100	460.1	460.8	0.02	<1
WKP100	461.1	462.0	0.02	<1
WKP100	462.0	462.8	0.01	<1
WKP100	462.8	464.0	0.02	<1
WKP100	464.0	465.0	0.02	<1
WKP100	465.0	466.0	<0.01	<1
WKP100	466.0	467.0	<0.01	<1
WKP100	467.0	468.0	0.01	<1
WKP100	468.0	469.0	<0.01	<1
WKP100	469.0	470.1	<0.01	<1
WKP100	470.1	471.3	<0.01	<1
WKP100	471.3	472.0	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	472.0	473.1	0.02	<1
WKP100	473.1	474.0	0.02	<1
WKP100	474.0	475.0	<0.01	<1
WKP100	475.0	476.0	<0.01	<1
WKP100	476.0	477.0	<0.01	<1
WKP100	477.0	478.0	0.04	<1
WKP100	478.0	479.0	0.02	<1
WKP100	479.0	480.0	0.02	<1
WKP100	480.0	481.0	0.01	<1
WKP100	481.0	482.0	0.01	<1
WKP100	482.0	483.0	0.04	<1
WKP100	483.0	484.0	0.01	<1
WKP100	484.0	484.6	0.02	<1
WKP100	484.6	485.1	<0.01	<1
WKP100	485.1	486.0	<0.01	<1
WKP100	486.0	487.0	<0.01	<1
WKP100	487.0	487.8	<0.01	<1
WKP100	487.8	488.7	<0.01	<1
WKP100	488.7	489.4	<0.01	<1
WKP100	489.4	490.3	<0.01	<1
WKP100	490.3	490.9	0.07	<1
WKP100	490.9	492.0	0.07	<1
WKP100	492.0	493.0	0.03	<1
WKP100	493.0	494.0	0.02	<1
WKP100	494.0	495.0	0.03	<1
WKP100	495.0	496.0	0.07	<1
WKP100	496.0	497.0	0.04	<1
WKP100	497.0	498.0	0.14	<1
WKP100	498.0	499.0	0.15	<1
WKP100	499.0	500.0	0.09	<1
WKP100	500.0	501.0	0.78	1.0
WKP100	501.0	502.0	0.09	<1
WKP100	502.0	502.8	0.06	<1
WKP100	502.8	504.0	0.01	<1
WKP100	504.0	505.0	0.02	<1
WKP100	505.0	506.0	<0.01	<1
WKP100	506.0	507.0	<0.01	<1
WKP100	507.0	508.0	0.01	<1
WKP100	508.0	509.1	0.03	<1
WKP100	509.1	510.0	0.04	<1
WKP100	510.0	511.0	0.03	<1
WKP100	511.0	512.0	0.02	<1
WKP100	512.0	513.0	0.07	<1
WKP100	513.0	514.0	0.10	<1
WKP100	514.0	515.0	0.07	<1
WKP100	515.0	516.0	0.05	<1
WKP100	516.0	517.0	0.08	<1
WKP100	517.0	518.0	0.07	<1
WKP100	518.0	519.0	0.08	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	519.0	520.0	0.10	<1
WKP100	520.0	521.0	0.08	<1
WKP100	521.0	522.0	0.05	<1
WKP100	522.0	523.0	0.06	<1
WKP100	523.0	524.0	0.08	<1
WKP100	524.0	525.0	0.05	<1
WKP100	525.0	526.0	0.05	<1
WKP100	526.0	527.0	0.04	<1
WKP100	527.0	528.0	0.06	<1
WKP100	528.0	529.0	0.05	<1
WKP100	529.0	529.8	0.04	<1
WKP100	529.8	531.0	0.04	<1
WKP100	531.0	532.0	0.03	<1
WKP100	532.0	533.0	0.02	<1
WKP100	533.0	534.0	<0.01	<1
WKP100	534.0	535.0	0.01	<1
WKP100	535.0	536.0	0.01	<1
WKP100	536.0	537.0	<0.01	<1
WKP100	537.0	538.0	0.05	<1
WKP100	538.0	539.0	0.02	<1
WKP100	539.0	540.0	0.02	<1
WKP100	540.0	541.0	<0.01	<1
WKP100	541.0	541.5	<0.01	<1
WKP100	541.5	542.0	<0.01	<1
WKP100	542.0	543.0	0.01	<1
WKP100	543.0	544.0	<0.01	<1
WKP100	544.0	545.0	<0.01	<1
WKP100	545.0	546.0	<0.01	<1
WKP100	546.0	547.0	<0.01	<1
WKP100	547.0	548.0	<0.01	<1
WKP100	548.0	549.0	0.02	<1
WKP100	549.0	550.0	0.01	<1
WKP100	550.0	551.0	0.03	<1
WKP100	551.0	552.0	0.03	<1
WKP100	552.0	553.0	<0.01	<1
WKP100	553.0	554.0	0.01	<1
WKP100	554.0	555.0	0.01	<1
WKP100	555.0	556.0	0.02	<1
WKP100	556.0	556.9	0.04	<1
WKP100	556.9	558.0	0.17	2.0
WKP100	558.0	559.0	0.39	1.0
WKP100	559.0	559.6	0.28	<1
WKP100	559.6	560.4	0.34	<1
WKP100	560.7	561.5	0.44	<1
WKP100	561.5	562.0	1.33	1.0
WKP100	562.3	563.3	1.55	<1
WKP100	563.7	564.9	0.81	<1
WKP100	564.9	565.5	0.34	<1
WKP100	565.5	566.3	0.47	1.0



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	566.7	567.4	0.03	<1
WKP100	567.4	568.0	0.03	<1
WKP100	568.0	568.7	0.04	<1
WKP100	568.7	569.9	0.04	<1
WKP100	569.9	571.0	0.02	<1
WKP100	571.0	572.0	0.02	<1
WKP100	572.0	573.0	0.02	<1
WKP100	573.0	574.0	0.02	<1
WKP100	574.0	575.0	0.02	<1
WKP100	575.0	576.0	0.03	<1
WKP100	576.0	577.0	3.02	2.0
WKP100	577.0	578.0	0.20	<1
WKP100	578.0	579.0	0.36	<1
WKP100	579.0	580.0	0.64	<1
WKP100	580.0	581.0	1.28	<1
WKP100	581.0	581.9	0.34	<1
WKP100	581.9	583.0	0.15	<1
WKP100	583.0	584.0	0.02	<1
WKP100	584.0	585.0	0.03	<1
WKP100	585.0	586.0	0.03	<1
WKP100	586.0	587.0	0.02	<1
WKP100	587.0	588.0	0.02	<1
WKP100	588.0	589.0	0.02	<1
WKP100	589.0	590.0	0.05	<1
WKP100	590.0	591.0	0.04	<1
WKP100	591.0	592.0	0.07	<1
WKP100	592.0	593.0	0.08	<1
WKP100	593.0	594.0	0.08	<1
WKP100	594.0	595.0	0.09	<1
WKP100	595.0	596.0	0.09	<1
WKP100	596.0	597.0	0.08	<1
WKP100	597.0	598.0	0.04	<1
WKP100	598.0	599.0	0.09	<1
WKP100	599.0	600.0	0.06	<1
WKP100	600.0	601.0	0.10	<1
WKP100	601.0	602.0	0.08	<1
WKP100	602.0	603.0	0.07	<1
WKP100	603.0	604.0	0.08	<1
WKP100	604.0	605.0	0.05	<1
WKP100	605.0	606.0	0.01	<1
WKP100	606.0	607.0	0.02	<1
WKP100	607.0	608.0	<0.01	<1
WKP100	608.0	609.0	<0.01	<1
WKP100	609.0	610.0	0.02	<1
WKP100	610.0	611.0	<0.01	<1
WKP100	611.0	612.0	0.01	<1
WKP100	612.0	613.0	0.03	<1
WKP100	613.0	614.0	0.01	<1
WKP100	614.0	615.0	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	615.0	616.0	0.02	<1
WKP100	616.0	617.0	0.02	<1
WKP100	617.0	618.0	0.02	<1
WKP100	618.0	619.0	0.01	<1
WKP100	619.0	620.0	0.04	<1
WKP100	620.0	621.0	0.04	<1
WKP100	621.0	622.0	0.06	<1
WKP100	622.0	623.0	0.06	<1
WKP100	623.0	624.0	0.01	<1
WKP100	624.0	624.8	0.02	<1
WKP100	624.8	625.2	0.09	<1
WKP100	625.2	626.0	0.04	<1
WKP100	626.0	627.0	0.11	<1
WKP100	627.0	628.0	0.07	<1
WKP100	628.0	629.0	0.04	<1
WKP100	629.0	630.0	0.03	<1
WKP100	630.0	631.0	0.02	<1
WKP100	631.0	632.0	0.02	<1
WKP100	632.0	633.0	0.01	<1
WKP100	633.0	634.0	0.01	<1
WKP100	634.0	635.0	0.02	<1
WKP100	635.0	636.0	0.01	<1
WKP100	636.0	637.0	0.02	<1
WKP100	637.0	638.0	0.02	<1
WKP100	638.0	638.7	0.04	<1
WKP100	638.7	639.5	0.27	2.0
WKP100	639.5	640.0	0.09	1.0
WKP100	640.0	641.0	0.03	<1
WKP100	641.0	642.0	0.08	<1
WKP100	642.0	643.0	0.03	<1
WKP100	643.0	644.0	0.02	<1
WKP100	644.0	645.0	0.07	<1
WKP100	645.0	646.0	0.07	<1
WKP100	646.0	647.0	0.02	<1
WKP100	647.0	648.0	0.01	<1
WKP100	648.0	649.0	0.01	<1
WKP100	649.0	650.0	0.06	<1
WKP100	650.0	651.0	0.02	<1
WKP100	651.0	652.0	0.05	<1
WKP100	652.0	653.0	<0.01	<1
WKP100	653.0	654.0	0.02	<1
WKP100	654.0	655.0	0.01	<1
WKP100	655.0	656.0	<0.01	<1
WKP100	656.0	657.0	0.02	<1
WKP100	657.0	658.0	0.03	<1
WKP100	658.0	659.0	0.01	<1
WKP100	659.0	660.0	0.03	<1
WKP100	660.0	661.0	0.12	<1
WKP100	661.0	662.0	0.24	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	662.0	663.2	0.12	2.0
WKP100	663.2	664.0	0.06	<1
WKP100	664.0	664.6	0.06	<1
WKP100	664.6	665.8	0.13	1.0
WKP100	665.8	667.0	0.05	<1
WKP100	667.0	668.0	0.09	<1
WKP100	668.0	669.0	0.12	1.0
WKP100	669.0	670.0	0.02	<1
WKP100	670.0	671.0	0.02	<1
WKP100	671.0	672.0	0.05	<1
WKP100	672.0	673.0	0.06	1.0
WKP100	673.0	674.0	0.06	<1
WKP100	674.0	675.0	0.03	<1
WKP100	675.0	676.0	0.10	1.0
WKP100	676.0	677.0	0.09	1.0
WKP100	677.0	678.0	0.17	<1
WKP100	678.0	679.2	0.39	1.0
WKP100	679.2	680.0	0.29	<1
WKP100	680.0	681.0	0.08	1.0
WKP100	681.0	682.0	0.14	<1
WKP100	682.0	683.0	0.12	<1
WKP100	683.0	684.0	0.11	<1
WKP100	684.0	685.0	0.23	<1
WKP100	685.0	686.0	0.15	<1
WKP100	686.0	686.8	0.07	<1
WKP100	686.8	688.0	0.07	<1
WKP100	688.0	689.0	0.07	<1
WKP100	689.0	690.0	0.02	<1
WKP100	690.0	691.0	0.10	<1
WKP100	691.0	692.3	0.14	<1
WKP100	692.3	693.0	0.10	1.0
WKP100	693.0	694.2	0.04	<1
WKP100	694.5	695.0	0.07	1.0
WKP100	695.0	696.0	0.11	<1
WKP100	696.0	697.0	0.05	1.0
WKP100	697.0	698.0	0.06	<1
WKP100	698.0	699.1	0.06	<1
WKP100	699.1	700.0	0.09	1.0
WKP100	700.0	701.0	0.06	<1
WKP100	701.0	702.0	0.03	<1
WKP100	702.0	703.0	0.03	1.0
WKP100	703.0	704.0	0.10	2.0
WKP100	704.0	705.0	0.04	1.0
WKP100	705.0	706.0	0.11	1.0
WKP100	706.0	707.0	0.12	1.0
WKP100	707.0	708.0	0.18	1.0
WKP100	708.0	709.0	0.04	<1
WKP100	709.0	710.0	0.06	1.0
WKP100	710.0	711.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	711.0	712.0	0.08	<1
WKP100	712.0	713.0	0.04	<1
WKP100	713.0	714.3	0.03	<1
WKP100	714.3	715.0	0.03	<1
WKP100	715.0	716.0	0.33	2.0
WKP100	716.0	716.6	0.17	1.0
WKP100	716.6	717.4	0.03	<1
WKP100	717.4	718.2	0.04	<1
WKP100	718.2	719.0	0.66	3.0
WKP100	719.0	720.0	0.12	<1
WKP100	720.0	721.0	0.03	<1
WKP100	721.0	722.0	0.10	<1
WKP100	722.0	723.0	0.02	<1
WKP100	723.0	724.0	0.02	<1
WKP100	724.0	725.0	0.03	<1
WKP100	725.0	726.0	0.19	<1
WKP100	726.0	727.0	0.03	<1
WKP100	727.0	728.0	0.02	<1
WKP100	728.0	728.8	0.06	1.0
WKP100	728.8	729.8	0.12	<1
WKP100	729.8	731.0	0.08	<1
WKP100	731.0	732.0	0.07	<1
WKP100	732.0	733.0	0.11	1.0
WKP100	733.0	734.0	0.07	<1
WKP100	734.0	735.0	0.03	<1
WKP100	735.0	736.0	0.05	<1
WKP100	736.0	737.0	0.07	<1
WKP100	737.0	738.0	0.03	<1
WKP100	738.0	739.0	0.03	<1
WKP100	739.0	740.0	0.02	<1
WKP100	740.0	741.0	0.14	1.0
WKP100	741.0	742.0	0.08	<1
WKP100	742.0	743.0	0.09	<1
WKP100	743.0	744.0	0.21	<1
WKP100	744.0	745.0	0.12	<1
WKP100	745.0	746.0	0.04	<1
WKP100	746.0	747.0	0.06	<1
WKP100	747.0	748.0	0.08	<1
WKP100	748.0	749.0	0.06	<1
WKP100	749.0	750.0	0.02	<1
WKP100	750.0	751.0	0.03	<1
WKP100	751.0	752.0	0.10	<1
WKP100	752.0	753.0	0.05	<1
WKP100	753.0	754.0	0.03	<1
WKP100	754.0	754.5	0.04	<1
WKP100	754.5	755.0	0.31	1.0
WKP100	755.0	756.0	0.28	1.0
WKP100	756.0	757.0	0.09	<1
WKP100	757.0	758.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	758.0	759.0	0.04	<1
WKP100	759.0	760.0	0.04	<1
WKP100	760.0	761.0	0.05	<1
WKP100	761.0	762.0	0.08	<1
WKP100	762.0	762.7	0.29	<1
WKP100	762.7	763.4	0.09	<1
WKP100	763.4	764.0	0.11	<1
WKP100	764.0	765.0	0.02	<1
WKP100	765.0	766.0	0.01	<1
WKP100	766.0	767.2	0.03	<1
WKP100	767.2	767.9	0.03	<1
WKP100	767.9	769.0	0.02	<1
WKP100	769.0	770.0	0.02	<1
WKP100	770.0	771.2	0.04	<1
WKP100	771.2	772.0	0.02	<1
WKP100	772.0	773.0	0.03	<1
WKP100	773.0	773.5	0.07	<1
WKP100	773.5	774.0	0.24	<1
WKP100	774.0	774.5	0.14	<1
WKP100	774.5	775.0	0.24	1.0
WKP100	775.0	776.1	0.19	1.0
WKP100	776.1	776.6	0.16	1.0
WKP100	778.3	779.0	0.02	<1
WKP100	779.0	780.6	0.02	<1
WKP100	780.6	781.5	0.03	<1
WKP100	781.8	782.8	0.04	<1
WKP100	782.8	783.4	0.03	<1
WKP100	783.4	784.4	0.04	<1
WKP100	784.4	785.6	0.02	<1
WKP100	785.6	786.6	0.03	<1
WKP100	786.6	787.3	0.07	1.0
WKP100	787.3	788.2	0.05	<1
WKP100	788.2	789.3	0.05	<1
WKP100	789.3	790.0	0.02	<1
WKP100	790.0	791.0	0.03	<1
WKP100	791.0	792.0	0.05	<1
WKP100	792.0	793.0	0.06	<1
WKP100	793.0	794.0	0.05	<1
WKP100	794.0	795.2	0.04	<1
WKP100	795.2	796.2	0.06	<1
WKP100	796.2	797.3	0.03	<1
WKP100	797.3	798.3	0.07	<1
WKP100	798.3	799.0	0.04	<1
WKP100	799.0	800.0	0.05	<1
WKP100	800.0	801.0	0.06	<1
WKP100	801.0	802.0	0.05	<1
WKP100	802.0	803.0	0.09	<1
WKP100	803.0	804.0	0.09	<1
WKP100	804.0	805.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	805.0	805.5	0.04	<1
WKP100	805.5	806.0	0.05	<1
WKP100	806.0	807.0	0.05	<1
WKP100	807.0	808.0	0.05	<1
WKP100	808.0	809.0	0.05	<1
WKP100	809.0	810.0	0.06	<1
WKP100	810.0	810.9	0.04	<1
WKP100	810.9	812.0	0.03	<1
WKP100	812.0	813.1	0.03	2.0
WKP100	813.1	814.0	0.03	2.0
WKP100	814.0	815.0	0.05	1.0
WKP100	815.0	816.0	0.03	<1
WKP100	816.0	817.0	0.03	<1
WKP100	817.0	818.0	0.04	<1
WKP100	818.0	819.0	0.03	<1
WKP100	819.0	820.0	0.04	<1
WKP100	820.0	821.0	0.04	<1
WKP100	821.0	822.3	0.04	<1
WKP100	822.3	823.0	0.04	<1
WKP100	823.0	824.0	0.05	<1
WKP100	824.0	825.0	0.04	<1
WKP100	825.0	825.9	0.04	<1
WKP100	825.9	827.0	0.03	<1
WKP100	827.0	828.1	0.03	<1
WKP100	828.1	829.0	0.04	<1
WKP100	829.0	830.0	0.02	<1
WKP100	830.0	831.0	0.02	<1
WKP100	831.0	832.0	0.02	<1
WKP100	832.0	833.0	0.02	<1
WKP100	833.0	834.0	0.03	1.0
WKP100	834.0	835.0	0.03	<1
WKP100	835.0	836.0	0.03	<1
WKP100	836.0	837.0	<0.01	<1
WKP100	837.0	838.0	0.03	<1
WKP100	838.0	839.2	0.03	<1
WKP100	839.2	840.3	0.05	<1
WKP100	840.3	841.0	0.04	<1
WKP100	841.0	842.0	0.03	<1
WKP100	842.0	843.0	0.04	<1
WKP100	843.0	844.0	0.05	<1
WKP100	844.0	845.0	0.04	<1
WKP100	845.0	846.0	0.04	<1
WKP100	846.0	847.0	0.03	<1
WKP100	847.0	848.0	0.10	<1
WKP100	848.0	849.0	0.07	<1
WKP100	849.0	850.0	0.03	<1
WKP100	850.0	851.0	0.03	<1
WKP100	851.0	852.0	0.02	<1
WKP100	852.0	853.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	853.0	854.0	0.03	<1
WKP100	854.0	854.8	0.03	<1
WKP100	854.8	855.9	0.03	<1
WKP100	855.9	856.6	0.05	<1
WKP100	856.6	857.2	0.03	<1
WKP100	857.2	858.3	0.03	<1
WKP100	858.3	858.8	0.02	<1
WKP100	858.8	859.8	0.02	<1
WKP100	859.8	860.8	0.03	<1
WKP100	860.8	862.0	0.05	<1
WKP100	862.0	863.0	0.09	<1
WKP100	863.0	864.0	0.07	<1
WKP100	864.0	865.0	0.06	<1
WKP100	865.0	866.0	0.07	<1
WKP100	866.0	867.0	0.06	<1
WKP100	867.0	868.0	0.08	<1
WKP100	868.0	869.0	0.06	<1
WKP100	869.0	870.0	0.04	<1
WKP100	870.0	870.5	0.06	<1
WKP100	870.8	871.4	0.08	<1
WKP100	871.4	872.4	0.05	<1
WKP100	872.4	873.0	0.07	<1
WKP100	873.0	874.0	0.06	<1
WKP100	874.0	875.0	0.05	<1
WKP100	875.0	876.1	0.06	<1
WKP100	876.1	877.0	0.07	<1
WKP100	877.0	878.0	0.06	<1
WKP100	878.0	879.1	0.06	<1
WKP100	879.1	880.3	0.05	<1
WKP100	880.3	881.0	0.05	<1
WKP100	881.0	882.2	0.04	<1
WKP100	882.2	883.3	0.18	<1
WKP100	883.3	884.0	0.08	2.0
WKP100	884.0	885.0	0.10	<1
WKP100	885.0	886.1	0.09	<1
WKP100	886.1	887.0	0.06	<1
WKP100	887.0	888.0	0.05	<1
WKP100	888.0	889.0	0.07	<1
WKP100	889.0	890.0	0.06	<1
WKP100	890.0	890.8	0.05	<1
WKP100	890.8	891.9	0.07	<1
WKP100	891.9	892.6	0.04	<1
WKP100	892.6	893.8	0.04	<1
WKP100	893.8	895.0	0.05	<1
WKP100	895.0	896.0	0.03	<1
WKP100	896.0	897.0	0.04	<1
WKP100	897.0	898.0	0.05	<1
WKP100	898.0	899.0	0.04	<1
WKP100	899.0	900.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	900.0	901.0	0.06	<1
WKP100	901.0	902.0	0.06	<1
WKP100	902.0	903.1	0.06	<1
WKP100	903.4	904.6	0.04	<1
WKP100	904.6	905.3	0.05	<1
WKP100	905.3	906.0	0.02	<1
WKP100	906.0	906.9	0.05	<1
WKP100	906.9	907.4	0.14	<1
WKP100	907.4	908.0	0.11	<1
WKP100	908.0	909.0	0.02	<1
WKP100	909.0	910.0	0.07	<1
WKP100	910.0	911.0	0.04	<1
WKP100	911.0	912.0	0.07	<1
WKP100	912.0	913.2	0.05	<1
WKP100	913.2	914.0	0.07	<1
WKP100	914.0	914.7	0.06	<1
WKP100	914.7	915.9	0.05	<1
WKP100	915.9	917.0	0.05	<1
WKP100	917.0	917.8	0.08	<1
WKP100	917.8	919.0	0.10	<1
WKP100	919.0	920.0	0.05	<1
WKP100	920.0	921.0	0.03	<1
WKP100	921.0	922.0	0.03	<1
WKP100	922.0	923.0	0.05	<1
WKP100	923.0	923.6	0.03	<1
WKP100	923.6	924.3	0.04	<1
WKP100	924.3	925.0	0.03	<1
WKP100	925.0	926.0	0.04	<1
WKP100	926.0	927.0	0.04	<1
WKP100	927.0	928.0	0.04	<1
WKP100	928.0	929.0	0.05	<1
WKP100	929.0	930.0	0.04	<1
WKP100	930.0	931.0	0.06	<1
WKP100	931.0	932.2	0.02	<1
WKP100	932.2	933.3	0.08	<1
WKP100	933.3	934.0	0.03	<1
WKP100	934.0	935.0	0.05	<1
WKP100	935.0	936.0	0.03	<1
WKP100	936.0	937.0	0.04	<1
WKP100	937.0	938.0	0.04	<1
WKP100	938.0	939.0	0.06	<1
WKP100	939.0	940.0	0.13	<1
WKP100	940.0	940.6	0.15	<1
WKP100	940.6	941.6	0.06	<1
WKP100	941.6	942.6	0.09	<1
WKP100	942.6	943.8	0.05	<1
WKP100	943.8	945.0	0.04	<1
WKP100	945.0	946.2	0.17	<1
WKP100	946.4	947.4	0.10	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	947.4	948.3	0.13	<1
WKP100	948.3	949.0	0.17	<1
WKP100	949.0	949.7	0.07	<1
WKP100	949.7	950.6	0.05	<1
WKP100	950.6	951.1	0.10	<1
WKP100	951.1	951.7	0.23	<1
WKP100	951.7	952.6	0.25	<1
WKP100	952.9	953.8	0.25	<1
WKP100	953.8	954.6	0.16	<1
WKP100	954.8	955.2	0.17	<1
WKP100	955.2	956.0	0.13	<1
WKP100	956.0	957.0	0.17	<1
WKP100	957.0	957.6	0.15	<1
WKP100	957.6	959.3	0.13	<1
WKP100	959.6	961.0	0.11	<1
WKP100	961.0	962.2	0.16	<1
WKP100	962.2	963.4	0.12	<1
WKP100	963.4	964.0	0.08	<1
WKP100	964.0	965.0	0.12	<1
WKP100	965.0	966.0	0.11	<1
WKP100	966.0	967.0	0.02	<1
WKP100	967.0	967.9	0.09	<1
WKP100	967.9	969.0	0.04	<1
WKP100	969.0	970.0	0.08	<1
WKP100	970.0	971.0	0.09	<1
WKP100	971.0	972.1	0.09	<1
WKP100	972.1	973.3	0.12	<1
WKP100	973.3	974.5	0.06	<1
WKP100	974.5	975.6	0.05	<1
WKP100	975.6	976.9	0.12	<1
WKP100	976.9	978.0	0.04	<1
WKP100	978.0	979.0	0.06	<1
WKP100	979.0	980.0	0.11	<1
WKP100	980.0	981.0	0.15	<1
WKP100	981.0	982.0	0.08	<1
WKP100	982.0	983.0	0.08	<1
WKP100	983.0	984.0	0.06	<1
WKP100	984.0	985.0	0.03	<1
WKP100	985.0	986.0	0.02	<1
WKP100	986.0	987.0	0.06	<1
WKP100	987.0	988.0	0.05	<1
WKP100	988.0	989.0	0.04	<1
WKP100	989.0	990.0	0.03	<1
WKP100	990.0	991.0	0.08	<1
WKP100	991.0	992.0	0.04	<1
WKP100	992.0	993.0	0.11	<1
WKP100	993.0	994.0	0.04	<1
WKP100	994.0	995.0	0.02	<1
WKP100	995.0	996.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	996.0	997.0	0.03	<1
WKP100	997.0	998.0	0.04	<1
WKP100	998.0	999.2	0.10	<1
WKP100	999.2	1000.0	0.15	<1
WKP100	1000.0	1001.0	0.11	<1
WKP100	1001.0	1002.0	0.13	<1
WKP100	1002.0	1003.0	0.09	<1
WKP100	1003.0	1004.0	0.11	<1
WKP100	1004.0	1005.0	0.04	<1
WKP100	1005.0	1006.2	0.09	<1
WKP100	1006.2	1007.4	0.07	<1
WKP100	1007.4	1008.1	0.03	<1
WKP100	1008.4	1009.2	0.14	2.0
WKP100	1009.2	1010.0	0.03	<1
WKP100	1010.0	1011.0	0.04	<1
WKP100	1011.0	1012.0	0.05	<1
WKP100	1012.0	1013.0	0.04	<1
WKP100	1013.0	1014.0	0.10	<1
WKP100	1014.0	1015.0	0.04	<1
WKP100	1015.0	1016.0	0.06	<1
WKP100	1016.0	1017.0	0.07	<1
WKP100	1017.0	1018.0	0.04	<1
WKP100	1018.0	1019.0	0.10	<1
WKP100	1019.0	1020.0	0.05	<1
WKP100	1020.0	1021.0	0.02	<1
WKP100	1021.0	1022.0	0.06	<1
WKP100	1022.0	1023.0	0.07	<1
WKP100	1023.0	1024.0	0.04	<1
WKP100	1024.0	1025.0	0.05	<1
WKP100	1025.0	1026.0	0.03	<1
WKP100	1026.0	1027.0	0.05	<1
WKP100	1027.0	1028.0	0.06	<1
WKP100	1028.0	1029.0	0.06	<1
WKP100	1029.0	1030.0	0.04	<1
WKP100	1030.0	1031.0	0.04	<1
WKP100	1031.0	1032.0	0.05	<1
WKP100	1032.0	1033.0	0.04	<1
WKP100	1033.0	1034.0	0.04	<1
WKP100	1034.0	1035.0	0.05	<1
WKP100	1035.0	1036.0	0.08	<1
WKP100	1036.0	1037.0	0.03	<1
WKP100	1037.0	1038.0	0.06	<1
WKP100	1038.0	1039.0	0.03	<1
WKP100	1039.0	1040.0	0.10	<1
WKP100	1040.0	1041.0	0.04	<1
WKP100	1041.0	1042.0	0.03	<1
WKP100	1042.0	1043.2	0.03	<1
WKP100	1043.2	1044.4	0.07	<1
WKP100	1044.4	1045.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	1045.0	1046.0	0.04	<1
WKP100	1046.0	1047.0	0.02	<1
WKP100	1047.0	1048.0	0.08	<1
WKP100	1048.0	1049.0	0.08	<1
WKP100	1049.0	1050.0	0.06	<1
WKP100	1050.0	1051.0	0.04	<1
WKP100	1051.0	1052.0	0.04	<1
WKP100	1052.0	1053.0	0.07	<1
WKP100	1053.0	1054.0	0.06	<1
WKP100	1054.0	1054.9	0.04	<1
WKP100	1054.9	1055.5	0.19	<1
WKP100	1055.5	1056.7	0.05	<1
WKP100	1056.7	1057.9	0.07	<1
WKP100	1057.9	1059.0	0.02	<1
WKP100	1059.0	1060.0	0.03	<1
WKP100	1060.0	1061.0	0.02	<1
WKP100	1061.0	1062.0	0.05	<1
WKP100	1062.0	1063.0	0.02	<1
WKP100	1063.0	1064.0	0.08	<1
WKP100	1064.0	1065.0	0.03	<1
WKP100	1065.0	1066.2	0.02	<1
WKP100	1066.2	1067.4	0.05	<1
WKP100	1067.4	1067.8	0.04	<1
WKP100	1067.8	1069.0	0.05	<1
WKP100	1069.0	1070.0	0.04	<1
WKP100	1070.0	1071.0	0.06	1.0
WKP100	1071.0	1072.0	0.03	<1
WKP100	1072.0	1073.0	0.05	<1
WKP100	1073.0	1074.0	0.07	<1
WKP100	1074.0	1075.0	0.03	<1
WKP100	1075.0	1076.0	0.08	<1
WKP100	1076.0	1077.0	0.07	<1
WKP100	1077.0	1078.0	0.16	<1
WKP100	1078.0	1079.0	0.21	<1
WKP100	1079.0	1080.0	0.23	<1
WKP100	1080.0	1081.0	0.12	<1
WKP100	1081.0	1082.0	0.09	<1
WKP100	1082.0	1083.0	0.16	2.0
WKP100	1083.0	1084.0	0.16	<1
WKP100	1084.0	1085.0	0.08	<1
WKP100	1085.0	1086.0	0.12	<1
WKP100	1086.0	1087.0	0.13	<1
WKP100	1087.0	1088.0	0.13	<1
WKP100	1088.0	1089.0	0.15	<1
WKP100	1089.0	1090.0	0.11	<1
WKP100	1090.0	1091.0	0.16	<1
WKP100	1091.0	1092.0	0.14	<1
WKP100	1092.0	1093.0	0.05	<1
WKP100	1093.0	1094.0	0.09	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	1094.0	1094.8	0.10	<1
WKP100	1094.8	1096.0	0.10	<1
WKP100	1096.0	1097.0	0.07	<1
WKP100	1097.0	1098.0	0.10	<1
WKP100	1098.0	1099.0	0.08	<1
WKP100	1099.0	1100.0	0.08	<1
WKP100	1100.0	1100.7	0.08	<1
WKP100	1100.7	1101.9	0.09	<1
WKP100	1101.9	1103.1	0.05	<1
WKP100	1103.1	1104.3	0.09	<1
WKP100	1104.3	1105.0	0.04	<1
WKP100	1105.0	1106.0	0.02	<1
WKP100	1106.0	1107.0	0.10	<1
WKP100	1107.0	1108.0	0.03	<1
WKP100	1108.0	1109.0	0.05	<1
WKP100	1109.0	1110.0	0.12	<1
WKP100	1110.0	1111.0	0.05	<1
WKP100	1111.0	1112.0	0.12	<1
WKP100	1112.0	1113.0	0.08	<1
WKP100	1113.0	1114.0	0.04	<1
WKP100	1114.0	1115.0	0.06	1.0
WKP100	1115.0	1116.0	0.07	<1
WKP100	1116.0	1117.0	0.06	<1
WKP100	1117.0	1117.8	0.05	<1
WKP100	1117.8	1118.8	0.19	1.0
WKP100	1118.8	1120.0	0.09	<1
WKP100	1120.0	1121.0	0.04	<1
WKP100	1121.0	1122.0	0.07	<1
WKP100	1122.0	1123.0	0.08	<1
WKP100	1123.0	1124.0	0.06	<1
WKP100	1124.0	1125.0	0.29	<1
WKP100	1125.0	1126.0	0.31	<1
WKP100	1126.0	1127.0	0.15	<1
WKP100	1127.0	1128.0	0.18	<1
WKP100	1128.0	1129.0	0.25	<1
WKP100	1129.0	1130.0	0.21	<1
WKP100	1130.0	1131.0	0.11	<1
WKP100	1131.0	1132.0	0.06	<1
WKP100	1132.0	1133.0	0.11	<1
WKP100	1133.0	1134.0	0.06	<1
WKP100	1134.0	1135.0	0.02	<1
WKP100	1135.0	1136.0	0.11	<1
WKP100	1136.0	1137.0	0.01	<1
WKP100	1137.0	1138.0	<0.01	<1
WKP100	1138.0	1139.0	0.02	<1
WKP100	1139.0	1140.0	0.09	<1
WKP100	1140.0	1141.0	0.07	<1
WKP100	1141.0	1142.0	0.10	<1
WKP100	1142.0	1143.0	0.04	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	1143.0	1144.0	0.18	<1
WKP100	1144.0	1145.0	0.08	<1
WKP100	1145.0	1146.0	0.08	<1
WKP100	1146.0	1147.0	0.06	<1
WKP100	1147.0	1148.0	0.06	<1
WKP100	1148.0	1149.0	0.24	<1
WKP100	1149.0	1150.0	0.12	<1
WKP100	1150.0	1151.0	0.12	<1
WKP100	1151.0	1152.0	0.14	<1
WKP100	1152.0	1153.0	0.14	<1
WKP100	1153.0	1154.0	0.22	1.0
WKP100	1154.0	1155.0	0.21	<1
WKP100	1155.0	1156.0	0.15	<1
WKP100	1156.0	1157.0	0.14	<1
WKP100	1157.0	1158.0	0.09	<1
WKP100	1158.0	1159.0	0.17	<1
WKP100	1159.0	1160.0	0.19	<1
WKP100	1160.0	1161.0	0.29	<1
WKP100	1161.0	1162.2	0.22	<1
WKP100	1162.2	1163.4	0.22	<1
WKP100	1163.4	1164.3	0.37	<1
WKP100	1164.3	1165.5	0.76	<1
WKP100	1165.5	1166.6	0.34	<1
WKP100	1166.6	1167.3	0.25	<1
WKP100	1167.3	1168.5	1.60	<1
WKP100	1168.5	1169.1	6.65	5.0
WKP100	1169.9	1170.5	5.37	3.0
WKP100	1170.5	1170.8	0.24	<1
WKP100	1170.8	1171.5	0.37	<1
WKP100	1171.5	1172.5	0.38	<1
WKP100	1172.5	1173.7	0.08	<1
WKP100	1173.7	1174.9	0.15	<1
WKP100	1174.9	1176.0	0.06	<1
WKP100	1176.0	1177.0	0.14	<1
WKP100	1177.0	1178.0	0.06	<1
WKP100	1178.0	1179.0	0.05	<1
WKP100	1179.0	1180.0	0.16	<1
WKP100	1180.0	1181.0	0.26	2.0
WKP100	1181.0	1181.7	0.24	<1
WKP100	1181.7	1182.9	0.36	1.0
WKP100	1182.9	1184.0	0.08	<1
WKP100	1184.0	1185.0	0.04	<1
WKP100	1185.0	1186.0	0.05	<1
WKP100	1186.0	1187.0	0.06	<1
WKP100	1187.0	1188.0	0.07	<1
WKP100	1188.0	1189.0	0.07	1.0
WKP100	1189.0	1190.0	0.07	<1
WKP100	1190.0	1191.0	0.29	2.0
WKP100	1191.0	1192.0	0.11	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	1192.0	1193.0	0.07	<1
WKP100	1193.0	1194.0	0.03	<1
WKP100	1194.0	1195.0	0.19	<1
WKP100	1195.0	1196.0	0.19	1.0
WKP100	1196.0	1197.1	0.08	<1
WKP100	1197.1	1198.0	0.04	<1
WKP100	1198.0	1199.0	0.06	<1
WKP100	1199.0	1200.0	0.08	<1
WKP100	1200.0	1201.0	0.05	<1
WKP100	1201.0	1202.0	0.05	<1
WKP100	1202.0	1203.0	0.14	1.0
WKP100	1203.0	1204.0	0.04	<1
WKP100	1204.0	1205.0	0.15	<1
WKP100	1205.0	1206.0	0.08	<1
WKP100	1206.0	1207.0	0.04	<1
WKP100	1207.0	1208.0	0.09	<1
WKP100	1208.0	1209.0	0.04	<1
WKP100	1209.0	1210.0	0.06	<1
WKP100	1210.0	1211.0	0.02	<1
WKP100	1211.0	1212.0	0.04	<1
WKP100	1212.0	1213.0	0.12	<1
WKP100	1213.0	1214.0	0.07	<1
WKP100	1214.0	1215.0	0.03	<1
WKP100	1215.0	1216.0	0.04	<1
WKP100	1216.0	1217.0	0.05	<1
WKP100	1217.0	1218.0	0.02	<1
WKP100	1218.0	1219.0	0.03	<1
WKP100	1219.0	1220.0	0.04	<1
WKP100	1220.0	1221.0	0.11	<1
WKP100	1221.0	1222.0	0.09	<1
WKP100	1222.0	1223.0	0.07	<1
WKP100	1223.0	1224.0	0.04	<1
WKP100	1224.0	1225.0	0.02	<1
WKP100	1225.0	1226.0	0.05	<1
WKP100	1226.0	1227.0	0.04	<1
WKP100	1227.0	1228.0	0.10	<1
WKP100	1228.0	1229.0	0.05	<1
WKP100	1229.0	1230.0	0.04	<1
WKP100	1230.0	1230.8	0.07	<1
WKP100	1230.8	1231.3	0.26	2.0
WKP100	1231.3	1232.5	1.23	2.0
WKP100	1232.5	1233.7	0.08	<1
WKP100	1233.7	1234.9	0.07	<1
WKP100	1234.9	1236.0	0.06	<1
WKP100	1236.0	1236.8	0.03	<1
WKP100	1236.8	1237.4	0.84	4.0
WKP100	1237.4	1238.6	0.29	3.0
WKP100	1238.6	1239.8	0.21	2.0
WKP100	1239.8	1241.0	0.20	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	1241.0	1242.0	0.11	<1
WKP100	1242.0	1243.0	0.30	<1
WKP100	1243.0	1244.0	0.17	1.0
WKP100	1244.0	1245.0	0.16	1.0
WKP100	1245.0	1246.0	0.12	<1
WKP100	1246.0	1247.0	0.06	<1
WKP100	1247.0	1248.0	0.09	<1
WKP100	1248.0	1249.0	0.08	<1
WKP100	1249.0	1250.0	0.11	<1
WKP100	1250.0	1251.0	0.06	<1
WKP100	1251.0	1252.0	0.09	<1
WKP100	1252.0	1252.8	0.17	<1
WKP100	1252.8	1254.0	0.05	<1
WKP100	1254.0	1255.0	0.10	<1
WKP100	1255.0	1256.0	0.18	<1
WKP100	1256.0	1257.0	0.06	<1
WKP100	1257.0	1258.0	0.09	<1
WKP100	1258.0	1259.0	0.11	<1
WKP100	1259.0	1259.7	0.10	<1
WKP100	1259.7	1260.2	0.08	<1
WKP100	1260.2	1261.0	0.10	<1
WKP100	1261.0	1262.0	0.02	<1
WKP100	1262.0	1263.0	0.07	<1
WKP100	1263.0	1264.0	0.15	<1
WKP100	1264.0	1265.0	0.10	<1
WKP100	1265.0	1266.0	0.26	<1
WKP100	1266.0	1267.0	0.13	<1
WKP100	1267.0	1268.0	0.07	<1
WKP100	1268.0	1269.0	0.08	<1
WKP100	1269.0	1270.0	0.11	<1
WKP100	1270.0	1271.0	0.11	<1
WKP100	1271.0	1272.0	0.03	<1
WKP100	1272.0	1273.0	0.05	<1
WKP100	1273.0	1274.0	0.03	<1
WKP100	1274.0	1275.0	0.06	<1
WKP100	1275.0	1276.0	0.05	<1
WKP100	1276.0	1277.0	0.10	<1
WKP100	1277.0	1278.0	0.05	<1
WKP100	1278.0	1279.0	0.10	<1
WKP100	1279.0	1280.0	0.23	<1
WKP100	1280.0	1281.0	0.09	<1
WKP100	1281.0	1282.0	0.06	<1
WKP100	1282.0	1283.0	0.04	<1
WKP100	1283.0	1284.0	0.03	<1
WKP100	1284.0	1285.0	0.08	<1
WKP100	1285.0	1286.0	0.05	<1
WKP100	1286.0	1287.0	0.03	<1
WKP100	1287.0	1288.0	0.08	<1
WKP100	1288.0	1289.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP100	1289.0	1290.0	0.03	<1
WKP100	1290.0	1291.0	<0.01	<1
WKP100	1291.0	1292.0	<0.01	<1
WKP100	1292.0	1293.0	0.03	<1
WKP100	1293.0	1294.0	0.14	<1
WKP100	1294.0	1295.0	0.17	<1
WKP100	1295.0	1296.0	0.11	<1
WKP100	1296.0	1297.0	0.04	<1
WKP100	1297.0	1298.0	0.07	<1
WKP100	1298.0	1299.0	0.04	<1
WKP100	1299.0	1300.2	0.14	<1
WKP100	1300.2	1300.5	0.30	1.0
WKP100	1300.5	1301.7	0.09	<1
WKP100	1301.7	1302.9	0.07	<1
WKP100	1302.9	1304.0	0.04	<1
WKP100	1304.0	1305.0	0.02	<1
WKP100	1305.0	1306.0	0.04	<1
WKP100	1306.0	1307.1	0.04	<1
WKP100	1307.1	1308.3	0.22	<1
WKP101	66.0	67.0	0.02	<1
WKP101	67.0	68.0	0.03	<1
WKP101	68.0	69.0	0.04	<1
WKP101	69.0	70.0	0.78	1.0
WKP101	70.0	71.0	0.11	1.0
WKP101	71.0	72.5	0.30	<1
WKP101	72.5	73.0	0.05	<1
WKP101	73.0	74.0	0.05	<1
WKP101	74.0	75.2	0.10	<1
WKP101	75.2	76.7	0.17	<1
WKP101	76.7	77.6	0.11	<1
WKP101	77.6	78.6	0.18	<1
WKP101	78.6	79.6	0.34	6.0
WKP101	79.6	80.0	0.52	<1
WKP101	80.0	81.0	0.25	<1
WKP101	81.0	82.0	0.11	<1
WKP101	82.0	83.0	0.08	<1
WKP101	83.0	84.0	0.16	<1
WKP101	84.0	85.0	0.12	<1
WKP101	85.0	86.0	0.18	<1
WKP101	86.0	87.0	0.05	<1
WKP101	87.0	88.0	0.10	<1
WKP101	88.0	89.0	0.13	<1
WKP101	89.0	90.0	0.17	<1
WKP101	90.0	91.0	0.14	<1
WKP101	91.0	92.0	0.19	<1
WKP101	92.0	93.0	0.17	<1
WKP101	93.0	94.0	0.14	<1
WKP101	94.0	95.0	0.28	<1
WKP101	95.0	96.0	0.26	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	96.0	97.0	0.56	<1
WKP101	97.0	98.0	0.32	<1
WKP101	98.0	99.0	0.42	<1
WKP101	99.0	99.8	1.62	3.0
WKP101	99.8	101.0	0.42	1.0
WKP101	101.0	102.0	0.48	1.0
WKP101	102.0	103.0	0.38	1.0
WKP101	103.0	103.7	7.27	30.0
WKP101	103.7	104.5	4.36	28.0
WKP101	104.5	105.0	0.17	2.0
WKP101	105.0	106.0	0.30	4.0
WKP101	106.0	107.0	0.32	2.0
WKP101	107.0	108.0	8.07	37.0
WKP101	108.0	109.0	0.18	2.0
WKP101	109.0	110.0	0.26	1.0
WKP101	110.0	110.8	0.34	4.0
WKP101	110.8	111.7	4.54	13.0
WKP101	111.7	112.5	4.02	26.0
WKP101	112.5	113.0	0.27	2.0
WKP101	113.0	114.0	0.46	14.0
WKP101	114.0	115.0	0.22	1.0
WKP101	115.0	116.0	0.18	2.0
WKP101	116.0	117.0	0.18	<1
WKP101	117.0	118.0	0.10	1.0
WKP101	118.0	119.0	0.10	2.0
WKP101	119.0	120.0	0.05	<1
WKP101	120.0	121.0	0.03	1.0
WKP101	121.0	122.0	0.03	1.0
WKP101	122.0	123.0	0.08	<1
WKP101	123.0	124.0	0.06	2.0
WKP101	124.0	125.0	0.04	<1
WKP101	125.0	126.0	0.47	2.0
WKP101	126.0	127.0	0.10	1.0
WKP101	127.0	128.0	0.07	1.0
WKP101	128.0	129.0	0.28	2.0
WKP101	129.0	130.0	0.30	2.0
WKP101	130.0	131.0	1.41	6.0
WKP101	131.0	132.1	10.10	74.0
WKP101	132.1	132.8	3.32	20.0
WKP101	132.8	133.3	0.68	5.0
WKP101	133.3	134.0	0.47	1.0
WKP101	134.0	135.0	0.19	<1
WKP101	135.0	135.5	0.82	3.0
WKP101	135.5	136.4	0.47	<1
WKP101	136.4	137.4	0.75	3.0
WKP101	137.4	138.2	0.43	<1
WKP101	138.2	139.2	0.31	<1
WKP101	139.2	140.2	0.31	<1
WKP101	140.2	141.0	0.14	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	141.0	142.0	0.30	<1
WKP101	142.0	142.9	0.36	3.0
WKP101	142.9	143.8	26.10	100.0
WKP101	143.8	145.0	0.13	2.0
WKP101	145.0	146.0	0.12	<1
WKP101	146.0	147.0	0.13	<1
WKP101	147.0	148.0	0.30	<1
WKP101	148.0	149.0	0.57	3.0
WKP101	149.0	150.0	0.16	<1
WKP101	150.0	151.0	0.04	<1
WKP101	151.0	152.0	0.14	<1
WKP101	152.0	153.0	0.19	1.0
WKP101	153.0	154.3	0.41	4.0
WKP101	154.3	155.0	0.10	2.0
WKP101	155.0	156.2	0.28	1.0
WKP101	156.2	157.0	0.03	<1
WKP101	157.0	158.0	0.26	<1
WKP101	158.0	159.0	0.07	<1
WKP101	159.0	160.0	0.03	<1
WKP101	160.0	161.0	0.06	<1
WKP101	161.0	162.0	0.41	3.0
WKP101	162.0	162.5	0.66	3.0
WKP101	162.5	163.0	0.66	2.0
WKP101	163.0	164.0	0.22	<1
WKP101	164.0	164.3	3.35	22.0
WKP101	164.3	165.0	0.03	<1
WKP101	165.0	166.0	0.06	<1
WKP101	166.0	167.0	0.03	<1
WKP101	167.0	168.0	0.10	<1
WKP101	168.0	169.0	0.16	<1
WKP101	169.0	170.2	0.29	<1
WKP101	170.2	171.4	1.13	7.0
WKP101	171.4	172.0	0.07	<1
WKP101	172.0	173.0	0.10	<1
WKP101	173.0	174.0	0.75	2.0
WKP101	174.0	175.0	0.08	<1
WKP101	175.0	176.0	0.09	<1
WKP101	176.0	177.0	0.28	1.0
WKP101	177.0	178.0	0.12	<1
WKP101	178.0	179.0	0.12	<1
WKP101	179.0	180.0	0.07	<1
WKP101	180.0	181.0	0.05	<1
WKP101	181.0	182.0	0.04	<1
WKP101	182.0	183.0	0.07	<1
WKP101	183.0	184.0	0.15	<1
WKP101	184.0	185.0	0.06	<1
WKP101	185.0	186.0	0.09	1.0
WKP101	186.0	187.0	0.07	<1
WKP101	187.0	188.0	0.18	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	188.0	189.0	0.10	1.0
WKP101	189.0	190.3	0.07	1.0
WKP101	190.3	191.5	0.15	<1
WKP101	191.5	192.1	2.04	12.0
WKP101	192.1	193.0	0.06	<1
WKP101	193.0	194.0	0.07	<1
WKP101	194.0	195.0	0.07	<1
WKP101	195.0	196.0	0.42	1.0
WKP101	196.0	197.0	0.05	<1
WKP101	197.0	198.0	0.09	<1
WKP101	198.0	199.3	0.09	<1
WKP101	199.3	199.7	0.22	3.0
WKP101	199.7	201.0	0.11	1.0
WKP101	201.0	202.0	0.06	<1
WKP101	202.0	203.0	0.10	<1
WKP101	203.0	204.0	0.56	2.0
WKP101	204.0	205.0	0.34	<1
WKP101	205.0	206.0	0.09	<1
WKP101	206.0	207.0	0.12	<1
WKP101	207.0	208.0	0.13	<1
WKP101	208.0	209.0	0.07	<1
WKP101	209.0	210.0	0.08	2.0
WKP101	210.0	211.0	0.07	<1
WKP101	211.0	212.0	0.06	<1
WKP101	212.0	213.0	0.06	<1
WKP101	213.0	214.0	0.08	2.0
WKP101	214.0	215.0	0.08	<1
WKP101	215.0	216.0	0.35	<1
WKP101	216.0	217.0	0.06	<1
WKP101	217.0	218.0	0.05	<1
WKP101	218.0	219.0	0.05	<1
WKP101	219.0	220.0	1.08	2.0
WKP101	220.0	221.0	0.07	1.0
WKP101	221.0	222.0	0.09	2.0
WKP101	222.0	223.0	0.11	<1
WKP101	223.0	224.0	0.12	<1
WKP101	224.0	225.0	0.06	<1
WKP101	225.0	226.0	0.06	<1
WKP101	226.0	227.0	0.12	<1
WKP101	227.0	228.0	0.07	<1
WKP101	228.0	229.0	0.20	<1
WKP101	229.0	229.5	0.23	3.0
WKP101	229.5	230.7	0.85	2.0
WKP101	230.7	231.6	0.13	2.0
WKP101	231.6	232.6	0.22	<1
WKP101	232.6	234.0	0.08	1.0
WKP101	234.0	235.0	0.08	<1
WKP101	235.0	236.0	0.14	<1
WKP101	236.0	237.0	0.04	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	237.0	238.0	0.06	1.0
WKP101	238.0	239.0	0.33	1.0
WKP101	239.0	240.0	0.29	1.0
WKP101	240.0	241.0	0.20	<1
WKP101	241.0	242.0	0.09	<1
WKP101	242.0	243.0	0.05	<1
WKP101	243.0	244.0	0.05	<1
WKP101	244.0	245.0	0.15	<1
WKP101	245.0	246.0	0.05	<1
WKP101	246.0	247.0	0.07	<1
WKP101	247.0	248.0	0.12	1.0
WKP101	248.0	249.0	0.24	<1
WKP101	249.0	250.0	0.11	<1
WKP101	250.0	251.0	0.09	<1
WKP101	251.0	252.0	0.09	<1
WKP101	252.0	253.0	0.10	<1
WKP101	253.0	254.0	0.07	<1
WKP101	254.0	255.0	0.09	<1
WKP101	255.0	256.0	0.09	<1
WKP101	256.0	257.0	0.08	<1
WKP101	257.0	258.0	0.07	<1
WKP101	258.0	259.0	0.06	<1
WKP101	259.0	260.0	0.04	<1
WKP101	260.0	261.0	0.03	<1
WKP101	261.0	262.0	0.03	<1
WKP101	262.0	263.0	0.02	<1
WKP101	263.0	264.0	0.02	<1
WKP101	264.0	265.0	0.05	<1
WKP101	265.0	266.0	<0.01	<1
WKP101	266.0	267.0	<0.01	<1
WKP101	267.0	268.0	<0.01	<1
WKP101	268.0	269.3	0.03	<1
WKP101	269.3	270.6	<0.01	<1
WKP101	270.6	271.3	0.04	<1
WKP101	271.3	272.0	0.02	<1
WKP101	272.0	273.0	<0.01	<1
WKP101	273.0	274.0	<0.01	<1
WKP101	274.0	275.0	<0.01	<1
WKP101	275.0	276.0	<0.01	<1
WKP101	276.0	277.0	<0.01	<1
WKP101	277.0	278.0	<0.01	<1
WKP101	278.0	279.0	<0.01	<1
WKP101	279.0	280.0	<0.01	<1
WKP101	280.0	281.0	<0.01	<1
WKP101	281.0	282.0	<0.01	<1
WKP101	282.0	283.0	0.02	<1
WKP101	283.0	284.0	<0.01	<1
WKP101	284.0	285.0	<0.01	<1
WKP101	285.0	286.0	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	286.0	287.0	<0.01	<1
WKP101	287.0	288.0	<0.01	<1
WKP101	288.0	289.0	<0.01	<1
WKP101	289.0	290.0	<0.01	<1
WKP101	290.0	291.0	<0.01	<1
WKP101	291.0	292.0	<0.01	<1
WKP101	292.0	293.0	<0.01	<1
WKP101	293.0	294.0	0.02	<1
WKP101	294.0	295.0	0.04	<1
WKP101	295.0	296.0	0.01	<1
WKP101	296.0	297.0	0.02	<1
WKP101	297.0	298.0	<0.01	<1
WKP101	298.0	299.0	0.02	<1
WKP101	299.0	300.0	0.02	<1
WKP101	300.0	301.0	0.02	<1
WKP101	301.0	302.0	0.06	<1
WKP101	302.0	303.0	0.32	<1
WKP101	303.0	304.0	0.03	<1
WKP101	304.0	305.0	0.04	<1
WKP101	305.0	306.0	0.15	<1
WKP101	306.0	307.0	0.04	<1
WKP101	307.0	308.5	0.02	<1
WKP101	310.0	311.0	0.05	<1
WKP101	311.0	312.0	0.02	<1
WKP101	312.0	313.0	0.04	<1
WKP101	313.0	314.0	0.17	<1
WKP101	314.0	315.0	0.14	<1
WKP101	315.0	316.0	0.02	<1
WKP101	316.0	317.0	0.06	<1
WKP101	317.0	318.0	0.15	<1
WKP101	318.0	319.0	0.02	<1
WKP101	319.0	320.0	0.02	<1
WKP101	320.0	321.0	0.06	<1
WKP101	321.0	322.0	0.33	<1
WKP101	322.0	323.0	0.09	<1
WKP101	323.0	324.0	0.05	<1
WKP101	324.0	325.0	0.08	<1
WKP101	325.0	326.0	0.13	<1
WKP101	326.0	327.0	0.02	1.0
WKP101	327.0	328.0	0.01	<1
WKP101	328.0	329.0	<0.01	<1
WKP101	329.0	330.0	0.03	<1
WKP101	330.0	331.0	0.28	6.0
WKP101	331.0	332.0	2.20	13.0
WKP101	332.0	333.0	0.27	<1
WKP101	333.0	334.1	0.17	<1
WKP101	334.1	335.0	0.20	<1
WKP101	335.0	336.0	0.70	<1
WKP101	336.0	337.0	0.46	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	337.0	338.0	0.11	<1
WKP101	338.0	339.0	0.02	<1
WKP101	339.0	340.0	1.10	1.0
WKP101	340.0	340.8	0.25	<1
WKP101	340.8	341.7	6.22	12.0
WKP101	341.7	342.3	5.33	11.0
WKP101	342.3	343.0	0.13	<1
WKP101	343.0	344.0	0.94	1.0
WKP101	344.0	345.0	0.87	2.0
WKP101	345.0	346.0	0.14	<1
WKP101	346.0	347.0	0.16	<1
WKP101	347.0	348.0	0.73	<1
WKP101	348.0	349.3	0.60	<1
WKP101	349.3	350.3	6.68	26.0
WKP101	350.3	351.2	4.48	17.0
WKP101	351.2	352.3	0.95	1.0
WKP101	352.3	353.0	0.65	1.0
WKP101	353.0	354.0	0.23	<1
WKP101	354.0	355.0	1.15	2.0
WKP101	355.0	356.0	1.91	4.0
WKP101	356.0	357.0	0.24	<1
WKP101	357.0	357.9	0.06	<1
WKP101	357.9	358.9	5.47	8.0
WKP101	358.9	359.5	9.32	29.0
WKP101	359.5	361.0	0.18	<1
WKP101	361.0	362.0	0.39	<1
WKP101	362.0	363.0	0.08	<1
WKP101	363.0	364.0	0.16	<1
WKP101	364.0	365.4	0.12	<1
WKP101	365.4	366.2	7.17	28.0
WKP101	366.2	367.2	1.84	3.0
WKP101	367.2	368.0	0.45	<1
WKP101	368.0	369.0	0.96	2.0
WKP101	369.0	369.6	1.19	3.0
WKP101	369.6	370.6	3.99	11.0
WKP101	370.6	371.1	0.50	<1
WKP101	371.1	372.0	8.46	11.0
WKP101	372.0	373.0	1.89	2.0
WKP101	373.0	374.0	1.47	3.0
WKP101	374.0	374.7	0.70	<1
WKP101	374.7	375.5	0.27	<1
WKP101	375.5	376.4	4.49	12.0
WKP101	376.4	377.0	0.67	1.0
WKP101	377.0	378.1	16.80	71.0
WKP101	378.1	379.0	11.60	37.0
WKP101	379.0	380.0	77.50	113.0
WKP101	380.0	381.1	38.10	111.0
WKP101	381.1	381.8	0.58	2.0
WKP101	381.8	382.5	13.80	23.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	382.5	383.7	9.70	10.0
WKP101	383.7	384.8	11.60	32.0
WKP101	384.8	386.0	37.50	130.0
WKP101	386.0	387.0	34.40	7.0
WKP101	387.0	388.0	29.80	125.0
WKP101	388.0	389.0	20.20	100.0
WKP101	389.0	390.0	188.00	195.0
WKP101	390.0	391.0	113.00	156.0
WKP101	391.0	391.6	6.94	16.0
WKP101	391.6	392.1	8.10	18.0
WKP101	392.1	393.0	3.78	6.0
WKP101	393.0	394.0	143.00	229.0
WKP101	394.0	395.0	116.00	158.0
WKP101	395.0	396.0	8.35	16.0
WKP101	396.0	397.0	7.43	13.0
WKP101	397.0	397.8	59.40	68.0
WKP101	397.8	398.4	9.90	12.0
WKP101	398.4	399.4	2.14	4.0
WKP101	399.4	400.1	2.28	3.0
WKP101	400.1	401.0	5.57	10.0
WKP101	401.0	401.9	4.46	7.0
WKP101	401.9	402.6	12.20	23.0
WKP101	402.6	403.2	6.04	9.0
WKP101	403.2	403.9	3.07	7.0
WKP101	404.9	406.5	12.40	38.0
WKP101	406.5	407.4	6.59	11.0
WKP101	407.4	408.0	0.94	3.0
WKP101	408.0	408.9	1.08	2.0
WKP101	408.9	409.9	1.42	1.0
WKP101	409.9	410.4	1.28	8.0
WKP101	410.4	411.1	0.41	2.0
WKP101	411.1	412.0	0.64	<1
WKP101	412.0	413.0	1.62	4.0
WKP101	413.0	413.9	0.27	<1
WKP101	413.9	415.0	3.03	7.0
WKP101	415.0	415.9	2.29	9.0
WKP101	415.9	417.1	3.23	6.0
WKP101	417.1	418.4	0.77	3.0
WKP101	418.4	419.0	1.01	2.0
WKP101	419.0	420.0	0.89	<1
WKP101	420.0	421.0	0.40	<1
WKP101	421.0	422.3	0.40	<1
WKP101	422.3	423.3	0.94	2.0
WKP101	423.3	424.3	0.54	<1
WKP101	424.3	425.3	0.32	<1
WKP101	425.3	426.7	0.56	<1
WKP101	426.7	428.0	2.59	6.0
WKP101	428.0	429.0	27.80	66.0
WKP101	429.0	430.0	39.40	116.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	430.0	431.0	34.60	91.0
WKP101	431.0	432.0	24.90	42.0
WKP101	432.0	433.0	11.40	23.0
WKP101	433.0	434.0	70.10	174.0
WKP101	434.0	434.5	31.90	92.0
WKP101	434.5	435.5	1.46	4.0
WKP101	435.5	436.4	0.16	<1
WKP101	436.4	437.0	0.37	<1
WKP101	437.0	437.9	2.79	12.0
WKP101	437.9	438.8	0.72	5.0
WKP101	438.8	439.6	1.08	9.0
WKP101	439.6	440.6	2.97	20.0
WKP101	440.6	441.4	0.81	4.0
WKP101	441.4	442.6	0.46	5.0
WKP101	442.6	443.4	0.46	1.0
WKP101	443.4	444.0	0.55	2.0
WKP101	444.0	445.0	0.47	4.0
WKP101	445.0	445.9	0.94	3.0
WKP101	445.9	447.0	0.95	5.0
WKP101	447.0	447.8	2.30	6.0
WKP101	447.8	448.9	0.57	1.0
WKP101	448.9	449.9	4.69	16.0
WKP101	449.9	450.7	0.53	3.0
WKP101	450.7	452.0	0.34	2.0
WKP101	452.0	453.0	0.57	2.0
WKP101	453.0	454.0	0.89	5.0
WKP101	454.0	455.0	0.65	2.0
WKP101	455.0	456.4	0.67	2.0
WKP101	456.4	457.1	17.00	75.0
WKP101	457.1	458.1	8.03	5.0
WKP101	458.1	458.8	4.85	10.0
WKP101	458.8	459.5	5.43	27.0
WKP101	459.5	460.9	0.31	<1
WKP101	460.9	461.6	0.59	16.0
WKP101	461.6	463.0	0.22	<1
WKP101	463.0	464.0	0.30	<1
WKP101	464.0	465.0	0.81	4.0
WKP101	465.0	466.0	0.29	2.0
WKP101	466.0	467.0	0.33	<1
WKP101	467.0	468.0	0.32	1.0
WKP101	468.0	469.0	0.21	2.0
WKP101	469.0	470.0	0.98	3.0
WKP101	470.0	471.0	0.94	5.0
WKP101	471.0	472.0	0.19	<1
WKP101	472.0	473.0	0.25	<1
WKP101	473.0	474.0	0.32	<1
WKP101	474.0	475.0	0.10	<1
WKP101	475.0	476.0	0.05	<1
WKP101	476.0	477.0	0.38	2.0



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	477.0	478.0	0.50	<1
WKP101	478.0	478.9	0.06	<1
WKP101	478.9	479.9	0.08	<1
WKP101	479.9	480.9	0.13	<1
WKP101	480.9	481.9	0.12	<1
WKP101	481.9	483.2	0.37	<1
WKP101	483.2	484.0	0.10	<1
WKP101	484.0	485.0	0.07	<1
WKP101	485.0	486.0	0.09	<1
WKP101	486.0	487.0	0.04	<1
WKP101	487.0	488.0	0.06	<1
WKP101	488.0	489.0	0.14	<1
WKP101	489.0	490.0	0.04	<1
WKP101	490.0	491.0	0.20	1.0
WKP101	491.0	492.0	0.22	<1
WKP101	492.0	493.0	0.13	1.0
WKP101	493.0	495.0	0.35	2.0
WKP101	495.0	496.0	0.39	2.0
WKP101	496.0	497.0	0.15	1.0
WKP101	497.0	498.0	0.33	<1
WKP101	498.0	499.0	0.09	<1
WKP101	499.0	500.0	0.08	<1
WKP101	500.0	501.0	0.09	<1
WKP101	501.0	502.0	0.06	<1
WKP101	502.0	503.0	0.06	<1
WKP101	503.0	504.0	0.20	<1
WKP101	504.0	505.0	0.10	<1
WKP101	505.0	506.0	0.15	<1
WKP101	506.0	507.0	0.14	<1
WKP101	507.0	508.0	0.20	<1
WKP101	508.0	509.0	0.15	<1
WKP101	509.0	510.0	0.22	<1
WKP101	510.0	511.0	0.15	<1
WKP101	511.0	512.0	0.16	<1
WKP101	512.0	513.0	0.09	<1
WKP101	513.0	514.0	0.12	<1
WKP101	514.0	515.0	0.19	1.0
WKP101	515.0	516.0	0.18	1.0
WKP101	516.0	517.0	0.35	<1
WKP101	517.0	518.0	0.07	<1
WKP101	518.0	519.0	0.07	<1
WKP101	519.0	520.0	0.07	<1
WKP101	520.0	521.0	0.07	<1
WKP101	521.0	522.0	0.32	<1
WKP101	522.0	523.0	0.02	<1
WKP101	523.0	524.1	0.02	<1
WKP101	524.1	525.0	0.18	1.0
WKP101	525.0	526.4	0.12	<1
WKP101	526.4	527.8	0.34	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP101	527.8	528.8	0.16	2.0
WKP101	528.8	529.9	0.10	1.0
WKP101A	388.3	388.9	55.60	119.0
WKP101A	388.9	390.0	136.00	207.0
WKP101A	390.0	390.9	27.20	50.0
WKP101A	390.9	392.0	8.44	18.0
WKP101A	392.0	393.1	6.47	24.0
WKP101A	393.1	394.2	125.00	199.0
WKP101A	394.2	395.0	31.30	71.0
WKP101A	395.0	396.0	6.12	11.0
WKP101A	396.0	396.8	6.00	16.0
WKP101A	396.8	397.7	22.50	32.0
WKP101A	397.7	398.3	0.87	2.0
WKP101A	398.3	399.3	1.28	2.0
WKP101A	399.3	400.3	5.61	8.0
WKP101A	400.3	400.7	4.30	7.0
WKP101A	400.7	401.7	6.75	9.0
WKP101A	401.7	402.5	3.58	13.0
WKP101A	402.5	403.0	3.59	7.0
WKP101A	403.0	404.0	5.94	10.0
WKP101A	404.0	405.0	7.69	17.0
WKP101A	405.0	406.0	5.57	9.0
WKP101A	406.0	407.2	9.00	16.0
WKP101A	407.2	408.4	1.42	4.0
WKP101A	408.4	409.1	2.03	5.0
WKP101A	409.1	409.9	0.20	1.0
WKP102	0.0	0.3	0.03	<1
WKP102	2.5	2.9	0.04	<1
WKP102	3.3	4.0	0.04	<1
WKP102	4.0	4.8	0.05	<1
WKP102	4.8	5.1	0.51	<1
WKP102	6.0	6.6	0.15	<1
WKP102	6.6	7.1	0.05	<1
WKP102	8.4	9.4	0.03	<1
WKP102	9.4	9.7	0.10	1.0
WKP102	10.1	10.8	0.01	<1
WKP102	11.1	11.6	0.01	<1
WKP102	12.0	13.0	0.01	<1
WKP102	13.0	13.6	<0.01	<1
WKP102	14.1	14.7	0.03	<1
WKP102	15.2	16.0	0.02	<1
WKP102	16.0	16.4	0.01	<1
WKP102	17.4	18.0	0.02	<1
WKP102	18.0	19.0	<0.01	<1
WKP102	19.0	19.5	<0.01	<1
WKP102	19.5	20.0	0.04	<1
WKP102	20.0	21.0	0.11	<1
WKP102	21.0	22.0	0.02	<1
WKP102	22.0	22.3	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	23.2	24.0	<0.01	4.0
WKP102	24.0	25.0	0.01	<1
WKP102	25.0	26.0	0.01	<1
WKP102	26.0	27.0	0.02	<1
WKP102	27.0	28.0	0.02	<1
WKP102	28.0	29.0	0.02	<1
WKP102	29.0	30.0	0.01	<1
WKP102	30.0	31.0	0.02	<1
WKP102	31.0	32.0	0.04	<1
WKP102	32.0	32.6	0.01	<1
WKP102	32.6	33.2	0.20	<1
WKP102	33.2	34.0	0.06	<1
WKP102	34.0	35.0	0.03	<1
WKP102	35.0	35.7	0.21	<1
WKP102	35.7	36.3	0.18	<1
WKP102	36.3	37.0	0.07	<1
WKP102	37.0	38.0	0.04	<1
WKP102	38.0	39.0	0.03	<1
WKP102	39.0	40.0	0.04	<1
WKP102	40.0	41.0	0.03	<1
WKP102	41.0	42.0	0.02	<1
WKP102	42.0	43.0	0.06	<1
WKP102	43.0	44.0	0.03	<1
WKP102	44.0	45.0	0.03	<1
WKP102	45.0	46.0	<0.01	<1
WKP102	46.0	47.0	0.01	<1
WKP102	47.0	48.0	0.02	<1
WKP102	48.0	49.0	<0.01	<1
WKP102	49.0	50.0	0.02	<1
WKP102	50.0	51.0	0.03	<1
WKP102	51.0	52.0	0.03	<1
WKP102	52.0	52.8	0.03	<1
WKP102	52.8	53.6	0.03	<1
WKP102	53.6	54.0	0.05	<1
WKP102	54.0	54.5	0.04	<1
WKP102	54.5	54.8	0.03	<1
WKP102	54.8	55.6	0.04	<1
WKP102	55.6	56.0	0.03	<1
WKP102	56.0	57.0	0.05	<1
WKP102	57.0	58.0	0.05	<1
WKP102	58.0	59.0	0.06	<1
WKP102	59.0	60.0	0.04	<1
WKP102	60.0	61.0	0.03	<1
WKP102	61.0	62.0	0.03	<1
WKP102	62.0	62.3	0.04	<1
WKP102	62.3	63.0	0.03	<1
WKP102	63.0	64.0	0.03	<1
WKP102	64.0	65.0	0.02	<1
WKP102	65.0	66.0	0.02	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	66.0	67.0	0.02	<1
WKP102	67.0	68.0	0.02	<1
WKP102	68.0	69.0	0.02	<1
WKP102	69.0	70.0	0.03	<1
WKP102	70.0	71.0	0.03	<1
WKP102	71.0	72.0	0.02	<1
WKP102	72.0	73.0	0.02	<1
WKP102	73.0	74.0	0.01	<1
WKP102	74.0	75.0	0.01	<1
WKP102	75.0	75.6	0.01	<1
WKP102	75.6	76.0	0.03	<1
WKP102	76.0	77.1	0.02	<1
WKP102	77.1	78.0	0.02	<1
WKP102	78.0	79.0	0.02	<1
WKP102	79.0	80.0	0.01	<1
WKP102	80.0	81.0	0.02	<1
WKP102	81.0	82.0	0.02	<1
WKP102	82.0	82.8	0.04	<1
WKP102	82.8	83.1	0.36	<1
WKP102	83.1	84.0	0.21	<1
WKP102	84.0	84.3	0.54	<1
WKP102	84.3	85.0	0.05	<1
WKP102	85.0	85.7	0.06	<1
WKP102	85.7	86.0	0.06	<1
WKP102	86.0	87.0	0.02	<1
WKP102	87.0	88.0	0.02	<1
WKP102	88.0	89.0	0.08	<1
WKP102	89.0	90.0	0.04	<1
WKP102	90.0	91.0	0.02	<1
WKP102	91.0	91.6	0.02	1.0
WKP102	91.6	92.2	0.03	<1
WKP102	92.2	92.6	0.05	<1
WKP102	92.6	93.0	0.02	<1
WKP102	93.0	93.7	0.02	<1
WKP102	93.7	94.0	0.02	<1
WKP102	94.0	95.0	0.04	<1
WKP102	95.0	96.0	0.06	<1
WKP102	96.0	97.0	0.02	1.0
WKP102	97.0	97.7	0.02	<1
WKP102	97.7	98.3	0.03	<1
WKP102	98.3	99.0	0.07	<1
WKP102	99.0	100.0	0.04	<1
WKP102	100.0	100.3	0.05	<1
WKP102	100.3	101.3	0.35	2.0
WKP102	101.3	102.0	0.18	<1
WKP102	102.0	103.0	0.23	2.0
WKP102	103.0	104.0	0.47	1.0
WKP102	104.0	105.0	0.12	<1
WKP102	105.0	106.0	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	106.0	107.0	0.02	1.0
WKP102	107.0	108.0	0.09	<1
WKP102	108.0	109.0	0.08	<1
WKP102	109.0	110.0	0.02	<1
WKP102	110.0	111.0	<0.01	2.0
WKP102	111.0	112.0	0.01	1.0
WKP102	112.0	113.0	0.04	<1
WKP102	113.0	114.0	0.04	<1
WKP102	114.0	115.0	<0.01	<1
WKP102	115.0	116.0	<0.01	<1
WKP102	116.0	117.0	<0.01	<1
WKP102	117.0	118.0	0.07	<1
WKP102	118.0	119.0	1.70	<1
WKP102	119.0	120.0	0.30	<1
WKP102	120.0	121.0	12.00	6.0
WKP102	121.0	122.0	3.59	2.0
WKP102	122.0	123.0	0.08	<1
WKP102	123.0	124.0	0.11	<1
WKP102	124.0	125.0	0.08	<1
WKP102	125.0	126.0	0.06	<1
WKP102	126.0	127.0	0.12	<1
WKP102	127.0	128.0	0.06	<1
WKP102	128.0	129.0	0.16	<1
WKP102	129.0	130.0	0.08	<1
WKP102	130.0	131.0	0.15	<1
WKP102	131.0	132.0	0.04	<1
WKP102	132.0	133.0	0.29	<1
WKP102	133.0	134.0	0.87	<1
WKP102	134.0	135.0	0.05	<1
WKP102	135.0	136.0	0.02	<1
WKP102	136.0	137.0	0.05	<1
WKP102	137.0	138.0	0.04	<1
WKP102	138.0	139.0	0.23	<1
WKP102	139.0	139.6	0.05	<1
WKP102	139.6	140.2	1.63	1.0
WKP102	140.2	140.6	5.43	2.0
WKP102	140.6	140.9	22.50	19.0
WKP102	140.9	141.3	0.54	<1
WKP102	141.3	141.6	39.00	25.0
WKP102	141.6	142.1	5.55	5.0
WKP102	142.1	142.8	0.14	<1
WKP102	142.8	143.5	0.09	<1
WKP102	143.5	144.4	0.06	<1
WKP102	144.4	145.0	0.05	<1
WKP102	145.0	146.0	0.02	<1
WKP102	146.0	146.8	0.23	<1
WKP102	146.8	147.6	1.42	4.0
WKP102	147.6	148.0	0.06	<1
WKP102	148.0	149.0	0.07	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	149.0	150.0	0.06	<1
WKP102	150.0	151.0	0.14	<1
WKP102	151.0	152.0	0.08	<1
WKP102	152.0	152.3	0.03	<1
WKP102	152.3	152.6	3.46	3.0
WKP102	152.6	153.0	0.08	<1
WKP102	153.0	153.7	0.07	<1
WKP102	153.7	154.0	0.15	<1
WKP102	154.1	155.0	0.06	2.0
WKP102	155.0	156.0	0.05	<1
WKP102	156.0	157.0	0.03	<1
WKP102	157.0	158.0	0.03	<1
WKP102	158.0	159.0	0.44	<1
WKP102	159.0	160.0	0.07	<1
WKP102	160.0	160.4	0.06	<1
WKP102	160.4	161.0	0.76	1.0
WKP102	161.0	162.0	0.05	<1
WKP102	162.0	163.0	0.13	<1
WKP102	163.0	164.0	0.11	<1
WKP102	164.0	164.7	0.08	1.0
WKP102	164.7	165.3	4.65	32.0
WKP102	165.3	165.8	0.09	<1
WKP102	165.8	166.1	0.08	1.0
WKP102	166.1	167.0	0.05	<1
WKP102	167.0	168.0	0.07	<1
WKP102	168.0	169.0	0.07	<1
WKP102	169.0	170.0	0.11	1.0
WKP102	170.0	170.4	0.06	<1
WKP102	170.4	170.7	2.86	4.0
WKP102	170.7	171.0	0.89	2.0
WKP102	171.0	171.6	0.30	2.0
WKP102	171.6	172.1	1.17	3.0
WKP102	172.1	173.1	0.07	<1
WKP102	173.1	173.4	0.10	2.0
WKP102	174.3	175.3	0.05	4.0
WKP102	175.3	176.5	0.12	2.0
WKP102	176.5	177.7	0.06	<1
WKP102	177.7	178.1	0.60	7.0
WKP102	178.1	179.0	0.05	<1
WKP102	179.0	180.0	0.04	<1
WKP102	180.0	181.0	0.07	<1
WKP102	181.0	182.0	0.04	<1
WKP102	182.0	183.0	0.07	<1
WKP102	183.0	184.0	0.03	<1
WKP102	184.0	185.0	0.02	<1
WKP102	185.0	186.0	0.03	<1
WKP102	186.0	187.0	0.02	<1
WKP102	187.0	188.0	0.08	<1
WKP102	188.0	189.0	0.99	3.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	189.0	190.0	0.17	<1
WKP102	190.0	191.0	0.21	1.0
WKP102	191.0	192.0	0.07	<1
WKP102	192.0	193.0	0.76	1.0
WKP102	193.0	194.0	0.04	<1
WKP102	194.0	195.0	0.07	<1
WKP102	195.0	196.0	0.16	<1
WKP102	196.0	197.0	0.23	<1
WKP102	197.0	198.0	0.03	<1
WKP102	198.0	199.0	<0.01	<1
WKP102	199.0	199.8	0.02	<1
WKP102	199.8	200.1	15.80	73.0
WKP102	200.1	201.0	0.14	<1
WKP102	201.0	202.0	0.04	<1
WKP102	202.0	203.0	0.08	<1
WKP102	203.0	204.0	0.13	<1
WKP102	204.0	204.9	1.31	<1
WKP102	204.9	205.3	0.67	<1
WKP102	205.3	206.0	0.33	<1
WKP102	206.0	207.0	0.45	<1
WKP102	207.0	208.0	0.25	<1
WKP102	208.0	209.0	0.27	9.0
WKP102	209.0	210.0	0.16	<1
WKP102	210.0	211.0	0.18	<1
WKP102	211.0	212.0	0.35	1.0
WKP102	212.0	213.0	0.23	1.0
WKP102	213.0	213.7	0.31	1.0
WKP102	213.7	214.0	3.75	12.0
WKP102	214.0	215.0	0.23	<1
WKP102	215.0	216.0	0.57	2.0
WKP102	216.0	217.0	0.44	2.0
WKP102	217.0	218.0	0.38	1.0
WKP102	218.0	219.0	0.11	<1
WKP102	219.0	220.0	0.12	1.0
WKP102	220.0	221.2	2.20	4.0
WKP102	221.2	222.4	14.60	48.0
WKP102	222.4	223.1	6.21	17.0
WKP102	223.1	224.1	4.76	5.0
WKP102	224.3	225.3	0.18	7.0
WKP102	225.6	226.6	0.93	19.0
WKP102	226.6	227.1	0.02	2.0
WKP102	227.1	228.3	0.02	1.0
WKP102	228.3	229.3	<0.01	1.0
WKP102	229.3	230.0	<0.01	<1
WKP102	230.0	230.8	<0.01	<1
WKP102	230.8	232.0	0.22	14.0
WKP102	232.0	232.8	0.06	32.0
WKP102	232.8	233.6	0.03	3.0
WKP102	233.6	234.2	<0.01	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	234.2	235.4	0.02	1.0
WKP102	235.4	236.3	<0.01	<1
WKP102	236.3	237.5	<0.01	<1
WKP102	237.5	238.0	<0.01	<1
WKP102	238.0	239.0	0.02	<1
WKP102	239.0	240.0	<0.01	<1
WKP102	240.0	241.0	<0.01	1.0
WKP102	241.0	242.1	<0.01	<1
WKP102	242.4	243.0	<0.01	<1
WKP102	243.0	244.0	0.01	<1
WKP102	244.0	245.0	<0.01	<1
WKP102	245.0	246.0	<0.01	<1
WKP102	246.0	247.0	<0.01	<1
WKP102	247.0	248.2	<0.01	<1
WKP102	248.2	249.0	<0.01	<1
WKP102	249.0	250.0	<0.01	<1
WKP102	250.0	251.0	<0.01	<1
WKP102	251.0	252.0	<0.01	<1
WKP102	252.0	252.6	<0.01	<1
WKP102	252.6	253.4	0.14	<1
WKP102	253.4	254.2	<0.01	<1
WKP102	254.2	255.1	0.01	<1
WKP102	255.5	256.2	<0.01	<1
WKP102	256.5	257.7	<0.01	<1
WKP102	257.7	258.4	0.02	<1
WKP102	258.4	259.0	0.01	<1
WKP102	259.0	259.9	0.02	<1
WKP102	259.9	260.7	0.07	<1
WKP102	260.7	261.3	<0.01	<1
WKP102	261.3	262.5	<0.01	<1
WKP102	262.5	263.4	<0.01	<1
WKP102	263.4	264.0	<0.01	<1
WKP102	264.0	265.0	<0.01	<1
WKP102	265.0	266.0	<0.01	<1
WKP102	266.0	267.0	<0.01	<1
WKP102	267.0	268.0	<0.01	<1
WKP102	268.0	269.0	<0.01	<1
WKP102	269.0	270.0	<0.01	<1
WKP102	270.0	271.0	0.02	<1
WKP102	271.0	272.0	0.01	<1
WKP102	272.0	273.0	0.03	<1
WKP102	273.0	274.0	0.02	<1
WKP102	274.0	275.0	<0.01	<1
WKP102	275.0	275.8	0.01	<1
WKP102	275.8	276.1	0.01	<1
WKP102	276.1	277.0	<0.01	<1
WKP102	277.0	277.8	<0.01	<1
WKP102	277.8	279.0	0.01	<1
WKP102	279.0	280.0	<0.01	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	280.0	280.6	0.02	<1
WKP102	280.6	281.4	0.02	<1
WKP102	281.4	282.0	0.02	<1
WKP102	282.0	283.0	<0.01	<1
WKP102	283.0	284.0	<0.01	<1
WKP102	284.0	285.0	<0.01	<1
WKP102	285.0	286.0	<0.01	<1
WKP102	286.0	287.0	<0.01	<1
WKP102	287.0	288.0	<0.01	<1
WKP102	288.0	289.0	<0.01	<1
WKP102	289.0	290.0	<0.01	<1
WKP102	290.0	291.0	<0.01	<1
WKP102	291.0	292.0	0.06	3.0
WKP102	292.0	293.0	0.08	<1
WKP102	293.0	294.0	0.22	<1
WKP102	294.0	295.0	0.21	2.0
WKP102	295.0	296.0	0.06	<1
WKP102	296.0	297.0	0.03	<1
WKP102	297.0	298.0	0.06	<1
WKP102	298.0	298.9	0.11	1.0
WKP102	298.9	299.6	0.08	<1
WKP102	299.6	300.5	0.84	2.0
WKP102	300.5	301.0	0.17	1.0
WKP102	301.0	302.0	0.15	<1
WKP102	302.0	302.5	0.10	<1
WKP102	302.5	303.3	0.27	<1
WKP102	303.3	304.0	0.49	<1
WKP102	304.0	305.0	0.43	<1
WKP102	305.0	306.0	0.06	<1
WKP102	306.0	307.4	0.23	<1
WKP102	307.4	308.2	2.35	5.0
WKP102	308.2	309.0	0.97	2.0
WKP102	309.0	310.0	0.37	2.0
WKP102	310.0	311.0	0.22	3.0
WKP102	311.0	312.0	0.11	1.0
WKP102	312.0	313.0	0.07	1.0
WKP102	313.0	314.0	0.26	1.0
WKP102	314.0	315.0	0.48	<1
WKP102	315.0	315.6	0.27	2.0
WKP102	315.6	316.0	0.09	2.0
WKP102	316.0	317.0	8.79	10.0
WKP102	317.0	318.0	0.16	<1
WKP102	318.0	319.0	0.21	<1
WKP102	319.0	320.2	0.11	<1
WKP102	320.2	321.0	0.32	1.0
WKP102	321.0	322.0	0.12	1.0
WKP102	322.0	323.0	0.14	<1
WKP102	323.0	324.0	0.39	<1
WKP102	324.0	325.0	0.20	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP102	325.0	326.0	0.11	<1
WKP102	326.0	326.7	0.12	<1
WKP102	326.7	327.5	0.18	<1
WKP102	327.5	328.2	0.24	2.0
WKP102	328.2	329.0	0.28	<1
WKP102	329.0	330.0	0.28	<1
WKP102	330.0	331.0	3.19	2.0
WKP102	331.0	331.5	0.22	1.0
WKP102	331.5	332.5	0.14	<1
WKP102	332.5	333.0	0.16	2.0
WKP102	333.0	333.5	0.09	<1
WKP102	333.5	334.5	0.21	5.0
WKP102	334.5	335.0	0.13	9.0
WKP102	335.0	336.0	0.26	11.0
WKP102	336.0	336.5	0.16	2.0
WKP102	336.5	337.0	0.11	1.0
WKP102	337.0	338.0	0.01	<1
WKP102	338.0	339.0	0.01	<1
WKP102	339.0	340.0	<0.01	<1
WKP102	340.0	341.0	<0.01	<1
WKP102	341.0	342.0	<0.01	<1
WKP102	342.0	343.0	<0.01	<1
WKP102	343.0	344.0	<0.01	<1
WKP102	344.0	345.0	<0.01	<1
WKP102	345.0	346.0	<0.01	<1
WKP102	346.0	347.0	0.02	<1
WKP102	347.0	348.0	<0.01	<1
WKP102	348.0	349.0	<0.01	<1
WKP102	349.0	350.0	0.02	<1
WKP102	350.0	351.0	<0.01	<1
WKP102	351.0	352.0	0.02	<1
WKP102	352.0	353.0	<0.01	<1
WKP102	353.0	354.0	<0.01	<1
WKP102	354.0	355.0	0.02	<1
WKP102	355.0	356.0	<0.01	<1
WKP102	356.0	357.0	0.01	<1
WKP102	357.0	358.0	<0.01	<1
WKP102	358.0	359.0	0.02	<1
WKP102	359.0	360.0	0.01	<1
WKP102	360.0	360.6	<0.01	<1
WKP103	53.0	54.0	0.02	<1
WKP103	54.0	55.0	0.02	<1
WKP103	55.0	56.0	0.03	<1
WKP103	56.0	57.0	0.04	<1
WKP103	57.0	58.0	0.08	<1
WKP103	58.0	59.0	0.22	<1
WKP103	59.0	60.0	0.29	1.0
WKP103	60.0	61.0	0.31	2.0
WKP103	61.0	62.0	0.26	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	62.0	63.0	0.56	1.0
WKP103	63.0	63.7	0.18	1.0
WKP103	64.0	65.0	0.28	1.0
WKP103	65.0	66.0	1.27	3.0
WKP103	66.0	67.0	0.14	<1
WKP103	67.0	68.0	0.15	<1
WKP103	68.0	69.0	0.15	<1
WKP103	69.0	70.0	0.09	<1
WKP103	70.0	71.0	0.32	1.0
WKP103	71.0	72.0	0.16	1.0
WKP103	72.0	73.0	1.43	2.0
WKP103	73.0	74.0	0.85	6.0
WKP103	74.0	75.0	0.15	<1
WKP103	75.0	76.0	0.18	<1
WKP103	76.0	77.0	1.29	<1
WKP103	77.0	78.0	0.59	<1
WKP103	78.0	79.0	1.42	3.0
WKP103	79.0	80.0	0.97	1.0
WKP103	80.0	81.0	0.68	<1
WKP103	81.0	82.0	0.75	<1
WKP103	82.0	82.4	0.56	<1
WKP103	82.4	83.1	7.49	21.0
WKP103	83.1	83.6	1.31	<1
WKP103	83.6	84.6	0.26	<1
WKP103	84.6	85.0	0.55	<1
WKP103	85.0	85.4	0.93	2.0
WKP103	85.4	86.0	0.43	<1
WKP103	86.0	86.5	0.63	2.0
WKP103	86.5	87.4	0.37	<1
WKP103	87.4	87.9	0.40	<1
WKP103	87.9	89.0	0.36	1.0
WKP103	89.0	90.0	0.14	<1
WKP103	90.0	91.0	0.76	5.0
WKP103	91.0	92.0	3.26	<1
WKP103	92.0	93.0	0.22	<1
WKP103	93.0	93.9	0.11	<1
WKP103	94.3	95.0	0.30	<1
WKP103	95.0	96.0	0.12	1.0
WKP103	96.0	96.4	0.17	<1
WKP103	96.4	96.8	0.92	3.0
WKP103	96.8	97.6	0.44	<1
WKP103	97.6	98.4	0.20	<1
WKP103	98.4	99.0	0.15	<1
WKP103	99.0	100.0	0.13	<1
WKP103	100.0	100.6	0.14	<1
WKP103	100.6	101.0	0.27	2.0
WKP103	101.0	102.0	0.27	<1
WKP103	102.0	102.7	0.14	2.0
WKP103	102.7	103.3	1.63	6.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	103.3	104.0	0.13	<1
WKP103	104.0	104.8	3.62	13.0
WKP103	104.8	105.8	2.03	13.0
WKP103	105.8	106.7	3.24	16.0
WKP103	106.7	107.2	0.11	<1
WKP103	107.2	108.0	0.16	<1
WKP103	108.0	109.0	0.06	<1
WKP103	109.0	110.0	0.04	<1
WKP103	110.0	111.0	0.24	<1
WKP103	111.0	112.0	0.09	<1
WKP103	112.0	113.1	0.15	<1
WKP103	113.1	114.3	3.77	7.0
WKP103	114.3	114.7	0.09	<1
WKP103	114.7	115.0	2.20	5.0
WKP103	115.0	115.9	0.18	<1
WKP103	115.9	116.5	0.33	<1
WKP103	116.5	117.5	3.90	20.0
WKP103	117.5	118.0	2.01	4.0
WKP103	118.0	119.0	0.17	<1
WKP103	119.0	119.8	0.56	<1
WKP103	119.8	120.1	0.62	<1
WKP103	120.1	121.0	0.21	<1
WKP103	121.0	122.0	0.07	<1
WKP103	122.0	122.9	0.08	<1
WKP103	123.3	123.9	0.20	<1
WKP103	123.9	124.2	0.92	3.0
WKP103	124.2	125.0	0.07	<1
WKP103	125.0	126.0	0.45	1.0
WKP103	126.0	127.0	0.15	<1
WKP103	127.0	128.0	0.11	<1
WKP103	128.0	129.0	0.18	<1
WKP103	129.0	129.7	0.18	<1
WKP103	129.7	130.0	0.24	<1
WKP103	130.0	130.5	1.17	2.0
WKP103	130.5	131.0	1.19	4.0
WKP103	131.0	132.0	0.15	<1
WKP103	132.0	133.2	0.23	<1
WKP103	133.2	133.6	0.56	3.0
WKP103	133.6	134.3	0.12	1.0
WKP103	134.3	134.8	1.85	6.0
WKP103	134.8	135.5	0.17	4.0
WKP103	135.5	136.4	2.27	24.0
WKP103	136.4	136.9	1.31	6.0
WKP103	136.9	137.3	0.22	1.0
WKP103	137.3	138.0	0.26	<1
WKP103	138.0	139.0	0.21	<1
WKP103	139.0	140.0	0.23	<1
WKP103	140.0	140.6	0.42	<1
WKP103	140.6	141.4	0.64	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	141.4	141.9	0.67	4.0
WKP103	141.9	142.5	1.24	<1
WKP103	142.5	143.0	0.40	1.0
WKP103	143.0	144.0	0.79	2.0
WKP103	144.0	144.6	0.36	1.0
WKP103	144.6	145.0	0.12	<1
WKP103	145.0	146.0	0.20	<1
WKP103	146.0	147.0	0.16	1.0
WKP103	147.0	147.5	0.06	<1
WKP103	147.5	147.8	0.14	<1
WKP103	147.8	149.0	0.05	1.0
WKP103	149.0	150.0	0.36	6.0
WKP103	150.0	151.0	6.87	48.0
WKP103	151.0	152.0	1.10	8.0
WKP103	152.0	152.6	0.67	2.0
WKP103	152.6	153.0	0.06	<1
WKP103	153.0	154.0	0.23	3.0
WKP103	154.0	155.0	0.15	<1
WKP103	155.0	156.0	0.13	<1
WKP103	156.0	156.9	0.18	<1
WKP103	156.9	157.6	0.14	<1
WKP103	157.6	158.1	0.14	<1
WKP103	158.1	158.5	0.15	<1
WKP103	158.5	159.5	0.26	2.0
WKP103	159.5	160.0	0.30	<1
WKP103	160.0	160.3	0.35	<1
WKP103	160.3	161.8	0.37	<1
WKP103	161.8	162.5	0.14	<1
WKP103	162.5	163.7	0.26	1.0
WKP103	163.7	165.0	0.52	2.0
WKP103	165.0	165.6	1.63	8.0
WKP103	165.6	166.8	0.29	<1
WKP103	166.8	167.2	0.63	3.0
WKP103	167.2	167.9	0.28	<1
WKP103	167.9	169.0	0.21	<1
WKP103	169.0	169.7	0.06	<1
WKP103	169.7	170.4	0.19	<1
WKP103	170.4	171.0	0.50	5.0
WKP103	171.0	171.6	0.34	<1
WKP103	171.6	172.5	0.30	<1
WKP103	172.5	173.2	0.30	1.0
WKP103	173.2	173.6	0.28	<1
WKP103	173.6	174.0	0.20	<1
WKP103	174.0	175.0	0.26	<1
WKP103	175.0	175.5	0.32	<1
WKP103	175.5	176.0	0.11	<1
WKP103	176.0	177.0	1.02	<1
WKP103	177.0	178.1	0.22	1.0
WKP103	178.1	179.0	0.16	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	179.0	179.7	0.13	1.0
WKP103	179.7	180.3	0.70	9.0
WKP103	180.3	181.0	0.27	1.0
WKP103	181.0	181.6	0.24	1.0
WKP103	181.6	182.7	0.33	1.0
WKP103	182.7	182.9	0.18	1.0
WKP103	182.9	183.8	0.21	2.0
WKP103	183.8	184.8	0.28	3.0
WKP103	184.8	185.2	0.55	13.0
WKP103	185.2	185.5	5.58	35.0
WKP103	185.5	186.6	0.28	1.0
WKP103	186.6	187.0	0.12	<1
WKP103	187.0	188.0	0.17	<1
WKP103	188.0	188.6	0.39	2.0
WKP103	188.6	189.0	0.04	1.0
WKP103	189.0	189.9	0.03	1.0
WKP103	189.9	190.9	0.04	1.0
WKP103	190.9	191.8	0.04	1.0
WKP103	191.8	193.0	0.03	<1
WKP103	193.0	194.0	0.03	<1
WKP103	194.0	195.1	0.05	<1
WKP103	195.1	195.5	0.08	1.0
WKP103	195.5	196.3	0.10	1.0
WKP103	196.5	197.0	0.09	<1
WKP103	197.0	198.0	0.05	<1
WKP103	198.0	199.0	0.09	1.0
WKP103	199.0	200.0	0.07	<1
WKP103	200.0	201.0	0.04	1.0
WKP103	201.0	202.0	0.05	<1
WKP103	202.0	203.0	0.09	<1
WKP103	203.0	203.6	0.12	<1
WKP103	203.6	204.4	0.20	<1
WKP103	204.4	204.7	1.01	2.0
WKP103	204.7	206.0	0.12	<1
WKP103	206.0	207.0	0.07	<1
WKP103	207.0	208.0	0.05	<1
WKP103	208.0	209.0	0.02	<1
WKP103	209.0	210.0	0.10	<1
WKP103	210.0	211.0	0.23	4.0
WKP103	211.0	212.0	0.10	8.0
WKP103	212.0	213.0	0.05	<1
WKP103	213.0	213.8	0.07	<1
WKP103	214.1	215.1	0.09	<1
WKP103	215.1	215.5	0.74	6.0
WKP103	215.5	216.2	0.19	<1
WKP103	216.2	216.8	0.34	1.0
WKP103	216.8	217.5	0.09	<1
WKP103	217.5	218.1	0.11	<1
WKP103	218.1	219.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	219.0	220.0	0.03	<1
WKP103	220.0	221.0	0.29	<1
WKP103	221.0	221.3	0.15	<1
WKP103	221.3	222.6	0.06	<1
WKP103	222.6	223.4	0.07	<1
WKP103	223.4	223.8	0.12	<1
WKP103	223.8	225.0	0.08	1.0
WKP103	225.0	226.0	0.03	1.0
WKP103	226.0	226.5	0.30	4.0
WKP103	226.5	227.7	1.56	5.0
WKP103	227.7	228.6	0.51	<1
WKP103	228.6	229.2	0.04	<1
WKP103	229.2	229.6	0.07	<1
WKP103	229.6	230.1	0.02	<1
WKP103	230.1	230.7	0.01	<1
WKP103	230.7	231.4	0.03	<1
WKP103	231.4	232.0	<0.01	<1
WKP103	232.0	233.0	0.06	2.0
WKP103	233.0	234.0	0.05	2.0
WKP103	234.0	234.7	0.13	5.0
WKP103	234.7	235.6	0.05	2.0
WKP103	235.6	236.6	0.03	<1
WKP103	236.6	237.0	0.04	<1
WKP103	237.0	237.7	0.02	1.0
WKP103	237.7	238.4	0.03	<1
WKP103	238.4	239.4	0.03	<1
WKP103	239.4	240.0	0.02	<1
WKP103	240.0	241.0	0.01	<1
WKP103	241.0	242.0	<0.01	<1
WKP103	242.0	243.0	0.04	<1
WKP103	243.0	244.1	0.02	<1
WKP103	244.1	245.0	0.02	<1
WKP103	245.0	245.5	0.02	<1
WKP103	245.5	246.0	0.04	<1
WKP103	246.0	247.0	0.02	<1
WKP103	247.0	248.0	0.10	1.0
WKP103	248.0	249.0	0.04	<1
WKP103	249.0	250.1	0.04	1.0
WKP103	250.3	251.0	0.01	<1
WKP103	251.0	252.0	0.01	<1
WKP103	252.0	253.0	0.02	<1
WKP103	253.0	254.0	0.06	<1
WKP103	254.0	255.0	0.02	<1
WKP103	255.0	256.0	0.01	<1
WKP103	256.0	256.7	0.02	<1
WKP103	256.7	257.2	0.03	<1
WKP103	257.2	258.0	0.01	<1
WKP103	258.0	259.0	0.08	<1
WKP103	259.0	260.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	260.0	261.0	0.04	<1
WKP103	261.0	262.0	0.02	<1
WKP103	262.0	263.0	0.03	<1
WKP103	263.0	264.0	0.04	1.0
WKP103	264.0	264.6	0.04	<1
WKP103	264.6	265.5	0.04	<1
WKP103	265.5	266.5	0.02	<1
WKP103	266.5	267.0	<0.01	<1
WKP103	267.0	268.1	0.01	<1
WKP103	268.1	269.2	0.03	<1
WKP103	269.2	270.0	0.03	<1
WKP103	270.0	271.0	0.48	<1
WKP103	271.0	272.0	0.18	<1
WKP103	272.0	273.0	0.07	<1
WKP103	273.0	274.0	0.14	<1
WKP103	274.0	275.0	0.05	<1
WKP103	275.0	276.0	0.15	<1
WKP103	276.0	276.7	0.12	<1
WKP103	276.7	277.4	0.03	<1
WKP103	277.4	278.0	0.20	<1
WKP103	278.0	279.0	0.52	1.0
WKP103	279.0	280.0	0.09	<1
WKP103	280.0	281.0	0.05	<1
WKP103	281.0	281.9	0.17	<1
WKP103	281.9	282.6	0.13	<1
WKP103	282.6	283.0	0.14	<1
WKP103	283.0	284.0	0.21	<1
WKP103	284.0	285.0	0.05	<1
WKP103	285.0	286.0	0.03	<1
WKP103	286.0	287.0	0.07	<1
WKP103	287.0	288.0	0.06	<1
WKP103	288.3	289.0	0.02	<1
WKP103	289.0	290.0	0.07	<1
WKP103	290.0	291.0	0.04	1.0
WKP103	291.0	292.0	0.05	<1
WKP103	292.0	293.0	0.03	<1
WKP103	293.0	294.0	2.09	4.0
WKP103	294.0	295.0	0.06	<1
WKP103	295.0	296.0	0.04	<1
WKP103	296.0	297.0	0.06	<1
WKP103	297.0	298.0	0.14	<1
WKP103	298.0	299.0	0.05	<1
WKP103	299.0	300.0	0.23	<1
WKP103	300.0	301.0	0.06	<1
WKP103	301.0	302.0	0.02	<1
WKP103	302.0	303.0	0.05	<1
WKP103	303.0	304.0	0.19	<1
WKP103	304.0	304.6	0.04	<1
WKP103	304.6	305.0	0.29	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	305.0	306.0	0.11	<1
WKP103	306.0	307.0	0.19	<1
WKP103	307.0	308.0	0.49	2.0
WKP103	308.0	308.6	0.51	2.0
WKP103	308.6	309.0	0.05	2.0
WKP103	309.0	309.6	0.12	1.0
WKP103	309.6	311.0	1.80	2.0
WKP103	311.0	311.4	0.05	1.0
WKP103	311.4	312.0	1.06	1.0
WKP103	312.0	313.0	0.03	<1
WKP103	313.0	314.0	0.09	<1
WKP103	314.0	315.0	0.33	1.0
WKP103	315.0	315.6	0.09	<1
WKP103	315.6	316.9	5.41	5.0
WKP103	316.9	318.0	0.04	<1
WKP103	318.0	319.0	3.28	2.0
WKP103	319.0	319.4	0.02	<1
WKP103	319.4	320.1	0.07	<1
WKP103	320.3	321.2	0.14	<1
WKP103	321.2	322.4	0.26	1.0
WKP103	322.4	323.0	0.42	<1
WKP103	323.0	324.2	0.50	1.0
WKP103	324.2	324.6	1.68	8.0
WKP103	324.6	325.6	0.34	<1
WKP103	325.6	326.0	0.22	1.0
WKP103	326.0	326.8	0.21	1.0
WKP103	326.8	327.5	0.89	6.0
WKP103	327.5	328.3	0.19	2.0
WKP103	328.3	330.0	0.03	<1
WKP103	330.0	330.6	0.18	<1
WKP103	330.6	331.3	1.59	3.0
WKP103	331.3	332.2	0.92	1.0
WKP103	332.2	332.9	36.30	26.0
WKP103	332.9	333.6	13.70	13.0
WKP103	333.6	334.2	0.78	<1
WKP103	334.2	335.0	0.47	1.0
WKP103	335.0	336.3	0.30	<1
WKP103	336.6	337.0	0.35	1.0
WKP103	337.0	337.5	0.24	<1
WKP103	337.5	338.4	0.14	<1
WKP103	338.4	339.4	2.53	10.0
WKP103	339.4	340.0	12.60	8.0
WKP103	340.0	341.0	0.09	<1
WKP103	341.0	342.0	0.25	<1
WKP103	342.0	343.0	0.07	<1
WKP103	343.0	344.0	0.32	<1
WKP103	344.0	345.0	1.00	<1
WKP103	345.0	346.0	1.78	2.0
WKP103	346.0	347.0	0.36	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	347.0	348.0	2.16	7.0
WKP103	348.0	349.0	5.58	8.0
WKP103	349.0	350.0	0.32	<1
WKP103	350.0	351.0	0.08	<1
WKP103	351.0	352.0	0.18	<1
WKP103	352.0	353.0	0.26	<1
WKP103	353.0	354.0	0.12	<1
WKP103	354.0	355.0	0.18	<1
WKP103	355.0	356.0	1.12	2.0
WKP103	356.0	357.0	2.98	3.0
WKP103	357.0	358.0	0.60	<1
WKP103	358.0	358.6	0.18	<1
WKP103	358.8	359.9	0.55	2.0
WKP103	359.9	360.2	0.16	1.0
WKP103	360.2	361.0	0.10	1.0
WKP103	361.0	362.0	0.16	<1
WKP103	362.0	363.0	3.65	11.0
WKP103	363.0	364.0	4.34	9.0
WKP103	364.0	365.1	4.27	14.0
WKP103	365.1	366.0	0.45	<1
WKP103	366.0	366.9	3.22	6.0
WKP103	366.9	367.3	0.07	<1
WKP103	367.3	367.7	0.27	2.0
WKP103	367.7	368.4	0.12	<1
WKP103	368.4	369.4	0.58	5.0
WKP103	369.4	370.0	0.11	<1
WKP103	370.0	371.0	0.62	1.0
WKP103	371.0	372.0	0.40	<1
WKP103	372.0	373.0	0.31	<1
WKP103	373.0	373.6	0.21	<1
WKP103	373.6	374.1	1.23	8.0
WKP103	374.1	375.1	4.25	5.0
WKP103	375.1	375.8	0.69	<1
WKP103	376.1	377.0	0.22	<1
WKP103	377.0	377.5	0.36	<1
WKP103	377.5	378.0	0.71	3.0
WKP103	378.0	379.0	5.63	12.0
WKP103	379.0	380.0	8.40	27.0
WKP103	380.0	380.7	22.00	47.0
WKP103	380.7	381.6	0.64	4.0
WKP103	381.6	382.4	0.30	<1
WKP103	382.4	383.0	12.60	18.0
WKP103	383.0	383.4	4.23	16.0
WKP103	383.4	384.0	0.94	2.0
WKP103	384.0	384.7	1.14	1.0
WKP103	384.7	385.7	9.81	13.0
WKP103	385.7	386.3	14.80	16.0
WKP103	386.3	387.0	0.25	<1
WKP103	387.0	387.7	0.83	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	387.7	388.3	3.74	4.0
WKP103	388.3	389.0	0.40	1.0
WKP103	389.0	390.0	0.85	1.0
WKP103	390.0	391.0	0.46	1.0
WKP103	391.0	392.0	4.91	6.0
WKP103	392.0	393.1	5.32	6.0
WKP103	393.1	393.7	0.13	<1
WKP103	393.7	394.4	9.08	19.0
WKP103	394.4	395.0	0.50	<1
WKP103	395.0	395.9	0.70	<1
WKP103	396.2	396.8	1.98	3.0
WKP103	396.8	397.4	1.67	2.0
WKP103	397.4	398.1	0.32	1.0
WKP103	398.1	399.0	2.73	5.0
WKP103	399.0	399.9	1.53	5.0
WKP103	399.9	400.9	2.35	9.0
WKP103	400.9	401.3	12.70	15.0
WKP103	401.3	402.0	1.24	8.0
WKP103	402.0	403.0	3.28	4.0
WKP103	403.0	404.0	9.53	20.0
WKP103	404.0	404.5	14.30	25.0
WKP103	404.5	404.9	2.80	3.0
WKP103	404.9	405.6	3.95	6.0
WKP103	405.6	406.5	0.82	4.0
WKP103	406.5	407.5	0.31	2.0
WKP103	407.5	408.6	0.25	1.0
WKP103	408.6	409.5	2.86	3.0
WKP103	409.5	410.6	1.72	4.0
WKP103	410.6	411.3	1.00	4.0
WKP103	411.3	412.0	0.76	3.0
WKP103	412.0	413.0	0.71	4.0
WKP103	413.0	414.0	0.38	<1
WKP103	414.0	414.8	1.68	5.0
WKP103	414.8	415.7	0.22	<1
WKP103	415.7	416.3	0.76	2.0
WKP103	416.5	417.6	1.05	2.0
WKP103	417.6	418.5	0.48	3.0
WKP103	418.5	419.4	0.42	3.0
WKP103	419.4	420.2	0.74	3.0
WKP103	420.2	421.1	0.16	<1
WKP103	421.1	421.6	0.76	6.0
WKP103	421.6	422.5	0.12	<1
WKP103	422.5	423.5	0.78	2.0
WKP103	423.5	423.9	0.26	2.0
WKP103	423.9	424.3	0.83	3.0
WKP103	424.3	425.0	0.33	2.0
WKP103	425.0	426.0	1.13	7.0
WKP103	426.0	427.1	0.45	2.0
WKP103	427.1	428.0	1.04	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	428.0	428.8	2.17	2.0
WKP103	428.8	429.4	1.48	2.0
WKP103	429.4	430.4	1.19	3.0
WKP103	430.4	431.5	10.30	17.0
WKP103	431.5	432.0	1.44	5.0
WKP103	432.0	433.0	0.50	2.0
WKP103	433.0	434.0	2.95	13.0
WKP103	434.0	434.9	2.91	8.0
WKP103	434.9	435.9	14.30	20.0
WKP103	435.9	437.0	0.93	5.0
WKP103	437.0	438.0	0.71	2.0
WKP103	438.0	439.0	0.87	3.0
WKP103	439.0	439.5	2.63	8.0
WKP103	439.8	440.8	1.85	5.0
WKP103	440.8	441.4	1.17	3.0
WKP103	441.4	442.0	1.07	2.0
WKP103	442.0	443.0	1.11	2.0
WKP103	443.0	444.0	1.71	3.0
WKP103	444.0	445.0	1.00	1.0
WKP103	445.0	446.0	1.05	2.0
WKP103	446.0	447.0	0.64	2.0
WKP103	447.0	447.8	1.16	4.0
WKP103	447.8	448.3	2.93	8.0
WKP103	448.3	449.3	1.09	8.0
WKP103	449.3	450.4	8.41	23.0
WKP103	450.4	451.0	0.62	<1
WKP103	451.0	452.0	0.65	2.0
WKP103	452.0	453.0	0.67	3.0
WKP103	453.0	454.0	1.05	3.0
WKP103	454.0	455.0	0.33	<1
WKP103	455.0	455.6	0.85	2.0
WKP103	455.6	456.3	1.32	6.0
WKP103	456.3	457.0	0.58	2.0
WKP103	457.0	458.0	0.47	1.0
WKP103	458.0	459.0	0.35	<1
WKP103	459.0	459.5	0.48	1.0
WKP103	459.5	460.4	6.93	10.0
WKP103	460.4	461.4	2.07	4.0
WKP103	461.4	462.4	0.94	3.0
WKP103	462.4	463.4	1.27	3.0
WKP103	463.4	464.0	1.82	7.0
WKP103	464.0	464.5	0.44	1.0
WKP103	464.5	465.2	1.12	6.0
WKP103	465.5	466.0	1.04	2.0
WKP103	466.0	466.8	0.94	2.0
WKP103	466.8	467.5	0.58	2.0
WKP103	467.5	468.5	4.46	17.0
WKP103	468.5	469.3	1.67	6.0
WKP103	469.3	469.9	1.06	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	469.9	470.8	0.70	2.0
WKP103	470.8	471.8	1.08	4.0
WKP103	471.8	472.2	1.35	7.0
WKP103	472.2	473.2	13.20	20.0
WKP103	473.2	474.2	4.29	8.0
WKP103	474.2	475.0	1.83	10.0
WKP103	475.0	476.0	0.55	1.0
WKP103	476.0	477.0	1.37	5.0
WKP103	477.0	478.0	0.79	2.0
WKP103	478.0	479.0	1.32	9.0
WKP103	479.0	480.0	0.74	3.0
WKP103	480.0	481.0	1.02	5.0
WKP103	481.0	482.0	0.64	3.0
WKP103	482.0	482.5	0.77	3.0
WKP103	482.8	483.6	0.28	2.0
WKP103	483.6	484.2	0.22	<1
WKP103	484.2	484.6	3.43	19.0
WKP103	484.6	485.4	1.06	2.0
WKP103	485.4	486.0	1.12	6.0
WKP103	486.0	487.0	0.88	9.0
WKP103	487.0	488.0	0.58	3.0
WKP103	488.0	488.3	0.76	10.0
WKP103	488.3	489.0	0.39	2.0
WKP103	489.0	490.0	0.65	6.0
WKP103	490.0	491.0	0.77	5.0
WKP103	491.0	492.0	0.37	3.0
WKP103	492.0	492.3	1.68	18.0
WKP103	492.3	493.0	0.33	3.0
WKP103	493.0	494.0	0.23	1.0
WKP103	494.0	495.0	0.40	4.0
WKP103	495.0	496.0	0.15	1.0
WKP103	496.0	497.0	0.57	3.0
WKP103	497.0	498.0	0.46	5.0
WKP103	498.0	499.0	0.60	6.0
WKP103	499.0	500.0	0.37	2.0
WKP103	500.0	501.0	0.27	2.0
WKP103	501.0	501.8	0.21	1.0
WKP103	502.1	502.5	0.22	<1
WKP103	502.5	503.5	0.25	<1
WKP103	503.5	504.4	0.38	<1
WKP103	504.4	505.5	1.69	10.0
WKP103	505.5	506.4	0.37	2.0
WKP103	506.4	507.3	0.20	2.0
WKP103	507.3	508.0	1.89	11.0
WKP103	508.0	509.0	0.31	2.0
WKP103	509.0	510.0	0.25	2.0
WKP103	510.0	511.0	0.30	2.0
WKP103	511.0	512.0	0.26	2.0
WKP103	512.0	513.0	0.24	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP103	513.0	514.0	0.72	7.0
WKP103	514.0	515.0	0.37	2.0
WKP103	515.0	516.0	0.31	3.0
WKP103	516.0	516.6	0.22	2.0
WKP103	516.6	517.4	1.41	13.0
WKP103	517.4	518.4	0.80	4.0
WKP103	518.4	519.2	0.29	3.0
WKP103	519.2	519.9	0.19	2.0
WKP103	519.9	520.5	0.49	2.0
WKP103	520.7	521.2	0.16	<1
WKP103	521.2	522.0	0.24	<1
WKP103	522.0	523.0	0.93	4.0
WKP103	523.0	524.0	0.25	<1
WKP103	524.0	525.0	0.42	2.0
WKP103	525.0	526.0	0.37	<1
WKP103	526.0	527.0	0.26	1.0
WKP103	527.0	527.7	0.19	<1
WKP103	527.7	528.0	0.40	2.0
WKP103	528.0	529.1	0.67	<1
WKP103	529.1	530.0	0.34	<1
WKP103	530.0	531.0	0.54	<1
WKP103	531.0	532.0	0.23	<1
WKP103	532.0	533.0	0.18	<1
WKP103	533.0	534.0	0.26	2.0
WKP103	534.0	535.0	0.40	2.0
WKP103	535.0	536.0	0.16	<1
WKP103	536.0	537.0	0.30	3.0
WKP103	537.0	538.0	0.20	1.0
WKP103	538.0	538.7	0.33	<1
WKP103	539.0	540.0	1.43	2.0
WKP103	540.0	541.0	0.36	<1
WKP103	541.0	542.0	0.28	2.0
WKP103	542.0	543.0	0.28	2.0
WKP103	543.0	544.0	0.30	1.0
WKP103	544.0	544.5	0.27	1.0
WKP103	544.5	545.0	1.65	2.0
WKP103	545.0	546.0	4.19	9.0
WKP103	546.0	547.0	5.69	4.0
WKP103	547.0	548.0	0.96	4.0
WKP103	548.0	549.0	0.38	2.0
WKP103	549.0	550.0	0.22	<1
WKP103	550.0	551.0	0.19	2.0
WKP103	551.0	552.0	0.05	<1
WKP103	552.0	553.0	0.06	<1
WKP103	553.0	554.0	0.16	<1
WKP103	554.0	555.1	0.12	<1
WKP104	65.2	66.0	<0.01	<1
WKP104	66.0	67.0	<0.01	<1
WKP104	67.0	68.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	68.0	69.0	<0.01	<1
WKP104	69.0	70.0	<0.01	<1
WKP104	70.0	71.0	<0.01	<1
WKP104	71.0	72.0	<0.01	<1
WKP104	72.0	73.0	<0.01	<1
WKP104	73.0	74.0	<0.01	<1
WKP104	74.0	75.0	<0.01	<1
WKP104	75.0	76.0	<0.01	<1
WKP104	76.0	77.0	<0.01	<1
WKP104	77.0	78.0	<0.01	<1
WKP104	78.0	79.0	<0.01	<1
WKP104	79.0	80.0	<0.01	<1
WKP104	80.0	81.0	<0.01	<1
WKP104	81.0	82.0	<0.01	<1
WKP104	82.0	83.0	0.03	10.0
WKP104	83.0	84.0	<0.01	<1
WKP104	84.0	85.0	<0.01	<1
WKP104	85.0	86.0	<0.01	<1
WKP104	86.0	87.0	<0.01	<1
WKP104	87.0	88.0	<0.01	<1
WKP104	88.0	89.0	<0.01	<1
WKP104	89.0	90.0	0.01	<1
WKP104	90.0	91.0	0.04	<1
WKP104	91.0	92.0	0.02	<1
WKP104	92.0	93.0	0.03	<1
WKP104	93.0	94.0	0.02	<1
WKP104	94.0	95.0	0.01	<1
WKP104	95.0	96.0	0.01	<1
WKP104	96.0	97.0	0.07	<1
WKP104	97.0	98.0	0.10	<1
WKP104	98.0	99.0	0.05	<1
WKP104	99.0	100.0	0.01	<1
WKP104	100.0	101.0	<0.01	<1
WKP104	101.0	102.0	<0.01	<1
WKP104	102.0	103.0	<0.01	1.0
WKP104	103.0	104.0	<0.01	<1
WKP104	104.0	105.0	<0.01	<1
WKP104	105.0	106.0	<0.01	<1
WKP104	106.0	107.0	<0.01	<1
WKP104	107.0	108.0	<0.01	<1
WKP104	108.0	109.0	<0.01	<1
WKP104	109.0	110.0	0.01	<1
WKP104	110.0	111.0	<0.01	<1
WKP104	111.0	112.0	<0.01	<1
WKP104	112.0	112.9	<0.01	<1
WKP104	112.9	114.0	0.02	<1
WKP104	114.0	116.7	0.02	<1
WKP104	116.7	117.2	<0.01	<1
WKP104	117.2	118.5	0.04	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	118.5	120.0	0.02	<1
WKP104	120.0	121.0	<0.01	<1
WKP104	121.0	122.0	<0.01	<1
WKP104	122.0	123.0	0.02	<1
WKP104	123.0	124.0	0.03	<1
WKP104	124.0	125.0	0.02	<1
WKP104	125.0	126.4	0.02	<1
WKP104	126.4	127.0	<0.01	<1
WKP104	127.0	128.0	<0.01	<1
WKP104	128.0	129.0	<0.01	<1
WKP104	129.0	130.0	0.02	<1
WKP104	130.0	131.0	<0.01	<1
WKP104	131.0	132.0	<0.01	<1
WKP104	132.0	133.0	<0.01	<1
WKP104	133.0	134.0	<0.01	<1
WKP104	134.0	135.0	<0.01	<1
WKP104	135.0	136.0	<0.01	<1
WKP104	136.0	137.0	<0.01	<1
WKP104	137.0	138.0	<0.01	<1
WKP104	138.0	139.0	<0.01	<1
WKP104	139.0	140.0	<0.01	<1
WKP104	140.0	141.0	0.05	<1
WKP104	141.0	142.0	0.02	<1
WKP104	142.0	143.0	0.02	<1
WKP104	143.0	144.0	<0.01	<1
WKP104	144.0	145.0	<0.01	<1
WKP104	145.0	146.0	<0.01	<1
WKP104	146.0	147.0	<0.01	<1
WKP104	147.0	148.0	<0.01	<1
WKP104	148.0	149.0	0.01	<1
WKP104	149.0	150.0	<0.01	<1
WKP104	150.0	151.0	<0.01	<1
WKP104	151.0	152.0	<0.01	<1
WKP104	152.0	153.0	<0.01	<1
WKP104	153.0	154.0	0.01	<1
WKP104	154.0	155.0	<0.01	<1
WKP104	155.0	156.0	<0.01	<1
WKP104	156.0	157.0	<0.01	<1
WKP104	157.0	158.0	<0.01	<1
WKP104	158.0	159.0	<0.01	<1
WKP104	159.0	160.0	<0.01	<1
WKP104	160.0	161.0	<0.01	<1
WKP104	161.0	162.0	<0.01	<1
WKP104	162.0	163.0	<0.01	<1
WKP104	163.0	164.0	<0.01	<1
WKP104	164.0	165.0	<0.01	<1
WKP104	165.0	166.0	<0.01	<1
WKP104	166.0	167.0	<0.01	<1
WKP104	167.0	168.0	<0.01	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	168.0	169.0	<0.01	<1
WKP104	169.0	170.0	<0.01	<1
WKP104	170.0	171.0	<0.01	<1
WKP104	171.0	172.0	<0.01	<1
WKP104	172.0	173.0	<0.01	<1
WKP104	173.0	174.0	<0.01	<1
WKP104	174.0	175.0	<0.01	<1
WKP104	175.0	176.0	<0.01	<1
WKP104	176.0	177.0	<0.01	<1
WKP104	177.0	178.0	<0.01	<1
WKP104	178.0	179.0	<0.01	<1
WKP104	179.0	180.0	<0.01	<1
WKP104	180.0	181.0	<0.01	<1
WKP104	181.0	182.0	<0.01	<1
WKP104	182.0	183.0	<0.01	<1
WKP104	183.0	184.0	<0.01	<1
WKP104	184.0	185.0	<0.01	<1
WKP104	185.0	186.0	<0.01	<1
WKP104	186.0	187.0	<0.01	<1
WKP104	187.0	188.0	0.01	<1
WKP104	188.0	189.0	0.01	<1
WKP104	189.0	190.0	0.03	<1
WKP104	190.0	191.0	0.02	<1
WKP104	191.0	192.0	<0.01	<1
WKP104	192.0	193.0	<0.01	<1
WKP104	193.0	194.0	<0.01	<1
WKP104	194.0	195.0	<0.01	<1
WKP104	195.0	196.0	<0.01	<1
WKP104	196.0	197.0	<0.01	<1
WKP104	197.0	198.0	0.03	<1
WKP104	198.0	199.0	0.02	<1
WKP104	199.0	200.0	0.33	<1
WKP104	200.0	201.0	0.03	<1
WKP104	201.0	202.0	0.05	<1
WKP104	202.0	203.0	0.03	<1
WKP104	203.0	204.0	0.07	<1
WKP104	204.0	205.0	0.03	<1
WKP104	205.0	206.0	0.02	<1
WKP104	206.0	207.0	0.08	<1
WKP104	207.0	208.0	0.06	<1
WKP104	208.0	209.0	0.04	<1
WKP104	209.0	210.0	0.07	<1
WKP104	210.0	211.0	0.05	<1
WKP104	211.0	211.9	0.04	<1
WKP104	211.9	213.0	0.05	<1
WKP104	213.0	214.0	0.02	<1
WKP104	214.0	214.9	0.03	<1
WKP104	214.9	215.9	0.01	<1
WKP104	215.9	216.9	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	216.9	218.0	0.02	<1
WKP104	218.0	219.0	0.01	<1
WKP104	219.0	220.0	0.01	<1
WKP104	220.0	221.0	0.02	<1
WKP104	221.0	222.0	0.01	<1
WKP104	222.0	223.0	0.04	<1
WKP104	223.0	224.0	<0.01	<1
WKP104	224.0	225.0	0.02	<1
WKP104	225.0	226.0	0.01	<1
WKP104	226.0	227.0	0.03	<1
WKP104	227.0	228.0	0.02	<1
WKP104	228.0	229.0	0.02	<1
WKP104	229.0	230.0	0.02	<1
WKP104	230.0	231.5	0.03	<1
WKP104	231.5	232.6	0.03	<1
WKP104	232.6	234.0	0.04	<1
WKP104	234.0	235.0	0.08	<1
WKP104	235.0	235.7	0.05	<1
WKP104	235.7	237.0	0.04	<1
WKP104	237.0	238.0	0.04	<1
WKP104	238.0	239.0	0.04	<1
WKP104	239.0	240.0	<0.01	<1
WKP104	240.0	241.0	0.02	<1
WKP104	241.0	242.0	0.03	<1
WKP104	242.0	243.0	0.05	<1
WKP104	243.0	244.0	0.05	<1
WKP104	244.0	245.0	0.03	<1
WKP104	245.0	246.0	0.03	<1
WKP104	246.0	247.1	0.03	<1
WKP104	247.1	247.7	0.05	<1
WKP104	247.7	249.0	0.03	<1
WKP104	249.0	250.0	0.03	<1
WKP104	250.0	251.0	0.05	<1
WKP104	251.0	252.0	0.04	<1
WKP104	252.0	253.0	0.04	<1
WKP104	253.0	254.0	0.23	<1
WKP104	254.0	255.0	0.03	<1
WKP104	255.0	256.0	0.05	<1
WKP104	256.0	257.0	0.04	<1
WKP104	257.0	258.0	0.07	<1
WKP104	258.0	259.0	0.08	<1
WKP104	259.0	260.0	0.11	<1
WKP104	260.0	261.0	0.05	<1
WKP104	261.0	262.0	0.05	<1
WKP104	262.0	263.0	0.04	<1
WKP104	263.0	264.0	0.08	<1
WKP104	264.0	265.0	0.07	<1
WKP104	265.0	266.0	0.09	<1
WKP104	266.0	267.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	267.0	268.0	0.05	<1
WKP104	268.0	269.0	0.06	<1
WKP104	269.0	270.0	0.05	<1
WKP104	270.0	271.0	0.07	<1
WKP104	271.0	272.0	0.12	<1
WKP104	272.0	273.0	0.10	<1
WKP104	273.0	274.0	0.04	<1
WKP104	274.0	275.0	0.03	<1
WKP104	275.0	276.0	0.07	<1
WKP104	276.0	277.0	0.12	<1
WKP104	277.0	278.0	0.17	<1
WKP104	278.0	279.0	0.14	<1
WKP104	279.0	280.0	0.19	1.0
WKP104	280.0	281.0	0.13	<1
WKP104	281.0	282.0	0.21	<1
WKP104	282.0	283.0	0.19	<1
WKP104	283.0	284.0	0.22	<1
WKP104	284.0	285.0	0.20	<1
WKP104	285.0	286.0	0.28	1.0
WKP104	286.0	287.0	0.20	<1
WKP104	287.0	288.0	0.25	<1
WKP104	288.0	289.0	0.17	<1
WKP104	289.0	290.0	0.09	<1
WKP104	290.0	291.0	0.11	<1
WKP104	291.0	292.0	0.08	<1
WKP104	292.0	293.0	0.09	<1
WKP104	293.0	294.0	0.10	1.0
WKP104	294.0	295.0	0.06	<1
WKP104	295.0	296.0	0.05	<1
WKP104	296.0	297.0	0.18	1.0
WKP104	297.0	298.0	0.05	<1
WKP104	298.0	299.0	0.06	<1
WKP104	299.0	300.2	0.09	2.0
WKP104	300.2	300.6	0.10	<1
WKP104	300.6	302.0	0.07	<1
WKP104	302.0	303.0	0.05	<1
WKP104	303.0	304.5	0.05	<1
WKP104	304.5	305.0	0.07	<1
WKP104	305.0	306.0	0.07	<1
WKP104	306.0	307.0	0.08	<1
WKP104	307.0	308.0	0.05	<1
WKP104	308.0	309.0	0.21	<1
WKP104	309.0	310.0	0.36	<1
WKP104	310.0	311.0	0.53	4.0
WKP104	311.0	312.0	0.04	<1
WKP104	312.0	313.0	0.04	<1
WKP104	313.0	314.0	0.13	<1
WKP104	314.0	315.0	0.11	<1
WKP104	315.0	316.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	316.0	317.0	0.14	<1
WKP104	317.0	318.0	0.11	<1
WKP104	318.0	319.0	0.06	1.0
WKP104	319.0	320.0	0.06	<1
WKP104	320.0	321.0	0.13	<1
WKP104	321.0	322.0	0.08	<1
WKP104	322.0	323.0	0.06	<1
WKP104	323.0	324.0	0.07	<1
WKP104	324.0	325.0	0.35	3.0
WKP104	325.0	326.0	0.16	<1
WKP104	326.0	327.0	0.66	3.0
WKP104	327.0	328.0	0.20	<1
WKP104	328.0	329.0	0.09	<1
WKP104	329.0	330.0	0.09	<1
WKP104	330.0	331.0	0.11	<1
WKP104	331.0	332.0	0.10	<1
WKP104	332.0	333.0	0.12	<1
WKP104	333.0	334.0	0.10	<1
WKP104	334.0	335.5	0.30	1.0
WKP104	335.5	336.0	1.74	4.0
WKP104	336.0	337.0	0.26	1.0
WKP104	337.0	338.0	0.79	1.0
WKP104	338.0	339.0	0.34	3.0
WKP104	339.0	340.0	0.32	<1
WKP104	340.0	341.0	0.19	1.0
WKP104	341.0	342.0	0.21	<1
WKP104	342.0	343.0	0.53	4.0
WKP104	343.0	344.0	0.68	3.0
WKP104	344.0	345.0	0.34	<1
WKP104	345.0	346.0	0.08	<1
WKP104	346.0	347.0	0.06	<1
WKP104	347.0	347.7	0.95	5.0
WKP104	347.7	348.5	0.15	2.0
WKP104	348.5	349.5	0.96	3.0
WKP104	349.5	350.5	0.50	2.0
WKP104	350.5	351.8	0.56	2.0
WKP104	351.8	353.0	0.34	4.0
WKP104	353.0	354.0	0.11	<1
WKP104	354.0	354.8	0.46	1.0
WKP104	354.8	355.2	0.82	5.0
WKP104	355.2	356.0	0.06	1.0
WKP104	356.0	357.2	0.34	2.0
WKP104	357.2	358.0	0.05	<1
WKP104	358.0	359.0	0.14	<1
WKP104	359.0	360.0	0.89	4.0
WKP104	360.0	361.0	2.42	11.0
WKP104	361.0	362.2	0.14	1.0
WKP104	362.2	362.6	3.18	18.0
WKP104	362.6	363.2	2.37	34.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	363.2	364.0	0.14	<1
WKP104	364.0	365.0	0.25	2.0
WKP104	365.0	366.0	0.36	1.0
WKP104	366.0	367.0	0.08	<1
WKP104	367.0	368.0	0.20	<1
WKP104	368.0	369.0	0.09	<1
WKP104	369.0	369.8	0.44	3.0
WKP104	369.8	371.0	0.29	<1
WKP104	371.0	372.0	0.09	<1
WKP104	372.0	373.0	0.11	2.0
WKP104	373.0	374.0	0.23	2.0
WKP104	374.0	375.0	1.23	12.0
WKP104	375.0	376.0	3.83	36.0
WKP104	376.0	376.9	0.46	5.0
WKP104	376.9	377.4	0.69	6.0
WKP104	377.4	378.0	0.20	2.0
WKP104	378.0	379.0	0.25	2.0
WKP104	379.0	380.0	0.16	<1
WKP104	380.0	381.0	0.24	5.0
WKP104	381.0	382.0	1.11	7.0
WKP104	382.0	383.0	0.43	3.0
WKP104	383.0	384.0	0.45	3.0
WKP104	384.0	385.0	0.18	2.0
WKP104	385.0	386.0	0.27	<1
WKP104	386.0	387.0	0.30	1.0
WKP104	387.0	388.0	0.79	3.0
WKP104	388.0	389.0	0.70	4.0
WKP104	389.0	390.0	0.43	2.0
WKP104	390.0	390.6	0.28	2.0
WKP104	390.6	391.0	1.82	11.0
WKP104	391.0	392.0	0.10	2.0
WKP104	392.0	393.0	0.89	2.0
WKP104	393.0	394.0	2.10	3.0
WKP104	394.0	395.2	5.87	4.0
WKP104	395.2	395.7	4.63	7.0
WKP104	395.7	396.6	1.16	7.0
WKP104	396.6	397.9	0.51	<1
WKP104	397.9	398.8	1.45	3.0
WKP104	398.8	399.9	0.27	1.0
WKP104	399.9	400.8	0.40	4.0
WKP104	400.8	401.6	3.72	6.0
WKP104	401.6	402.6	1.11	3.0
WKP104	402.6	404.0	0.17	<1
WKP104	404.0	405.0	0.60	2.0
WKP104	405.0	406.0	0.34	1.0
WKP104	406.0	407.0	0.14	<1
WKP104	407.0	408.0	0.17	<1
WKP104	408.0	409.0	0.60	2.0
WKP104	409.0	410.0	0.46	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP104	410.0	411.0	1.63	7.0
WKP104	411.0	412.0	0.14	3.0
WKP104	412.0	413.0	0.74	1.0
WKP104	413.0	414.0	0.90	3.0
WKP104	414.0	415.0	0.72	3.0
WKP104	415.0	416.0	0.24	<1
WKP104	416.0	417.0	0.26	1.0
WKP104	417.0	418.0	0.49	2.0
WKP104	418.0	419.0	1.49	3.0
WKP104	419.0	420.0	0.17	<1
WKP104	420.0	421.0	0.35	2.0
WKP104	421.0	422.0	0.26	<1
WKP104	422.0	423.0	4.13	10.0
WKP104	423.0	423.4	4.04	8.0
WKP104	423.4	424.8	8.65	23.0
WKP104	424.8	426.0	0.71	1.0
WKP104	426.0	427.0	0.38	1.0
WKP104	427.0	428.0	0.15	1.0
WKP104	428.0	429.0	0.19	1.0
WKP104	429.0	430.0	0.31	3.0
WKP104	430.0	430.4	7.17	18.0
WKP104	430.4	431.0	0.31	2.0
WKP104	431.0	432.0	0.04	<1
WKP104	432.0	433.0	0.12	<1
WKP104	433.0	434.0	1.63	4.0
WKP104	434.0	435.0	0.21	2.0
WKP104	435.0	436.0	1.47	5.0
WKP104	436.0	437.0	1.23	4.0
WKP104	437.0	438.0	0.11	1.0
WKP104	438.0	439.0	0.44	<1
WKP104	439.0	440.0	0.17	1.0
WKP104	440.0	441.0	0.09	<1
WKP104	441.0	442.0	1.10	4.0
WKP104	442.0	443.0	4.55	24.0
WKP104	443.0	444.0	0.14	1.0
WKP104	444.0	445.0	0.12	1.0
WKP104	445.0	446.0	0.27	<1
WKP104	446.0	447.0	0.51	2.0
WKP104	447.0	448.0	0.29	1.0
WKP104	448.0	449.0	0.06	<1
WKP104	449.0	450.4	0.05	<1
WKP105	48.8	50.0	0.10	<1
WKP105	50.0	51.0	0.05	<1
WKP105	51.0	52.0	0.10	1.0
WKP105	52.0	53.0	0.17	1.0
WKP105	53.0	54.0	0.36	1.0
WKP105	54.0	55.0	0.18	1.0
WKP105	55.0	56.0	0.40	2.0
WKP105	56.0	57.0	0.14	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	57.0	58.0	0.09	<1
WKP105	58.0	59.0	0.15	<1
WKP105	59.0	60.0	0.24	<1
WKP105	60.0	61.0	0.07	<1
WKP105	61.0	62.0	0.13	<1
WKP105	62.0	63.0	0.13	1.0
WKP105	63.0	64.0	0.12	1.0
WKP105	64.0	65.0	0.13	<1
WKP105	65.0	66.0	0.22	<1
WKP105	66.0	67.0	0.07	<1
WKP105	67.0	68.0	0.07	1.0
WKP105	68.0	69.0	0.14	1.0
WKP105	69.0	70.0	0.09	1.0
WKP105	70.0	71.0	0.87	8.0
WKP105	71.0	72.0	0.18	<1
WKP105	72.0	73.0	0.11	<1
WKP105	73.0	74.0	0.42	1.0
WKP105	74.0	75.0	0.10	<1
WKP105	75.0	76.0	0.20	<1
WKP105	76.0	77.0	0.16	1.0
WKP105	77.0	78.0	0.32	<1
WKP105	78.0	79.0	0.24	<1
WKP105	79.0	80.0	0.18	2.0
WKP105	80.0	81.0	0.14	<1
WKP105	81.0	82.0	0.17	<1
WKP105	82.0	83.0	0.08	<1
WKP105	83.0	84.2	0.13	<1
WKP105	84.5	85.0	0.26	2.0
WKP105	85.0	86.0	0.12	1.0
WKP105	86.0	87.0	0.08	<1
WKP105	87.0	88.0	0.10	<1
WKP105	88.0	89.0	0.15	1.0
WKP105	89.0	90.0	0.13	1.0
WKP105	90.0	91.0	0.21	1.0
WKP105	91.0	92.0	0.20	<1
WKP105	92.0	93.0	0.09	<1
WKP105	93.0	94.0	0.08	<1
WKP105	94.0	94.6	0.44	4.0
WKP105	94.6	95.2	2.89	27.0
WKP105	95.2	95.9	2.34	12.0
WKP105	95.9	97.0	0.22	1.0
WKP105	97.0	98.0	0.28	<1
WKP105	98.0	99.0	17.20	13.0
WKP105	99.0	100.0	0.57	1.0
WKP105	100.0	101.0	0.33	<1
WKP105	101.0	102.0	0.34	1.0
WKP105	102.3	103.0	0.35	<1
WKP105	103.0	104.0	0.38	<1
WKP105	104.0	105.0	0.96	5.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	105.0	106.0	0.38	<1
WKP105	106.0	107.0	1.78	2.0
WKP105	107.0	108.0	0.19	1.0
WKP105	108.0	109.0	0.49	2.0
WKP105	109.0	110.0	0.68	2.0
WKP105	110.0	111.0	2.10	11.0
WKP105	111.0	112.0	0.30	<1
WKP105	112.0	113.0	0.15	1.0
WKP105	113.0	114.0	0.32	4.0
WKP105	114.0	115.0	0.26	1.0
WKP105	115.0	116.0	0.18	<1
WKP105	116.0	117.0	0.20	<1
WKP105	117.0	118.0	0.33	<1
WKP105	118.0	119.0	1.10	1.0
WKP105	119.0	119.9	0.40	<1
WKP105	119.9	120.3	2.92	20.0
WKP105	120.3	121.0	0.17	<1
WKP105	121.0	121.8	0.18	2.0
WKP105	121.8	122.3	0.15	<1
WKP105	122.7	123.4	0.34	<1
WKP105	123.4	124.0	7.39	35.0
WKP105	124.0	125.0	0.37	2.0
WKP105	125.0	126.0	0.54	3.0
WKP105	126.0	127.0	0.15	1.0
WKP105	127.0	127.6	0.18	<1
WKP105	127.6	128.5	0.11	<1
WKP105	128.5	129.0	0.11	2.0
WKP105	129.0	129.4	0.17	1.0
WKP105	129.4	130.0	0.24	3.0
WKP105	130.0	131.0	0.31	<1
WKP105	131.0	132.0	0.21	1.0
WKP105	132.0	133.0	0.40	2.0
WKP105	133.0	134.0	0.29	2.0
WKP105	134.0	134.8	0.23	<1
WKP105	134.8	135.8	0.88	4.0
WKP105	135.8	136.7	0.26	<1
WKP105	136.7	137.4	0.18	<1
WKP105	137.4	138.0	0.27	<1
WKP105	138.0	138.9	0.29	<1
WKP105	138.9	140.0	8.53	22.0
WKP105	140.0	140.2	0.24	2.0
WKP105	140.5	141.1	0.38	1.0
WKP105	141.1	142.1	0.30	<1
WKP105	142.1	142.9	0.25	<1
WKP105	142.9	143.8	0.29	1.0
WKP105	143.8	144.5	0.31	<1
WKP105	144.5	145.3	0.70	7.0
WKP105	145.3	146.0	0.24	<1
WKP105	146.0	147.0	0.24	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	147.0	148.0	0.39	<1
WKP105	148.0	149.0	0.23	1.0
WKP105	149.0	149.4	0.29	<1
WKP105	149.4	150.3	0.25	3.0
WKP105	150.3	151.3	0.30	11.0
WKP105	151.3	152.3	0.22	<1
WKP105	152.3	153.0	8.00	34.0
WKP105	153.0	154.0	7.97	35.0
WKP105	154.0	155.0	0.91	2.0
WKP105	155.0	156.0	1.10	2.0
WKP105	156.0	157.0	0.57	1.0
WKP105	157.0	157.6	1.23	3.0
WKP105	157.8	158.0	8.84	10.0
WKP105	158.0	159.0	0.29	<1
WKP105	159.0	159.7	0.23	<1
WKP105	159.7	160.1	0.14	<1
WKP105	160.1	161.1	1.01	8.0
WKP105	161.1	162.0	0.24	2.0
WKP105	162.0	163.0	0.89	3.0
WKP105	163.0	164.0	0.35	1.0
WKP105	164.0	164.8	1.29	7.0
WKP105	164.8	165.4	0.22	1.0
WKP105	165.4	166.2	0.61	2.0
WKP105	166.2	167.2	1.48	5.0
WKP105	167.2	168.0	0.73	1.0
WKP105	168.0	169.0	0.98	4.0
WKP105	169.0	170.0	0.47	1.0
WKP105	170.0	171.0	0.75	2.0
WKP105	171.0	172.0	0.71	3.0
WKP105	172.0	173.0	0.58	1.0
WKP105	173.0	174.0	0.28	<1
WKP105	174.0	175.0	0.31	<1
WKP105	175.0	176.0	0.44	<1
WKP105	176.0	177.0	0.27	<1
WKP105	177.0	178.0	0.21	<1
WKP105	178.0	178.8	0.22	<1
WKP105	178.8	179.2	0.72	1.0
WKP105	179.2	180.0	4.45	9.0
WKP105	180.0	180.6	7.60	12.0
WKP105	180.6	181.6	0.36	1.0
WKP105	181.6	182.5	7.64	14.0
WKP105	182.5	183.0	0.29	1.0
WKP105	183.0	184.0	0.30	<1
WKP105	184.0	185.0	0.32	<1
WKP105	185.0	185.9	0.44	<1
WKP105	185.9	186.7	1.74	5.0
WKP105	186.7	187.5	11.70	16.0
WKP105	187.9	189.4	0.30	<1
WKP105	190.2	190.8	0.48	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	190.8	192.0	0.36	<1
WKP105	192.0	192.8	4.04	3.0
WKP105	192.8	193.4	4.75	10.0
WKP105	193.4	194.2	7.26	19.0
WKP105	194.2	195.0	0.14	<1
WKP105	195.0	196.0	2.24	4.0
WKP105	196.0	197.0	0.48	2.0
WKP105	197.0	198.0	0.20	<1
WKP105	198.0	199.0	0.21	1.0
WKP105	199.0	199.8	0.20	<1
WKP105	199.8	200.5	0.24	<1
WKP105	200.9	202.0	0.30	<1
WKP105	202.0	203.0	0.16	<1
WKP105	203.0	204.0	0.13	<1
WKP105	204.0	205.0	0.73	<1
WKP105	205.0	206.0	0.08	<1
WKP105	206.0	207.0	0.22	<1
WKP105	207.0	208.0	0.23	<1
WKP105	208.0	209.0	0.12	<1
WKP105	209.0	210.0	0.11	<1
WKP105	210.0	210.7	0.71	1.0
WKP105	210.7	211.6	6.46	24.0
WKP105	211.9	213.0	0.15	<1
WKP105	213.0	214.0	0.16	<1
WKP105	214.0	215.0	0.23	<1
WKP105	215.0	216.0	0.27	<1
WKP105	216.0	217.0	0.18	<1
WKP105	217.0	218.0	0.13	<1
WKP105	218.0	219.0	0.11	<1
WKP105	219.3	220.0	0.19	<1
WKP105	220.0	221.0	0.36	<1
WKP105	221.0	221.6	0.38	1.0
WKP105	221.6	222.6	5.04	4.0
WKP105	222.6	223.6	2.42	3.0
WKP105	223.6	224.6	0.34	<1
WKP105	224.6	225.6	2.46	3.0
WKP105	225.6	226.5	0.16	<1
WKP105	226.5	227.0	0.22	<1
WKP105	227.0	228.0	0.16	<1
WKP105	228.0	229.0	0.19	<1
WKP105	229.0	230.0	0.36	<1
WKP105	230.0	231.0	0.14	1.0
WKP105	231.0	232.0	0.12	<1
WKP105	232.0	233.0	0.12	<1
WKP105	233.0	234.0	0.12	<1
WKP105	234.0	235.0	0.14	<1
WKP105	235.0	235.4	0.13	<1
WKP105	235.8	236.3	0.17	<1
WKP105	236.3	237.0	0.13	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	237.0	238.0	0.16	<1
WKP105	238.0	239.0	0.22	1.0
WKP105	239.0	240.0	0.20	<1
WKP105	240.0	241.0	0.16	<1
WKP105	241.0	242.0	0.20	<1
WKP105	242.0	243.0	0.24	<1
WKP105	243.0	244.0	0.19	<1
WKP105	244.0	244.8	0.20	1.0
WKP105	244.8	245.4	0.17	<1
WKP105	245.7	246.2	0.16	<1
WKP105	246.2	247.0	0.20	<1
WKP105	247.0	248.0	0.53	1.0
WKP105	248.0	249.0	0.22	<1
WKP105	249.0	250.0	0.17	<1
WKP105	250.0	250.4	0.18	<1
WKP105	250.4	251.4	0.19	<1
WKP105	251.4	252.0	0.17	<1
WKP105	252.0	253.0	0.22	<1
WKP105	253.0	254.0	0.20	<1
WKP105	254.0	255.0	0.19	<1
WKP105	255.0	255.5	0.24	<1
WKP105	255.5	256.0	0.18	<1
WKP105	256.0	257.0	0.18	<1
WKP105	257.0	258.0	1.48	<1
WKP105	258.0	259.0	0.19	<1
WKP105	259.0	259.8	0.30	<1
WKP105	259.8	260.5	0.28	1.0
WKP105	260.5	261.0	0.23	<1
WKP105	261.0	261.5	0.29	<1
WKP105	261.8	262.5	0.23	<1
WKP105	262.5	263.0	0.18	<1
WKP105	263.0	264.0	0.17	<1
WKP105	264.0	265.0	0.17	<1
WKP105	265.0	266.0	0.32	<1
WKP105	266.0	266.8	0.26	<1
WKP105	266.8	267.4	23.90	26.0
WKP105	267.4	268.2	0.17	<1
WKP105	268.2	269.4	0.22	<1
WKP105	269.4	270.0	0.15	<1
WKP105	270.0	271.5	0.18	<1
WKP105	271.5	272.0	0.15	<1
WKP105	272.0	273.0	0.24	<1
WKP105	273.3	274.0	0.13	<1
WKP105	274.0	274.6	0.15	<1
WKP105	274.6	275.0	0.17	<1
WKP105	275.0	276.0	0.15	<1
WKP105	276.0	277.0	0.25	<1
WKP105	277.0	278.0	21.60	19.0
WKP105	278.0	278.7	1.01	3.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	278.7	279.3	0.19	<1
WKP105	279.3	280.4	2.28	4.0
WKP105	280.4	281.0	2.85	1.0
WKP105	281.0	281.8	0.10	<1
WKP105	281.8	282.8	8.36	4.0
WKP105	282.8	283.7	0.12	<1
WKP105	283.7	284.1	1.64	2.0
WKP105	284.1	285.0	0.09	<1
WKP105	285.0	286.0	1.30	<1
WKP105	286.0	287.0	0.11	<1
WKP105	287.0	288.0	0.17	<1
WKP105	288.0	289.0	0.10	<1
WKP105	289.0	290.0	0.13	<1
WKP105	290.0	291.0	0.47	1.0
WKP105	291.0	292.0	0.16	<1
WKP105	292.0	293.0	0.11	<1
WKP105	293.0	294.0	0.15	<1
WKP105	294.0	295.0	0.10	<1
WKP105	295.3	296.0	0.08	<1
WKP105	296.0	297.0	0.17	<1
WKP105	297.0	298.0	0.29	1.0
WKP105	298.0	299.0	0.12	<1
WKP105	299.0	300.0	0.11	<1
WKP105	300.0	301.0	0.15	<1
WKP105	301.0	302.0	0.48	<1
WKP105	302.0	303.0	0.24	<1
WKP105	303.0	304.0	0.13	<1
WKP105	304.0	305.0	0.11	<1
WKP105	305.0	306.0	0.08	<1
WKP105	306.0	307.0	0.17	<1
WKP105	307.0	308.0	0.28	<1
WKP105	308.0	309.0	0.19	<1
WKP105	309.0	310.0	0.21	1.0
WKP105	310.0	311.0	0.19	1.0
WKP105	311.0	312.0	0.27	<1
WKP105	312.0	313.0	0.20	<1
WKP105	313.0	314.0	0.09	<1
WKP105	314.0	315.2	0.24	<1
WKP105	316.5	317.0	0.34	<1
WKP105	317.0	318.0	0.09	<1
WKP105	318.0	319.0	0.09	<1
WKP105	319.0	319.5	0.13	<1
WKP105	319.8	321.0	0.11	<1
WKP105	321.0	322.0	0.17	<1
WKP105	322.0	323.0	0.23	<1
WKP105	323.0	324.0	0.19	<1
WKP105	324.0	325.0	0.49	<1
WKP105	325.0	326.0	0.24	<1
WKP105	326.0	327.0	0.12	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	327.0	328.0	0.19	<1
WKP105	328.0	329.0	0.25	<1
WKP105	329.0	330.0	0.21	<1
WKP105	330.0	331.0	0.15	<1
WKP105	331.0	332.0	0.14	<1
WKP105	332.0	333.0	0.14	<1
WKP105	333.0	334.0	0.14	<1
WKP105	334.0	335.0	0.15	<1
WKP105	335.0	336.0	0.27	<1
WKP105	336.0	337.0	0.04	<1
WKP105	337.0	338.0	0.09	<1
WKP105	338.3	339.0	0.05	<1
WKP105	339.0	340.0	0.06	<1
WKP105	340.0	341.0	0.07	<1
WKP105	341.0	342.0	0.08	<1
WKP105	342.0	343.0	0.16	<1
WKP105	343.0	344.0	0.11	<1
WKP105	344.0	345.0	0.11	<1
WKP105	345.0	346.0	0.16	<1
WKP105	346.0	347.0	0.07	<1
WKP105	347.0	348.0	0.11	<1
WKP105	348.0	349.0	0.08	<1
WKP105	349.0	350.0	0.28	<1
WKP105	350.0	351.0	0.19	<1
WKP105	351.0	352.0	0.32	<1
WKP105	352.0	353.0	0.42	<1
WKP105	353.0	354.0	0.10	<1
WKP105	354.0	355.0	0.09	<1
WKP105	355.0	355.5	0.11	<1
WKP105	355.5	356.3	0.10	<1
WKP105	356.6	357.0	0.05	<1
WKP105	357.0	358.0	0.08	<1
WKP105	358.0	359.0	0.08	<1
WKP105	359.0	360.0	0.07	<1
WKP105	360.0	361.0	0.07	<1
WKP105	361.0	362.0	0.07	<1
WKP105	362.0	363.0	0.12	<1
WKP105	363.0	364.0	0.09	<1
WKP105	364.0	365.0	0.07	<1
WKP105	365.0	366.0	0.10	1.0
WKP105	366.0	367.0	0.08	1.0
WKP105	367.0	368.0	0.08	<1
WKP105	368.0	368.7	0.10	1.0
WKP105	368.7	369.7	0.23	<1
WKP105	369.7	370.1	0.10	<1
WKP105	370.1	370.7	0.07	<1
WKP105	370.7	371.3	0.08	<1
WKP105	371.6	372.0	0.17	1.0
WKP105	372.0	372.9	0.36	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	372.9	373.5	0.08	1.0
WKP105	373.5	374.2	0.09	<1
WKP105	374.2	374.8	0.13	1.0
WKP105	374.8	375.4	0.12	1.0
WKP105	375.4	376.5	0.15	1.0
WKP105	376.5	377.0	0.07	<1
WKP105	377.0	378.0	0.16	<1
WKP105	378.0	379.0	0.21	2.0
WKP105	379.0	380.0	0.18	<1
WKP105	380.0	381.0	0.14	<1
WKP105	381.0	381.4	0.14	<1
WKP105	381.4	382.0	0.09	<1
WKP105	382.0	383.0	0.08	<1
WKP105	383.0	384.0	0.07	<1
WKP105	384.0	385.0	0.05	<1
WKP105	385.0	386.0	0.22	1.0
WKP105	386.0	387.0	0.10	<1
WKP105	387.0	388.0	0.16	<1
WKP105	388.0	389.0	0.11	<1
WKP105	389.0	390.0	0.18	<1
WKP105	390.0	391.1	0.18	<1
WKP105	391.3	392.4	0.34	<1
WKP105	392.4	393.0	0.16	<1
WKP105	393.0	394.0	0.12	<1
WKP105	394.0	395.0	0.09	<1
WKP105	395.0	396.0	0.10	<1
WKP105	396.0	397.0	0.22	<1
WKP105	397.0	398.0	0.12	<1
WKP105	398.0	399.0	0.06	<1
WKP105	399.0	400.0	0.05	<1
WKP105	400.0	401.0	0.09	<1
WKP105	401.0	402.0	0.14	<1
WKP105	402.0	403.0	0.34	<1
WKP105	403.0	404.0	0.60	<1
WKP105	404.0	404.7	0.65	<1
WKP105	404.7	405.4	0.23	<1
WKP105	405.7	406.5	0.25	<1
WKP105	406.5	407.3	0.47	<1
WKP105	407.3	408.3	0.45	<1
WKP105	408.3	408.9	0.30	<1
WKP105	408.9	409.5	0.31	2.0
WKP105	409.5	410.0	0.16	<1
WKP105	410.0	411.0	0.33	<1
WKP105	411.0	412.0	0.32	<1
WKP105	412.0	413.0	0.27	<1
WKP105	413.0	414.0	0.10	<1
WKP105	414.0	415.0	0.09	<1
WKP105	415.0	415.7	0.12	<1
WKP105	415.7	416.7	0.40	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	416.7	417.7	0.38	<1
WKP105	417.7	418.8	0.56	<1
WKP105	418.8	419.3	0.51	<1
WKP105	419.3	420.0	0.36	<1
WKP105	420.0	421.0	0.07	<1
WKP105	421.0	422.0	0.06	<1
WKP105	422.0	422.4	0.05	<1
WKP105	422.4	423.0	0.03	<1
WKP105	423.0	424.0	0.12	<1
WKP105	424.0	424.5	0.17	<1
WKP105	424.5	425.3	0.19	<1
WKP105	425.6	426.6	0.19	<1
WKP105	426.6	427.5	0.23	<1
WKP105	427.5	428.4	0.17	<1
WKP105	428.4	429.0	0.34	2.0
WKP105	429.0	429.9	0.58	1.0
WKP105	429.9	430.5	0.47	<1
WKP105	430.5	431.3	0.22	<1
WKP105	431.3	432.0	0.29	<1
WKP105	432.0	433.0	0.22	<1
WKP105	433.0	434.0	0.27	<1
WKP105	434.0	434.6	0.26	<1
WKP105	434.6	435.6	2.66	2.0
WKP105	435.6	436.0	0.60	<1
WKP105	436.0	436.9	0.58	<1
WKP105	436.9	437.3	0.45	<1
WKP105	437.3	438.0	7.38	7.0
WKP105	438.0	439.0	4.71	7.0
WKP105	439.0	440.0	6.12	12.0
WKP105	440.0	441.0	3.12	5.0
WKP105	441.0	442.0	2.57	2.0
WKP105	442.0	443.0	6.45	5.0
WKP105	443.0	444.0	16.30	9.0
WKP105	444.0	445.0	7.94	6.0
WKP105	445.0	446.0	2.56	2.0
WKP105	446.0	447.0	0.71	3.0
WKP105	447.0	448.0	0.99	16.0
WKP105	448.0	449.0	2.87	19.0
WKP105	449.0	450.0	1.43	2.0
WKP105	450.0	451.0	1.29	4.0
WKP105	451.0	452.0	0.49	<1
WKP105	452.3	453.0	1.24	2.0
WKP105	453.0	454.0	0.45	<1
WKP105	454.0	455.0	1.13	5.0
WKP105	455.0	456.0	1.08	2.0
WKP105	456.0	457.0	0.69	1.0
WKP105	457.0	458.0	0.19	<1
WKP105	458.0	458.9	0.74	<1
WKP105	458.9	459.2	0.59	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	459.2	460.0	0.13	<1
WKP105	460.0	461.0	0.14	<1
WKP105	461.0	461.7	0.36	2.0
WKP105	461.7	462.7	4.86	3.0
WKP105	462.7	463.5	0.39	1.0
WKP105	463.5	464.2	0.26	<1
WKP105	464.5	465.1	0.25	<1
WKP105	465.1	466.0	0.12	<1
WKP105	466.0	466.9	0.06	<1
WKP105	466.9	467.7	0.67	12.0
WKP105	467.7	468.4	0.28	3.0
WKP105	468.4	469.0	0.46	4.0
WKP105	469.0	470.0	0.43	4.0
WKP105	470.0	471.0	2.01	15.0
WKP105	471.0	472.0	0.16	1.0
WKP105	472.0	473.0	0.36	<1
WKP105	473.0	473.7	0.16	<1
WKP105	473.7	474.3	1.38	14.0
WKP105	474.3	475.1	0.15	1.0
WKP105	475.1	476.0	0.41	1.0
WKP105	476.0	476.5	0.59	<1
WKP105	476.5	477.5	2.11	16.0
WKP105	477.5	478.0	2.76	29.0
WKP105	478.0	479.0	1.59	14.0
WKP105	479.0	480.0	0.42	3.0
WKP105	480.0	481.0	1.21	8.0
WKP105	481.0	482.0	0.26	2.0
WKP105	482.0	483.0	0.24	4.0
WKP105	483.0	484.0	0.52	3.0
WKP105	484.0	485.0	0.31	1.0
WKP105	485.0	486.0	0.24	2.0
WKP105	486.0	486.6	0.64	2.0
WKP105	486.9	488.0	0.32	2.0
WKP105	488.0	489.0	0.62	7.0
WKP105	489.0	490.0	0.15	1.0
WKP105	490.0	491.0	0.28	3.0
WKP105	491.0	491.4	0.48	2.0
WKP105	491.4	491.8	1.89	28.0
WKP105	491.8	492.4	0.32	2.0
WKP105	492.4	493.0	2.83	4.0
WKP105	493.0	494.0	0.29	<1
WKP105	494.0	495.0	0.49	1.0
WKP105	495.0	496.0	0.26	2.0
WKP105	496.0	497.0	0.27	2.0
WKP105	497.0	497.5	0.29	2.0
WKP105	497.5	498.4	2.24	4.0
WKP105	498.4	499.0	1.06	8.0
WKP105	499.0	500.0	0.17	1.0
WKP105	500.0	501.0	0.27	2.0



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	501.0	501.5	0.33	2.0
WKP105	501.7	502.3	0.87	7.0
WKP105	502.3	503.0	0.58	7.0
WKP105	503.0	504.0	0.22	1.0
WKP105	504.0	505.0	0.50	6.0
WKP105	505.0	506.0	0.33	2.0
WKP105	506.0	507.0	0.39	2.0
WKP105	507.0	508.0	0.31	2.0
WKP105	508.0	509.0	0.36	1.0
WKP105	509.0	510.0	0.68	3.0
WKP105	510.0	511.0	0.80	3.0
WKP105	511.0	512.0	0.36	3.0
WKP105	512.0	513.0	0.23	<1
WKP105	513.0	513.7	0.26	<1
WKP105	513.7	514.7	1.19	6.0
WKP105	514.7	515.4	1.15	7.0
WKP105	515.4	516.0	3.50	15.0
WKP105	516.0	517.0	1.50	7.0
WKP105	517.0	518.0	0.99	5.0
WKP105	518.0	519.0	1.36	4.0
WKP105	519.0	520.0	0.30	2.0
WKP105	520.0	521.0	0.33	4.0
WKP105	521.0	522.0	0.52	3.0
WKP105	522.0	523.0	0.72	3.0
WKP105	523.0	523.5	0.25	1.0
WKP105	523.8	524.6	1.42	8.0
WKP105	524.6	525.0	1.57	6.0
WKP105	525.0	526.0	1.00	3.0
WKP105	526.0	527.0	0.15	<1
WKP105	527.0	528.0	0.09	<1
WKP105	528.0	529.0	0.01	<1
WKP105	529.0	530.0	0.07	1.0
WKP105	530.0	531.0	0.01	<1
WKP105	531.0	532.0	0.06	1.0
WKP105	532.0	533.0	0.10	2.0
WKP105	533.0	534.0	0.06	<1
WKP105	534.0	535.0	<0.01	1.0
WKP105	535.0	536.0	0.03	<1
WKP105	536.0	537.0	0.12	2.0
WKP105	537.0	538.0	0.02	<1
WKP105	538.0	539.0	<0.01	1.0
WKP105	539.0	539.4	<0.01	<1
WKP105	539.7	540.5	<0.01	<1
WKP105	540.5	541.0	0.04	1.0
WKP105	541.0	542.0	0.07	1.0
WKP105	542.0	543.0	0.13	<1
WKP105	543.0	544.0	0.16	<1
WKP105	544.0	545.0	0.18	<1
WKP105	545.0	546.0	0.15	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP105	546.0	547.0	0.12	<1
WKP105	547.0	548.0	0.09	<1
WKP105	548.0	549.0	0.20	1.0
WKP105	549.0	550.0	0.06	<1
WKP105	550.0	551.0	0.09	<1
WKP105	551.0	552.0	0.09	<1
WKP105	552.0	553.0	0.05	<1
WKP106	54.2	55.0	0.47	2.0
WKP106	55.0	56.0	0.22	2.0
WKP106	56.0	57.0	0.20	2.0
WKP106	57.0	58.2	0.15	2.0
WKP106	58.5	59.0	0.14	2.0
WKP106	59.0	60.0	0.63	5.0
WKP106	60.0	61.0	0.47	2.0
WKP106	61.0	62.0	2.78	89.0
WKP106	62.0	63.0	0.52	5.0
WKP106	63.0	64.0	0.05	<1
WKP106	64.0	65.0	0.07	2.0
WKP106	65.0	66.0	0.22	1.0
WKP106	66.0	67.0	0.42	2.0
WKP106	67.0	68.0	0.25	2.0
WKP106	68.0	69.0	0.54	4.0
WKP106	69.0	70.0	0.80	11.0
WKP106	70.0	71.0	0.91	1.0
WKP106	71.0	72.0	0.54	<1
WKP106	72.0	73.0	0.28	<1
WKP106	73.0	74.0	0.06	2.0
WKP106	74.0	75.0	0.05	1.0
WKP106	75.0	76.0	0.38	<1
WKP106	76.0	77.0	0.31	<1
WKP106	77.0	78.0	0.75	1.0
WKP106	78.0	79.0	0.48	1.0
WKP106	79.0	80.0	0.16	2.0
WKP106	80.0	81.0	0.11	<1
WKP106	81.0	82.0	0.15	<1
WKP106	82.0	83.0	0.17	<1
WKP106	83.0	84.0	0.39	<1
WKP106	84.0	85.0	0.64	2.0
WKP106	85.0	86.0	0.51	2.0
WKP106	86.0	86.5	0.60	2.0
WKP106	86.5	87.6	1.34	2.0
WKP106	87.6	88.8	0.68	2.0
WKP106	89.1	90.0	0.43	2.0
WKP106	90.0	90.6	5.98	23.0
WKP106	90.6	91.4	0.38	2.0
WKP106	91.4	92.0	0.38	2.0
WKP106	92.0	93.0	0.27	<1
WKP106	93.0	94.0	0.12	1.0
WKP106	94.0	95.0	0.16	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	95.0	96.0	0.13	1.0
WKP106	96.0	97.1	0.17	2.0
WKP106	97.1	98.2	0.30	2.0
WKP106	98.2	98.6	9.86	49.0
WKP106	98.6	99.0	0.30	5.0
WKP106	99.0	100.0	0.22	1.0
WKP106	100.0	101.0	0.84	3.0
WKP106	101.0	102.0	0.50	2.0
WKP106	102.0	103.0	0.67	3.0
WKP106	103.0	104.0	0.37	2.0
WKP106	104.0	105.0	0.40	<1
WKP106	105.0	106.0	0.54	1.0
WKP106	106.0	107.0	0.50	3.0
WKP106	107.0	108.0	0.62	1.0
WKP106	108.0	109.0	0.23	1.0
WKP106	109.0	109.5	0.16	<1
WKP106	109.8	110.4	0.08	<1
WKP106	110.4	111.0	0.13	<1
WKP106	111.0	111.8	0.33	<1
WKP106	111.8	112.8	0.20	1.0
WKP106	112.8	113.6	0.26	3.0
WKP106	113.6	114.2	1.17	3.0
WKP106	114.2	115.0	0.09	<1
WKP106	115.0	116.0	0.49	1.0
WKP106	116.0	116.9	0.10	1.0
WKP106	116.9	117.5	0.63	1.0
WKP106	117.5	117.9	0.06	1.0
WKP106	117.9	118.6	0.14	3.0
WKP106	118.6	119.7	4.32	16.0
WKP106	119.7	120.7	0.23	4.0
WKP106	120.7	121.6	0.09	1.0
WKP106	121.6	122.8	0.23	1.0
WKP106	122.8	123.5	0.08	<1
WKP106	123.5	124.3	0.25	2.0
WKP106	124.3	125.0	1.08	9.0
WKP106	125.4	126.0	0.04	<1
WKP106	126.0	126.6	0.30	<1
WKP106	126.6	127.4	0.83	2.0
WKP106	127.4	128.3	1.53	5.0
WKP106	128.3	129.1	5.45	23.0
WKP106	129.1	130.0	0.11	<1
WKP106	130.0	131.0	0.18	<1
WKP106	131.0	132.0	0.16	<1
WKP106	132.0	133.0	0.15	1.0
WKP106	133.0	134.0	0.14	<1
WKP106	134.0	134.8	0.19	1.0
WKP106	134.8	135.9	0.12	1.0
WKP106	135.9	136.8	0.15	<1
WKP106	136.8	137.6	0.17	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	137.6	138.0	1.72	3.0
WKP106	138.0	138.8	0.39	1.0
WKP106	138.8	139.6	0.19	<1
WKP106	139.6	140.1	0.18	<1
WKP106	140.1	141.2	0.15	<1
WKP106	141.6	142.6	0.29	1.0
WKP106	142.6	143.0	0.41	<1
WKP106	143.0	143.8	0.28	<1
WKP106	143.8	144.2	0.85	2.0
WKP106	144.2	145.0	0.34	1.0
WKP106	145.0	146.0	0.22	1.0
WKP106	146.0	147.0	1.56	3.0
WKP106	147.0	148.0	0.30	1.0
WKP106	148.0	148.9	0.57	4.0
WKP106	148.9	149.7	8.14	58.0
WKP106	149.7	150.3	1.57	24.0
WKP106	150.3	151.2	0.20	2.0
WKP106	151.2	151.9	0.71	5.0
WKP106	151.9	153.0	0.17	<1
WKP106	153.0	153.5	0.18	1.0
WKP106	153.5	154.4	0.49	3.0
WKP106	154.4	155.0	0.12	<1
WKP106	155.0	156.0	0.23	2.0
WKP106	156.0	157.0	0.40	3.0
WKP106	157.0	158.0	0.19	<1
WKP106	158.0	159.0	0.26	1.0
WKP106	159.0	160.0	0.35	1.0
WKP106	160.0	161.0	0.35	<1
WKP106	161.0	162.0	0.60	3.0
WKP106	162.3	163.0	0.22	<1
WKP106	163.0	163.5	0.37	<1
WKP106	163.5	164.4	0.38	<1
WKP106	164.4	165.3	0.55	<1
WKP106	165.3	166.0	0.43	1.0
WKP106	166.0	166.4	1.31	19.0
WKP106	166.4	167.0	0.29	<1
WKP106	167.0	168.0	0.39	1.0
WKP106	168.0	169.0	0.30	<1
WKP106	169.0	170.0	0.57	1.0
WKP106	170.0	170.9	0.41	<1
WKP106	170.9	171.6	0.32	<1
WKP106	171.6	172.3	38.30	100.0
WKP106	172.3	173.0	13.20	54.0
WKP106	173.0	174.0	2.32	6.0
WKP106	174.0	175.0	0.35	<1
WKP106	175.0	175.8	0.39	<1
WKP106	175.8	176.3	0.25	<1
WKP106	176.3	177.0	0.29	<1
WKP106	177.0	178.0	0.43	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	178.0	179.0	0.25	<1
WKP106	179.0	180.0	0.28	<1
WKP106	180.0	181.0	0.19	<1
WKP106	181.0	182.0	0.24	<1
WKP106	182.0	183.0	0.28	<1
WKP106	183.0	184.2	0.08	<1
WKP106	184.2	184.8	0.43	2.0
WKP106	184.8	186.0	0.60	5.0
WKP106	186.0	187.0	0.21	<1
WKP106	187.0	188.0	0.19	1.0
WKP106	188.0	189.0	0.08	<1
WKP106	189.0	189.6	0.10	<1
WKP106	189.6	190.3	1.62	19.0
WKP106	190.3	190.7	0.06	<1
WKP106	191.0	192.0	0.08	<1
WKP106	192.0	193.0	0.10	<1
WKP106	193.0	194.0	0.03	<1
WKP106	194.0	195.2	0.13	<1
WKP106	195.2	195.9	4.63	11.0
WKP106	195.9	196.5	1.05	6.0
WKP106	196.5	197.0	0.38	2.0
WKP106	197.0	198.0	0.33	1.0
WKP106	198.0	199.0	0.47	2.0
WKP106	199.0	200.0	0.24	1.0
WKP106	200.0	201.0	0.09	<1
WKP106	201.0	202.0	0.23	<1
WKP106	202.0	203.2	0.13	<1
WKP106	203.2	203.6	2.02	10.0
WKP106	203.6	204.0	0.16	<1
WKP106	204.0	205.0	0.09	<1
WKP106	205.0	206.0	0.35	<1
WKP106	206.0	206.6	0.05	<1
WKP106	206.6	206.9	6.94	79.0
WKP106	206.9	208.0	0.05	<1
WKP106	208.0	209.0	0.07	<1
WKP106	209.0	210.0	0.06	<1
WKP106	210.0	210.5	0.08	<1
WKP106	210.8	211.8	0.13	<1
WKP106	211.8	212.8	0.55	1.0
WKP106	212.8	213.4	0.13	<1
WKP106	213.4	213.9	2.00	2.0
WKP106	213.9	215.0	2.03	1.0
WKP106	215.0	215.9	2.13	5.0
WKP106	215.9	217.0	0.18	<1
WKP106	217.0	218.0	0.09	<1
WKP106	218.0	219.0	0.48	2.0
WKP106	219.0	220.0	0.13	1.0
WKP106	220.0	220.6	0.05	<1
WKP106	220.6	221.1	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	221.1	222.0	0.09	<1
WKP106	222.0	223.0	0.01	<1
WKP106	223.0	224.0	0.03	<1
WKP106	224.0	225.0	0.03	<1
WKP106	225.0	226.0	<0.01	<1
WKP106	226.0	227.0	0.02	<1
WKP106	227.0	228.1	0.03	<1
WKP106	228.4	229.0	0.02	<1
WKP106	229.0	230.0	0.02	<1
WKP106	230.0	231.0	0.01	<1
WKP106	231.0	232.0	0.04	<1
WKP106	232.0	232.4	1.66	3.0
WKP106	232.4	233.0	0.03	<1
WKP106	233.0	234.0	0.02	<1
WKP106	234.0	235.0	0.07	<1
WKP106	235.0	236.0	0.13	2.0
WKP106	236.0	237.0	0.09	<1
WKP106	237.0	238.0	0.29	<1
WKP106	238.0	239.0	0.05	<1
WKP106	239.0	240.0	0.02	<1
WKP106	240.0	241.0	0.03	1.0
WKP106	241.0	242.0	0.03	<1
WKP106	242.0	243.0	0.03	<1
WKP106	243.0	244.0	0.05	<1
WKP106	244.0	245.0	0.09	<1
WKP106	245.0	246.0	0.11	<1
WKP106	246.0	247.0	0.23	<1
WKP106	247.0	248.0	0.22	<1
WKP106	248.0	249.0	0.18	1.0
WKP106	249.0	249.5	0.05	<1
WKP106	249.8	251.0	0.52	2.0
WKP106	251.0	252.0	0.08	<1
WKP106	252.0	253.0	0.07	<1
WKP106	253.0	254.0	0.10	<1
WKP106	254.0	255.0	0.08	1.0
WKP106	255.0	256.0	0.59	5.0
WKP106	256.0	257.0	0.34	1.0
WKP106	257.0	258.0	0.20	<1
WKP106	258.0	259.0	0.21	<1
WKP106	259.0	260.0	0.11	<1
WKP106	260.0	261.0	0.11	<1
WKP106	261.0	262.0	0.21	<1
WKP106	262.0	263.0	0.25	<1
WKP106	263.0	264.0	0.14	<1
WKP106	264.0	265.0	0.53	1.0
WKP106	265.0	266.0	0.10	1.0
WKP106	266.0	267.0	0.10	<1
WKP106	267.0	267.9	0.31	<1
WKP106	268.2	269.0	0.04	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	269.0	270.0	0.05	<1
WKP106	270.0	271.0	0.14	<1
WKP106	271.0	272.0	0.02	<1
WKP106	272.0	273.0	0.16	<1
WKP106	273.0	274.0	0.04	<1
WKP106	274.0	275.0	0.22	<1
WKP106	275.0	276.0	1.24	9.0
WKP106	276.0	277.0	0.29	<1
WKP106	277.0	278.0	0.21	<1
WKP106	278.0	279.0	0.05	<1
WKP106	279.0	280.0	0.21	<1
WKP106	280.0	281.0	0.43	1.0
WKP106	281.0	281.7	0.11	<1
WKP106	281.7	282.8	7.80	72.0
WKP106	282.8	284.0	0.20	<1
WKP106	284.0	285.0	0.05	<1
WKP106	285.0	286.0	0.03	<1
WKP106	286.0	287.0	0.02	<1
WKP106	287.0	288.0	1.62	<1
WKP106	288.0	289.0	0.86	4.0
WKP106	289.0	290.0	0.17	<1
WKP106	290.0	290.9	0.79	4.0
WKP106	291.1	292.0	1.02	<1
WKP106	292.0	293.0	0.08	<1
WKP106	293.0	294.0	0.36	1.0
WKP106	294.0	295.0	0.19	<1
WKP106	295.0	296.0	0.07	<1
WKP106	296.0	297.0	0.27	1.0
WKP106	297.0	298.0	0.20	<1
WKP106	298.0	299.0	0.08	<1
WKP106	299.0	300.0	0.08	<1
WKP106	300.0	301.0	0.14	<1
WKP106	301.0	302.0	0.19	<1
WKP106	302.0	303.0	0.35	<1
WKP106	303.0	304.0	0.24	<1
WKP106	304.0	305.0	0.11	<1
WKP106	305.0	306.0	0.06	<1
WKP106	306.0	306.7	0.06	<1
WKP106	306.7	307.0	5.22	5.0
WKP106	307.0	307.5	0.19	<1
WKP106	307.5	308.3	0.69	<1
WKP106	308.3	309.3	5.96	6.0
WKP106	309.3	310.0	0.19	<1
WKP106	310.0	311.0	0.12	<1
WKP106	311.0	312.2	0.07	<1
WKP106	312.5	313.0	0.09	<1
WKP106	313.0	314.0	0.07	<1
WKP106	314.0	315.0	0.05	<1
WKP106	315.0	316.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	316.0	317.0	0.06	<1
WKP106	317.0	318.0	0.12	<1
WKP106	318.0	319.0	0.07	<1
WKP106	319.0	320.0	0.58	<1
WKP106	320.0	321.0	0.12	<1
WKP106	321.0	322.0	0.09	<1
WKP106	322.0	323.0	0.20	<1
WKP106	323.0	324.0	0.29	<1
WKP106	324.0	325.0	0.27	<1
WKP106	325.0	326.0	0.44	<1
WKP106	326.0	327.0	0.27	<1
WKP106	327.0	328.0	0.22	<1
WKP106	328.0	329.0	0.24	<1
WKP106	329.0	330.0	0.13	<1
WKP106	330.0	331.0	0.27	<1
WKP106	331.0	332.0	0.33	<1
WKP106	332.0	333.0	0.34	<1
WKP106	333.0	334.0	0.30	<1
WKP106	334.0	335.0	0.18	<1
WKP106	335.0	335.7	0.45	<1
WKP106	335.7	336.2	1.84	7.0
WKP106	336.2	337.0	0.16	<1
WKP106	337.0	337.7	0.13	<1
WKP106	337.7	338.6	2.85	3.0
WKP106	338.6	339.7	0.97	2.0
WKP106	339.7	340.7	0.13	<1
WKP106	340.7	341.3	0.32	<1
WKP106	341.3	342.0	0.16	<1
WKP106	342.0	343.0	0.05	<1
WKP106	343.0	344.0	<0.01	<1
WKP106	344.0	344.8	<0.01	<1
WKP106	345.1	345.9	0.03	<1
WKP106	345.9	347.0	0.05	<1
WKP106	347.0	348.0	0.05	<1
WKP106	348.0	348.7	5.84	28.0
WKP106	348.7	349.3	13.00	67.0
WKP106	349.3	350.3	5.11	24.0
WKP106	350.3	351.2	0.56	<1
WKP106	351.2	352.0	5.73	16.0
WKP106	352.0	353.0	13.10	73.0
WKP106	353.0	354.0	0.39	<1
WKP106	354.0	355.0	0.10	<1
WKP106	355.0	356.0	0.23	<1
WKP106	356.0	357.0	0.09	<1
WKP106	357.0	358.0	0.11	<1
WKP106	358.0	359.0	0.09	<1
WKP106	359.0	360.0	0.18	<1
WKP106	360.0	361.0	0.22	<1
WKP106	361.0	362.0	0.17	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	362.0	363.0	0.09	<1
WKP106	363.0	363.8	0.11	<1
WKP106	364.0	365.0	0.06	<1
WKP106	365.0	366.0	0.16	<1
WKP106	366.0	367.0	0.07	<1
WKP106	367.0	368.0	0.08	<1
WKP106	368.0	369.0	0.23	<1
WKP106	369.0	370.0	0.14	<1
WKP106	370.0	371.0	0.09	<1
WKP106	371.0	372.0	0.06	<1
WKP106	372.0	373.0	0.13	<1
WKP106	373.0	374.0	0.17	<1
WKP106	374.0	375.0	0.30	<1
WKP106	375.0	376.0	0.28	<1
WKP106	376.0	377.0	0.09	<1
WKP106	377.0	378.0	0.19	<1
WKP106	378.0	379.0	0.65	1.0
WKP106	379.0	380.0	5.34	19.0
WKP106	380.0	380.7	7.10	15.0
WKP106	380.7	381.0	0.32	<1
WKP106	381.0	382.0	0.08	<1
WKP106	382.0	383.0	0.17	<1
WKP106	383.0	384.0	0.20	<1
WKP106	384.0	385.0	0.52	3.0
WKP106	385.0	385.5	0.57	<1
WKP106	385.8	386.6	0.20	<1
WKP106	386.6	387.0	0.21	1.0
WKP106	387.0	388.0	0.07	<1
WKP106	388.0	389.0	0.07	<1
WKP106	389.0	390.0	0.19	<1
WKP106	390.0	391.0	0.51	2.0
WKP106	391.0	392.0	0.42	<1
WKP106	392.0	393.0	1.38	<1
WKP106	393.0	394.0	0.14	<1
WKP106	394.0	395.0	0.28	<1
WKP106	395.0	396.0	0.17	<1
WKP106	396.0	397.0	0.06	<1
WKP106	397.0	398.0	0.20	<1
WKP106	398.0	398.7	2.04	2.0
WKP106	398.7	399.7	8.03	20.0
WKP106	399.7	400.3	27.60	31.0
WKP106	400.3	401.0	29.50	27.0
WKP106	401.0	402.0	19.30	23.0
WKP106	402.0	403.0	45.80	40.0
WKP106	403.0	404.0	39.50	55.0
WKP106	404.0	405.0	27.10	34.0
WKP106	405.0	406.0	24.70	29.0
WKP106	406.0	407.0	17.70	18.0
WKP106	407.0	408.0	17.90	25.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	408.0	409.0	30.60	32.0
WKP106	409.0	410.0	7.19	10.0
WKP106	410.0	411.0	17.00	25.0
WKP106	411.0	412.0	2.00	4.0
WKP106	412.0	413.0	14.80	12.0
WKP106	413.0	414.0	40.90	105.0
WKP106	414.0	415.0	11.50	15.0
WKP106	415.0	416.0	8.90	17.0
WKP106	416.0	417.0	37.00	29.0
WKP106	417.0	418.0	21.70	17.0
WKP106	418.0	419.0	2.95	8.0
WKP106	419.0	420.0	18.90	19.0
WKP106	420.0	421.0	58.00	77.0
WKP106	421.0	422.0	32.80	50.0
WKP106	422.0	423.0	11.30	13.0
WKP106	423.0	424.0	29.30	27.0
WKP106	424.0	425.0	28.10	25.0
WKP106	425.0	426.0	23.80	26.0
WKP106	426.0	427.0	41.50	37.0
WKP106	427.0	428.0	26.90	27.0
WKP106	428.0	429.0	4.66	13.0
WKP106	429.0	430.0	14.70	21.0
WKP106	430.0	431.0	13.60	32.0
WKP106	431.0	432.0	11.80	23.0
WKP106	432.0	433.0	2.34	10.0
WKP106	433.0	434.0	15.60	38.0
WKP106	434.0	435.0	9.20	17.0
WKP106	435.0	436.0	11.80	13.0
WKP106	436.0	437.0	44.80	49.0
WKP106	437.0	438.0	24.10	16.0
WKP106	438.0	439.0	3.97	7.0
WKP106	439.0	440.0	45.50	48.0
WKP106	440.0	440.7	2.73	8.0
WKP106	440.7	441.2	3.28	5.0
WKP106	441.2	442.0	0.98	2.0
WKP106	442.0	443.0	0.70	1.0
WKP106	443.0	444.2	0.94	4.0
WKP106	444.5	445.4	2.12	4.0
WKP106	445.4	446.2	12.20	16.0
WKP106	446.2	447.2	3.04	9.0
WKP106	447.2	448.2	3.71	4.0
WKP106	448.2	449.1	10.30	9.0
WKP106	449.1	449.8	8.89	13.0
WKP106	449.8	450.3	2.22	6.0
WKP106	450.3	451.3	0.41	2.0
WKP106	451.3	452.0	0.78	3.0
WKP106	452.0	453.0	0.61	2.0
WKP106	453.0	454.0	0.58	2.0
WKP106	454.0	455.0	0.43	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	455.0	456.0	0.56	2.0
WKP106	456.0	457.0	0.55	2.0
WKP106	457.0	458.0	0.50	4.0
WKP106	458.0	458.9	0.51	3.0
WKP106	458.9	459.5	0.81	3.0
WKP106	459.5	460.1	0.79	3.0
WKP106	460.1	460.6	1.08	5.0
WKP106	460.6	461.3	0.50	2.0
WKP106	461.3	462.0	0.94	2.0
WKP106	462.0	462.9	0.46	2.0
WKP106	462.9	463.9	3.47	10.0
WKP106	464.1	465.0	0.22	2.0
WKP106	465.0	466.0	0.22	2.0
WKP106	466.0	467.0	0.60	3.0
WKP106	467.0	468.0	0.81	3.0
WKP106	468.0	469.0	0.81	3.0
WKP106	469.0	470.0	0.33	1.0
WKP106	470.0	471.0	0.38	2.0
WKP106	471.0	472.0	0.23	<1
WKP106	472.0	473.1	0.24	1.0
WKP106	473.1	473.5	1.92	2.0
WKP106	473.5	474.0	0.78	3.0
WKP106	474.0	475.0	0.74	2.0
WKP106	475.0	476.0	0.79	6.0
WKP106	476.0	477.0	0.52	3.0
WKP106	477.0	477.7	1.14	6.0
WKP106	477.7	478.3	1.19	7.0
WKP106	478.3	479.0	0.78	7.0
WKP106	479.0	479.7	0.82	5.0
WKP106	479.7	480.4	0.88	5.0
WKP106	480.4	481.3	0.97	5.0
WKP106	481.6	482.1	1.34	6.0
WKP106	482.1	483.0	0.83	4.0
WKP106	483.0	484.0	0.62	2.0
WKP106	484.0	484.6	0.66	2.0
WKP106	484.6	485.6	0.54	2.0
WKP106	485.6	486.7	5.17	10.0
WKP106	486.7	487.2	1.16	3.0
WKP106	487.2	488.2	24.00	18.0
WKP106	488.2	489.2	24.30	17.0
WKP106	489.2	490.2	4.41	26.0
WKP106	490.2	491.0	1.25	3.0
WKP106	491.0	492.0	1.27	5.0
WKP106	492.0	493.0	0.93	5.0
WKP106	493.0	494.0	0.85	5.0
WKP106	494.0	494.4	2.49	8.0
WKP106	494.4	495.0	2.49	7.0
WKP106	495.0	496.0	1.74	5.0
WKP106	496.0	496.9	1.58	6.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	497.2	498.0	0.75	3.0
WKP106	498.0	499.0	0.79	3.0
WKP106	499.0	500.0	1.00	4.0
WKP106	500.0	501.0	2.49	19.0
WKP106	501.0	502.0	0.79	4.0
WKP106	502.0	503.0	0.52	4.0
WKP106	503.0	504.0	0.40	2.0
WKP106	504.0	505.0	0.42	2.0
WKP106	505.0	506.0	0.96	9.0
WKP106	506.0	507.0	0.87	9.0
WKP106	507.0	508.0	0.26	2.0
WKP106	508.0	509.0	0.26	1.0
WKP106	509.0	510.0	0.56	5.0
WKP106	510.0	511.0	0.36	3.0
WKP106	511.0	512.0	0.26	2.0
WKP106	512.0	513.0	0.26	2.0
WKP106	513.0	514.0	0.86	6.0
WKP106	514.0	515.0	0.39	1.0
WKP106	515.0	516.0	0.32	<1
WKP106	516.0	517.0	0.78	8.0
WKP106	517.0	518.0	0.54	3.0
WKP106	518.0	519.0	0.55	3.0
WKP106	519.0	520.0	0.55	4.0
WKP106	520.0	521.0	0.73	5.0
WKP106	521.0	521.7	0.71	6.0
WKP106	522.0	523.0	0.67	5.0
WKP106	523.0	524.0	0.66	5.0
WKP106	524.0	525.0	0.50	3.0
WKP106	525.0	526.0	0.52	3.0
WKP106	526.0	527.0	0.25	1.0
WKP106	527.0	528.0	0.70	3.0
WKP106	528.0	529.0	0.49	3.0
WKP106	529.0	530.0	0.78	3.0
WKP106	530.0	531.0	0.38	2.0
WKP106	531.0	532.0	0.34	1.0
WKP106	532.0	533.0	0.26	1.0
WKP106	533.0	534.0	0.95	4.0
WKP106	534.0	535.0	0.20	<1
WKP106	535.0	536.0	0.33	<1
WKP106	536.0	537.0	0.49	3.0
WKP106	537.0	538.0	0.30	1.0
WKP106	538.0	539.0	0.31	1.0
WKP106	539.0	540.0	0.50	1.0
WKP106	540.0	541.0	0.56	1.0
WKP106	541.0	542.0	1.29	3.0
WKP106	542.0	542.9	0.30	<1
WKP106	543.1	544.0	0.17	1.0
WKP106	544.0	545.0	0.29	<1
WKP106	545.0	546.0	0.23	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP106	546.0	547.0	0.57	1.0
WKP106	547.0	548.0	0.15	<1
WKP106	548.0	549.0	0.57	3.0
WKP106	549.0	550.0	0.61	3.0
WKP106	550.0	551.0	2.00	12.0
WKP106	551.0	552.1	1.94	12.0
WKP107	106.0	106.6	0.22	<1
WKP107	106.6	107.1	2.22	29.0
WKP107	107.1	108.1	4.79	24.0
WKP107	108.1	108.4	0.21	3.0
WKP107	108.4	109.4	22.40	160.0
WKP107	109.4	110.0	1.63	8.0
WKP107	110.0	110.4	0.10	<1
WKP107	110.4	111.0	0.49	2.0
WKP107	111.0	112.0	0.14	<1
WKP107	112.0	113.0	0.19	<1
WKP107	113.0	113.5	0.24	<1
WKP107	113.5	114.1	1.29	5.0
WKP107	114.1	115.2	0.17	<1
WKP107	115.2	116.0	1.01	7.0
WKP107	116.0	117.0	0.16	<1
WKP107	117.0	117.4	0.13	<1
WKP107A	80.0	81.0	0.11	<1
WKP107A	81.0	82.0	0.09	<1
WKP107A	82.0	83.0	0.10	<1
WKP107A	83.0	84.0	0.23	<1
WKP107A	84.0	85.0	0.18	<1
WKP107A	85.0	86.0	0.33	1.0
WKP107A	86.0	87.0	0.26	<1
WKP107A	87.0	88.0	0.77	1.0
WKP107A	88.0	89.0	0.24	<1
WKP107A	89.0	90.0	0.35	<1
WKP107A	90.0	91.0	0.40	<1
WKP107A	91.0	92.0	0.31	2.0
WKP107A	92.0	93.0	0.42	2.0
WKP107A	93.0	94.0	0.27	2.0
WKP107A	94.0	95.0	0.10	<1
WKP107A	95.0	96.0	0.16	<1
WKP107A	96.0	97.0	0.26	<1
WKP107A	97.0	98.0	0.11	<1
WKP107A	98.0	99.0	0.27	<1
WKP107A	99.0	100.0	0.39	<1
WKP107A	100.0	101.0	0.56	<1
WKP107A	101.0	102.0	0.62	<1
WKP107A	102.0	103.0	0.49	<1
WKP107A	103.0	104.0	0.38	<1
WKP107A	104.0	105.0	0.42	<1
WKP107A	105.0	106.0	0.33	<1
WKP107A	106.0	107.0	0.61	15.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	107.0	107.4	17.70	115.0
WKP107A	107.4	108.0	0.40	9.0
WKP107A	108.0	109.0	0.29	1.0
WKP107A	109.0	110.0	0.22	<1
WKP107A	110.0	111.0	0.37	2.0
WKP107A	111.0	112.0	0.38	1.0
WKP107A	112.0	113.0	0.52	2.0
WKP107A	113.0	114.0	2.92	13.0
WKP107A	114.0	115.0	0.76	2.0
WKP107A	115.0	116.0	0.19	1.0
WKP107A	116.0	117.0	0.23	1.0
WKP107A	117.0	118.0	0.13	<1
WKP107A	118.0	119.0	0.03	<1
WKP107A	119.0	120.0	0.05	<1
WKP107A	120.0	121.0	0.10	<1
WKP107A	121.0	122.0	0.12	<1
WKP107A	122.0	123.0	0.27	<1
WKP107A	123.0	124.0	0.21	<1
WKP107A	124.0	125.0	0.54	<1
WKP107A	125.0	126.0	0.26	<1
WKP107A	126.0	127.0	0.28	<1
WKP107A	127.0	128.0	0.30	<1
WKP107A	128.0	129.0	0.49	<1
WKP107A	129.0	130.0	0.23	<1
WKP107A	130.0	130.6	0.30	2.0
WKP107A	130.6	132.0	0.13	1.0
WKP107A	132.0	133.0	0.78	2.0
WKP107A	133.0	134.0	0.56	2.0
WKP107A	134.0	135.0	0.72	2.0
WKP107A	135.0	136.0	0.12	2.0
WKP107A	136.0	136.5	0.58	2.0
WKP107A	136.5	137.0	1.96	11.0
WKP107A	137.0	138.3	0.16	2.0
WKP107A	138.3	139.4	3.25	33.0
WKP107A	139.4	140.4	0.16	2.0
WKP107A	140.4	141.6	1.05	7.0
WKP107A	141.6	142.5	0.28	1.0
WKP107A	142.5	143.1	0.79	7.0
WKP107A	143.1	144.0	0.18	<1
WKP107A	144.0	145.0	0.39	3.0
WKP107A	145.0	145.7	0.32	2.0
WKP107A	145.7	146.0	4.97	17.0
WKP107A	146.0	147.0	0.37	1.0
WKP107A	147.0	148.0	0.15	<1
WKP107A	148.0	148.8	0.91	2.0
WKP107A	148.8	150.0	0.14	1.0
WKP107A	150.0	151.0	0.19	<1
WKP107A	151.0	152.0	0.23	<1
WKP107A	152.0	152.9	0.62	4.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	152.9	154.1	0.19	2.0
WKP107A	154.1	155.1	2.52	17.0
WKP107A	155.1	156.2	6.27	29.0
WKP107A	156.2	156.9	0.27	2.0
WKP107A	156.9	157.5	9.60	69.0
WKP107A	157.5	158.1	1.23	5.0
WKP107A	158.1	159.0	0.32	<1
WKP107A	159.0	160.0	0.35	2.0
WKP107A	160.0	161.0	0.20	<1
WKP107A	161.0	162.0	0.30	<1
WKP107A	162.0	163.0	0.34	1.0
WKP107A	163.0	164.0	0.27	1.0
WKP107A	164.0	165.0	0.39	<1
WKP107A	165.0	166.0	0.28	2.0
WKP107A	166.0	167.0	0.11	<1
WKP107A	167.0	168.0	0.15	<1
WKP107A	168.0	168.9	0.17	4.0
WKP107A	168.9	170.0	0.21	2.0
WKP107A	170.0	171.0	0.14	<1
WKP107A	171.0	172.0	0.11	<1
WKP107A	172.0	173.0	0.10	<1
WKP107A	173.0	174.0	0.11	<1
WKP107A	174.0	175.0	0.23	<1
WKP107A	175.0	176.0	5.50	11.0
WKP107A	176.0	177.0	0.50	1.0
WKP107A	177.0	178.0	0.33	<1
WKP107A	178.0	179.0	0.11	1.0
WKP107A	179.0	180.0	0.13	2.0
WKP107A	180.0	181.0	0.51	2.0
WKP107A	181.0	182.0	1.10	3.0
WKP107A	182.0	183.0	0.70	2.0
WKP107A	183.0	184.0	0.10	<1
WKP107A	184.0	185.0	0.15	1.0
WKP107A	185.0	186.0	0.31	<1
WKP107A	186.0	187.0	0.70	3.0
WKP107A	187.0	188.0	0.61	24.0
WKP107A	188.0	189.0	2.26	9.0
WKP107A	189.0	190.0	0.28	2.0
WKP107A	190.0	191.0	0.13	1.0
WKP107A	191.0	192.1	0.27	3.0
WKP107A	192.1	193.0	8.74	59.0
WKP107A	193.0	194.0	0.28	<1
WKP107A	194.0	195.0	0.31	2.0
WKP107A	195.0	196.0	0.28	2.0
WKP107A	196.0	197.0	0.08	<1
WKP107A	197.0	198.0	0.11	<1
WKP107A	198.0	199.0	0.28	<1
WKP107A	199.0	200.4	0.36	<1
WKP107A	200.7	202.0	0.93	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	202.0	202.6	1.00	3.0
WKP107A	202.6	204.0	0.38	<1
WKP107A	204.0	205.0	16.70	110.0
WKP107A	205.0	206.0	0.64	2.0
WKP107A	206.0	207.0	0.18	<1
WKP107A	207.0	208.0	0.25	<1
WKP107A	208.0	209.0	0.82	1.0
WKP107A	209.0	210.2	0.46	<1
WKP107A	210.6	211.5	0.32	<1
WKP107A	211.5	212.0	0.56	2.0
WKP107A	212.0	213.6	0.26	<1
WKP107A	214.0	215.0	0.64	2.0
WKP107A	215.0	216.0	0.57	1.0
WKP107A	216.0	217.0	0.31	7.0
WKP107A	217.0	218.0	1.88	<1
WKP107A	218.0	219.0	0.54	2.0
WKP107A	219.0	220.0	3.40	11.0
WKP107A	220.0	221.0	0.23	2.0
WKP107A	221.0	222.0	0.20	1.0
WKP107A	222.0	223.0	0.22	<1
WKP107A	223.0	224.0	0.17	<1
WKP107A	224.0	225.0	0.08	<1
WKP107A	225.0	226.0	0.05	<1
WKP107A	226.0	227.0	0.21	<1
WKP107A	227.0	228.5	0.27	<1
WKP107A	228.5	229.2	0.24	<1
WKP107A	229.2	230.0	0.16	<1
WKP107A	230.0	231.0	0.19	<1
WKP107A	231.0	232.0	0.22	1.0
WKP107A	232.0	233.0	0.41	3.0
WKP107A	233.0	234.0	0.42	2.0
WKP107A	234.0	235.0	0.51	2.0
WKP107A	235.0	236.0	0.47	3.0
WKP107A	236.0	237.0	0.19	<1
WKP107A	237.0	238.0	0.12	<1
WKP107A	238.0	239.0	0.09	<1
WKP107A	239.0	240.0	0.11	<1
WKP107A	240.0	241.0	0.19	<1
WKP107A	241.0	242.0	0.05	<1
WKP107A	242.0	243.0	0.06	<1
WKP107A	243.0	244.0	0.12	<1
WKP107A	244.0	245.0	0.10	<1
WKP107A	245.0	246.0	0.10	<1
WKP107A	246.0	247.0	0.07	<1
WKP107A	247.0	248.0	0.25	2.0
WKP107A	248.0	249.0	0.50	1.0
WKP107A	249.0	250.0	0.25	<1
WKP107A	250.0	251.0	0.39	1.0
WKP107A	251.0	252.0	0.40	1.0



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	252.0	252.7	0.36	<1
WKP107A	253.0	254.0	0.23	<1
WKP107A	254.0	254.6	0.39	<1
WKP107A	254.6	255.6	0.85	3.0
WKP107A	255.6	257.0	0.15	<1
WKP107A	257.0	258.0	0.17	<1
WKP107A	258.0	259.0	0.29	1.0
WKP107A	259.0	260.0	0.96	2.0
WKP107A	260.0	261.0	0.43	1.0
WKP107A	261.0	262.0	0.13	<1
WKP107A	262.0	263.3	0.05	<1
WKP107A	263.3	264.0	0.16	<1
WKP107A	264.0	265.3	0.10	<1
WKP107A	265.3	266.1	0.35	2.0
WKP107A	266.1	266.9	0.62	1.0
WKP107A	266.9	268.0	0.51	4.0
WKP107A	268.0	269.0	0.55	1.0
WKP107A	269.0	270.0	0.25	<1
WKP107A	270.0	271.0	0.08	<1
WKP107A	271.0	272.0	0.28	<1
WKP107A	272.0	273.0	0.14	<1
WKP107A	273.0	274.0	0.11	<1
WKP107A	274.0	275.0	0.09	<1
WKP107A	275.0	276.0	0.09	<1
WKP107A	276.0	277.0	0.06	<1
WKP107A	277.0	278.0	0.03	<1
WKP107A	278.0	279.0	0.03	<1
WKP107A	279.0	280.8	0.07	<1
WKP107A	280.8	281.8	0.25	1.0
WKP107A	281.8	283.0	0.35	1.0
WKP107A	283.0	283.7	0.56	1.0
WKP107A	283.7	284.6	0.66	<1
WKP107A	284.6	285.8	0.06	<1
WKP107A	285.8	287.0	0.07	<1
WKP107A	287.0	288.0	0.05	<1
WKP107A	288.0	289.0	0.05	2.0
WKP107A	289.0	290.0	0.04	<1
WKP107A	290.0	291.0	0.05	<1
WKP107A	291.0	292.0	0.03	1.0
WKP107A	292.0	293.0	0.02	<1
WKP107A	293.0	294.0	0.03	<1
WKP107A	294.0	295.0	0.02	<1
WKP107A	295.0	296.2	0.03	<1
WKP107A	296.2	297.0	0.06	<1
WKP107A	297.0	298.0	0.08	<1
WKP107A	298.0	299.0	0.08	<1
WKP107A	299.0	300.0	0.34	2.0
WKP107A	300.0	301.0	3.18	4.0
WKP107A	301.0	302.0	0.09	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	302.0	303.3	0.04	1.0
WKP107A	303.3	304.1	0.03	1.0
WKP107A	304.1	305.0	0.01	<1
WKP107A	305.0	305.6	<0.01	<1
WKP107A	305.6	307.0	0.01	<1
WKP107A	307.0	308.0	0.02	<1
WKP107A	308.0	309.0	0.01	<1
WKP107A	309.0	310.2	0.03	<1
WKP107A	310.6	311.0	0.02	<1
WKP107A	311.0	312.0	<0.01	<1
WKP107A	312.0	313.0	<0.01	<1
WKP107A	313.0	314.0	<0.01	<1
WKP107A	314.0	315.0	0.01	<1
WKP107A	315.0	315.8	0.01	<1
WKP107A	315.8	317.0	0.05	1.0
WKP107A	317.0	318.0	0.05	<1
WKP107A	318.0	319.0	0.02	<1
WKP107A	319.0	320.0	0.05	<1
WKP107A	320.0	320.7	0.05	<1
WKP107A	320.7	322.3	0.17	2.0
WKP107A	322.3	323.0	0.09	<1
WKP107A	323.0	324.0	0.24	<1
WKP107A	324.0	325.0	0.08	<1
WKP107A	325.0	326.0	0.03	<1
WKP107A	326.0	327.0	0.05	<1
WKP107A	327.0	328.0	0.12	<1
WKP107A	328.0	329.0	0.09	<1
WKP107A	329.0	329.7	0.05	<1
WKP107A	329.7	330.7	1.18	1.0
WKP107A	330.7	331.4	2.47	1.0
WKP107A	331.4	332.0	0.09	<1
WKP107A	332.0	333.0	0.05	<1
WKP107A	333.0	334.0	0.06	<1
WKP107A	334.0	335.0	0.02	<1
WKP107A	335.0	336.0	0.03	<1
WKP107A	336.0	337.0	0.16	<1
WKP107A	337.0	338.0	0.23	<1
WKP107A	338.0	339.0	0.04	<1
WKP107A	339.0	340.0	0.02	<1
WKP107A	340.0	340.7	0.09	<1
WKP107A	340.7	341.2	0.07	<1
WKP107A	341.2	342.2	0.08	<1
WKP107A	342.2	343.2	0.09	<1
WKP107A	343.2	344.2	0.03	<1
WKP107A	344.2	345.2	0.10	1.0
WKP107A	345.2	346.2	0.19	2.0
WKP107A	346.2	347.2	0.10	1.0
WKP107A	347.2	348.2	0.10	<1
WKP107A	348.2	349.2	0.10	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	349.2	350.2	0.13	<1
WKP107A	350.2	351.2	0.05	<1
WKP107A	351.2	352.2	0.05	<1
WKP107A	352.2	352.6	0.37	<1
WKP107A	352.6	353.6	0.67	<1
WKP107A	353.6	354.6	0.48	<1
WKP107A	354.6	355.6	0.28	1.0
WKP107A	355.6	356.6	0.07	<1
WKP107A	356.6	357.6	0.09	<1
WKP107A	357.6	358.6	0.10	<1
WKP107A	358.6	359.6	0.07	<1
WKP107A	359.6	360.6	0.03	<1
WKP107A	360.6	361.6	0.03	<1
WKP107A	361.6	362.6	0.05	<1
WKP107A	362.6	363.0	0.02	<1
WKP107A	363.0	364.0	0.76	2.0
WKP107A	364.0	365.0	0.13	1.0
WKP107A	365.0	366.0	0.08	<1
WKP107A	366.0	367.0	0.24	<1
WKP107A	367.0	368.0	6.11	1.0
WKP107A	368.0	369.0	0.10	11.0
WKP107A	369.0	370.0	0.04	1.0
WKP107A	370.0	371.0	0.05	<1
WKP107A	371.0	372.0	0.06	<1
WKP107A	372.0	373.0	0.25	<1
WKP107A	373.0	374.0	0.07	<1
WKP107A	374.0	375.0	0.10	<1
WKP107A	375.0	376.0	0.08	<1
WKP107A	376.0	377.0	0.03	<1
WKP107A	377.0	378.0	0.10	<1
WKP107A	378.0	379.0	0.07	<1
WKP107A	379.0	380.0	0.02	<1
WKP107A	380.0	381.0	0.01	<1
WKP107A	381.0	382.0	0.08	<1
WKP107A	382.0	383.0	0.13	<1
WKP107A	383.0	384.1	0.10	<1
WKP107A	384.1	384.4	0.28	2.0
WKP107A	384.4	385.0	0.13	1.0
WKP107A	385.0	386.0	0.04	<1
WKP107A	386.0	387.2	<0.01	<1
WKP107A	387.2	387.5	0.04	<1
WKP107A	387.5	388.0	0.01	<1
WKP107A	388.0	389.0	0.03	1.0
WKP107A	389.0	390.0	0.02	<1
WKP107A	390.0	391.0	0.07	<1
WKP107A	391.0	392.0	0.03	<1
WKP107A	392.0	393.0	0.01	<1
WKP107A	393.0	394.0	0.02	<1
WKP107A	394.0	395.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	395.0	395.9	0.05	<1
WKP107A	395.9	396.2	0.09	<1
WKP107A	396.2	397.0	0.03	<1
WKP107A	397.0	398.0	0.12	<1
WKP107A	398.0	399.0	0.22	<1
WKP107A	399.0	400.0	0.21	<1
WKP107A	400.0	401.0	0.55	<1
WKP107A	401.0	401.8	0.44	<1
WKP107A	401.8	402.2	0.48	1.0
WKP107A	402.2	403.0	0.08	<1
WKP107A	403.0	404.0	0.24	<1
WKP107A	404.0	405.0	0.61	<1
WKP107A	405.0	406.0	0.46	1.0
WKP107A	406.0	407.0	0.06	<1
WKP107A	407.0	408.0	0.05	<1
WKP107A	408.0	409.0	0.16	<1
WKP107A	409.0	410.0	0.29	<1
WKP107A	410.0	411.0	0.13	<1
WKP107A	411.0	412.0	0.21	<1
WKP107A	412.0	413.0	0.04	<1
WKP107A	413.0	413.4	0.06	<1
WKP107A	413.4	413.8	0.37	<1
WKP107A	413.8	414.1	0.07	<1
WKP107A	414.1	414.4	0.15	<1
WKP107A	414.4	415.0	0.12	<1
WKP107A	415.0	415.3	0.84	2.0
WKP107A	415.3	416.0	0.27	<1
WKP107A	416.0	416.5	0.26	<1
WKP107A	416.5	416.9	0.19	<1
WKP107A	416.9	417.9	0.14	<1
WKP107A	417.9	418.2	0.29	<1
WKP107A	418.2	419.0	0.07	<1
WKP107A	419.0	420.0	0.04	<1
WKP107A	420.0	421.0	0.05	<1
WKP107A	421.0	422.0	0.07	<1
WKP107A	422.0	423.0	0.61	1.0
WKP107A	423.0	424.0	0.25	<1
WKP107A	424.0	425.0	0.41	<1
WKP107A	425.0	426.0	0.09	<1
WKP107A	426.0	427.0	0.09	<1
WKP107A	427.0	428.0	0.05	<1
WKP107A	428.0	429.0	0.07	<1
WKP107A	429.0	430.0	0.15	<1
WKP107A	430.0	431.0	0.13	<1
WKP107A	431.0	432.0	0.14	<1
WKP107A	432.0	433.0	0.24	<1
WKP107A	433.0	434.1	0.24	<1
WKP107A	434.1	435.0	0.05	<1
WKP107A	435.0	436.0	0.12	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	436.0	437.0	0.06	<1
WKP107A	437.0	438.0	0.21	<1
WKP107A	438.0	439.1	0.10	<1
WKP107A	439.1	440.0	0.12	<1
WKP107A	440.0	441.0	0.17	<1
WKP107A	441.0	441.5	0.15	<1
WKP107A	441.5	442.0	0.16	<1
WKP107A	442.0	443.0	0.16	<1
WKP107A	443.0	443.3	0.11	<1
WKP107A	443.5	444.2	0.15	<1
WKP107A	444.2	445.3	0.17	<1
WKP107A	445.3	446.0	0.06	<1
WKP107A	446.0	447.0	0.06	<1
WKP107A	447.0	448.0	0.06	<1
WKP107A	448.0	449.0	0.16	<1
WKP107A	449.0	450.0	0.11	<1
WKP107A	450.0	451.0	0.08	<1
WKP107A	451.0	452.0	0.08	<1
WKP107A	452.0	453.0	0.11	<1
WKP107A	453.0	453.6	0.15	<1
WKP107A	453.6	454.6	0.27	<1
WKP107A	454.6	455.4	0.22	<1
WKP107A	455.4	456.0	0.16	<1
WKP107A	456.0	457.0	0.20	<1
WKP107A	457.0	457.6	0.42	<1
WKP107A	457.8	459.0	0.09	<1
WKP107A	459.0	460.0	0.13	<1
WKP107A	460.0	461.0	0.16	<1
WKP107A	461.0	462.0	0.17	<1
WKP107A	462.0	463.0	0.32	<1
WKP107A	463.0	464.0	0.18	<1
WKP107A	464.0	465.0	0.27	<1
WKP107A	465.0	466.0	0.35	<1
WKP107A	466.0	466.9	0.87	1.0
WKP107A	466.9	468.0	24.40	30.0
WKP107A	468.0	469.0	8.74	10.0
WKP107A	469.0	469.5	136.00	96.0
WKP107A	469.5	470.1	21.80	159.0
WKP107A	470.1	471.0	0.42	1.0
WKP107A	471.0	472.0	0.28	<1
WKP107A	472.0	473.0	0.16	<1
WKP107A	473.0	473.5	0.24	<1
WKP107A	473.5	474.5	0.17	<1
WKP107A	474.5	475.0	0.30	<1
WKP107A	475.0	476.0	0.49	1.0
WKP107A	476.0	477.0	0.32	1.0
WKP107A	477.0	478.0	0.21	<1
WKP107A	478.0	479.0	0.18	<1
WKP107A	479.0	480.0	0.22	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	480.0	481.0	0.20	<1
WKP107A	481.0	482.0	0.40	<1
WKP107A	482.0	483.0	0.33	<1
WKP107A	483.0	483.8	0.22	<1
WKP107A	483.8	485.0	0.46	<1
WKP107A	485.0	486.0	0.64	1.0
WKP107A	486.0	487.0	0.34	1.0
WKP107A	487.0	487.9	0.24	<1
WKP107A	487.9	488.8	0.11	1.0
WKP107A	488.8	489.5	2.19	33.0
WKP107A	489.5	490.5	41.50	96.0
WKP107A	490.5	491.7	113.00	639.0
WKP107A	493.7	493.9	108.00	76.0
WKP107A	494.2	495.3	82.80	47.0
WKP107A	495.3	495.9	16.80	11.0
WKP107A	495.9	496.6	50.20	55.0
WKP107A	496.6	497.3	3.98	7.0
WKP107A	497.3	498.0	53.90	26.0
WKP107A	498.0	499.1	15.50	45.0
WKP107A	499.1	499.9	53.60	43.0
WKP107A	499.9	500.9	55.70	74.0
WKP107A	500.9	501.4	118.00	101.0
WKP107A	501.4	502.2	118.00	295.0
WKP107A	502.2	503.2	21.80	17.0
WKP107A	503.2	504.0	8.98	5.0
WKP107A	504.0	505.0	0.64	1.0
WKP107A	505.0	506.2	0.46	3.0
WKP107A	506.2	507.0	1.31	<1
WKP107A	507.0	508.0	0.34	<1
WKP107A	508.0	508.6	0.49	<1
WKP107A	508.6	509.0	0.32	<1
WKP107A	509.0	510.0	0.56	<1
WKP107A	510.0	510.4	2.45	2.0
WKP107A	510.4	510.7	0.49	<1
WKP107A	510.7	511.2	0.43	<1
WKP107A	511.2	511.8	0.65	2.0
WKP107A	511.8	513.0	0.70	<1
WKP107A	513.0	513.6	0.61	<1
WKP107A	513.9	514.3	0.68	<1
WKP107A	514.3	515.3	0.72	<1
WKP107A	515.3	516.0	0.36	<1
WKP107A	516.0	517.0	0.85	<1
WKP107A	517.0	518.0	0.82	<1
WKP107A	518.0	518.7	0.37	<1
WKP107A	518.7	519.0	0.38	<1
WKP107A	519.0	520.0	1.35	<1
WKP107A	520.0	521.2	0.45	<1
WKP107A	521.2	522.0	1.35	2.0
WKP107A	522.0	522.7	0.79	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	522.7	523.3	0.61	1.0
WKP107A	523.3	524.3	0.68	1.0
WKP107A	524.3	525.0	0.63	2.0
WKP107A	525.0	526.0	0.44	<1
WKP107A	526.0	526.7	0.47	2.0
WKP107A	526.7	527.4	0.50	2.0
WKP107A	527.4	528.0	1.43	1.0
WKP107A	528.0	529.0	0.45	1.0
WKP107A	529.0	530.0	0.35	<1
WKP107A	530.0	530.6	0.53	1.0
WKP107A	530.8	532.0	0.60	4.0
WKP107A	532.0	532.5	0.68	<1
WKP107A	532.5	533.0	0.18	<1
WKP107A	533.0	534.0	0.76	1.0
WKP107A	534.0	535.0	1.72	2.0
WKP107A	535.0	536.0	2.37	<1
WKP107A	536.0	537.0	2.22	1.0
WKP107A	537.0	537.7	0.61	<1
WKP107A	537.7	538.2	1.38	5.0
WKP107A	538.2	539.0	0.46	<1
WKP107A	539.0	539.5	1.09	3.0
WKP107A	539.5	540.0	0.67	2.0
WKP107A	540.0	541.0	1.08	5.0
WKP107A	541.0	542.0	0.46	1.0
WKP107A	542.0	543.0	1.23	2.0
WKP107A	543.0	543.5	0.59	2.0
WKP107A	543.5	544.0	0.67	2.0
WKP107A	544.0	544.5	0.65	2.0
WKP107A	544.5	545.7	17.80	12.0
WKP107A	545.7	547.0	0.78	1.0
WKP107A	547.0	547.6	0.50	2.0
WKP107A	547.6	548.3	10.70	7.0
WKP107A	548.3	548.9	63.30	29.0
WKP107A	548.9	550.0	0.72	3.0
WKP107A	550.0	550.7	1.00	2.0
WKP107A	550.7	551.3	0.55	1.0
WKP107A	551.3	552.1	0.63	1.0
WKP107A	552.1	552.7	1.35	4.0
WKP107A	552.7	553.7	0.73	3.0
WKP107A	553.7	554.2	0.66	3.0
WKP107A	554.2	555.0	0.63	2.0
WKP107A	555.0	556.0	0.66	3.0
WKP107A	556.0	556.5	0.70	2.0
WKP107A	556.5	557.6	1.90	2.0
WKP107A	557.6	558.6	1.02	3.0
WKP107A	558.6	559.3	0.41	<1
WKP107A	559.3	560.0	0.67	3.0
WKP107A	560.0	560.8	1.61	3.0
WKP107A	560.8	562.0	0.82	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP107A	562.0	562.7	0.61	1.0
WKP107A	562.7	563.3	0.55	1.0
WKP107A	563.6	564.0	1.31	4.0
WKP107A	564.0	564.6	0.34	<1
WKP107A	564.6	565.0	0.65	7.0
WKP107A	565.0	566.0	0.28	1.0
WKP107A	566.0	567.0	0.12	<1
WKP107A	567.0	568.0	0.17	2.0
WKP107A	568.0	569.0	0.20	<1
WKP107A	569.0	570.0	0.24	<1
WKP107A	570.0	570.4	0.54	3.0
WKP107A	570.4	571.0	2.10	12.0
WKP107A	571.0	572.0	0.23	2.0
WKP107A	572.0	573.0	0.40	1.0
WKP107A	573.0	574.0	0.48	2.0
WKP107A	574.0	575.0	0.57	3.0
WKP107A	575.0	576.0	0.51	<1
WKP107A	576.0	577.0	0.30	4.0
WKP107A	577.0	578.0	0.29	1.0
WKP107A	578.0	579.0	0.46	6.0
WKP107A	579.0	580.0	0.14	2.0
WKP107A	580.0	581.0	0.38	3.0
WKP107A	581.0	582.0	0.30	1.0
WKP107A	582.0	583.0	0.68	3.0
WKP107A	583.0	584.0	0.61	<1
WKP107A	584.0	585.0	0.42	<1
WKP107A	585.0	586.0	0.40	2.0
WKP107A	586.0	586.3	0.91	4.0
WKP107A	586.3	587.0	0.21	<1
WKP107A	587.0	588.0	0.14	<1
WKP107A	588.0	588.5	0.20	1.0
WKP107A	588.7	590.0	0.18	1.0
WKP107A	590.0	591.0	0.30	<1
WKP107A	591.0	592.0	0.24	<1
WKP107A	592.0	592.4	0.37	1.0
WKP107A	592.4	593.1	0.45	3.0
WKP107A	593.1	594.0	0.72	3.0
WKP107A	594.0	595.0	0.21	2.0
WKP107A	595.0	596.0	0.29	1.0
WKP107A	596.0	596.6	0.54	3.0
WKP108	9.0	10.0	<0.01	<1
WKP108	19.0	20.0	<0.01	<1
WKP108	29.0	30.0	<0.01	<1
WKP108	39.0	40.0	<0.01	<1
WKP108	49.0	50.0	<0.01	<1
WKP108	59.0	60.0	<0.01	<1
WKP108	69.0	70.0	<0.01	<1
WKP108	79.0	80.0	<0.01	<1
WKP108	89.0	90.0	<0.01	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108	99.0	100.0	<0.01	<1
WKP108	109.0	110.0	<0.01	<1
WKP108	119.0	120.0	<0.01	<1
WKP108	129.0	130.0	<0.01	<1
WKP108	138.8	140.0	<0.01	<1
WKP108	149.0	150.0	0.01	<1
WKP108	159.0	160.0	0.03	<1
WKP108	169.0	170.0	<0.01	<1
WKP108	179.0	180.0	0.01	<1
WKP108	189.0	190.0	<0.01	<1
WKP108	199.0	200.0	0.03	<1
WKP108	209.0	210.0	0.01	<1
WKP108	219.0	220.0	<0.01	<1
WKP108	229.0	230.0	0.02	<1
WKP108	239.0	240.0	0.04	<1
WKP108	249.0	250.0	0.04	<1
WKP108	259.0	260.0	0.02	<1
WKP108	269.0	270.0	0.02	<1
WKP108	279.0	280.0	<0.01	<1
WKP108	289.0	290.0	0.03	<1
WKP108	299.0	300.0	0.01	<1
WKP108	309.3	310.4	<0.01	<1
WKP108	319.0	320.0	<0.01	<1
WKP108	329.0	330.0	<0.01	<1
WKP108B	335.0	335.5	<0.01	<1
WKP108B	335.5	336.5	<0.01	<1
WKP108B	336.5	337.2	<0.01	<1
WKP108B	337.2	338.0	<0.01	<1
WKP108B	338.0	339.2	0.03	<1
WKP108B	339.2	339.8	0.17	1.0
WKP108B	339.8	340.7	0.18	2.0
WKP108B	340.7	341.0	0.22	2.0
WKP108B	341.0	341.3	0.05	<1
WKP108B	341.3	342.0	0.05	<1
WKP108B	342.0	343.0	0.05	<1
WKP108B	343.0	344.0	0.07	<1
WKP108B	344.0	345.0	0.06	<1
WKP108B	345.0	346.0	0.05	<1
WKP108B	346.0	347.0	0.09	2.0
WKP108B	347.0	348.0	0.07	2.0
WKP108B	348.0	349.0	0.02	<1
WKP108B	349.0	350.0	0.10	<1
WKP108B	350.0	351.0	0.05	<1
WKP108B	351.0	352.0	0.04	<1
WKP108B	352.0	353.0	0.03	<1
WKP108B	353.0	354.0	0.03	<1
WKP108B	354.0	354.4	0.04	<1
WKP108B	354.4	354.8	0.21	<1
WKP108B	354.8	355.4	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108B	355.4	356.0	0.09	<1
WKP108B	356.0	356.5	0.09	<1
WKP108B	356.5	357.0	0.13	<1
WKP108B	357.0	357.3	0.08	<1
WKP108B	357.3	357.7	0.19	1.0
WKP108B	357.7	358.5	0.05	<1
WKP108B	358.5	359.0	0.04	<1
WKP108B	359.0	360.0	0.03	<1
WKP108B	360.0	361.0	0.03	<1
WKP108B	361.0	361.7	0.02	<1
WKP108B	361.7	362.3	0.04	<1
WKP108B	362.3	363.0	0.08	<1
WKP108B	363.0	364.2	0.08	<1
WKP108B	364.2	365.0	0.03	<1
WKP108B	365.0	365.5	0.21	1.0
WKP108B	365.5	366.2	0.11	<1
WKP108B	366.2	366.6	0.02	<1
WKP108B	366.6	367.0	0.02	<1
WKP108B	367.0	367.8	0.04	<1
WKP108B	367.8	368.5	0.06	<1
WKP108B	368.5	369.0	0.01	<1
WKP108B	369.0	370.0	0.02	<1
WKP108B	370.0	371.0	0.02	<1
WKP108B	371.0	372.0	0.03	<1
WKP108B	372.0	373.0	0.02	<1
WKP108B	373.0	374.0	0.04	<1
WKP108B	374.0	375.0	0.85	<1
WKP108B	375.0	375.6	0.11	<1
WKP108B	375.6	376.6	0.05	<1
WKP108B	376.6	377.3	0.03	<1
WKP108B	377.3	378.0	0.03	<1
WKP108B	378.0	379.0	0.05	<1
WKP108B	379.0	380.0	0.04	<1
WKP108B	380.0	381.0	0.03	<1
WKP108B	381.0	382.0	0.02	<1
WKP108B	382.0	383.0	0.03	<1
WKP108B	383.0	384.0	0.02	<1
WKP108B	384.0	385.0	0.03	<1
WKP108B	385.0	386.0	0.03	<1
WKP108B	386.0	387.0	0.02	<1
WKP108B	387.0	388.0	0.02	<1
WKP108B	388.0	389.0	0.03	<1
WKP108B	389.0	390.0	0.02	<1
WKP108B	390.0	391.0	0.02	<1
WKP108B	391.0	392.0	0.03	<1
WKP108B	392.0	393.0	0.02	<1
WKP108B	393.0	394.0	0.02	<1
WKP108B	394.0	395.0	0.02	<1
WKP108B	395.0	396.0	0.02	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108B	396.0	397.0	0.03	<1
WKP108B	397.0	398.0	0.06	<1
WKP108B	398.0	399.0	0.12	<1
WKP108B	399.0	400.0	0.05	<1
WKP108B	400.0	401.0	0.09	<1
WKP108B	401.0	401.8	0.14	<1
WKP108B	401.8	402.5	0.13	<1
WKP108B	402.5	404.0	0.06	<1
WKP108B	404.0	405.5	0.03	<1
WKP108B	405.5	406.3	0.03	<1
WKP108B	406.3	407.0	<0.01	<1
WKP108B	407.0	408.0	0.03	<1
WKP108B	408.0	409.0	0.05	<1
WKP108B	409.0	409.8	0.06	<1
WKP108B	409.8	410.8	0.07	<1
WKP108B	410.8	411.7	0.04	<1
WKP108B	411.7	412.6	0.03	<1
WKP108B	412.6	413.5	0.04	<1
WKP108B	413.5	414.5	0.04	<1
WKP108B	414.5	415.5	0.05	<1
WKP108B	415.5	416.3	0.06	<1
WKP108B	416.3	417.3	0.04	<1
WKP108B	417.3	417.8	0.06	<1
WKP108B	417.8	418.8	0.06	<1
WKP108B	418.8	420.1	0.05	<1
WKP108B	420.1	421.0	0.04	<1
WKP108B	421.0	422.0	0.01	<1
WKP108B	422.0	423.0	0.04	<1
WKP108B	423.0	424.0	0.02	880.0
WKP108B	424.0	425.0	0.12	<1
WKP108B	425.0	426.0	0.02	<1
WKP108B	426.0	427.3	0.02	<1
WKP108B	427.3	428.3	0.08	<1
WKP108B	428.3	429.4	0.10	<1
WKP108B	429.4	430.0	<0.01	<1
WKP108B	430.0	431.0	<0.01	<1
WKP108B	431.0	432.0	0.01	<1
WKP108B	432.0	433.0	0.04	<1
WKP108B	433.0	433.9	0.02	<1
WKP108B	433.9	435.0	<0.01	<1
WKP108B	435.0	435.6	<0.01	<1
WKP108B	435.6	436.0	<0.01	<1
WKP108B	436.0	437.0	<0.01	<1
WKP108B	437.0	438.0	<0.01	<1
WKP108B	438.0	439.0	0.05	<1
WKP108B	439.0	440.0	0.07	<1
WKP108B	440.0	441.0	0.05	<1
WKP108B	441.0	442.0	0.05	<1
WKP108B	442.0	443.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108B	443.0	443.6	0.15	<1
WKP108B	443.6	444.1	0.05	<1
WKP108B	444.1	445.0	0.05	<1
WKP108B	445.0	446.0	0.05	<1
WKP108B	446.0	447.0	0.09	<1
WKP108B	447.0	448.0	0.09	<1
WKP108B	448.0	449.0	0.19	<1
WKP108B	449.0	450.0	0.11	<1
WKP108B	450.0	451.0	0.08	<1
WKP108B	451.0	451.8	0.06	<1
WKP108B	451.8	453.0	0.05	<1
WKP108B	453.0	454.0	0.04	<1
WKP108B	454.0	455.1	0.07	<1
WKP108B	455.1	455.9	0.06	<1
WKP108B	455.9	456.8	0.17	<1
WKP108B	456.8	458.1	0.16	<1
WKP108B	458.1	458.8	0.11	<1
WKP108B	458.8	460.2	0.15	<1
WKP108B	460.2	461.1	0.05	<1
WKP108B	461.1	463.0	0.10	2.0
WKP108B	463.0	464.0	0.05	<1
WKP108B	464.0	464.8	0.05	<1
WKP108B	464.8	465.8	0.06	<1
WKP108B	465.8	466.6	0.07	<1
WKP108B	466.6	467.5	0.05	<1
WKP108B	467.5	468.3	0.11	<1
WKP108B	468.3	469.2	0.06	<1
WKP108B	469.2	470.0	0.11	<1
WKP108B	470.0	470.9	0.05	<1
WKP108B	470.9	471.9	0.06	<1
WKP108B	471.9	473.0	0.05	<1
WKP108B	473.0	473.8	0.06	<1
WKP108B	473.8	474.6	0.31	<1
WKP108B	474.6	476.0	0.03	<1
WKP108B	476.0	477.2	0.03	<1
WKP108B	477.2	478.4	0.10	<1
WKP108B	478.4	479.8	0.05	<1
WKP108B	479.8	481.0	0.03	<1
WKP108B	481.0	482.0	0.03	<1
WKP108B	482.0	483.0	0.05	<1
WKP108B	483.0	484.0	0.05	<1
WKP108B	484.0	485.0	0.05	<1
WKP108B	485.0	486.0	0.02	<1
WKP108B	486.0	487.0	0.03	<1
WKP108B	487.0	488.0	0.07	<1
WKP108B	488.0	489.3	0.07	1.0
WKP108B	489.3	490.0	0.05	<1
WKP108B	490.0	491.0	0.08	<1
WKP108B	491.0	492.0	0.07	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108B	492.0	492.9	0.06	<1
WKP108B	492.9	493.6	0.06	<1
WKP108B	493.7	494.5	0.08	1.0
WKP108B	494.5	495.3	0.03	<1
WKP108B	495.3	496.9	0.07	1.0
WKP108B	496.9	498.0	0.04	<1
WKP108B	498.0	499.0	0.04	<1
WKP108B	499.0	500.0	0.04	<1
WKP108B	500.0	501.3	0.05	<1
WKP108B	501.3	502.2	0.06	1.0
WKP108B	502.2	503.2	0.03	<1
WKP108B	503.2	503.6	0.08	2.0
WKP108B	503.6	504.3	0.03	<1
WKP108B	504.7	505.7	0.04	<1
WKP108B	505.7	507.0	0.06	<1
WKP108B	507.0	508.0	0.03	<1
WKP108B	508.0	509.0	0.02	<1
WKP108B	509.0	510.0	0.03	<1
WKP108B	510.0	511.0	0.04	<1
WKP108B	511.0	512.0	0.05	<1
WKP108B	512.0	512.7	0.06	<1
WKP108B	512.7	514.2	0.03	<1
WKP108B	514.2	515.0	0.01	<1
WKP108B	515.0	516.0	0.01	<1
WKP108B	516.0	517.0	0.02	<1
WKP108B	517.0	518.0	0.02	<1
WKP108B	518.0	519.0	0.02	<1
WKP108B	519.0	520.0	<0.01	<1
WKP108B	520.0	521.0	0.04	<1
WKP108B	521.0	522.0	0.02	<1
WKP108B	522.0	523.0	0.03	<1
WKP108B	523.0	524.0	0.03	<1
WKP108B	524.0	525.0	0.06	<1
WKP108B	525.0	526.0	0.01	<1
WKP108B	526.0	527.0	0.02	<1
WKP108B	527.0	528.0	0.02	<1
WKP108B	528.0	529.0	0.01	<1
WKP108B	529.0	530.0	0.01	<1
WKP108B	530.0	530.6	0.02	<1
WKP108B	530.6	531.0	0.04	<1
WKP108B	531.0	532.0	0.02	<1
WKP108B	532.0	533.0	<0.01	<1
WKP108B	533.0	534.0	0.02	<1
WKP108B	534.0	535.0	0.02	<1
WKP108B	535.0	536.0	0.02	<1
WKP108B	536.0	537.0	0.01	<1
WKP108B	537.0	538.0	0.08	<1
WKP108B	538.0	539.0	0.05	<1
WKP108B	539.0	540.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108B	540.0	541.0	<0.01	<1
WKP108B	541.0	542.0	<0.01	<1
WKP108B	542.0	543.0	0.02	<1
WKP108B	543.0	544.0	<0.01	<1
WKP108B	544.0	545.0	0.03	<1
WKP108B	545.0	546.0	0.03	<1
WKP108B	546.0	547.0	0.04	<1
WKP108B	547.0	548.0	0.02	<1
WKP108B	548.0	548.7	0.02	<1
WKP108B	548.7	550.0	0.02	<1
WKP108B	550.0	551.0	0.02	<1
WKP108B	551.0	552.0	0.02	<1
WKP108B	552.0	553.0	0.02	<1
WKP108B	553.0	553.8	0.03	<1
WKP108B	553.8	555.0	0.02	<1
WKP108B	555.0	556.0	<0.01	<1
WKP108B	556.0	557.0	0.02	<1
WKP108B	557.0	558.0	0.02	<1
WKP108B	558.0	559.0	0.02	<1
WKP108B	559.0	560.0	0.04	<1
WKP108B	560.0	560.5	0.04	<1
WKP108B	560.5	561.0	0.03	<1
WKP108B	561.0	562.0	0.02	<1
WKP108B	562.0	563.0	0.03	<1
WKP108B	563.0	564.0	0.03	<1
WKP108B	564.0	565.0	0.02	<1
WKP108B	565.0	566.0	0.03	<1
WKP108B	566.0	567.0	0.04	<1
WKP108B	567.0	568.0	0.04	<1
WKP108B	568.0	569.0	0.03	<1
WKP108B	569.0	570.0	0.05	<1
WKP108B	570.0	571.0	0.04	<1
WKP108B	571.0	572.0	0.05	<1
WKP108B	572.0	573.0	0.02	<1
WKP108B	573.0	574.0	0.05	<1
WKP108B	574.0	575.0	0.03	<1
WKP108B	575.0	576.0	0.03	<1
WKP108B	576.0	577.0	0.05	<1
WKP108B	577.0	578.0	0.05	<1
WKP108B	578.0	579.0	0.02	<1
WKP108B	579.0	580.0	0.04	<1
WKP108B	580.0	581.0	0.04	<1
WKP108B	581.0	582.0	0.03	<1
WKP108B	582.0	583.0	0.05	<1
WKP108B	583.0	584.0	0.04	<1
WKP108B	584.0	585.0	0.05	<1
WKP108B	585.0	586.0	0.04	<1
WKP108B	586.0	587.0	0.03	<1
WKP108B	587.0	588.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108B	588.0	589.0	0.02	<1
WKP108B	589.0	590.0	0.03	<1
WKP108B	590.0	591.0	0.17	<1
WKP108B	591.0	592.0	0.02	<1
WKP108B	592.0	593.0	0.02	<1
WKP108B	593.0	594.0	0.03	<1
WKP108B	594.0	595.0	0.07	<1
WKP108B	595.0	596.0	0.05	<1
WKP108B	596.0	597.0	0.03	<1
WKP108B	597.0	598.0	0.03	<1
WKP108B	598.0	599.0	0.04	<1
WKP108B	599.0	600.0	0.07	<1
WKP108B	600.0	601.0	0.04	<1
WKP108B	601.0	602.0	0.03	<1
WKP108B	602.0	603.0	0.04	<1
WKP108B	603.0	604.0	0.03	<1
WKP108B	604.0	605.0	<0.01	<1
WKP108B	605.0	606.0	0.02	<1
WKP108B	606.0	607.0	0.04	<1
WKP108B	607.0	608.0	0.03	<1
WKP108B	608.0	609.0	0.03	<1
WKP108B	609.0	610.0	0.03	<1
WKP108B	610.0	611.0	0.03	<1
WKP108B	611.0	612.0	0.03	<1
WKP108B	612.0	613.0	0.03	<1
WKP108B	613.0	614.0	0.02	<1
WKP108B	614.0	615.0	0.03	<1
WKP108B	615.0	616.0	0.03	<1
WKP108B	616.0	617.0	0.04	<1
WKP108B	617.0	618.0	0.04	1.0
WKP108B	618.0	619.0	0.04	<1
WKP108B	619.0	620.0	0.07	<1
WKP108B	620.0	621.0	0.02	<1
WKP108B	621.0	622.0	0.02	<1
WKP108B	622.0	623.0	0.04	<1
WKP108B	623.0	624.0	0.16	<1
WKP108B	624.0	625.0	<0.01	<1
WKP108B	625.0	626.0	0.02	<1
WKP108B	626.0	627.0	0.02	<1
WKP108B	627.0	628.0	0.02	<1
WKP108B	628.0	629.0	0.03	<1
WKP108B	629.0	630.0	0.02	1.0
WKP108B	630.0	631.0	0.02	<1
WKP108B	631.0	632.0	0.02	<1
WKP108B	632.0	633.0	0.02	<1
WKP108B	633.0	634.0	0.05	<1
WKP108B	634.0	634.7	0.04	<1
WKP108B	634.7	636.0	0.05	<1
WKP108B	636.0	637.0	0.06	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP108B	637.0	638.0	0.03	<1
WKP108B	638.0	639.0	0.03	<1
WKP108B	639.0	639.3	0.06	<1
WKP109	0.0	1.2	<0.01	<1
WKP109	1.2	2.7	<0.01	<1
WKP109	2.7	4.2	<0.01	<1
WKP109	4.2	5.7	<0.01	<1
WKP109	5.7	7.2	<0.01	<1
WKP109	7.2	8.7	<0.01	<1
WKP109	8.7	9.5	<0.01	<1
WKP109	9.5	10.2	<0.01	<1
WKP109	10.2	11.0	<0.01	<1
WKP109	11.0	12.0	<0.01	<1
WKP109	12.0	14.0	0.02	<1
WKP109	14.0	15.0	<0.01	<1
WKP109	15.0	16.2	<0.01	<1
WKP109	16.2	17.0	0.02	<1
WKP109	17.0	18.0	0.04	<1
WKP109	18.0	19.0	0.03	<1
WKP109	19.0	20.0	0.03	<1
WKP109	20.0	21.1	0.03	<1
WKP109	21.1	22.2	<0.01	<1
WKP109	22.2	23.4	<0.01	<1
WKP109	23.4	24.0	<0.01	<1
WKP109	24.0	25.0	0.03	<1
WKP109	25.0	26.0	0.02	<1
WKP109	26.0	27.0	0.02	<1
WKP109	27.0	28.0	0.03	<1
WKP109	28.0	29.0	0.03	<1
WKP109	29.0	30.0	0.03	<1
WKP109	30.0	31.0	0.12	<1
WKP109	31.0	32.0	0.04	<1
WKP109	32.0	33.0	0.09	<1
WKP109	33.0	34.0	0.12	<1
WKP109	34.0	35.5	0.19	<1
WKP109	35.5	36.3	0.48	<1
WKP109	36.3	37.1	0.10	<1
WKP109	37.1	37.7	0.36	<1
WKP109	37.7	38.4	0.35	<1
WKP109	38.4	39.5	0.21	4.0
WKP109	39.5	40.9	0.27	2.0
WKP109	40.9	41.6	0.22	2.0
WKP109	41.6	42.7	0.25	2.0
WKP109	42.7	44.0	0.54	4.0
WKP109	44.0	45.4	1.71	17.0
WKP109	45.4	46.2	1.34	16.0
WKP109	46.2	47.0	0.15	<1
WKP109	47.0	48.1	0.24	<1
WKP109	48.1	49.0	0.03	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	49.0	50.0	0.05	<1
WKP109	50.0	51.0	0.04	<1
WKP109	51.0	52.0	0.08	<1
WKP109	52.0	53.0	0.09	<1
WKP109	53.0	54.0	0.11	1.0
WKP109	54.0	54.7	0.11	<1
WKP109	54.7	56.0	0.04	2.0
WKP109	56.0	57.0	0.02	<1
WKP109	57.0	58.0	<0.01	<1
WKP109	58.0	59.0	<0.01	<1
WKP109	59.0	60.0	<0.01	<1
WKP109	60.0	61.0	<0.01	<1
WKP109	61.0	62.0	<0.01	<1
WKP109	62.0	63.0	<0.01	<1
WKP109	63.0	64.0	<0.01	<1
WKP109	64.0	65.0	<0.01	<1
WKP109	65.0	66.0	0.02	<1
WKP109	66.0	67.0	<0.01	<1
WKP109	67.0	68.0	<0.01	<1
WKP109	68.0	69.0	<0.01	<1
WKP109	69.0	70.0	<0.01	<1
WKP109	70.0	71.0	<0.01	4.0
WKP109	71.0	72.0	<0.01	<1
WKP109	72.0	73.0	<0.01	<1
WKP109	73.0	74.0	0.02	<1
WKP109	74.0	75.0	<0.01	<1
WKP109	75.0	76.0	<0.01	<1
WKP109	76.0	77.0	<0.01	<1
WKP109	77.0	78.0	<0.01	<1
WKP109	78.0	79.0	<0.01	<1
WKP109	79.0	80.0	<0.01	<1
WKP109	80.0	81.0	<0.01	<1
WKP109	81.0	82.0	<0.01	<1
WKP109	82.0	83.0	<0.01	<1
WKP109	83.0	83.7	<0.01	<1
WKP109	83.7	84.3	<0.01	<1
WKP109	84.3	84.7	<0.01	<1
WKP109	84.7	85.2	0.04	<1
WKP109	85.2	86.0	<0.01	<1
WKP109	86.0	87.0	<0.01	<1
WKP109	87.0	88.0	<0.01	<1
WKP109	88.0	89.0	<0.01	<1
WKP109	89.0	89.7	<0.01	<1
WKP109	89.7	90.6	<0.01	<1
WKP109	90.6	91.5	0.02	<1
WKP109	91.5	92.0	0.02	<1
WKP109	92.0	93.0	<0.01	<1
WKP109	93.0	94.0	<0.01	<1
WKP109	94.0	94.5	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	94.5	95.4	<0.01	<1
WKP109	95.4	96.0	<0.01	<1
WKP109	96.0	97.0	<0.01	<1
WKP109	97.0	97.9	<0.01	<1
WKP109	97.9	98.8	<0.01	<1
WKP109	98.8	99.8	<0.01	<1
WKP109	99.8	100.3	<0.01	<1
WKP109	100.3	101.0	<0.01	<1
WKP109	101.0	102.0	<0.01	<1
WKP109	102.0	103.0	0.02	<1
WKP109	103.0	104.2	0.03	<1
WKP109	104.2	105.0	0.03	<1
WKP109	105.0	106.0	0.02	<1
WKP109	106.0	107.0	0.02	<1
WKP109	107.0	108.0	0.02	<1
WKP109	108.0	109.0	<0.01	<1
WKP109	109.0	110.0	<0.01	<1
WKP109	110.0	111.0	0.01	<1
WKP109	111.0	111.7	<0.01	<1
WKP109	111.7	112.6	0.02	<1
WKP109	112.6	113.2	<0.01	<1
WKP109	113.2	114.0	<0.01	<1
WKP109	114.0	115.0	<0.01	<1
WKP109	115.0	116.0	0.01	<1
WKP109	116.0	117.0	<0.01	<1
WKP109	117.0	118.0	<0.01	<1
WKP109	118.0	119.0	<0.01	<1
WKP109	119.0	120.0	<0.01	<1
WKP109	120.0	121.0	<0.01	<1
WKP109	121.0	122.0	<0.01	<1
WKP109	122.0	123.0	<0.01	<1
WKP109	123.0	124.0	<0.01	<1
WKP109	124.0	125.0	0.01	<1
WKP109	125.0	126.0	0.03	<1
WKP109	126.0	127.0	0.02	<1
WKP109	127.0	128.0	0.01	<1
WKP109	128.0	129.0	0.01	<1
WKP109	129.0	130.0	0.01	1.0
WKP109	130.0	131.0	<0.01	<1
WKP109	131.0	132.0	0.02	<1
WKP109	132.0	133.0	<0.01	<1
WKP109	133.0	134.0	<0.01	<1
WKP109	134.0	135.0	<0.01	<1
WKP109	135.0	136.2	<0.01	<1
WKP109	136.2	137.0	<0.01	<1
WKP109	137.0	137.5	<0.01	<1
WKP109	137.5	138.0	<0.01	<1
WKP109	138.0	139.0	<0.01	<1
WKP109	139.0	140.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	140.0	141.0	<0.01	<1
WKP109	141.0	142.0	<0.01	<1
WKP109	142.0	143.0	0.01	<1
WKP109	143.0	144.0	<0.01	<1
WKP109	144.0	145.0	<0.01	<1
WKP109	145.0	146.0	<0.01	<1
WKP109	146.0	147.0	<0.01	<1
WKP109	147.0	148.0	<0.01	<1
WKP109	148.0	149.0	<0.01	<1
WKP109	149.0	150.0	<0.01	<1
WKP109	150.0	151.0	<0.01	<1
WKP109	151.0	152.0	<0.01	<1
WKP109	152.0	153.0	<0.01	<1
WKP109	153.0	154.0	<0.01	<1
WKP109	154.0	155.0	<0.01	<1
WKP109	155.0	156.0	<0.01	<1
WKP109	156.0	157.0	<0.01	<1
WKP109	157.0	158.0	<0.01	<1
WKP109	158.0	159.0	<0.01	<1
WKP109	159.0	160.0	<0.01	<1
WKP109	160.0	161.0	<0.01	<1
WKP109	161.0	161.7	<0.01	<1
WKP109	161.7	163.0	<0.01	<1
WKP109	163.0	164.0	<0.01	<1
WKP109	164.0	165.0	<0.01	<1
WKP109	165.0	166.0	<0.01	<1
WKP109	166.0	167.0	<0.01	<1
WKP109	167.0	168.0	<0.01	<1
WKP109	168.0	169.0	<0.01	<1
WKP109	169.0	170.0	<0.01	<1
WKP109	170.0	171.0	<0.01	<1
WKP109	171.0	172.0	<0.01	<1
WKP109	172.0	173.0	<0.01	<1
WKP109	173.0	174.0	<0.01	<1
WKP109	174.0	175.0	<0.01	<1
WKP109	175.0	176.0	<0.01	<1
WKP109	176.0	177.0	<0.01	<1
WKP109	177.0	178.0	<0.01	<1
WKP109	178.0	179.0	<0.01	<1
WKP109	179.0	180.0	<0.01	<1
WKP109	180.0	181.0	<0.01	<1
WKP109	181.0	182.0	<0.01	<1
WKP109	182.0	183.0	<0.01	<1
WKP109	183.0	184.0	<0.01	<1
WKP109	184.0	185.0	<0.01	<1
WKP109	185.0	186.1	<0.01	<1
WKP109	186.3	186.7	<0.01	<1
WKP109	186.7	187.2	<0.01	<1
WKP109	187.2	188.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	188.0	189.0	<0.01	<1
WKP109	189.0	190.0	<0.01	<1
WKP109	190.0	191.0	0.02	<1
WKP109	191.0	192.0	<0.01	<1
WKP109	192.0	193.0	0.02	<1
WKP109	193.0	194.0	<0.01	<1
WKP109	194.0	195.0	<0.01	<1
WKP109	195.0	196.0	<0.01	<1
WKP109	196.0	197.0	0.01	<1
WKP109	197.0	198.0	<0.01	<1
WKP109	198.0	199.0	<0.01	<1
WKP109	199.0	200.0	<0.01	<1
WKP109	200.0	201.0	<0.01	<1
WKP109	201.0	202.0	<0.01	<1
WKP109	202.0	203.0	<0.01	<1
WKP109	203.0	203.5	<0.01	<1
WKP109	203.7	204.5	<0.01	<1
WKP109	204.5	205.0	<0.01	<1
WKP109	205.0	206.0	0.01	<1
WKP109	206.0	207.0	0.02	<1
WKP109	207.0	208.0	<0.01	<1
WKP109	208.0	209.0	<0.01	<1
WKP109	209.0	210.0	<0.01	<1
WKP109	210.0	211.0	<0.01	<1
WKP109	211.0	212.0	<0.01	<1
WKP109	212.0	213.0	<0.01	<1
WKP109	213.0	214.0	<0.01	<1
WKP109	214.0	215.0	<0.01	<1
WKP109	215.0	216.0	<0.01	<1
WKP109	216.0	217.0	<0.01	<1
WKP109	217.0	218.0	<0.01	<1
WKP109	218.0	219.0	<0.01	<1
WKP109	219.0	220.0	<0.01	<1
WKP109	220.0	221.0	<0.01	<1
WKP109	221.0	222.0	<0.01	<1
WKP109	222.0	223.0	<0.01	<1
WKP109	223.0	223.5	<0.01	<1
WKP109	223.5	224.2	<0.01	<1
WKP109	224.2	225.0	<0.01	<1
WKP109	225.0	226.0	<0.01	<1
WKP109	226.0	227.0	<0.01	<1
WKP109	227.3	228.0	<0.01	<1
WKP109	228.0	229.0	<0.01	<1
WKP109	229.0	230.0	<0.01	<1
WKP109	230.0	231.0	<0.01	<1
WKP109	231.0	232.0	<0.01	<1
WKP109	232.0	233.0	<0.01	<1
WKP109	233.0	234.0	<0.01	<1
WKP109	234.0	235.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	235.0	236.0	<0.01	<1
WKP109	236.0	237.0	<0.01	<1
WKP109	237.0	238.0	<0.01	<1
WKP109	238.0	239.0	<0.01	<1
WKP109	239.0	240.0	<0.01	<1
WKP109	240.0	241.0	<0.01	<1
WKP109	241.0	242.0	<0.01	<1
WKP109	242.0	243.0	<0.01	<1
WKP109	243.0	244.0	<0.01	<1
WKP109	244.0	245.0	<0.01	<1
WKP109	245.0	245.7	<0.01	<1
WKP109	246.0	247.0	<0.01	<1
WKP109	247.0	248.0	<0.01	<1
WKP109	248.0	249.0	<0.01	<1
WKP109	249.0	250.0	<0.01	<1
WKP109	250.0	251.0	<0.01	<1
WKP109	251.0	252.0	<0.01	<1
WKP109	252.0	253.0	<0.01	<1
WKP109	253.0	254.0	<0.01	<1
WKP109	254.0	254.7	<0.01	<1
WKP109	254.7	255.4	<0.01	<1
WKP109	255.4	256.5	<0.01	<1
WKP109	256.5	257.5	0.03	<1
WKP109	257.5	258.0	<0.01	<1
WKP109	258.0	259.0	<0.01	<1
WKP109	259.0	260.0	<0.01	<1
WKP109	260.0	261.0	<0.01	<1
WKP109	261.0	262.0	<0.01	<1
WKP109	262.0	263.0	<0.01	<1
WKP109	263.0	264.0	<0.01	<1
WKP109	264.0	265.1	<0.01	<1
WKP109	265.4	266.0	<0.01	<1
WKP109	266.0	267.0	<0.01	<1
WKP109	267.0	268.0	<0.01	<1
WKP109	268.0	269.0	<0.01	<1
WKP109	269.0	270.0	<0.01	<1
WKP109	270.0	271.0	<0.01	<1
WKP109	271.0	271.6	0.03	<1
WKP109	271.6	272.1	<0.01	<1
WKP109	272.7	273.5	<0.01	<1
WKP109	273.5	274.0	<0.01	<1
WKP109	274.0	275.0	0.01	<1
WKP109	275.0	276.0	<0.01	<1
WKP109	276.0	277.0	<0.01	<1
WKP109	277.0	278.0	<0.01	<1
WKP109	278.0	279.0	<0.01	<1
WKP109	279.0	280.0	<0.01	<1
WKP109	280.2	281.0	0.01	<1
WKP109	281.0	282.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	282.0	282.7	<0.01	<1
WKP109	282.7	283.4	<0.01	<1
WKP109	283.4	284.0	<0.01	<1
WKP109	284.0	285.0	<0.01	<1
WKP109	285.0	286.0	<0.01	<1
WKP109	286.0	287.0	<0.01	<1
WKP109	287.0	288.0	<0.01	<1
WKP109	288.0	289.0	<0.01	<1
WKP109	289.0	290.0	<0.01	<1
WKP109	290.0	291.0	<0.01	<1
WKP109	291.0	292.0	<0.01	<1
WKP109	292.0	293.0	<0.01	<1
WKP109	293.0	294.0	<0.01	<1
WKP109	294.0	295.0	<0.01	<1
WKP109	295.0	296.0	<0.01	<1
WKP109	296.0	297.0	<0.01	<1
WKP109	297.0	298.0	<0.01	<1
WKP109	298.0	299.0	<0.01	<1
WKP109	299.0	300.0	<0.01	<1
WKP109	300.0	301.0	<0.01	<1
WKP109	301.0	302.0	<0.01	<1
WKP109	302.0	303.0	<0.01	<1
WKP109	303.0	304.0	<0.01	<1
WKP109	304.0	305.2	<0.01	<1
WKP109	305.2	306.0	<0.01	<1
WKP109	306.0	307.0	<0.01	<1
WKP109	307.0	308.0	<0.01	<1
WKP109	308.0	309.0	<0.01	<1
WKP109	309.0	310.0	<0.01	<1
WKP109	310.0	310.5	<0.01	<1
WKP109	310.5	311.3	0.01	<1
WKP109	311.3	312.0	<0.01	<1
WKP109	312.0	313.0	0.01	<1
WKP109	313.0	314.0	<0.01	<1
WKP109	314.0	315.0	0.06	<1
WKP109	315.0	316.0	0.11	<1
WKP109	316.0	317.0	0.04	1.0
WKP109	317.0	318.0	0.12	1.0
WKP109	318.0	319.0	0.38	2.0
WKP109	319.0	320.0	0.06	<1
WKP109	320.0	321.0	0.08	1.0
WKP109	321.0	322.0	0.04	<1
WKP109	322.0	323.0	0.06	<1
WKP109	323.0	324.0	0.11	<1
WKP109	324.0	324.4	0.13	<1
WKP109	324.4	325.1	0.05	<1
WKP109	325.1	326.0	0.04	<1
WKP109	326.0	327.0	0.05	<1
WKP109	327.0	328.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	328.0	329.0	0.10	<1
WKP109	329.0	330.0	0.13	<1
WKP109	330.0	331.0	0.08	<1
WKP109	331.0	332.0	0.42	<1
WKP109	332.0	333.0	0.06	<1
WKP109	333.0	333.5	0.04	<1
WKP109	333.5	334.3	0.30	<1
WKP109	334.3	334.7	0.64	<1
WKP109	334.7	335.5	0.05	<1
WKP109	335.5	336.0	0.02	<1
WKP109	336.0	337.0	0.09	<1
WKP109	337.0	338.0	0.05	<1
WKP109	338.0	338.6	0.05	1.0
WKP109	338.6	339.2	0.22	<1
WKP109	339.2	340.0	0.42	<1
WKP109	340.0	341.0	0.14	<1
WKP109	341.0	341.5	0.09	<1
WKP109	341.5	342.0	0.04	<1
WKP109	342.0	343.0	0.06	<1
WKP109	343.0	344.1	0.02	<1
WKP109	344.1	345.0	0.02	<1
WKP109	345.0	346.0	0.08	<1
WKP109	346.0	347.0	0.09	<1
WKP109	347.0	348.0	0.05	<1
WKP109	348.0	349.0	0.13	<1
WKP109	349.0	350.0	0.10	<1
WKP109	350.0	351.0	0.18	<1
WKP109	351.0	351.9	0.39	<1
WKP109	351.9	353.1	1.24	1.0
WKP109	353.1	354.0	0.33	<1
WKP109	354.0	355.0	0.33	<1
WKP109	355.0	356.0	1.02	2.0
WKP109	356.0	357.0	0.06	<1
WKP109	357.0	358.0	0.09	<1
WKP109	358.0	359.0	0.02	1.0
WKP109	359.0	360.0	0.05	<1
WKP109	360.0	361.0	0.17	<1
WKP109	361.0	362.0	0.04	<1
WKP109	362.0	363.0	0.09	1.0
WKP109	363.0	364.0	0.32	<1
WKP109	364.0	365.0	0.15	<1
WKP109	365.0	366.0	0.04	1.0
WKP109	366.0	367.0	2.87	5.0
WKP109	367.0	368.0	0.13	<1
WKP109	368.0	369.0	0.02	<1
WKP109	369.0	370.0	0.02	<1
WKP109	370.0	371.0	0.14	1.0
WKP109	371.0	372.0	6.12	12.0
WKP109	372.0	373.0	1.65	25.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	373.0	374.0	0.46	3.0
WKP109	374.0	375.0	0.15	<1
WKP109	375.0	376.0	0.41	1.0
WKP109	376.0	377.0	0.10	<1
WKP109	377.0	378.1	0.42	1.0
WKP109	378.1	379.0	0.03	<1
WKP109	379.0	380.1	0.55	1.0
WKP109	380.1	381.0	0.05	<1
WKP109	381.0	382.0	0.06	<1
WKP109	382.0	383.0	0.09	<1
WKP109	383.0	384.0	0.04	<1
WKP109	384.0	385.0	0.16	<1
WKP109	385.0	386.0	0.23	<1
WKP109	386.0	387.0	0.04	<1
WKP109	387.0	388.0	0.12	<1
WKP109	388.0	389.0	0.13	<1
WKP109	389.0	390.0	0.08	<1
WKP109	390.0	390.4	0.03	<1
WKP109	390.4	391.4	1.31	3.0
WKP109	391.4	392.1	0.06	1.0
WKP109	392.1	392.8	0.02	<1
WKP109	392.8	393.6	0.10	<1
WKP109	393.6	394.5	0.12	<1
WKP109	394.7	395.6	0.19	1.0
WKP109	395.6	396.5	0.03	<1
WKP109	396.5	397.3	0.03	<1
WKP109	397.3	398.0	0.29	1.0
WKP109	398.0	399.0	0.82	1.0
WKP109	399.0	400.0	0.38	2.0
WKP109	400.0	401.0	0.29	1.0
WKP109	401.0	402.0	0.04	<1
WKP109	402.0	402.4	0.05	<1
WKP109	402.4	403.0	0.19	35.0
WKP109	403.0	404.0	0.02	<1
WKP109	404.0	405.0	0.15	<1
WKP109	405.0	406.0	0.13	1.0
WKP109	406.0	407.0	0.03	<1
WKP109	407.0	408.2	0.04	<1
WKP109	408.2	409.1	16.00	31.0
WKP109	409.1	410.0	0.26	1.0
WKP109	410.0	411.0	0.07	<1
WKP109	411.0	412.0	0.20	<1
WKP109	412.0	413.0	0.19	<1
WKP109	413.0	413.4	3.38	3.0
WKP109	413.4	414.2	1.22	1.0
WKP109	414.2	415.2	26.50	30.0
WKP109	415.2	416.0	4.11	13.0
WKP109	416.0	417.0	0.82	3.0
WKP109	417.0	418.1	0.20	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	418.4	419.5	0.16	<1
WKP109	419.5	420.0	5.86	20.0
WKP109	420.0	421.0	0.26	1.0
WKP109	421.0	422.0	0.26	<1
WKP109	422.0	423.0	0.34	2.0
WKP109	423.0	424.0	76.10	89.0
WKP109	424.0	425.0	52.50	89.0
WKP109	425.0	426.0	0.27	2.0
WKP109	426.0	427.0	1.71	3.0
WKP109	427.0	427.6	0.83	2.0
WKP109	427.6	428.4	0.18	<1
WKP109	428.4	428.9	0.37	1.0
WKP109	429.2	430.0	0.15	1.0
WKP109	430.0	431.0	0.54	2.0
WKP109	431.0	432.0	0.24	<1
WKP109	432.0	433.0	0.16	<1
WKP109	433.0	434.1	0.43	1.0
WKP109	434.1	435.3	0.31	2.0
WKP109	435.6	436.7	0.30	<1
WKP109	436.7	437.5	0.17	1.0
WKP109	437.5	438.2	0.29	<1
WKP109	438.2	438.6	3.87	10.0
WKP109	438.6	439.8	0.40	1.0
WKP109	439.8	441.0	0.72	2.0
WKP109	441.0	441.3	0.48	<1
WKP109	441.3	441.7	9.33	38.0
WKP109	441.7	442.9	0.46	<1
WKP109	442.9	443.8	0.44	1.0
WKP109	443.8	444.1	1.74	6.0
WKP109	444.1	445.1	0.53	1.0
WKP109	445.1	446.0	0.52	<1
WKP109	446.0	446.7	0.43	1.0
WKP109	447.0	448.1	0.75	3.0
WKP109	448.1	448.7	0.50	2.0
WKP109	448.7	449.5	80.90	109.0
WKP109	449.5	450.2	5.44	16.0
WKP109	450.2	451.0	0.45	1.0
WKP109	451.0	451.6	40.50	140.0
WKP109	451.6	452.8	253.00	185.0
WKP109	452.8	453.5	13.00	40.0
WKP109	453.5	454.7	7.71	19.0
WKP109	454.7	455.9	30.50	87.0
WKP109	455.9	456.8	7.90	35.0
WKP109	456.8	457.3	183.00	553.0
WKP109	457.3	457.8	7.96	22.0
WKP109	457.8	458.3	200.00	592.0
WKP109	458.3	459.1	91.50	112.0
WKP109	459.1	459.7	184.00	452.0
WKP109	459.7	460.5	90.90	162.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	460.5	461.3	79.70	88.0
WKP109	461.3	462.5	60.70	130.0
WKP109	462.5	463.6	70.60	93.0
WKP109	463.6	464.4	37.00	141.0
WKP109	464.4	464.8	69.70	85.0
WKP109	464.8	465.2	0.85	1.0
WKP109	465.2	465.8	4.16	14.0
WKP109	465.8	466.3	1.14	<1
WKP109	466.3	467.5	0.33	<1
WKP109	467.5	468.7	0.35	<1
WKP109	468.7	470.0	0.63	<1
WKP109	470.5	471.7	0.32	<1
WKP109	471.7	472.9	0.41	<1
WKP109	472.9	473.5	0.79	1.0
WKP109	473.5	474.3	1.38	4.0
WKP109	474.3	474.8	5.60	5.0
WKP109	474.8	475.5	0.84	2.0
WKP109	475.5	475.9	10.10	11.0
WKP109	475.9	477.0	0.39	<1
WKP109	477.0	478.0	0.46	2.0
WKP109	478.0	478.5	0.80	4.0
WKP109	478.5	479.7	2.06	2.0
WKP109	479.7	480.2	81.70	94.0
WKP109	480.2	481.4	0.80	<1
WKP109	481.4	482.6	0.69	<1
WKP109	482.6	483.3	8.89	19.0
WKP109	483.3	484.0	2.63	3.0
WKP109	484.0	485.0	0.60	<1
WKP109	485.0	486.0	0.90	2.0
WKP109	486.0	487.0	0.36	<1
WKP109	487.0	488.0	1.03	2.0
WKP109	488.0	489.0	1.32	4.0
WKP109	489.0	490.0	1.24	2.0
WKP109	490.0	490.5	2.19	3.0
WKP109	490.5	491.0	0.22	<1
WKP109	491.0	492.0	1.31	2.0
WKP109	492.0	493.0	0.46	<1
WKP109	493.0	494.0	0.29	2.0
WKP109	494.0	495.0	1.08	4.0
WKP109	495.0	496.0	0.49	1.0
WKP109	496.0	497.0	0.28	3.0
WKP109	497.0	498.0	0.43	2.0
WKP109	498.0	499.0	0.16	<1
WKP109	499.0	499.8	0.37	<1
WKP109	499.8	500.5	1.77	8.0
WKP109	500.5	501.0	0.74	1.0
WKP109	501.0	502.0	0.40	<1
WKP109	502.0	502.5	0.22	<1
WKP109	503.0	504.0	1.30	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP109	504.0	505.0	0.19	2.0
WKP109	505.0	506.0	0.26	<1
WKP109	506.0	507.0	0.30	3.0
WKP109	507.0	508.0	0.41	1.0
WKP109	508.0	509.0	1.02	2.0
WKP109	509.0	510.0	0.19	<1
WKP109	510.0	511.0	0.20	<1
WKP109	511.0	512.0	0.24	<1
WKP109	512.0	513.0	0.19	<1
WKP109	513.0	514.0	0.42	3.0
WKP109	514.0	515.0	4.65	7.0
WKP109	515.0	516.0	0.25	1.0
WKP109	516.0	517.0	0.34	<1
WKP109	517.0	518.0	0.38	<1
WKP109	518.0	519.0	0.51	<1
WKP109	519.0	520.0	0.26	<1
WKP109	520.0	521.0	0.37	<1
WKP109	521.0	522.0	0.48	<1
WKP109	522.0	523.0	0.47	<1
WKP109	523.0	524.0	0.35	<1
WKP109	524.0	525.0	0.22	<1
WKP109	525.0	526.0	0.37	<1
WKP109	526.0	527.0	0.14	<1
WKP109	527.0	528.0	0.22	<1
WKP109	528.0	529.0	0.28	<1
WKP109	529.0	530.0	0.15	<1
WKP109	530.0	531.0	0.34	<1
WKP109	531.0	532.0	0.23	<1
WKP109	532.0	533.0	0.34	<1
WKP109	533.0	534.0	0.25	<1
WKP109	534.0	535.0	0.11	<1
WKP109	535.0	536.0	0.51	<1
WKP109	536.0	537.0	0.19	<1
WKP109	537.0	538.0	0.06	<1
WKP109	538.0	539.0	0.15	<1
WKP109	539.0	540.0	0.03	<1
WKP109	540.0	541.0	0.10	<1
WKP109	541.0	542.0	0.05	<1
WKP109	542.0	543.0	0.05	<1
WKP109	543.0	544.0	0.10	<1
WKP109	544.0	545.0	0.07	<1
WKP109	545.0	545.7	0.07	<1
WKP111	19.4	20.0	0.10	<1
WKP111	20.0	21.0	0.04	2.0
WKP111	21.0	22.0	0.06	2.0
WKP111	22.0	23.0	0.04	<1
WKP111	23.0	24.0	0.07	1.0
WKP111	24.0	25.0	0.04	<1
WKP111	25.0	25.6	0.09	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	25.6	26.0	0.04	<1
WKP111	26.0	27.0	0.08	<1
WKP111	27.0	28.0	0.03	<1
WKP111	28.0	29.0	0.05	1.0
WKP111	29.0	30.0	0.05	<1
WKP111	30.0	31.0	0.04	<1
WKP111	31.0	32.0	0.02	<1
WKP111	32.0	33.0	0.03	<1
WKP111	33.0	34.0	0.03	<1
WKP111	34.0	35.2	0.02	<1
WKP111	35.2	36.0	0.09	<1
WKP111	36.0	37.0	0.05	<1
WKP111	37.0	37.5	0.04	<1
WKP111	37.5	38.0	0.04	<1
WKP111	38.0	39.0	0.03	<1
WKP111	39.0	39.5	0.11	<1
WKP111	39.5	40.0	0.19	<1
WKP111	40.0	41.0	0.17	<1
WKP111	41.0	42.0	0.18	<1
WKP111	42.0	43.0	0.10	<1
WKP111	43.0	44.0	0.13	1.0
WKP111	44.0	45.0	0.31	<1
WKP111	45.0	46.0	0.06	<1
WKP111	46.0	47.0	0.04	1.0
WKP111	47.0	48.0	0.08	<1
WKP111	48.0	48.5	0.14	<1
WKP111	48.5	49.0	0.04	<1
WKP111	49.0	50.0	0.03	<1
WKP111	50.0	51.0	0.08	1.0
WKP111	51.0	52.0	0.15	1.0
WKP111	52.0	53.0	0.09	<1
WKP111	53.0	54.0	0.10	1.0
WKP111	54.0	55.0	0.03	<1
WKP111	55.0	56.0	0.03	1.0
WKP111	56.0	57.0	0.05	2.0
WKP111	57.0	58.0	0.02	1.0
WKP111	58.0	59.0	0.06	1.0
WKP111	59.0	60.0	0.12	2.0
WKP111	60.0	61.0	0.11	<1
WKP111	61.0	62.0	1.10	1.0
WKP111	62.0	63.0	0.44	2.0
WKP111	63.0	63.5	0.04	<1
WKP111	63.5	64.4	0.09	<1
WKP111	64.4	65.0	0.71	3.0
WKP111	65.0	66.0	0.75	2.0
WKP111	66.0	67.2	0.61	3.0
WKP111	67.2	68.0	0.05	3.0
WKP111	68.0	69.0	<0.01	<1
WKP111	69.0	70.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	70.0	71.0	<0.01	<1
WKP111	71.0	72.0	<0.01	<1
WKP111	72.0	73.0	<0.01	<1
WKP111	73.0	74.0	<0.01	<1
WKP111	74.0	75.0	<0.01	<1
WKP111	75.0	76.0	<0.01	<1
WKP111	83.0	84.0	0.03	<1
WKP111	84.0	85.0	<0.01	<1
WKP111	93.0	94.0	<0.01	<1
WKP111	101.0	102.0	0.36	2.0
WKP111	102.0	103.0	0.48	1.0
WKP111	103.0	104.0	0.57	2.0
WKP111	112.0	113.0	0.06	<1
WKP111	127.0	128.0	0.02	<1
WKP111	130.3	131.3	0.01	<1
WKP111	140.0	141.0	0.11	<1
WKP111	148.5	148.9	0.09	<1
WKP111	152.0	152.5	0.13	1.0
WKP111	162.0	163.0	0.02	<1
WKP111	163.0	164.0	0.04	<1
WKP111	166.0	167.0	0.03	<1
WKP111	168.4	169.4	0.02	<1
WKP111	173.0	174.0	0.03	<1
WKP111	183.0	184.0	0.04	<1
WKP111	184.7	185.2	0.60	2.0
WKP111	189.0	190.0	0.04	<1
WKP111	190.0	191.0	0.03	<1
WKP111	191.0	192.0	0.02	<1
WKP111	192.0	193.0	0.02	<1
WKP111	202.0	203.0	0.01	<1
WKP111	203.0	204.0	0.02	<1
WKP111	204.0	205.0	0.02	<1
WKP111	205.0	206.0	0.02	<1
WKP111	206.0	207.0	0.01	<1
WKP111	207.0	208.0	0.02	<1
WKP111	208.0	209.0	0.02	<1
WKP111	209.0	210.0	0.04	<1
WKP111	210.0	211.0	0.04	<1
WKP111	211.0	212.0	0.05	<1
WKP111	212.0	213.0	0.03	<1
WKP111	213.0	214.0	0.05	<1
WKP111	214.0	215.0	0.04	<1
WKP111	215.0	216.1	0.33	1.0
WKP111	216.1	217.0	0.38	1.0
WKP111	217.0	218.2	0.92	2.0
WKP111	218.2	219.4	0.10	1.0
WKP111	219.9	221.0	0.14	<1
WKP111	221.0	222.0	0.04	<1
WKP111	222.0	223.0	0.04	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	223.0	224.0	0.04	<1
WKP111	224.0	225.0	0.01	<1
WKP111	225.0	226.0	0.02	<1
WKP111	226.0	227.0	<0.01	<1
WKP111	227.0	228.0	<0.01	<1
WKP111	228.0	229.0	0.01	<1
WKP111	229.0	230.0	0.01	<1
WKP111	230.0	231.0	0.01	<1
WKP111	231.0	232.0	<0.01	<1
WKP111	232.0	233.0	<0.01	<1
WKP111	233.0	234.0	<0.01	<1
WKP111	234.0	235.0	<0.01	<1
WKP111	235.0	236.0	<0.01	<1
WKP111	236.0	237.0	0.04	<1
WKP111	237.0	238.0	0.02	<1
WKP111	238.0	239.0	0.03	<1
WKP111	239.0	240.0	0.01	<1
WKP111	240.0	241.0	<0.01	<1
WKP111	241.0	242.0	<0.01	<1
WKP111	242.0	243.0	<0.01	<1
WKP111	243.0	244.0	<0.01	<1
WKP111	244.0	245.0	<0.01	<1
WKP111	245.0	246.0	<0.01	<1
WKP111	246.0	247.0	0.03	<1
WKP111	247.0	248.0	<0.01	<1
WKP111	248.0	249.0	<0.01	<1
WKP111	249.0	250.0	<0.01	<1
WKP111	250.0	251.0	0.01	<1
WKP111	251.0	252.0	0.01	<1
WKP111	252.0	253.0	<0.01	<1
WKP111	253.0	254.0	<0.01	<1
WKP111	254.0	255.0	<0.01	<1
WKP111	255.0	256.0	<0.01	<1
WKP111	256.0	257.0	<0.01	<1
WKP111	257.0	258.0	<0.01	<1
WKP111	258.0	259.0	0.01	<1
WKP111	259.0	260.0	<0.01	<1
WKP111	260.0	261.0	<0.01	<1
WKP111	261.0	262.0	<0.01	<1
WKP111	262.0	263.0	<0.01	<1
WKP111	263.0	264.0	0.02	<1
WKP111	264.0	265.0	0.02	<1
WKP111	265.0	266.0	0.04	<1
WKP111	266.0	267.0	0.04	<1
WKP111	267.0	268.0	0.05	1.0
WKP111	268.0	269.0	0.07	<1
WKP111	269.0	270.0	0.11	<1
WKP111	270.0	271.0	0.14	1.0
WKP111	271.0	272.0	1.00	4.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	272.0	273.0	0.98	1.0
WKP111	273.0	274.0	0.15	<1
WKP111	274.0	274.3	1.21	<1
WKP111	274.3	275.0	0.12	<1
WKP111	275.0	276.0	0.26	<1
WKP111	276.0	277.0	0.23	1.0
WKP111	277.0	278.0	0.25	<1
WKP111	278.0	279.0	0.16	<1
WKP111	279.0	280.0	2.56	2.0
WKP111	280.0	281.0	0.77	<1
WKP111	281.0	282.0	0.07	1.0
WKP111	282.0	282.5	0.09	<1
WKP111	282.5	283.0	0.09	<1
WKP111	283.0	284.0	0.14	2.0
WKP111	284.0	285.0	0.11	<1
WKP111	285.0	286.0	0.11	<1
WKP111	286.0	287.0	0.16	<1
WKP111	287.0	288.0	0.23	2.0
WKP111	288.0	289.0	0.14	<1
WKP111	289.0	290.0	0.15	<1
WKP111	290.0	291.0	0.05	<1
WKP111	291.0	292.0	0.16	<1
WKP111	292.0	292.4	0.07	2.0
WKP111	292.4	293.0	0.02	<1
WKP111	293.0	294.0	0.03	<1
WKP111	294.0	295.0	0.02	<1
WKP111	295.0	296.0	0.02	<1
WKP111	296.0	297.0	0.02	<1
WKP111	297.0	297.5	<0.01	<1
WKP111	297.5	298.3	0.01	<1
WKP111	298.3	298.7	0.14	<1
WKP111	298.7	299.5	0.01	<1
WKP111	299.5	300.0	<0.01	<1
WKP111	300.0	301.0	<0.01	<1
WKP111	301.0	302.0	<0.01	<1
WKP111	302.0	303.0	0.01	<1
WKP111	303.0	304.0	<0.01	<1
WKP111	304.0	305.0	0.07	<1
WKP111	305.0	306.0	0.06	<1
WKP111	306.0	307.0	0.05	<1
WKP111	307.0	308.0	0.09	<1
WKP111	308.0	309.0	0.07	<1
WKP111	309.0	310.0	0.01	<1
WKP111	310.0	311.0	0.02	<1
WKP111	311.0	312.0	0.02	<1
WKP111	312.0	313.0	0.03	<1
WKP111	313.0	314.0	0.09	<1
WKP111	314.0	315.0	0.07	<1
WKP111	315.0	316.0	0.16	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	316.0	317.0	0.02	<1
WKP111	317.0	318.0	<0.01	<1
WKP111	318.0	319.0	<0.01	<1
WKP111	319.0	320.0	<0.01	<1
WKP111	320.0	320.8	0.13	<1
WKP111	320.8	322.0	0.04	<1
WKP111	322.0	323.0	0.10	<1
WKP111	323.0	324.0	0.05	<1
WKP111	324.0	325.0	0.03	<1
WKP111	325.0	326.0	0.04	<1
WKP111	326.0	327.0	0.04	<1
WKP111	327.0	328.0	0.06	<1
WKP111	328.0	329.0	0.08	<1
WKP111	329.0	330.0	0.25	<1
WKP111	330.0	331.0	0.12	<1
WKP111	331.0	332.0	0.12	<1
WKP111	332.0	333.0	0.10	<1
WKP111	333.0	334.0	0.05	<1
WKP111	334.0	335.0	0.06	<1
WKP111	335.0	336.0	0.04	<1
WKP111	336.0	337.0	0.05	<1
WKP111	337.0	338.0	0.01	<1
WKP111	338.0	339.0	0.03	<1
WKP111	339.0	340.0	0.01	<1
WKP111	340.0	341.0	0.06	<1
WKP111	341.0	342.0	0.05	<1
WKP111	342.0	343.0	<0.01	<1
WKP111	343.0	344.0	0.03	<1
WKP111	344.0	345.0	0.13	<1
WKP111	345.0	346.0	0.05	<1
WKP111	346.0	347.0	0.08	<1
WKP111	347.0	348.0	0.03	<1
WKP111	348.0	349.0	0.04	<1
WKP111	349.0	350.0	0.10	<1
WKP111	350.0	350.4	1.10	2.0
WKP111	350.4	351.0	0.07	<1
WKP111	351.0	352.0	0.13	1.0
WKP111	352.0	353.0	0.07	<1
WKP111	353.0	354.0	0.16	1.0
WKP111	354.0	355.0	0.14	<1
WKP111	355.0	356.0	0.17	<1
WKP111	356.0	357.0	0.11	<1
WKP111	357.0	358.0	0.07	1.0
WKP111	358.0	358.6	0.04	<1
WKP111	358.6	359.4	0.08	<1
WKP111	359.4	360.0	0.05	<1
WKP111	360.0	361.0	0.19	1.0
WKP111	361.0	362.0	0.07	<1
WKP111	362.0	363.0	0.11	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	363.0	364.0	0.08	<1
WKP111	364.0	365.0	0.36	1.0
WKP111	365.0	366.0	0.16	<1
WKP111	366.0	367.0	0.08	<1
WKP111	367.0	368.0	0.08	<1
WKP111	368.0	369.0	0.07	<1
WKP111	369.0	370.0	0.03	<1
WKP111	370.0	371.0	0.03	<1
WKP111	371.0	372.0	0.07	<1
WKP111	372.0	373.0	0.08	<1
WKP111	373.0	374.0	0.04	<1
WKP111	374.0	375.0	0.02	<1
WKP111	375.0	376.0	0.13	1.0
WKP111	376.0	377.0	0.10	<1
WKP111	377.0	378.0	0.02	1.0
WKP111	378.0	378.4	0.01	<1
WKP111	378.4	379.0	0.02	<1
WKP111	379.0	380.0	<0.01	<1
WKP111	380.0	381.0	0.02	<1
WKP111	381.0	382.0	0.03	<1
WKP111	382.0	383.0	0.08	<1
WKP111	383.0	384.0	0.06	<1
WKP111	384.0	385.0	0.02	<1
WKP111	385.0	386.0	0.11	<1
WKP111	386.0	387.0	0.02	<1
WKP111	387.0	388.0	0.04	<1
WKP111	388.0	389.0	0.02	<1
WKP111	389.0	389.6	0.03	<1
WKP111	389.6	390.0	0.03	1.0
WKP111	390.0	391.0	0.03	<1
WKP111	391.0	392.0	0.14	<1
WKP111	392.0	393.0	0.04	<1
WKP111	393.0	393.7	0.02	<1
WKP111	393.7	394.1	0.11	<1
WKP111	394.1	395.0	0.23	<1
WKP111	395.0	395.4	0.06	<1
WKP111	395.4	396.4	0.06	<1
WKP111	396.4	396.8	0.04	<1
WKP111	396.8	397.4	0.07	<1
WKP111	397.4	398.0	0.12	<1
WKP111	398.0	399.0	0.08	<1
WKP111	399.0	400.0	0.03	<1
WKP111	400.0	401.0	0.02	<1
WKP111	401.0	401.8	0.02	<1
WKP111	401.8	402.4	0.11	<1
WKP111	402.4	403.0	0.11	<1
WKP111	403.0	404.0	0.03	<1
WKP111	404.0	405.0	0.02	<1
WKP111	405.0	406.0	0.02	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	406.0	407.0	0.01	<1
WKP111	407.0	408.0	0.03	<1
WKP111	408.0	408.5	0.17	<1
WKP111	408.5	409.0	0.05	<1
WKP111	409.0	410.0	0.13	<1
WKP111	410.0	411.0	0.10	<1
WKP111	411.0	412.0	0.09	<1
WKP111	412.0	413.0	0.23	<1
WKP111	413.0	414.0	0.10	<1
WKP111	414.0	415.0	0.15	<1
WKP111	415.0	416.0	0.17	<1
WKP111	416.0	417.0	0.10	<1
WKP111	417.0	418.0	0.23	<1
WKP111	418.0	419.0	0.40	<1
WKP111	419.0	420.2	0.06	<1
WKP111	420.2	421.0	0.12	1.0
WKP111	421.0	422.0	0.04	<1
WKP111	422.0	423.0	0.06	<1
WKP111	423.0	424.0	0.19	<1
WKP111	424.0	425.0	0.25	<1
WKP111	425.0	426.2	0.09	<1
WKP111	426.2	426.8	0.48	<1
WKP111	426.8	427.3	0.09	<1
WKP111	427.3	428.0	0.02	<1
WKP111	428.0	429.0	0.06	<1
WKP111	429.0	430.0	0.11	<1
WKP111	430.0	431.0	0.09	<1
WKP111	431.0	432.0	0.16	<1
WKP111	432.0	433.0	0.07	<1
WKP111	433.0	433.5	0.02	<1
WKP111	433.5	434.0	0.06	<1
WKP111	434.0	435.0	0.21	<1
WKP111	435.0	435.5	0.15	<1
WKP111	435.5	436.0	0.36	6.0
WKP111	436.0	436.9	0.02	<1
WKP111	436.9	437.2	0.03	<1
WKP111	437.2	438.0	0.04	<1
WKP111	438.0	439.0	0.10	<1
WKP111	439.0	440.0	0.05	<1
WKP111	440.0	441.0	0.07	<1
WKP111	441.0	442.0	0.06	<1
WKP111	442.0	442.6	0.11	<1
WKP111	442.6	443.8	0.48	2.0
WKP111	443.8	444.8	0.60	3.0
WKP111	444.8	445.3	0.34	<1
WKP111	445.3	446.6	0.27	1.0
WKP111	446.6	447.8	0.41	1.0
WKP111	447.8	448.5	0.41	<1
WKP111	448.5	449.1	0.08	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	449.1	450.0	0.06	<1
WKP111	450.0	450.4	0.09	<1
WKP111	450.4	450.8	0.08	<1
WKP111	450.8	452.0	0.17	<1
WKP111	452.0	453.0	0.59	<1
WKP111	453.0	454.0	0.65	<1
WKP111	454.0	455.0	0.40	1.0
WKP111	455.0	456.0	0.31	<1
WKP111	456.0	457.0	0.63	<1
WKP111	457.0	457.5	0.44	<1
WKP111	457.5	458.5	0.36	1.0
WKP111	458.5	459.0	0.30	<1
WKP111	459.0	459.5	0.28	<1
WKP111	459.5	460.5	0.21	<1
WKP111	460.5	461.0	3.06	<1
WKP111	461.0	462.0	0.37	<1
WKP111	462.0	462.7	0.33	<1
WKP111	462.7	463.2	0.39	<1
WKP111	463.2	463.7	0.45	<1
WKP111	463.7	464.5	0.49	<1
WKP111	464.5	465.0	0.36	<1
WKP111	465.0	465.7	0.37	<1
WKP111	465.7	466.9	0.21	<1
WKP111	466.9	467.6	0.29	<1
WKP111	467.6	468.0	0.34	<1
WKP111	468.0	469.0	0.26	1.0
WKP111	469.0	470.0	0.27	<1
WKP111	470.0	471.0	0.27	<1
WKP111	471.0	472.0	0.22	1.0
WKP111	472.0	473.0	0.17	<1
WKP111	473.0	474.0	0.21	<1
WKP111	474.0	474.4	0.31	<1
WKP111	474.4	474.9	0.19	1.0
WKP111	474.9	475.9	1.98	2.0
WKP111	475.9	476.5	0.82	2.0
WKP111	476.5	477.0	0.15	<1
WKP111	477.0	478.0	2.62	4.0
WKP111	478.0	479.0	0.22	<1
WKP111	479.0	480.1	0.08	<1
WKP111	480.1	481.0	0.08	<1
WKP111	481.0	482.0	0.11	<1
WKP111	482.0	483.0	0.07	<1
WKP111	483.3	484.0	0.07	<1
WKP111	484.0	485.0	0.19	<1
WKP111	485.0	486.0	0.10	<1
WKP111	486.0	487.0	0.08	20.0
WKP111	487.0	488.0	0.08	<1
WKP111	488.0	488.8	0.18	<1
WKP111	488.8	489.3	0.09	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	489.6	490.3	0.19	<1
WKP111	490.3	490.7	0.30	<1
WKP111	491.8	493.0	0.12	<1
WKP111	493.0	493.6	0.48	<1
WKP111	493.6	494.5	0.12	<1
WKP111	494.8	495.7	0.11	<1
WKP111	495.7	496.6	0.08	<1
WKP111	496.6	497.5	0.10	<1
WKP111	497.5	498.3	0.19	<1
WKP111	498.3	499.3	0.30	1.0
WKP111	499.3	500.4	0.17	<1
WKP111	500.4	501.0	0.12	<1
WKP111	501.0	502.1	0.52	<1
WKP111	502.1	502.9	0.58	<1
WKP111	502.9	503.8	0.51	<1
WKP111	503.8	504.6	0.68	<1
WKP111	504.6	505.0	0.51	<1
WKP111	505.0	505.6	0.37	1.0
WKP111	505.6	506.4	36.50	390.0
WKP111	506.4	506.8	43.50	90.0
WKP111	507.4	507.7	16.00	12.0
WKP111	507.7	508.1	3.08	6.0
WKP111	508.1	508.7	11.50	8.0
WKP111	508.7	509.3	34.10	22.0
WKP111	509.3	510.0	17.90	7.0
WKP111	511.0	511.3	0.20	<1
WKP111	511.3	512.0	1.15	1.0
WKP111	512.0	512.8	0.19	<1
WKP111	512.8	514.0	0.30	<1
WKP111	514.0	515.1	0.33	<1
WKP111	515.1	516.0	0.36	<1
WKP111	516.0	517.0	0.31	<1
WKP111	517.0	517.3	0.41	1.0
WKP111	518.3	519.0	0.51	1.0
WKP111	519.0	519.9	0.39	1.0
WKP111	519.9	521.0	1.66	2.0
WKP111	521.0	522.0	0.35	<1
WKP111	522.0	522.8	0.27	<1
WKP111	522.8	523.3	0.81	<1
WKP111	523.3	524.0	0.44	<1
WKP111	524.0	524.5	0.43	1.0
WKP111	524.5	524.9	0.28	<1
WKP111	524.9	526.0	0.33	1.0
WKP111	526.0	527.0	0.68	<1
WKP111	527.0	527.8	0.43	1.0
WKP111	527.8	528.8	0.87	1.0
WKP111	528.8	530.0	0.41	1.0
WKP111	530.0	531.0	2.58	3.0
WKP111	531.0	532.0	0.65	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	532.0	533.2	1.78	3.0
WKP111	533.2	534.2	1.16	3.0
WKP111	534.2	535.1	0.98	1.0
WKP111	535.1	535.4	1.73	1.0
WKP111	535.4	536.0	0.29	<1
WKP111	536.0	537.0	0.20	<1
WKP111	537.0	538.0	0.30	<1
WKP111	538.0	539.0	0.35	<1
WKP111	539.0	539.4	0.48	1.0
WKP111	539.4	540.1	1.04	2.0
WKP111	540.1	541.0	1.18	3.0
WKP111	541.0	542.2	0.36	1.0
WKP111	542.5	543.0	0.22	<1
WKP111	543.0	543.5	0.59	1.0
WKP111	543.5	544.0	0.42	1.0
WKP111	544.0	545.0	0.44	<1
WKP111	545.0	546.0	0.54	1.0
WKP111	546.0	546.4	0.59	<1
WKP111	546.4	547.1	0.85	2.0
WKP111	547.1	548.2	0.66	1.0
WKP111	548.2	549.0	0.52	<1
WKP111	549.0	549.5	0.42	1.0
WKP111	549.5	550.3	0.45	<1
WKP111	550.3	550.7	0.95	2.0
WKP111	550.7	551.0	0.23	<1
WKP111	551.0	552.0	0.36	1.0
WKP111	552.0	553.2	1.05	<1
WKP111	553.2	554.2	0.92	<1
WKP111	554.2	555.0	0.76	<1
WKP111	555.0	556.1	0.33	<1
WKP111	556.1	557.2	0.92	<1
WKP111	557.2	558.0	0.56	<1
WKP111	558.0	558.5	0.18	<1
WKP111	558.5	558.8	0.73	<1
WKP111	558.8	560.0	0.34	<1
WKP111	560.0	561.0	0.19	<1
WKP111	561.0	562.0	1.10	<1
WKP111	562.0	562.4	0.54	<1
WKP111	562.4	562.8	0.38	<1
WKP111	562.8	564.0	0.74	<1
WKP111	564.0	565.0	0.54	<1
WKP111	565.0	566.0	1.48	<1
WKP111	566.0	567.0	0.81	1.0
WKP111	567.0	567.9	1.30	<1
WKP111	567.9	568.5	0.68	1.0
WKP111	568.5	569.0	0.34	1.0
WKP111	569.0	570.0	0.31	1.0
WKP111	570.0	571.1	0.54	2.0
WKP111	571.1	571.6	0.45	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	571.6	572.5	0.45	1.0
WKP111	572.5	573.0	0.39	1.0
WKP111	573.0	574.0	0.52	2.0
WKP111	574.0	575.0	0.36	1.0
WKP111	575.0	575.6	0.40	3.0
WKP111	575.6	576.0	0.36	2.0
WKP111	576.0	577.0	0.40	2.0
WKP111	577.0	578.0	0.39	<1
WKP111	578.0	578.8	0.94	1.0
WKP111	578.8	579.2	1.04	3.0
WKP111	579.2	579.8	2.51	3.0
WKP111	579.8	580.9	2.79	7.0
WKP111	580.9	581.4	1.12	1.0
WKP111	581.4	582.3	0.48	<1
WKP111	582.3	583.0	1.21	<1
WKP111	583.0	583.5	0.25	<1
WKP111	583.8	585.0	0.53	<1
WKP111	585.0	585.4	0.33	<1
WKP111	585.4	586.0	0.92	1.0
WKP111	586.0	587.0	0.51	<1
WKP111	587.0	588.0	0.34	1.0
WKP111	588.0	589.0	0.36	1.0
WKP111	589.0	590.0	0.45	2.0
WKP111	590.0	591.0	0.16	1.0
WKP111	591.0	591.3	0.75	2.0
WKP111	591.3	592.0	1.50	1.0
WKP111	592.0	593.0	0.28	2.0
WKP111	593.0	594.0	0.15	<1
WKP111	594.0	595.0	0.20	1.0
WKP111	595.0	596.0	0.27	<1
WKP111	596.0	597.0	0.89	4.0
WKP111	597.0	598.0	0.26	1.0
WKP111	598.0	599.0	0.24	<1
WKP111	599.0	600.0	0.25	1.0
WKP111	600.0	601.1	0.45	3.0
WKP111	601.1	602.3	0.16	<1
WKP111	602.6	603.0	0.25	2.0
WKP111	603.0	604.0	0.31	2.0
WKP111	604.0	605.0	0.13	<1
WKP111	605.0	606.0	0.20	1.0
WKP111	606.0	607.0	0.33	2.0
WKP111	607.0	608.0	0.13	<1
WKP111	608.0	609.0	0.36	3.0
WKP111	609.0	610.0	0.23	2.0
WKP111	610.0	610.3	1.01	6.0
WKP111	610.3	611.0	1.56	13.0
WKP111	611.0	612.0	0.21	2.0
WKP111	612.0	613.0	0.21	1.0
WKP111	613.0	614.0	0.37	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP111	614.0	614.6	0.25	2.0
WKP111	615.9	617.0	1.53	3.0
WKP111	617.0	618.0	6.20	6.0
WKP111	618.0	619.0	2.30	4.0
WKP111	619.0	620.0	0.32	2.0
WKP111	620.0	621.0	0.23	2.0
WKP111	621.0	622.0	0.15	1.0
WKP111	622.0	623.0	0.16	1.0
WKP111	623.0	624.0	0.22	1.0
WKP111	624.0	625.0	0.43	2.0
WKP111	625.0	625.3	1.19	8.0
WKP112	32.8	34.0	0.14	<1
WKP112	34.0	35.0	0.15	<1
WKP112	35.0	36.0	0.23	<1
WKP112	36.0	37.0	0.19	1.0
WKP112	37.0	38.0	0.05	<1
WKP112	38.0	38.6	0.29	<1
WKP112	75.2	75.8	0.22	<1
WKP112	75.8	76.4	0.12	<1
WKP112	98.0	98.3	0.10	<1
WKP112	128.1	128.4	0.12	1.0
WKP112	134.4	134.8	0.19	<1
WKP112	161.2	162.1	<0.01	<1
WKP112	168.6	169.0	<0.01	<1
WKP112	169.0	170.0	0.02	<1
WKP112	170.8	171.3	<0.01	<1
WKP112	171.3	172.0	<0.01	<1
WKP112	173.0	174.1	<0.01	<1
WKP112	322.9	324.0	<0.01	<1
WKP112	331.0	332.0	0.10	<1
WKP112	332.0	333.0	0.19	<1
WKP112	333.0	334.0	0.15	<1
WKP112	334.0	335.0	0.07	<1
WKP112	335.0	335.5	0.17	<1
WKP112	344.9	345.5	0.04	<1
WKP112	345.5	346.3	0.03	<1
WKP112	369.0	370.0	0.16	<1
WKP112	370.0	371.0	0.22	<1
WKP112	371.0	372.0	0.03	<1
WKP112	372.0	373.2	37.50	105.0
WKP112	373.2	374.4	29.20	63.0
WKP112	374.4	374.8	0.25	<1
WKP112	374.8	376.0	0.14	<1
WKP112	376.0	377.0	0.60	<1
WKP112	377.0	377.5	0.03	<1
WKP112	377.5	378.1	0.41	1.0
WKP112	378.1	379.0	0.08	<1
WKP112	379.0	380.0	0.10	<1
WKP112	380.0	381.0	0.21	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP112	381.0	382.0	0.05	<1
WKP112	382.0	383.2	0.64	4.0
WKP112	383.2	383.8	4.40	6.0
WKP112	383.8	384.7	0.60	4.0
WKP112	384.7	385.3	12.00	40.0
WKP112	385.3	386.2	7.44	25.0
WKP112	386.2	387.0	0.19	1.0
WKP112	387.0	387.6	0.17	1.0
WKP112	387.6	388.3	31.80	155.0
WKP112	388.3	389.0	30.60	85.0
WKP112	389.0	389.4	37.70	90.0
WKP112	389.8	390.7	2.38	16.0
WKP112	390.7	391.6	0.53	3.0
WKP112	391.6	392.0	2.19	3.0
WKP112	392.0	393.0	0.41	<1
WKP112	393.0	394.1	0.17	<1
WKP112	394.1	395.0	14.70	16.0
WKP112	395.0	396.0	10.30	13.0
WKP112	396.0	397.1	0.93	1.0
WKP112	397.1	397.6	1.35	3.0
WKP112	397.6	398.3	1.06	1.0
WKP112	398.3	398.8	0.70	1.0
WKP112	398.8	399.4	0.68	1.0
WKP112	399.4	400.3	14.80	30.0
WKP112	400.3	401.0	0.30	<1
WKP112	401.0	402.0	0.12	<1
WKP112	402.0	403.0	0.15	<1
WKP112	403.0	404.0	1.07	1.0
WKP112	404.0	404.7	0.31	1.0
WKP112	404.7	405.3	2.39	9.0
WKP112	405.3	406.3	18.10	67.0
WKP112	406.3	406.9	99.80	163.0
WKP112	407.4	408.4	17.90	61.0
WKP112	408.4	409.0	15.40	25.0
WKP112	409.0	409.3	0.70	3.0
WKP112	409.3	410.1	6.42	17.0
WKP112	410.1	410.5	0.33	3.0
WKP112	410.5	411.0	1.66	7.0
WKP112	411.0	411.8	1.54	4.0
WKP112	411.8	412.8	11.60	23.0
WKP112	413.3	413.8	29.00	55.0
WKP112	413.8	414.3	0.86	2.0
WKP112	414.3	414.9	4.82	7.0
WKP112	414.9	415.9	26.80	98.0
WKP112	415.9	416.8	46.50	45.0
WKP112	416.8	417.4	5.04	12.0
WKP112	417.4	417.9	0.17	<1
WKP112	417.9	418.4	0.34	1.0
WKP112	418.4	419.2	0.39	1.0



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP112	419.2	419.7	0.35	<1
WKP112	419.7	420.3	4.92	13.0
WKP112	420.3	421.3	7.31	15.0
WKP112	421.3	422.0	8.37	16.0
WKP112	422.0	422.9	5.95	10.0
WKP112	422.9	423.6	3.65	14.0
WKP112	423.6	424.6	8.92	14.0
WKP112	424.6	425.2	2.78	6.0
WKP112	425.2	426.0	0.35	1.0
WKP112	426.0	426.8	4.69	12.0
WKP112	426.8	427.2	0.52	1.0
WKP112	427.2	427.7	0.55	1.0
WKP112	427.7	428.4	6.19	7.0
WKP112	428.4	429.2	0.49	2.0
WKP112	429.2	430.0	6.67	9.0
WKP112	430.0	430.6	0.31	2.0
WKP112	430.6	431.6	4.60	15.0
WKP112	431.6	431.9	2.76	4.0
WKP112	431.9	432.8	4.87	7.0
WKP112	432.8	433.3	1.99	9.0
WKP112	433.3	434.3	40.50	81.0
WKP112	434.3	435.3	8.87	17.0
WKP112	435.3	436.3	3.10	12.0
WKP112	436.3	437.2	6.88	15.0
WKP112	437.2	438.2	36.20	69.0
WKP112	438.2	439.3	5.20	15.0
WKP112	439.3	440.4	10.20	35.0
WKP112	440.4	441.3	43.20	78.0
WKP112	441.3	441.7	12.10	37.0
WKP112	441.7	442.5	0.13	<1
WKP112	442.5	443.2	0.27	1.0
WKP112	443.2	443.9	1.80	3.0
WKP112	443.9	444.9	0.55	1.0
WKP112	444.9	445.2	0.45	5.0
WKP112	445.2	446.4	0.32	2.0
WKP112	446.4	446.9	1.36	3.0
WKP112	446.9	447.5	1.39	3.0
WKP112	447.5	448.6	1.11	4.0
WKP112	448.6	449.6	0.59	2.0
WKP112	449.6	450.7	0.43	2.0
WKP112	450.7	451.1	1.78	7.0
WKP112	451.1	451.8	1.12	6.0
WKP112	451.8	452.8	14.40	44.0
WKP112	452.8	453.3	113.00	400.0
WKP112	453.3	454.2	59.30	130.0
WKP112	454.2	454.8	0.91	6.0
WKP112	454.8	455.5	0.45	4.0
WKP112	455.5	456.4	0.41	2.0
WKP112	456.4	457.0	3.86	20.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP112	457.0	458.2	0.49	2.0
WKP112	458.2	458.6	0.40	2.0
WKP112	458.6	459.6	0.42	1.0
WKP112	459.6	460.8	0.99	3.0
WKP112	460.8	462.0	3.83	14.0
WKP112	462.0	463.2	13.30	40.0
WKP112	463.2	464.1	0.46	2.0
WKP112	464.1	464.4	5.54	20.0
WKP112	464.4	465.0	0.33	1.0
WKP112	465.0	466.1	0.82	2.0
WKP112	466.1	467.2	0.16	<1
WKP112	467.2	468.1	2.89	14.0
WKP112	468.1	469.0	0.41	<1
WKP112	469.0	470.0	0.38	2.0
WKP112	470.0	471.0	0.23	<1
WKP112	471.0	472.2	0.28	1.0
WKP112	472.2	473.1	1.73	5.0
WKP112	473.1	474.0	0.17	<1
WKP112	474.0	475.0	0.13	<1
WKP112	475.0	476.0	0.33	2.0
WKP112	476.0	477.0	0.57	4.0
WKP112	477.0	478.0	0.21	1.0
WKP112	478.0	479.0	0.19	<1
WKP112	479.0	480.0	0.30	<1
WKP112	480.0	481.0	0.51	<1
WKP112	481.0	482.0	0.53	2.0
WKP112	482.0	483.0	0.39	2.0
WKP112	483.0	484.0	0.22	1.0
WKP112	484.0	485.0	0.10	<1
WKP112	485.0	486.0	0.20	<1
WKP112	486.0	487.0	0.29	1.0
WKP112	487.0	488.0	0.30	1.0
WKP112	488.0	489.0	0.19	<1
WKP112	489.0	490.0	0.67	2.0
WKP112	490.0	491.0	0.93	2.0
WKP112	491.0	491.8	0.18	<1
WKP112	491.8	493.0	3.12	5.0
WKP113	45.0	45.8	0.19	<1
WKP113	45.8	46.1	0.29	<1
WKP113	46.1	47.0	0.10	1.0
WKP113	64.0	65.1	0.04	<1
WKP113	65.1	66.0	0.05	<1
WKP113	66.0	67.0	0.04	<1
WKP113	67.0	68.0	0.03	<1
WKP113	68.0	69.0	0.04	<1
WKP113	69.0	70.0	0.04	<1
WKP113	70.0	70.9	0.13	<1
WKP113	70.9	71.3	0.22	<1
WKP113	71.3	72.0	0.09	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	72.0	73.1	0.12	<1
WKP113	73.1	74.3	0.37	3.0
WKP113	74.3	75.1	0.37	6.0
WKP113	75.1	76.0	0.17	1.0
WKP113	76.0	77.0	0.11	<1
WKP113	77.0	78.0	0.15	<1
WKP113	78.0	79.0	0.19	<1
WKP113	79.0	80.0	0.19	<1
WKP113	80.0	81.0	0.17	<1
WKP113	81.0	82.0	0.24	<1
WKP113	82.0	83.0	0.11	<1
WKP113	83.0	84.0	0.10	<1
WKP113	84.0	85.0	0.10	<1
WKP113	85.0	86.0	0.07	<1
WKP113	86.0	87.0	0.05	<1
WKP113	87.0	88.0	0.08	<1
WKP113	88.0	89.0	0.12	<1
WKP113	89.0	90.0	0.18	<1
WKP113	90.0	91.0	0.07	<1
WKP113	91.0	92.0	0.07	<1
WKP113	92.0	93.0	0.11	<1
WKP113	93.0	94.0	0.15	<1
WKP113	94.0	95.0	0.09	<1
WKP113	95.0	96.0	0.09	<1
WKP113	96.0	97.0	0.07	<1
WKP113	97.0	98.0	0.10	<1
WKP113	98.0	99.0	0.08	<1
WKP113	99.0	100.0	0.07	<1
WKP113	100.0	101.0	0.05	<1
WKP113	101.0	102.0	0.35	<1
WKP113	102.0	103.0	0.30	<1
WKP113	103.0	104.3	0.18	<1
WKP113	104.3	105.0	3.68	20.0
WKP113	105.0	106.0	0.19	<1
WKP113	106.0	107.0	0.15	<1
WKP113	107.0	108.0	0.39	<1
WKP113	108.0	109.0	0.08	<1
WKP113	109.0	110.0	0.09	<1
WKP113	110.0	111.0	0.17	1.0
WKP113	111.0	112.0	0.21	<1
WKP113	112.0	113.0	0.47	<1
WKP113	113.0	114.0	0.28	<1
WKP113	114.0	115.0	0.24	<1
WKP113	115.0	116.0	0.18	<1
WKP113	116.0	117.0	0.26	<1
WKP113	117.0	118.0	0.27	<1
WKP113	118.0	119.0	0.19	<1
WKP113	119.0	120.0	0.32	<1
WKP113	120.0	121.0	4.69	19.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	121.0	121.8	0.20	3.0
WKP113	121.8	122.5	2.52	22.0
WKP113	122.5	123.5	6.49	41.0
WKP113	123.5	124.7	0.97	4.0
WKP113	124.7	125.5	6.22	4.0
WKP113	125.5	126.1	1.17	4.0
WKP113	126.1	127.0	0.45	1.0
WKP113	127.0	128.0	0.29	2.0
WKP113	128.0	129.0	0.91	2.0
WKP113	129.0	130.0	0.12	2.0
WKP113	130.0	131.0	0.08	2.0
WKP113	131.0	132.0	0.09	<1
WKP113	132.0	133.0	0.06	2.0
WKP113	133.0	134.0	0.57	2.0
WKP113	134.0	135.0	0.14	2.0
WKP113	135.0	135.7	4.93	5.0
WKP113	135.7	136.3	1.17	1.0
WKP113	136.3	137.3	0.17	1.0
WKP113	137.3	138.1	1.20	6.0
WKP113	138.1	139.0	0.15	1.0
WKP113	139.0	139.7	0.45	2.0
WKP113	139.7	141.0	0.11	<1
WKP113	141.0	141.6	0.11	1.0
WKP113	141.6	142.0	0.21	<1
WKP113	142.0	143.0	0.08	<1
WKP113	143.0	144.0	0.12	<1
WKP113	144.0	145.0	0.37	<1
WKP113	145.0	145.6	0.19	<1
WKP113	145.6	146.6	0.08	1.0
WKP113	146.8	148.0	0.09	<1
WKP113	148.0	148.6	0.21	<1
WKP113	148.6	149.1	4.12	16.0
WKP113	149.1	150.0	0.20	<1
WKP113	150.0	150.8	1.54	2.0
WKP113	150.8	151.5	0.29	2.0
WKP113	151.8	152.8	0.74	3.0
WKP113	152.8	153.6	1.23	9.0
WKP113	153.6	155.0	0.20	1.0
WKP113	155.0	155.8	1.35	5.0
WKP113	155.8	157.0	0.18	<1
WKP113	157.0	158.0	0.12	<1
WKP113	158.0	159.0	1.23	4.0
WKP113	159.0	160.0	0.68	3.0
WKP113	160.0	161.0	0.37	<1
WKP113	161.0	162.0	0.09	<1
WKP113	162.0	162.8	0.30	<1
WKP113	163.2	164.2	0.54	2.0
WKP113	164.2	164.5	3.08	13.0
WKP113	164.5	165.3	0.39	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	165.3	166.1	0.34	<1
WKP113	166.1	167.1	0.24	2.0
WKP113	167.4	168.0	0.36	2.0
WKP113	168.0	169.0	0.31	1.0
WKP113	169.0	169.8	0.21	2.0
WKP113	169.8	170.4	0.77	2.0
WKP113	170.4	171.0	0.26	<1
WKP113	171.0	172.1	0.22	1.0
WKP113	172.1	172.8	1.83	9.0
WKP113	172.8	174.0	3.40	6.0
WKP113	174.0	175.0	0.38	1.0
WKP113	175.0	176.3	0.45	2.0
WKP113	176.3	177.1	1.22	4.0
WKP113	177.1	178.0	0.42	1.0
WKP113	178.0	179.0	0.28	<1
WKP113	179.0	180.2	2.69	6.0
WKP113	180.2	181.5	3.34	12.0
WKP113	181.5	182.4	0.32	<1
WKP113	182.4	183.0	4.04	21.0
WKP113	183.0	183.8	2.30	7.0
WKP113	183.8	185.0	3.01	11.0
WKP113	185.0	186.2	4.71	10.0
WKP113	186.2	187.4	3.13	13.0
WKP113	187.4	188.6	0.42	2.0
WKP113	188.6	189.6	8.35	59.0
WKP113	189.6	190.8	0.88	3.0
WKP113	190.8	191.1	0.44	11.0
WKP113	191.1	192.2	0.60	6.0
WKP113	192.2	193.2	5.27	27.0
WKP113	193.2	194.3	0.25	1.0
WKP113	194.3	194.7	4.14	5.0
WKP113	194.7	195.8	0.72	1.0
WKP113	195.8	197.0	0.25	1.0
WKP113	197.0	197.6	0.32	3.0
WKP113	197.6	198.1	1.20	34.0
WKP113	198.1	199.4	0.32	1.0
WKP113	199.9	201.0	0.31	1.0
WKP113	201.0	202.1	0.36	1.0
WKP113	202.1	203.0	0.33	1.0
WKP113	203.0	204.0	1.98	8.0
WKP113	204.0	205.0	0.19	<1
WKP113	205.0	206.0	0.22	<1
WKP113	206.0	207.0	0.30	3.0
WKP113	207.0	208.0	0.07	<1
WKP113	208.0	209.0	0.20	2.0
WKP113	209.0	210.0	3.34	10.0
WKP113	210.0	210.5	0.50	3.0
WKP113	210.5	212.0	0.06	1.0
WKP113	225.0	226.0	0.13	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	226.0	226.8	8.49	18.0
WKP113	226.8	227.3	4.54	1.0
WKP113	227.3	228.3	0.19	<1
WKP113	234.0	235.4	0.09	<1
WKP113	235.4	235.9	0.79	3.0
WKP113	235.9	237.0	0.19	2.0
WKP113	237.0	237.7	0.09	<1
WKP113	237.7	238.3	2.12	3.0
WKP113	238.3	239.3	0.23	1.0
WKP113	239.3	239.7	2.23	9.0
WKP113	239.7	240.7	0.09	1.0
WKP113	246.0	247.0	0.09	<1
WKP113	247.0	247.6	0.08	<1
WKP113	247.6	248.0	1.74	4.0
WKP113	248.0	249.0	0.06	<1
WKP113	249.0	250.2	0.26	<1
WKP113	250.2	251.0	0.04	<1
WKP113	257.6	258.6	0.09	<1
WKP113	258.6	259.4	0.95	1.0
WKP113	259.4	260.4	0.51	<1
WKP113	262.0	263.3	0.08	<1
WKP113	263.3	264.3	0.96	1.0
WKP113	264.3	265.0	0.08	<1
WKP113	275.0	276.2	0.30	<1
WKP113	276.2	276.8	0.11	<1
WKP113	276.8	278.0	0.55	<1
WKP113	278.0	279.0	0.29	<1
WKP113	279.0	280.0	0.03	<1
WKP113	280.0	281.0	0.32	<1
WKP113	281.0	282.0	0.17	<1
WKP113	282.0	283.0	0.15	<1
WKP113	296.0	297.1	0.18	<1
WKP113	297.1	297.5	0.12	<1
WKP113	297.5	298.5	0.09	<1
WKP113	303.8	305.0	0.71	<1
WKP113	305.0	305.9	0.25	<1
WKP113	305.9	306.7	157.00	180.0
WKP113	306.7	307.9	0.09	<1
WKP113	307.9	308.5	0.78	<1
WKP113	308.5	309.7	0.04	<1
WKP113	309.7	310.4	0.53	<1
WKP113	310.4	311.5	0.34	<1
WKP113	315.0	316.0	0.05	<1
WKP113	316.0	316.3	2.06	4.0
WKP113	316.3	317.5	0.23	<1
WKP113	320.0	321.0	0.17	1.0
WKP113	321.0	321.9	0.47	2.0
WKP113	321.9	323.0	0.14	<1
WKP113	323.0	323.8	0.85	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	323.8	325.0	0.15	1.0
WKP113	325.0	325.7	0.19	<1
WKP113	325.7	326.1	5.43	4.0
WKP113	326.1	327.3	0.04	1.0
WKP113	327.3	328.2	0.05	1.0
WKP113	328.2	329.4	0.03	<1
WKP113	337.0	338.1	0.04	1.0
WKP113	338.1	339.3	0.12	2.0
WKP113	339.3	340.3	0.09	1.0
WKP113	340.3	341.5	0.05	<1
WKP113	341.5	342.7	0.06	<1
WKP113	342.7	343.9	0.13	<1
WKP113	343.9	345.0	0.28	<1
WKP113	414.9	416.1	0.18	<1
WKP113	416.1	417.3	0.15	<1
WKP113	417.3	418.0	0.30	<1
WKP113	418.0	418.3	0.04	<1
WKP113	418.3	419.5	0.15	<1
WKP113	419.5	420.7	0.75	3.0
WKP113	420.7	421.8	0.14	<1
WKP113	421.8	423.0	0.06	<1
WKP113	430.1	431.3	0.17	<1
WKP113	431.3	432.5	0.17	<1
WKP113	432.8	434.0	0.14	<1
WKP113	434.0	435.2	0.17	<1
WKP113	435.2	436.4	0.13	<1
WKP113	436.4	437.6	0.11	<1
WKP113	437.6	438.8	0.07	<1
WKP113	438.8	440.0	0.08	<1
WKP113	440.0	441.2	0.14	<1
WKP113	441.2	442.2	0.11	<1
WKP113	442.2	443.0	0.15	<1
WKP113	443.0	444.0	0.16	<1
WKP113	444.0	445.2	0.46	<1
WKP113	445.2	446.4	0.35	<1
WKP113	446.4	446.8	0.66	<1
WKP113	446.8	447.2	0.69	2.0
WKP113	447.2	448.4	0.26	<1
WKP113	448.4	449.6	0.13	<1
WKP113	449.6	450.8	0.09	<1
WKP113	450.8	452.0	0.18	<1
WKP113	452.0	453.2	0.16	<1
WKP113	453.2	454.4	0.08	<1
WKP113	454.4	455.6	0.17	<1
WKP113	455.6	456.8	0.14	<1
WKP113	456.8	458.0	0.12	<1
WKP113	458.0	459.2	0.22	<1
WKP113	459.2	460.2	0.25	<1
WKP113	460.2	461.4	0.27	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	461.4	462.6	0.40	<1
WKP113	462.6	463.8	0.26	1.0
WKP113	463.8	464.4	0.16	<1
WKP113	464.4	465.2	0.23	<1
WKP113	465.5	466.6	0.28	<1
WKP113	466.8	467.7	0.26	<1
WKP113	467.7	468.1	0.21	1.0
WKP113	468.1	469.1	0.27	<1
WKP113	469.1	469.5	0.23	1.0
WKP113	470.3	470.7	0.45	8.0
WKP113	470.7	471.9	0.26	<1
WKP113	471.9	472.5	0.34	<1
WKP113	472.5	473.3	0.21	<1
WKP113	473.3	473.8	0.47	<1
WKP113	473.8	475.0	0.51	<1
WKP113	475.0	475.7	0.52	<1
WKP113	475.7	476.5	0.30	<1
WKP113	476.5	476.9	2.50	5.0
WKP113	479.0	479.8	5.81	6.0
WKP113	479.8	480.2	0.29	3.0
WKP113	480.2	480.6	3.93	7.0
WKP113	481.1	482.0	7.29	35.0
WKP113	482.0	483.0	8.62	5.0
WKP113	483.0	483.6	18.20	14.0
WKP113	483.6	484.3	0.80	<1
WKP113	484.3	485.0	1.31	1.0
WKP113	485.0	485.5	2.63	2.0
WKP113	485.5	485.8	0.67	<1
WKP113	485.8	486.2	0.69	<1
WKP113	486.2	487.2	0.83	<1
WKP113	487.2	488.4	0.63	<1
WKP113	488.4	489.6	0.50	<1
WKP113	489.6	490.0	0.48	<1
WKP113	490.3	490.8	0.40	<1
WKP113	490.8	491.7	0.51	<1
WKP113	491.7	492.0	0.30	4.0
WKP113	492.0	493.2	0.44	<1
WKP113	493.2	494.3	0.29	<1
WKP113	494.3	495.5	1.17	1.0
WKP113	495.5	496.4	0.73	1.0
WKP113	496.4	497.1	0.40	<1
WKP113	497.1	497.7	0.85	6.0
WKP113	497.7	498.8	0.20	<1
WKP113	498.8	500.0	0.24	<1
WKP113	500.0	501.2	0.32	<1
WKP113	501.2	502.4	0.54	1.0
WKP113	502.4	503.6	0.91	1.0
WKP113	503.6	504.8	1.12	1.0
WKP113	504.8	506.0	0.45	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	506.0	506.8	0.64	<1
WKP113	506.8	507.1	0.97	4.0
WKP113	507.1	508.0	0.34	<1
WKP113	508.0	509.0	0.11	<1
WKP113	509.0	510.0	0.22	<1
WKP113	510.0	511.0	0.15	<1
WKP113	511.0	512.0	0.25	<1
WKP113	512.0	513.0	0.15	<1
WKP113	513.0	513.7	0.32	<1
WKP113	513.7	514.5	0.34	<1
WKP113	514.5	515.0	0.20	<1
WKP113	515.0	515.7	0.14	<1
WKP113	515.7	516.0	0.41	3.0
WKP113	516.0	517.0	0.27	<1
WKP113	517.0	517.8	0.17	<1
WKP113	517.8	518.6	6.30	18.0
WKP113	518.6	519.0	0.44	1.0
WKP113	519.0	520.0	0.27	<1
WKP113	520.0	520.5	0.50	<1
WKP113	520.5	521.0	1.50	4.0
WKP113	521.0	521.7	0.21	<1
WKP113	521.7	522.0	0.26	<1
WKP113	522.0	523.0	0.39	2.0
WKP113	523.0	524.2	0.31	<1
WKP113	524.2	525.0	0.46	2.0
WKP113	525.0	526.0	0.45	<1
WKP113	526.0	527.0	0.43	1.0
WKP113	527.0	528.0	0.34	2.0
WKP113	528.0	529.0	0.30	2.0
WKP113	529.0	529.6	0.81	1.0
WKP113	529.6	530.2	0.26	<1
WKP113	530.2	530.7	0.17	<1
WKP113	530.7	531.0	0.21	<1
WKP113	531.0	531.3	0.20	<1
WKP113	531.3	532.0	0.24	1.0
WKP113	532.0	532.3	0.30	<1
WKP113	532.3	533.0	0.12	1.0
WKP113	533.0	534.0	0.55	2.0
WKP113	534.0	535.0	0.12	<1
WKP113	535.0	536.0	0.12	1.0
WKP113	536.0	536.4	0.46	4.0
WKP113	536.4	537.1	0.06	<1
WKP113	537.1	538.2	1.32	15.0
WKP113	538.2	538.9	0.30	3.0
WKP113	538.9	539.8	0.76	8.0
WKP113	539.8	541.0	0.16	2.0
WKP113	541.0	542.0	0.23	2.0
WKP113	542.0	543.0	0.13	<1
WKP113	543.0	544.0	0.23	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	544.0	545.0	0.23	1.0
WKP113	545.0	546.0	0.21	2.0
WKP113	546.0	547.0	0.21	1.0
WKP113	547.0	547.5	0.17	<1
WKP113	547.5	548.0	2.14	13.0
WKP113	548.0	549.0	0.95	4.0
WKP113	549.0	550.0	0.30	<1
WKP113	550.0	551.0	0.19	<1
WKP113	551.0	552.0	0.20	1.0
WKP113	552.0	552.3	1.80	4.0
WKP113	552.3	552.6	0.34	2.0
WKP113	552.6	552.9	0.72	3.0
WKP113	552.9	554.0	0.33	1.0
WKP113	554.0	555.0	0.20	<1
WKP113	555.0	555.8	0.30	<1
WKP113	555.8	557.0	2.23	10.0
WKP113	557.0	557.4	0.26	1.0
WKP113	557.4	558.0	2.40	10.0
WKP113	558.0	558.9	0.84	2.0
WKP113	558.9	559.5	3.51	9.0
WKP113	559.5	560.0	0.50	<1
WKP113	560.0	560.6	1.04	5.0
WKP113	560.6	561.0	0.31	<1
WKP113	561.0	562.0	0.16	<1
WKP113	562.0	563.0	0.13	<1
WKP113	563.0	563.8	0.81	6.0
WKP113	563.8	564.1	1.64	7.0
WKP113	564.1	564.6	1.15	3.0
WKP113	564.6	565.0	0.13	<1
WKP113	565.0	565.8	0.53	1.0
WKP113	565.8	566.4	0.26	<1
WKP113	566.4	567.0	0.35	2.0
WKP113	567.0	568.0	0.63	3.0
WKP113	568.0	569.2	0.47	2.0
WKP113	569.2	570.1	2.18	8.0
WKP113	570.1	570.7	0.89	6.0
WKP113	570.7	571.5	0.33	2.0
WKP113	571.5	572.0	0.37	1.0
WKP113	572.0	573.0	0.51	3.0
WKP113	573.0	574.0	0.69	4.0
WKP113	574.0	574.5	0.84	6.0
WKP113	574.5	575.0	0.26	<1
WKP113	575.0	576.0	0.29	2.0
WKP113	576.0	577.0	2.23	4.0
WKP113	577.0	578.0	0.11	<1
WKP113	578.0	579.0	0.49	2.0
WKP113	579.0	580.0	0.46	1.0
WKP113	580.0	581.0	0.21	<1
WKP113	581.0	582.0	0.28	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	582.0	583.0	0.76	8.0
WKP113	583.0	583.5	0.44	2.0
WKP113	583.5	584.3	1.51	4.0
WKP113	584.3	585.2	0.46	<1
WKP113	585.2	585.7	1.97	3.0
WKP113	585.7	586.0	0.25	2.0
WKP113	586.0	586.9	0.76	2.0
WKP113	586.9	587.6	4.91	15.0
WKP113	587.6	588.8	0.38	<1
WKP113	588.8	589.2	2.68	12.0
WKP113	589.2	590.0	0.34	<1
WKP113	590.0	590.4	0.26	<1
WKP113	590.4	591.4	0.51	1.0
WKP113	591.4	591.9	2.75	3.0
WKP113	591.9	592.3	0.66	4.0
WKP113	592.3	592.6	1.37	10.0
WKP113	592.6	593.3	0.27	2.0
WKP113	593.3	594.0	0.41	2.0
WKP113	594.0	595.0	0.63	2.0
WKP113	595.0	595.8	0.90	6.0
WKP113	595.8	596.0	0.80	4.0
WKP113	596.0	597.0	0.63	6.0
WKP113	597.0	597.8	1.79	11.0
WKP113	597.8	599.0	6.23	15.0
WKP113	599.0	599.6	1.63	5.0
WKP113	599.6	600.5	0.74	5.0
WKP113	600.5	601.0	0.59	2.0
WKP113	601.0	602.0	1.16	12.0
WKP113	602.0	603.0	1.43	16.0
WKP113	603.0	604.0	0.85	4.0
WKP113	604.0	605.0	0.51	3.0
WKP113	605.0	606.0	0.80	7.0
WKP113	606.0	607.0	0.29	1.0
WKP113	607.0	608.0	0.36	5.0
WKP113	608.0	609.0	0.19	1.0
WKP113	609.0	610.0	0.23	2.0
WKP113	610.0	611.0	0.18	1.0
WKP113	611.0	612.0	0.24	<1
WKP113	612.0	613.0	0.66	4.0
WKP113	613.0	614.0	0.22	1.0
WKP113	614.0	615.0	0.10	<1
WKP113	615.0	616.0	0.37	<1
WKP113	616.0	617.0	0.42	4.0
WKP113	617.0	618.0	0.60	3.0
WKP113	618.0	619.0	0.24	1.0
WKP113	619.0	620.0	0.47	4.0
WKP113	620.0	621.0	0.33	1.0
WKP113	621.0	622.0	0.23	2.0
WKP113	622.0	623.0	0.47	3.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP113	623.0	624.0	0.19	1.0
WKP113	624.0	625.0	3.53	13.0
WKP113	625.0	626.0	0.26	1.0
WKP113	626.0	627.0	0.30	1.0
WKP113	627.0	628.0	0.32	2.0
WKP113	628.0	629.0	3.77	<1
WKP113	629.0	630.0	0.45	2.0
WKP113	630.0	631.0	0.95	6.0
WKP113	631.0	632.0	0.33	2.0
WKP113	632.0	632.5	0.20	1.0
WKP114	6.6	7.5	0.01	<1
WKP114	7.5	8.0	<0.01	<1
WKP114	8.0	9.0	<0.01	<1
WKP114	9.0	10.0	<0.01	<1
WKP114	10.0	11.0	<0.01	<1
WKP114	11.0	11.7	0.02	<1
WKP114	11.7	12.3	<0.01	<1
WKP114	12.3	13.0	0.02	<1
WKP114	13.0	14.0	0.02	<1
WKP114	14.0	15.2	0.02	<1
WKP114	15.2	16.0	0.01	<1
WKP114	16.0	17.0	0.02	<1
WKP114	17.0	18.0	0.04	<1
WKP114	18.0	19.0	0.04	<1
WKP114	19.0	20.0	0.04	<1
WKP114	20.0	21.0	0.09	<1
WKP114	21.0	22.0	0.12	<1
WKP114	22.0	23.0	0.09	<1
WKP114	23.0	23.5	0.10	<1
WKP114	23.5	24.0	0.11	<1
WKP114	24.0	25.0	0.11	<1
WKP114	25.0	26.0	0.08	<1
WKP114	26.0	27.0	0.05	<1
WKP114	27.0	28.0	0.09	1.0
WKP114	28.0	28.4	0.18	<1
WKP114	28.4	28.9	0.13	<1
WKP114	28.9	29.3	0.10	<1
WKP114	29.3	30.0	0.08	<1
WKP114	30.0	31.0	0.05	<1
WKP114	31.0	31.7	0.07	<1
WKP114	31.7	32.0	0.06	<1
WKP114	32.0	33.0	0.07	<1
WKP114	33.0	34.0	0.10	<1
WKP114	34.0	35.0	0.14	<1
WKP114	35.0	36.0	0.17	<1
WKP114	36.0	37.0	0.13	<1
WKP114	37.0	38.0	0.13	1.0
WKP114	38.0	39.0	0.24	<1
WKP114	39.0	39.6	0.12	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	39.6	40.5	0.15	2.0
WKP114	40.5	41.0	0.06	<1
WKP114	41.0	42.0	0.14	<1
WKP114	42.0	43.0	0.10	<1
WKP114	43.0	44.0	0.04	<1
WKP114	44.0	45.0	0.02	<1
WKP114	45.0	46.0	0.04	<1
WKP114	46.0	47.0	0.04	<1
WKP114	47.0	48.0	0.08	<1
WKP114	48.0	48.5	0.17	<1
WKP114	49.2	49.5	0.08	<1
WKP114	49.5	50.1	0.07	<1
WKP114	50.1	50.4	9.45	4.0
WKP114	50.4	51.1	0.13	<1
WKP114	51.1	52.1	0.23	<1
WKP114	52.1	53.1	0.10	<1
WKP114	53.5	54.5	0.02	<1
WKP114	54.5	55.0	0.32	<1
WKP114	55.0	55.4	0.16	<1
WKP114	55.9	56.4	0.71	1.0
WKP114	56.4	57.3	0.76	2.0
WKP114	57.3	58.0	0.20	2.0
WKP114	58.0	59.0	0.10	<1
WKP114	59.0	60.0	0.06	<1
WKP114	60.0	61.0	0.13	2.0
WKP114	61.0	62.0	0.35	<1
WKP114	62.0	63.0	0.70	<1
WKP114	63.0	64.0	0.10	<1
WKP114	64.0	65.0	0.28	<1
WKP114	65.0	66.0	0.04	<1
WKP114	66.0	67.0	0.04	<1
WKP114	67.0	68.0	0.12	<1
WKP114	68.0	69.0	0.08	<1
WKP114	69.0	69.7	0.11	1.0
WKP114	69.7	70.1	0.18	<1
WKP114	70.1	71.0	0.14	<1
WKP114	71.0	72.0	0.14	<1
WKP114	72.0	73.0	0.14	<1
WKP114	73.0	74.0	0.20	1.0
WKP114	74.0	75.0	0.18	<1
WKP114	75.0	76.0	0.22	1.0
WKP114	76.0	77.0	0.24	<1
WKP114	77.0	78.0	0.08	<1
WKP114	78.0	79.0	0.18	<1
WKP114	79.0	80.0	0.82	3.0
WKP114	80.0	81.0	0.29	2.0
WKP114	81.0	82.0	0.25	2.0
WKP114	82.0	83.0	0.27	1.0
WKP114	83.0	84.0	0.17	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	84.0	85.0	0.87	2.0
WKP114	85.0	86.0	0.36	2.0
WKP114	86.0	87.0	0.18	<1
WKP114	87.0	87.6	0.27	2.0
WKP114	87.6	87.9	7.12	33.0
WKP114	87.9	88.5	0.19	<1
WKP114	88.5	89.0	0.10	<1
WKP114	89.0	90.0	0.15	1.0
WKP114	90.0	90.3	0.47	2.0
WKP114	90.3	91.0	0.13	1.0
WKP114	91.0	92.0	0.06	1.0
WKP114	92.0	93.0	0.08	1.0
WKP114	93.0	94.0	0.13	1.0
WKP114	94.0	94.5	0.21	1.0
WKP114	94.5	94.9	0.75	3.0
WKP114	94.9	95.5	0.08	1.0
WKP114	95.5	96.5	0.19	2.0
WKP114	96.5	97.0	5.50	49.0
WKP114	97.0	98.0	0.31	2.0
WKP114	98.0	99.0	0.11	1.0
WKP114	99.0	100.0	0.13	2.0
WKP114	100.0	101.0	0.49	5.0
WKP114	101.0	102.0	0.18	2.0
WKP114	102.0	103.0	0.03	1.0
WKP114	103.0	104.0	0.05	<1
WKP114	104.0	105.0	0.04	<1
WKP114	105.0	106.0	0.93	2.0
WKP114	106.0	106.5	0.37	3.0
WKP114	106.5	107.0	0.07	2.0
WKP114	107.0	108.0	0.12	1.0
WKP114	108.0	109.0	0.30	1.0
WKP114	109.0	110.0	0.51	1.0
WKP114	110.0	111.0	0.08	<1
WKP114	111.0	112.0	0.07	1.0
WKP114	112.0	112.9	0.09	2.0
WKP114	112.9	113.4	0.69	3.0
WKP114	113.4	114.0	0.06	<1
WKP114	114.0	115.0	0.04	<1
WKP114	115.0	116.0	0.04	<1
WKP114	116.0	117.0	0.06	<1
WKP114	117.0	118.0	0.06	1.0
WKP114	118.0	119.0	0.04	<1
WKP114	119.0	120.0	0.07	<1
WKP114	120.0	121.0	0.07	<1
WKP114	121.0	122.0	0.09	<1
WKP114	122.0	123.0	0.09	<1
WKP114	123.0	124.0	0.21	1.0
WKP114	124.0	125.0	1.62	5.0
WKP114	125.0	126.0	0.29	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	126.0	126.3	5.15	21.0
WKP114	126.3	127.0	0.42	2.0
WKP114	127.0	128.0	0.18	<1
WKP114	128.0	129.0	0.12	1.0
WKP114	129.0	129.5	0.11	1.0
WKP114	129.5	130.0	2.09	7.0
WKP114	130.0	131.0	0.14	1.0
WKP114	131.0	132.0	0.17	1.0
WKP114	132.0	133.0	0.21	2.0
WKP114	133.0	134.0	0.25	4.0
WKP114	134.0	135.0	0.25	2.0
WKP114	135.0	136.0	0.14	2.0
WKP114	136.0	137.0	0.40	1.0
WKP114	137.0	138.0	0.26	<1
WKP114	138.0	138.6	0.27	1.0
WKP114	138.6	139.2	0.10	<1
WKP114	139.2	139.8	0.50	<1
WKP114	139.8	140.5	0.10	1.0
WKP114	140.5	141.5	0.05	<1
WKP114	141.5	142.2	0.15	<1
WKP114	142.2	142.6	17.00	59.0
WKP114	142.6	143.0	4.26	50.0
WKP114	143.0	144.0	0.12	<1
WKP114	144.0	145.0	0.10	<1
WKP114	145.0	145.6	3.45	6.0
WKP114	145.6	146.0	0.13	<1
WKP114	146.0	147.0	0.19	<1
WKP114	147.0	148.0	0.36	5.0
WKP114	148.0	148.6	0.79	9.0
WKP114	148.6	149.3	5.51	44.0
WKP114	149.3	150.0	0.23	1.0
WKP114	150.0	151.0	0.09	1.0
WKP114	151.0	152.0	0.16	2.0
WKP114	152.0	153.0	0.07	2.0
WKP114	153.0	153.6	0.17	2.0
WKP114	153.6	154.0	1.27	8.0
WKP114	154.0	155.0	0.09	<1
WKP114	155.0	155.8	0.08	1.0
WKP114	155.8	156.2	2.60	23.0
WKP114	156.2	157.0	1.35	7.0
WKP114	157.0	158.0	0.09	1.0
WKP114	158.0	158.5	0.07	<1
WKP114	158.5	158.8	3.15	96.0
WKP114	158.8	159.4	0.84	3.0
WKP114	159.4	160.1	0.38	2.0
WKP114	160.1	161.0	3.01	9.0
WKP114	161.0	162.0	0.15	1.0
WKP114	162.0	163.0	0.48	3.0
WKP114	163.0	163.9	0.15	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	163.9	164.2	0.35	4.0
WKP114	164.2	165.0	0.08	<1
WKP114	165.0	165.4	6.80	22.0
WKP114	165.4	166.2	0.14	<1
WKP114	166.2	166.8	0.10	1.0
WKP114	166.8	167.2	3.71	20.0
WKP114	167.2	168.0	0.16	<1
WKP114	168.0	169.0	0.07	<1
WKP114	169.0	170.0	0.13	<1
WKP114	170.0	171.0	0.21	1.0
WKP114	171.0	172.0	0.47	<1
WKP114	172.0	173.0	0.20	<1
WKP114	173.0	174.0	0.18	<1
WKP114	174.0	175.0	0.09	<1
WKP114	175.0	176.0	0.06	<1
WKP114	176.0	177.0	0.22	2.0
WKP114	177.0	178.0	0.09	<1
WKP114	178.0	179.0	0.04	<1
WKP114	179.0	180.0	0.08	<1
WKP114	180.0	181.0	0.13	1.0
WKP114	181.0	181.9	0.31	2.0
WKP114	181.9	183.0	0.11	<1
WKP114	183.0	184.0	0.15	10.0
WKP114	184.0	185.0	0.06	<1
WKP114	185.0	186.0	0.12	1.0
WKP114	186.0	187.0	0.08	<1
WKP114	187.0	187.9	0.09	<1
WKP114	189.2	190.4	10.60	89.0
WKP114	298.2	299.3	0.05	<1
WKP114	299.3	299.7	1.61	2.0
WKP114	299.7	300.6	0.05	<1
WKP114	300.6	300.9	0.83	4.0
WKP114	301.1	302.0	0.07	<1
WKP114	302.0	303.0	0.03	1.0
WKP114	303.0	304.2	0.24	1.0
WKP114	304.2	305.4	0.04	<1
WKP114	305.4	306.6	0.18	<1
WKP114	306.6	307.8	0.03	<1
WKP114	307.8	308.5	0.03	<1
WKP114	308.5	309.5	0.04	<1
WKP114	309.5	310.5	0.04	<1
WKP114	310.5	311.7	0.04	<1
WKP114	311.7	312.8	0.03	<1
WKP114	312.8	314.0	0.04	<1
WKP114	314.0	315.0	0.10	<1
WKP114	315.0	316.0	0.44	<1
WKP114	316.0	317.0	0.22	<1
WKP114	317.0	318.0	0.65	2.0
WKP114	318.0	319.0	0.13	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	319.0	320.1	0.04	1.0
WKP114	320.1	320.4	0.09	<1
WKP114	320.4	321.6	0.06	<1
WKP114	321.6	322.0	0.08	<1
WKP114	322.0	323.2	0.07	<1
WKP114	323.2	323.6	0.16	<1
WKP114	323.6	324.8	0.08	<1
WKP114	324.8	326.0	0.06	<1
WKP114	326.0	327.0	0.06	<1
WKP114	327.0	328.0	0.03	<1
WKP114	333.0	334.0	0.02	<1
WKP114	334.0	335.0	0.04	<1
WKP114	335.0	336.0	0.10	1.0
WKP114	336.0	337.0	0.09	<1
WKP114	337.0	338.0	0.08	<1
WKP114	338.0	339.0	0.09	<1
WKP114	339.0	340.0	0.04	<1
WKP114	340.0	341.0	0.10	<1
WKP114	341.0	342.0	0.13	<1
WKP114	342.0	343.0	0.13	1.0
WKP114	343.0	344.0	3.12	2.0
WKP114	344.0	345.0	0.11	<1
WKP114	345.0	346.0	0.23	<1
WKP114	346.0	346.5	0.20	1.0
WKP114	346.5	347.5	0.16	<1
WKP114	347.5	348.0	0.14	<1
WKP114	348.0	348.9	0.11	<1
WKP114	348.9	350.0	0.13	<1
WKP114	350.0	351.0	0.06	<1
WKP114	356.0	357.1	0.13	<1
WKP114	363.0	364.0	0.05	<1
WKP114	369.0	370.0	0.05	<1
WKP114	370.0	370.5	0.05	<1
WKP114	370.5	371.6	0.09	<1
WKP114	371.6	372.2	0.14	<1
WKP114	372.2	373.4	0.04	<1
WKP114	378.0	379.0	0.05	<1
WKP114	379.0	380.0	0.05	<1
WKP114	380.0	380.9	0.07	<1
WKP114	380.9	381.3	0.24	1.0
WKP114	381.3	382.5	0.07	<1
WKP114	382.5	383.5	0.10	<1
WKP114	383.5	384.0	0.04	<1
WKP114	384.0	385.0	0.06	<1
WKP114	385.0	386.0	0.18	<1
WKP114	386.0	387.0	0.08	<1
WKP114	387.0	388.0	0.15	<1
WKP114	388.0	389.0	0.09	<1
WKP114	389.0	389.9	0.11	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	389.9	391.0	0.52	<1
WKP114	391.0	392.2	0.18	<1
WKP114	392.2	393.4	1.86	2.0
WKP114	393.4	394.6	0.14	<1
WKP114	394.6	395.1	2.42	1.0
WKP114	395.1	396.0	4.29	2.0
WKP114	396.0	397.0	0.27	<1
WKP114	397.0	398.1	0.25	<1
WKP114	398.1	399.0	0.33	<1
WKP114	399.0	400.0	0.19	<1
WKP114	400.0	401.0	0.10	<1
WKP114	401.0	402.0	0.11	<1
WKP114	402.0	403.0	0.19	1.0
WKP114	403.0	404.0	0.31	<1
WKP114	404.0	405.0	0.11	<1
WKP114	405.0	406.0	0.31	<1
WKP114	406.0	407.0	0.50	<1
WKP114	407.0	408.0	<0.01	<1
WKP114	408.0	409.0	0.53	<1
WKP114	409.0	410.0	0.34	1.0
WKP114	410.0	411.1	0.36	<1
WKP114	411.1	412.3	0.17	<1
WKP114	412.3	413.5	0.05	<1
WKP114	413.5	413.9	0.11	2.0
WKP114	413.9	414.6	0.16	<1
WKP114	414.6	414.9	0.25	1.0
WKP114	414.9	415.6	0.07	<1
WKP114	415.9	417.0	0.33	<1
WKP114	417.0	418.2	0.22	<1
WKP114	418.2	419.4	0.53	1.0
WKP114	419.4	420.0	2.51	2.0
WKP114	420.0	421.0	0.63	<1
WKP114	421.0	422.1	0.47	<1
WKP114	422.1	423.3	0.44	1.0
WKP114	423.3	423.8	0.40	3.0
WKP114	423.8	425.0	0.38	2.0
WKP114	425.0	426.0	0.72	1.0
WKP114	426.0	427.0	0.65	3.0
WKP114	427.0	427.8	0.64	2.0
WKP114	427.8	428.6	7.46	9.0
WKP114	428.6	429.3	1.38	2.0
WKP114	429.3	430.0	17.50	11.0
WKP114	430.0	431.0	11.30	46.0
WKP114	431.0	432.0	16.20	29.0
WKP114	432.0	432.7	19.40	26.0
WKP114	432.7	433.3	2.12	6.0
WKP114	433.3	434.0	1.95	4.0
WKP114	434.0	434.6	3.43	20.0
WKP114	434.6	435.2	6.13	25.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	435.2	436.0	23.30	26.0
WKP114	436.0	436.3	46.20	102.0
WKP114	436.3	437.0	20.90	18.0
WKP114	437.0	437.6	2.30	6.0
WKP114	437.6	438.1	0.54	8.0
WKP114	438.1	439.0	0.38	1.0
WKP114	439.0	439.7	0.42	<1
WKP114	439.7	440.0	12.00	18.0
WKP114	440.0	440.5	2.24	3.0
WKP114	440.5	441.6	0.53	1.0
WKP114	441.6	442.4	0.90	7.0
WKP114	442.4	442.7	3.14	18.0
WKP114	442.7	443.0	0.56	<1
WKP114	443.0	443.4	0.88	4.0
WKP114	443.4	443.7	0.94	10.0
WKP114	443.7	444.2	1.31	7.0
WKP114	444.2	445.4	1.09	3.0
WKP114	445.4	446.2	1.01	3.0
WKP114	446.2	446.5	2.10	4.0
WKP114	446.5	447.7	0.88	5.0
WKP114	447.7	448.0	2.16	4.0
WKP114	448.0	448.8	0.55	4.0
WKP114	448.8	449.7	5.18	8.0
WKP114	449.7	450.1	1.93	5.0
WKP114	450.1	451.0	0.80	6.0
WKP114	451.0	451.3	8.86	13.0
WKP114	451.3	452.1	1.44	1.0
WKP114	452.1	452.5	1.97	12.0
WKP114	452.5	453.0	0.56	2.0
WKP114	453.0	454.0	0.54	3.0
WKP114	454.0	455.0	0.50	3.0
WKP114	455.0	456.0	0.45	3.0
WKP114	456.0	456.5	0.23	1.0
WKP114	456.5	457.4	9.22	7.0
WKP114	457.4	458.0	0.62	3.0
WKP114	458.0	459.0	0.60	2.0
WKP114	459.0	460.0	0.46	3.0
WKP114	460.0	460.7	0.37	2.0
WKP114	460.7	461.5	14.00	5.0
WKP114	461.5	462.0	0.58	3.0
WKP114	462.0	463.0	3.30	4.0
WKP114	463.0	464.0	0.30	<1
WKP114	464.0	465.0	0.77	6.0
WKP114	465.0	466.0	1.82	3.0
WKP114	466.0	466.9	0.67	2.0
WKP114	466.9	467.3	0.72	2.0
WKP114	467.3	468.3	0.29	2.0
WKP114	468.3	469.0	3.89	17.0
WKP114	469.0	470.0	0.51	4.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	470.0	471.0	0.60	2.0
WKP114	471.0	472.0	0.30	1.0
WKP114	472.0	473.0	0.50	2.0
WKP114	473.0	473.7	0.74	3.0
WKP114	473.7	474.0	3.89	4.0
WKP114	474.0	474.5	0.33	2.0
WKP114	474.5	475.0	0.94	2.0
WKP114	475.0	476.0	4.53	5.0
WKP114	476.0	477.0	2.44	3.0
WKP114	477.0	478.0	2.20	6.0
WKP114	478.0	479.0	0.34	2.0
WKP114	479.0	480.0	1.45	5.0
WKP114	480.0	481.0	0.27	1.0
WKP114	481.0	482.0	1.16	8.0
WKP114	482.0	482.7	0.32	1.0
WKP114	482.7	483.6	13.60	13.0
WKP114	483.6	484.5	2.19	13.0
WKP114	484.5	485.5	7.99	30.0
WKP114	485.5	486.2	2.14	14.0
WKP114	486.2	487.1	0.23	<1
WKP114	487.1	487.5	3.09	7.0
WKP114	487.5	488.1	0.45	3.0
WKP114	488.1	488.5	1.47	12.0
WKP114	488.5	489.0	0.57	4.0
WKP114	489.0	490.0	0.21	2.0
WKP114	490.0	491.0	0.74	4.0
WKP114	491.0	492.0	0.24	2.0
WKP114	492.0	492.4	1.09	10.0
WKP114	492.4	493.0	0.99	3.0
WKP114	493.0	494.0	0.84	5.0
WKP114	494.0	495.0	0.14	2.0
WKP114	495.0	496.0	0.12	2.0
WKP114	496.0	497.0	0.11	1.0
WKP114	497.0	498.0	0.79	2.0
WKP114	498.0	499.2	0.26	2.0
WKP114	499.2	500.0	20.70	11.0
WKP114	500.0	501.0	0.95	3.0
WKP114	501.0	502.0	0.96	8.0
WKP114	502.0	503.0	0.56	3.0
WKP114	503.0	504.0	0.30	2.0
WKP114	504.0	505.0	0.26	<1
WKP114	505.0	506.0	0.25	<1
WKP114	506.0	507.0	0.41	2.0
WKP114	507.0	508.0	0.40	3.0
WKP114	508.0	509.0	0.37	2.0
WKP114	509.0	510.0	0.29	2.0
WKP114	510.0	511.2	0.22	5.0
WKP114	511.2	512.4	0.56	3.0
WKP114	512.4	513.0	5.34	10.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP114	513.0	513.7	0.17	<1
WKP114	513.7	514.1	2.08	11.0
WKP114	514.1	515.0	0.33	2.0
WKP114	515.0	516.0	0.35	2.0
WKP114	516.0	516.3	2.21	17.0
WKP114	516.3	517.0	0.38	3.0
WKP114	517.0	518.0	0.26	10.0
WKP114	518.0	519.0	0.33	2.0
WKP114	519.0	520.0	0.99	2.0
WKP114	520.0	521.0	0.87	3.0
WKP114	521.0	522.0	0.36	1.0
WKP114	522.0	523.0	0.19	<1
WKP114	523.0	524.0	0.23	1.0
WKP114	524.0	525.0	0.27	2.0
WKP114	525.0	525.6	0.29	3.0
WKP115	76.4	77.0	0.24	1.0
WKP115	77.0	78.0	0.20	<1
WKP115	78.0	79.0	0.27	1.0
WKP115	79.0	79.4	0.19	<1
WKP115	79.4	80.0	0.10	<1
WKP115	80.0	81.0	0.08	<1
WKP115	81.0	82.0	0.09	<1
WKP115	82.0	82.7	0.18	<1
WKP115	82.7	83.2	0.24	2.0
WKP115	83.2	84.0	0.38	1.0
WKP115	84.0	85.0	0.54	3.0
WKP115	85.0	86.0	0.36	2.0
WKP115	86.0	87.0	0.30	<1
WKP115	87.0	88.0	0.43	1.0
WKP115	88.0	88.6	0.35	2.0
WKP115	88.6	88.9	1.99	3.0
WKP115	88.9	90.0	0.41	<1
WKP115	90.0	91.0	0.64	16.0
WKP115	91.0	91.7	0.45	1.0
WKP115	91.7	92.9	0.18	2.0
WKP115	92.9	94.0	0.09	1.0
WKP115	94.0	95.0	0.22	<1
WKP115	95.0	96.0	0.17	<1
WKP115	96.0	97.0	0.46	2.0
WKP115	97.0	97.4	0.43	1.0
WKP115	97.4	98.0	0.42	1.0
WKP115	98.0	98.6	0.68	4.0
WKP115	98.6	99.3	0.68	2.0
WKP115	99.3	100.0	0.30	<1
WKP115	100.0	101.2	0.80	4.0
WKP115	101.2	101.5	1.00	2.0
WKP115	101.5	102.0	0.29	2.0
WKP115	102.0	103.0	0.38	3.0
WKP115	103.0	104.0	0.41	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	104.0	105.0	0.43	1.0
WKP115	105.0	106.1	0.48	5.0
WKP115	106.1	106.8	9.83	56.0
WKP115	106.8	108.0	0.31	2.0
WKP115	108.0	108.7	0.13	<1
WKP115	108.7	109.0	0.27	1.0
WKP115	109.0	109.6	0.19	1.0
WKP115	109.6	110.5	3.96	12.0
WKP115	110.5	111.3	0.12	<1
WKP115	111.3	111.6	0.54	3.0
WKP115	111.6	112.2	0.23	1.0
WKP115	112.2	112.8	0.80	3.0
WKP115	112.8	113.4	0.18	1.0
WKP115	113.4	114.0	0.57	3.0
WKP115	114.0	115.0	0.13	1.0
WKP115	115.0	116.0	0.30	1.0
WKP115	116.0	117.0	0.20	<1
WKP115	117.0	118.0	0.13	2.0
WKP115	118.0	119.0	0.12	1.0
WKP115	119.0	120.0	0.04	<1
WKP115	120.0	121.0	0.06	1.0
WKP115	121.0	122.0	0.24	1.0
WKP115	122.0	123.0	0.47	2.0
WKP115	123.0	124.0	0.45	1.0
WKP115	124.0	125.0	0.28	1.0
WKP115	125.0	125.8	0.27	1.0
WKP115	125.8	126.3	0.34	2.0
WKP115	126.3	127.1	0.96	3.0
WKP115	127.1	128.0	0.13	1.0
WKP115	128.0	128.6	0.16	1.0
WKP115	128.6	129.2	1.03	4.0
WKP115	129.2	130.0	0.10	1.0
WKP115	130.0	130.7	0.25	1.0
WKP115	130.7	131.3	2.68	5.0
WKP115	131.3	131.8	2.74	13.0
WKP115	131.8	133.0	0.07	2.0
WKP115	133.0	134.0	0.11	<1
WKP115	134.0	134.4	0.16	<1
WKP115	134.4	135.6	1.79	9.0
WKP115	135.6	136.5	0.47	1.0
WKP115	136.5	137.5	2.31	15.0
WKP115	137.5	138.0	0.12	1.0
WKP115	138.0	139.0	0.55	4.0
WKP115	139.0	139.5	1.01	7.0
WKP115	139.5	140.0	0.53	5.0
WKP115	140.0	141.0	0.71	6.0
WKP115	141.0	142.0	0.38	15.0
WKP115	142.0	143.0	2.27	5.0
WKP115	143.0	144.0	0.37	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	144.0	145.0	0.15	<1
WKP115	145.0	146.0	0.11	<1
WKP115	146.0	147.2	0.31	<1
WKP115	147.2	148.0	0.19	<1
WKP115	148.0	149.1	0.15	<1
WKP115	149.1	150.3	0.17	3.0
WKP115	150.3	151.1	1.21	6.0
WKP115	151.1	151.7	0.13	3.0
WKP115	151.7	152.7	0.62	3.0
WKP115	152.7	153.4	0.34	1.0
WKP115	153.4	154.6	3.28	14.0
WKP115	154.6	155.7	0.25	2.0
WKP115	155.7	156.8	0.34	3.0
WKP115	156.8	157.9	0.15	<1
WKP115	157.9	159.0	0.20	1.0
WKP115	159.0	160.0	0.18	1.0
WKP115	160.0	161.2	0.22	2.0
WKP115	161.2	162.2	0.25	2.0
WKP115	162.2	163.0	0.16	1.0
WKP115	163.0	164.0	0.24	1.0
WKP115	164.0	165.0	0.23	<1
WKP115	165.0	165.5	0.20	<1
WKP115	165.5	166.0	0.82	5.0
WKP115	166.0	166.5	0.89	7.0
WKP115	166.5	167.6	0.21	1.0
WKP115	167.6	168.0	1.80	15.0
WKP115	168.0	168.5	0.38	1.0
WKP115	168.5	169.2	2.77	7.0
WKP115	169.2	170.0	0.22	2.0
WKP115	170.0	171.0	0.61	10.0
WKP115	171.0	172.2	0.74	3.0
WKP115	172.2	172.6	29.60	93.0
WKP115	172.6	173.1	0.13	6.0
WKP115	173.1	174.0	0.19	2.0
WKP115	174.0	175.0	0.21	1.0
WKP115	175.0	176.0	0.18	<1
WKP115	176.0	177.2	0.16	<1
WKP115	177.2	178.0	1.93	8.0
WKP115	178.0	179.0	0.17	<1
WKP115	179.0	180.0	0.20	1.0
WKP115	180.0	181.0	0.25	<1
WKP115	181.0	181.7	0.30	1.0
WKP115	181.7	182.0	13.30	15.0
WKP115	182.0	183.0	1.10	3.0
WKP115	183.0	184.0	0.11	<1
WKP115	184.0	185.0	0.14	<1
WKP115	185.0	186.0	0.07	<1
WKP115	186.0	187.0	0.47	1.0
WKP115	187.0	187.9	0.14	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	187.9	188.4	3.65	37.0
WKP115	188.4	189.0	0.41	<1
WKP115	189.0	190.0	0.09	<1
WKP115	190.0	191.0	0.07	2.0
WKP115	191.0	192.0	0.05	<1
WKP115	192.0	192.8	0.19	2.0
WKP115	192.8	193.6	1.64	4.0
WKP115	193.6	194.8	0.70	2.0
WKP115	194.8	196.0	0.90	2.0
WKP115	196.0	197.0	0.11	1.0
WKP115	197.0	198.0	0.09	<1
WKP115	198.0	199.0	0.09	1.0
WKP115	199.0	200.0	0.14	<1
WKP115	200.0	201.0	0.21	<1
WKP115	201.0	202.2	0.18	<1
WKP115	202.2	203.0	28.80	97.0
WKP115	203.0	203.3	0.99	2.0
WKP115	203.3	203.6	3.80	27.0
WKP115	203.6	204.0	0.06	<1
WKP115	204.0	205.0	0.11	<1
WKP115	205.0	206.0	0.17	<1
WKP115	206.0	207.0	0.09	<1
WKP115	207.0	208.0	0.18	<1
WKP115	208.0	209.0	0.03	<1
WKP115	209.0	210.0	0.14	1.0
WKP115	210.0	210.8	0.31	1.0
WKP115	210.8	211.4	44.60	183.0
WKP115	211.4	212.0	0.41	2.0
WKP115	212.0	213.0	1.04	<1
WKP115	213.0	214.0	0.36	2.0
WKP115	214.0	215.0	0.24	1.0
WKP115	215.0	216.0	0.07	<1
WKP115	216.0	217.2	0.04	<1
WKP115	217.2	217.5	0.19	1.0
WKP115	217.5	218.0	0.16	1.0
WKP115	218.0	219.0	0.16	1.0
WKP115	219.0	220.0	0.04	1.0
WKP115	220.0	220.6	0.23	<1
WKP115	220.6	221.0	1.15	1.0
WKP115	221.0	222.0	0.29	1.0
WKP115	222.0	223.0	0.13	2.0
WKP115	223.0	223.6	0.39	<1
WKP115	223.9	224.5	0.76	1.0
WKP115	224.5	225.0	1.87	5.0
WKP115	244.0	244.7	0.32	3.0
WKP115	245.9	246.7	0.17	1.0
WKP115	289.0	290.0	1.31	2.0
WKP115	290.0	291.0	0.37	1.0
WKP115	291.0	292.0	0.10	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	292.0	293.0	0.17	<1
WKP115	293.0	294.0	2.24	3.0
WKP115	294.0	295.0	0.20	<1
WKP115	295.0	296.0	0.08	1.0
WKP115	296.0	297.0	0.10	<1
WKP115	297.0	297.8	0.21	1.0
WKP115	297.8	298.4	0.39	1.0
WKP115	298.4	299.2	0.15	<1
WKP115	299.2	299.6	2.77	4.0
WKP115	299.6	300.2	0.49	1.0
WKP115	300.2	301.0	0.29	<1
WKP115	301.0	302.0	0.26	<1
WKP115	302.0	303.0	0.18	1.0
WKP115	303.0	303.7	0.11	<1
WKP115	303.7	304.8	0.18	<1
WKP115	304.8	306.0	0.50	1.0
WKP115	306.0	307.0	0.12	<1
WKP115	307.0	308.0	0.08	<1
WKP115	308.0	309.0	0.26	<1
WKP115	309.0	310.0	0.25	<1
WKP115	310.0	311.0	0.16	1.0
WKP115	311.0	312.0	0.29	1.0
WKP115	312.0	312.8	0.10	<1
WKP115	312.8	314.0	0.05	<1
WKP115	314.0	315.0	0.06	<1
WKP115	315.0	316.0	0.08	1.0
WKP115	316.0	317.0	0.09	1.0
WKP115	317.0	318.0	0.42	2.0
WKP115	318.0	319.0	0.08	1.0
WKP115	319.0	320.2	0.23	<1
WKP115	320.2	321.0	0.09	<1
WKP115	321.0	321.7	0.03	1.0
WKP115	321.7	322.9	1.33	2.0
WKP115	322.9	324.0	0.50	<1
WKP115	324.0	325.0	0.04	<1
WKP115	325.0	326.0	0.03	<1
WKP115	326.0	327.0	0.02	<1
WKP115	327.0	328.0	0.07	<1
WKP115	328.0	328.7	0.89	<1
WKP115	328.7	329.7	11.60	13.0
WKP115	329.7	330.5	0.18	<1
WKP115	330.5	331.0	0.06	1.0
WKP115	331.0	332.0	0.11	<1
WKP115	332.0	333.0	0.11	<1
WKP115	333.0	333.8	0.14	<1
WKP115	333.8	334.6	0.67	<1
WKP115	334.6	335.1	0.06	<1
WKP115	335.1	336.0	0.04	<1
WKP115	336.0	337.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	337.0	338.0	0.03	<1
WKP115	338.0	339.0	0.24	<1
WKP115	339.0	340.0	0.02	<1
WKP115	340.0	341.0	0.02	<1
WKP115	341.0	341.3	0.07	<1
WKP115	341.3	342.0	0.04	<1
WKP115	342.0	343.0	0.07	<1
WKP115	343.0	344.0	0.11	<1
WKP115	344.0	345.0	0.06	<1
WKP115	345.0	346.0	0.06	1.0
WKP115	346.0	347.2	0.11	<1
WKP115	347.2	347.6	2.06	3.0
WKP115	347.6	348.6	0.38	<1
WKP115	348.6	349.4	0.03	<1
WKP115	349.4	350.0	0.06	<1
WKP115	350.0	351.0	0.05	<1
WKP115	351.0	352.0	0.06	<1
WKP115	352.0	353.2	0.09	<1
WKP115	353.2	354.0	0.14	1.0
WKP115	354.0	355.0	0.12	<1
WKP115	355.0	355.4	0.04	<1
WKP115	355.4	356.2	0.03	<1
WKP115	356.2	357.2	0.09	<1
WKP115	357.2	358.0	0.04	<1
WKP115	358.0	358.7	0.17	<1
WKP115	358.7	359.0	0.16	1.0
WKP115	359.0	360.0	0.18	<1
WKP115	360.0	360.5	0.08	<1
WKP115	360.5	360.9	0.28	1.0
WKP115	360.9	362.0	0.10	<1
WKP115	362.0	363.0	0.24	1.0
WKP115	363.0	364.0	0.09	<1
WKP115	364.0	365.0	0.04	<1
WKP115	365.0	365.8	0.34	2.0
WKP115	365.8	366.4	0.15	<1
WKP115	366.4	367.0	0.09	1.0
WKP115	367.0	368.0	0.04	<1
WKP115	368.0	369.0	0.08	1.0
WKP115	369.0	369.4	0.11	1.0
WKP115	369.4	370.0	0.20	1.0
WKP115	370.0	371.0	0.10	<1
WKP115	371.0	372.0	0.18	<1
WKP115	372.0	373.0	0.05	<1
WKP115	373.0	374.0	0.10	<1
WKP115	374.0	374.5	0.06	<1
WKP115	374.5	375.0	0.12	<1
WKP115	375.0	376.0	0.08	<1
WKP115	376.0	377.0	0.02	<1
WKP115	377.0	378.0	0.04	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	378.0	379.0	0.11	4.0
WKP115	379.0	380.0	0.03	<1
WKP115	380.0	381.0	0.25	<1
WKP115	381.0	382.0	0.06	<1
WKP115	382.0	383.0	0.14	<1
WKP115	383.0	384.0	0.03	<1
WKP115	384.0	385.0	0.15	<1
WKP115	385.0	386.0	0.10	<1
WKP115	386.0	387.0	0.08	<1
WKP115	387.0	388.0	0.12	<1
WKP115	388.0	389.0	0.10	<1
WKP115	389.0	389.5	0.29	<1
WKP115	389.5	390.0	0.33	1.0
WKP115	390.0	391.0	0.18	<1
WKP115	391.0	392.0	0.08	<1
WKP115	392.0	393.0	0.11	<1
WKP115	393.0	394.0	0.13	<1
WKP115	394.0	395.0	0.07	<1
WKP115	395.0	396.0	0.05	<1
WKP115	396.0	397.0	0.07	<1
WKP115	397.0	398.0	0.10	<1
WKP115	398.0	399.0	0.06	<1
WKP115	399.0	400.0	0.08	<1
WKP115	400.0	401.0	0.12	<1
WKP115	401.0	402.0	0.07	<1
WKP115	402.0	403.0	0.10	<1
WKP115	403.0	403.5	0.12	1.0
WKP115	403.5	404.0	0.22	2.0
WKP115	404.0	405.0	0.47	<1
WKP115	405.0	406.1	0.38	<1
WKP115	406.1	406.8	1.38	1.0
WKP115	406.8	408.0	0.21	<1
WKP115	408.0	409.0	0.09	<1
WKP115	409.0	410.0	0.10	<1
WKP115	410.0	411.0	0.12	<1
WKP115	411.0	412.0	0.15	<1
WKP115	412.0	413.0	0.13	<1
WKP115	413.0	414.0	0.14	<1
WKP115	414.0	415.0	0.10	<1
WKP115	415.0	416.0	0.11	<1
WKP115	416.0	417.0	0.12	<1
WKP115	417.0	418.0	0.15	<1
WKP115	418.0	419.0	0.17	<1
WKP115	419.0	420.0	0.22	<1
WKP115	420.0	421.0	0.44	1.0
WKP115	421.0	422.0	0.16	<1
WKP115	422.0	423.0	0.43	1.0
WKP115	423.0	424.0	0.12	<1
WKP115	424.0	425.0	0.16	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	425.0	426.0	0.14	<1
WKP115	426.0	427.1	0.33	2.0
WKP115	427.1	427.6	2.46	2.0
WKP115	427.6	428.8	0.28	<1
WKP115	428.8	430.0	0.09	<1
WKP115	430.0	431.0	0.10	<1
WKP115	431.0	432.0	0.15	<1
WKP115	432.0	433.0	0.21	<1
WKP115	433.0	434.1	0.25	<1
WKP115	434.1	435.3	0.24	<1
WKP115	435.3	435.6	5.79	4.0
WKP115	435.6	436.8	0.11	<1
WKP115	436.8	438.0	0.10	<1
WKP115	438.0	438.9	0.17	<1
WKP115	438.9	439.7	0.19	<1
WKP115	439.7	440.9	1.09	1.0
WKP115	440.9	441.3	0.33	2.0
WKP115	441.3	441.9	36.30	21.0
WKP115	441.9	442.9	0.50	<1
WKP115	442.9	443.6	4.07	2.0
WKP115	443.6	444.2	99.80	77.0
WKP115	444.2	444.9	0.64	1.0
WKP115	444.9	445.7	0.44	<1
WKP115	445.7	446.9	32.90	39.0
WKP115	446.9	447.5	2.55	8.0
WKP115	447.5	448.7	41.00	137.0
WKP115	448.7	449.9	16.30	16.0
WKP115	449.9	451.0	38.40	72.0
WKP115	451.0	451.9	48.80	63.0
WKP115	451.9	452.8	164.00	918.0
WKP115	452.8	453.4	175.00	674.0
WKP115	453.4	453.7	23.60	22.0
WKP115	453.7	454.4	55.30	44.0
WKP115	454.4	455.3	12.20	15.0
WKP115	455.3	456.2	72.40	52.0
WKP115	456.2	456.8	61.80	36.0
WKP115	456.8	457.8	48.10	111.0
WKP115	457.8	458.4	84.50	55.0
WKP115	458.4	458.9	13.90	14.0
WKP115	458.9	459.6	29.80	30.0
WKP115	459.6	460.2	0.42	<1
WKP115	460.2	461.4	0.61	2.0
WKP115	461.4	462.4	15.70	14.0
WKP115	462.4	463.2	1.09	1.0
WKP115	463.2	477.0	awaited	awaited
WKP115	477.0	478.0	1.92	2.0
WKP115	478.2	479.0	0.67	2.0
WKP115	479.0	479.9	0.71	3.0
WKP115	479.9	481.1	1.13	3.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP115	481.4	482.0	2.62	3.0
WKP115	482.0	482.8	0.74	3.0
WKP115	482.8	483.5	0.41	1.0
WKP115	483.5	483.9	4.73	17.0
WKP115	483.9	484.4	0.46	2.0
WKP115	484.4	484.8	1.54	5.0
WKP115	484.8	485.4	1.23	2.0
WKP115	485.4	485.8	1.23	3.0
WKP115	485.8	487.0	1.00	2.0
WKP115	487.0	488.2	1.01	5.0
WKP115	488.2	489.0	2.59	10.0
WKP115	489.0	489.9	1.43	9.0
WKP115	489.9	491.0	1.79	4.0
WKP115	491.0	562.4	awaited	awaited
WKP116	65.0	66.0	0.01	<1
WKP116	66.0	67.0	<0.01	<1
WKP116	67.0	68.0	0.02	<1
WKP116	68.0	69.0	<0.01	<1
WKP116	69.0	69.8	0.15	2.0
WKP116	69.8	70.5	0.04	<1
WKP116	70.5	70.9	0.20	<1
WKP116	70.9	71.6	0.04	1.0
WKP116	71.6	72.2	0.05	<1
WKP116	72.2	73.0	0.04	<1
WKP116	73.0	74.0	0.10	<1
WKP116	74.0	75.0	0.10	<1
WKP116	75.0	75.4	0.43	<1
WKP116	75.4	76.0	0.13	<1
WKP116	76.0	77.0	0.33	<1
WKP116	77.0	78.0	0.42	<1
WKP116	78.0	79.0	0.69	<1
WKP116	79.0	80.0	0.14	<1
WKP116	80.0	81.0	0.17	<1
WKP116	81.0	82.0	0.29	<1
WKP116	82.0	82.5	0.04	<1
WKP116	82.5	83.3	0.11	<1
WKP116	83.3	84.3	0.10	1.0
WKP116	84.3	84.8	2.60	14.0
WKP116	84.8	85.7	0.57	1.0
WKP116	85.7	86.7	0.01	<1
WKP116	86.7	87.3	4.00	25.0
WKP116	87.3	87.6	5.18	23.0
WKP116	87.6	88.1	0.30	2.0
WKP116	88.1	89.0	0.20	2.0
WKP116	89.0	90.0	0.11	1.0
WKP116	90.0	91.0	0.07	<1
WKP116	91.0	92.0	0.26	<1
WKP116	92.0	93.0	0.13	1.0
WKP116	93.0	93.8	0.11	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	93.8	94.2	1.05	4.0
WKP116	94.2	95.0	1.25	10.0
WKP116	95.0	95.7	0.10	1.0
WKP116	95.7	96.0	0.20	1.0
WKP116	96.0	97.0	0.32	2.0
WKP116	97.0	98.0	0.54	2.0
WKP116	98.0	99.0	0.29	4.0
WKP116	99.0	99.5	13.60	52.0
WKP116	99.5	99.9	0.11	2.0
WKP116	99.9	100.5	0.11	2.0
WKP116	100.5	100.9	0.13	2.0
WKP116	100.9	101.3	2.14	12.0
WKP116	101.3	102.0	0.06	<1
WKP116	102.0	103.0	0.13	<1
WKP116	103.0	104.0	0.21	1.0
WKP116	104.0	105.0	0.06	<1
WKP116	105.0	106.0	0.13	<1
WKP116	106.0	107.0	0.05	<1
WKP116	107.0	108.0	0.47	2.0
WKP116	108.0	109.0	0.06	<1
WKP116	109.0	110.0	0.11	<1
WKP116	110.0	110.9	0.36	2.0
WKP116	110.9	111.9	2.74	15.0
WKP116	111.9	112.4	2.45	13.0
WKP116	112.4	113.2	0.19	1.0
WKP116	113.2	114.0	0.12	1.0
WKP116	114.0	114.8	0.07	7.0
WKP116	114.8	115.7	5.06	17.0
WKP116	115.7	116.8	0.07	2.0
WKP116	116.8	117.5	0.09	2.0
WKP116	117.5	118.0	0.07	<1
WKP116	118.0	119.0	0.66	2.0
WKP116	119.0	119.9	0.06	<1
WKP116	122.0	122.8	8.62	78.0
WKP116	122.8	124.0	0.51	2.0
WKP116	124.0	125.0	0.21	2.0
WKP116	125.0	126.0	0.06	1.0
WKP116	126.0	127.0	0.06	<1
WKP116	127.0	128.1	0.06	<1
WKP116	128.1	129.0	0.06	<1
WKP116	129.0	130.0	0.12	<1
WKP116	130.0	131.0	0.10	<1
WKP116	131.0	131.5	0.24	<1
WKP116	131.5	132.3	0.86	6.0
WKP116	132.3	133.2	0.17	<1
WKP116	133.2	134.3	0.23	<1
WKP116	134.3	135.1	0.19	<1
WKP116	135.1	135.9	0.42	2.0
WKP116	135.9	136.8	0.12	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	136.8	137.1	0.60	<1
WKP116	137.1	138.0	0.08	<1
WKP116	138.0	139.0	0.10	1.0
WKP116	139.0	139.5	0.44	2.0
WKP116	139.5	140.0	2.30	10.0
WKP116	140.0	141.0	0.36	2.0
WKP116	141.0	142.0	0.21	1.0
WKP116	142.0	143.0	0.21	1.0
WKP116	143.0	144.2	0.15	1.0
WKP116	144.2	145.0	15.40	74.0
WKP116	145.0	145.9	0.23	3.0
WKP116	145.9	147.0	0.15	<1
WKP116	147.0	147.9	0.17	2.0
WKP116	147.9	149.0	2.42	14.0
WKP116	149.0	149.8	0.20	1.0
WKP116	149.8	151.0	0.11	<1
WKP116	151.0	152.0	0.19	<1
WKP116	152.0	153.0	0.16	1.0
WKP116	153.0	154.0	0.29	3.0
WKP116	154.0	155.0	1.12	6.0
WKP116	155.0	156.0	0.10	<1
WKP116	156.0	157.0	0.11	<1
WKP116	157.0	158.0	0.10	<1
WKP116	158.0	159.0	0.08	1.0
WKP116	159.0	160.0	0.22	1.0
WKP116	160.0	160.9	0.18	<1
WKP116	160.9	161.2	1.45	7.0
WKP116	161.2	161.7	0.14	<1
WKP116	161.7	162.2	1.43	5.0
WKP116	162.2	163.0	0.47	2.0
WKP116	163.0	164.0	0.13	1.0
WKP116	164.0	165.0	0.36	3.0
WKP116	165.0	166.0	0.21	3.0
WKP116	166.0	167.0	0.16	1.0
WKP116	167.0	168.0	0.13	<1
WKP116	168.0	169.0	0.12	<1
WKP116	169.0	170.0	0.05	<1
WKP116	170.0	170.8	0.19	<1
WKP116	170.8	171.3	3.14	18.0
WKP116	171.3	172.0	0.17	1.0
WKP116	172.0	173.1	0.05	<1
WKP116	173.1	174.3	0.04	<1
WKP116	174.3	175.0	0.36	<1
WKP116	175.0	176.1	0.26	<1
WKP116	176.1	177.0	0.09	2.0
WKP116	177.0	178.0	0.09	<1
WKP116	178.0	179.0	0.42	2.0
WKP116	179.0	180.0	0.13	1.0
WKP116	180.0	181.0	0.26	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	181.0	182.0	0.30	3.0
WKP116	182.0	183.0	0.25	2.0
WKP116	183.0	184.0	0.30	<1
WKP116	184.0	185.0	0.74	<1
WKP116	185.0	186.0	0.46	2.0
WKP116	186.0	187.0	0.37	<1
WKP116	187.0	188.0	0.10	<1
WKP116	188.0	189.1	0.22	1.0
WKP116	189.1	190.3	0.16	1.0
WKP116	190.3	191.2	0.63	2.0
WKP116	191.2	192.0	0.18	2.0
WKP116	192.0	193.0	0.18	1.0
WKP116	193.0	194.0	0.22	1.0
WKP116	194.0	195.0	0.15	2.0
WKP116	195.0	196.0	0.27	1.0
WKP116	196.0	197.0	0.08	<1
WKP116	197.0	198.0	0.28	1.0
WKP116	198.0	199.1	0.53	2.0
WKP116	199.1	200.0	0.97	3.0
WKP116	200.0	201.0	0.33	<1
WKP116	201.0	202.0	0.11	<1
WKP116	202.0	203.0	0.15	<1
WKP116	203.0	204.0	0.07	<1
WKP116	204.0	205.1	0.04	<1
WKP116	205.1	206.3	0.06	<1
WKP116	206.3	206.6	0.46	5.0
WKP116	206.6	207.2	0.35	<1
WKP116	207.2	208.0	0.33	2.0
WKP116	208.0	208.6	2.10	14.0
WKP116	208.6	209.8	0.28	2.0
WKP116	209.8	211.0	0.14	2.0
WKP116	211.0	211.9	0.13	<1
WKP116	211.9	212.5	15.90	53.0
WKP116	212.5	213.7	0.26	2.0
WKP116	213.7	214.1	1.63	8.0
WKP116	214.1	215.0	0.16	1.0
WKP116	215.0	216.0	0.21	2.0
WKP116	216.0	217.0	0.17	1.0
WKP116	217.0	218.0	0.28	2.0
WKP116	218.0	219.0	0.16	2.0
WKP116	219.0	220.0	0.09	1.0
WKP116	220.0	221.0	0.13	2.0
WKP116	221.0	222.0	0.10	<1
WKP116	222.0	223.0	0.19	1.0
WKP116	223.0	224.0	0.20	2.0
WKP116	224.0	225.0	0.08	2.0
WKP116	225.0	226.0	0.65	1.0
WKP116	226.0	227.0	0.10	1.0
WKP116	227.0	228.0	0.10	1.0



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	228.0	229.0	0.03	1.0
WKP116	229.0	230.2	0.06	<1
WKP116	230.2	230.9	0.07	<1
WKP116	230.9	231.9	0.11	<1
WKP116	231.9	233.0	0.05	<1
WKP116	233.0	234.0	0.06	<1
WKP116	234.0	234.4	0.06	1.0
WKP116	234.4	235.4	0.06	<1
WKP116	235.4	235.7	0.23	2.0
WKP116	235.7	236.9	0.08	<1
WKP116	236.9	238.0	0.07	<1
WKP116	240.8	241.8	0.10	<1
WKP116	241.8	242.1	0.09	<1
WKP116	242.1	243.0	0.09	<1
WKP116	247.0	248.0	0.07	<1
WKP116	248.0	249.0	0.11	1.0
WKP116	249.0	250.0	0.08	1.0
WKP116	250.0	251.0	0.10	2.0
WKP116	251.0	252.0	0.08	<1
WKP116	252.0	253.0	0.09	2.0
WKP116	253.0	253.8	0.08	<1
WKP116	253.8	254.4	0.19	2.0
WKP116	254.4	255.0	0.07	<1
WKP116	255.0	256.0	0.06	<1
WKP116	273.0	273.6	0.05	<1
WKP116	273.6	273.9	0.01	<1
WKP116	273.9	275.0	<0.01	<1
WKP116	276.0	277.0	0.03	<1
WKP116	277.0	278.0	0.04	<1
WKP116	278.0	279.0	<0.01	<1
WKP116	294.7	295.9	<0.01	<1
WKP116	295.9	296.3	0.04	2.0
WKP116	296.3	297.5	0.11	<1
WKP116	297.5	298.7	<0.01	<1
WKP116	311.1	312.3	<0.01	<1
WKP116	312.3	313.1	<0.01	<1
WKP116	313.1	314.0	0.05	<1
WKP116	327.8	328.9	0.05	<1
WKP116	328.9	329.4	0.06	<1
WKP116	329.4	330.4	0.02	1.0
WKP116	330.4	331.5	0.03	2.0
WKP116	337.4	338.6	<0.01	<1
WKP116	338.8	339.9	0.01	<1
WKP116	339.9	341.0	0.16	<1
WKP116	341.0	341.4	1.30	2.0
WKP116	341.4	341.7	16.00	19.0
WKP116	341.7	342.9	0.68	2.0
WKP116	342.9	344.1	0.11	<1
WKP116	344.1	345.0	0.71	4.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	345.0	345.5	9.69	52.0
WKP116	345.5	346.0	2.74	5.0
WKP116	346.0	346.3	0.85	3.0
WKP116	346.3	347.0	24.40	80.0
WKP116	347.0	347.3	3.83	11.0
WKP116	347.3	348.1	5.28	11.0
WKP116	348.1	349.2	2.17	6.0
WKP116	349.2	349.8	0.81	4.0
WKP116	349.8	350.3	0.65	3.0
WKP116	350.3	351.0	1.89	6.0
WKP116	351.0	352.0	1.41	3.0
WKP116	352.0	352.5	0.91	3.0
WKP116	352.5	353.2	2.82	5.0
WKP116	353.2	354.0	1.13	5.0
WKP116	354.0	354.9	33.90	55.0
WKP116	354.9	355.6	1.70	1.0
WKP116	355.6	355.9	23.10	25.0
WKP116	355.9	356.4	1.96	3.0
WKP116	356.4	356.9	47.20	137.0
WKP116	356.9	358.0	3.87	9.0
WKP116	358.0	359.1	1.80	6.0
WKP116	359.1	360.0	95.60	126.0
WKP116	360.0	360.8	1.53	3.0
WKP116	360.8	362.0	0.69	1.0
WKP116	362.0	362.4	1.23	2.0
WKP116	362.4	363.1	47.30	51.0
WKP116	363.1	364.1	0.82	2.0
WKP116	364.1	365.3	1.06	2.0
WKP116	365.3	365.9	2.22	7.0
WKP116	365.9	367.1	11.60	24.0
WKP116	367.1	367.9	5.94	11.0
WKP116	367.9	368.6	0.18	<1
WKP116	368.6	369.2	2.92	13.0
WKP116	369.2	370.4	2.18	5.0
WKP116	370.4	371.6	0.57	1.0
WKP116	371.6	371.9	0.45	<1
WKP116	371.9	372.4	1.06	3.0
WKP116	372.4	373.6	0.09	1.0
WKP116	373.6	374.8	0.11	<1
WKP116	374.8	376.0	0.09	<1
WKP116	376.0	377.2	0.07	<1
WKP116	377.2	378.4	0.47	1.0
WKP116	378.4	379.1	6.70	15.0
WKP116	379.1	380.3	0.14	<1
WKP116	380.3	381.2	0.25	1.0
WKP116	381.2	381.8	0.47	<1
WKP116	381.8	382.3	3.91	5.0
WKP116	382.3	383.3	0.41	<1
WKP116	383.3	384.5	0.12	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	384.5	385.7	0.11	<1
WKP116	385.7	386.9	0.47	2.0
WKP116	386.9	387.7	0.19	<1
WKP116	387.7	388.0	0.77	2.0
WKP116	388.0	388.9	0.54	2.0
WKP116	388.9	390.0	0.12	<1
WKP116	390.0	391.1	0.79	1.0
WKP116	391.1	391.4	4.12	8.0
WKP116	391.4	392.3	0.16	<1
WKP116	392.3	393.5	0.50	1.0
WKP116	393.5	394.7	0.13	<1
WKP116	394.7	395.9	0.11	<1
WKP116	395.9	397.1	0.06	<1
WKP116	397.1	397.8	0.67	2.0
WKP116	397.8	398.4	0.23	1.0
WKP116	398.4	399.1	0.09	<1
WKP116	399.1	400.3	0.12	<1
WKP116	400.3	401.1	1.91	4.0
WKP116	401.1	402.3	0.16	<1
WKP116	402.3	402.8	0.23	2.0
WKP116	402.8	403.9	0.15	<1
WKP116	403.9	404.5	0.81	4.0
WKP116	404.5	405.6	0.13	<1
WKP116	405.6	406.5	0.26	<1
WKP116	406.5	406.9	0.33	1.0
WKP116	406.9	408.0	0.43	1.0
WKP116	408.0	423.3	awaited	awaited
WKP116	423.3	424.0	0.10	<1
WKP116	424.0	425.0	0.20	2.0
WKP116	425.0	425.4	0.09	3.0
WKP116	425.4	426.6	0.16	2.0
WKP116	426.6	427.8	0.23	1.0
WKP116	427.8	429.0	0.17	1.0
WKP116	429.0	430.0	0.14	2.0
WKP116	430.0	431.1	0.09	1.0
WKP116	431.1	432.3	0.14	1.0
WKP116	432.3	433.5	0.07	<1
WKP116	433.5	433.8	0.10	<1
WKP116	433.8	435.0	0.07	<1
WKP116	435.0	436.0	0.12	<1
WKP116	436.0	437.0	0.08	1.0
WKP116	437.0	438.0	0.06	<1
WKP116	438.0	439.0	0.09	1.0
WKP116	439.0	440.0	0.09	<1
WKP116	440.0	441.0	0.09	<1
WKP116	441.0	442.0	0.10	<1
WKP116	442.0	443.0	0.29	<1
WKP116	443.0	444.0	0.28	<1
WKP116	444.0	445.2	0.25	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	445.2	446.0	0.13	<1
WKP116	446.0	446.8	0.12	2.0
WKP116	447.3	448.4	0.15	<1
WKP116	448.4	449.1	0.22	<1
WKP116	449.1	450.2	0.47	3.0
WKP116	450.2	451.0	0.36	1.0
WKP116	451.0	452.2	0.82	3.0
WKP116	453.2	454.1	0.38	3.0
WKP116	454.1	455.0	0.28	<1
WKP116	455.0	456.0	0.63	1.0
WKP116	456.0	457.0	0.85	2.0
WKP116	457.0	458.0	0.52	<1
WKP116	458.0	459.0	0.52	<1
WKP116	459.0	459.7	0.38	1.0
WKP116	459.7	460.7	0.26	1.0
WKP116	460.7	461.0	0.75	8.0
WKP116	461.0	462.0	0.60	1.0
WKP116	462.0	463.0	0.86	2.0
WKP116	463.0	464.0	0.50	2.0
WKP116	464.0	465.0	0.96	5.0
WKP116	465.0	466.0	0.49	3.0
WKP116	466.0	467.0	0.27	1.0
WKP116	467.0	468.0	2.69	19.0
WKP116	468.0	469.0	0.15	<1
WKP116	469.0	470.0	0.12	<1
WKP116	470.0	471.0	0.07	<1
WKP116	471.0	472.0	0.13	<1
WKP116	472.0	473.0	0.20	<1
WKP116	473.0	474.0	0.14	<1
WKP116	474.0	475.0	0.15	1.0
WKP116	475.0	476.0	0.10	<1
WKP116	476.0	477.0	0.14	<1
WKP116	477.0	478.0	0.09	<1
WKP116	478.0	479.0	0.06	<1
WKP116	479.0	480.0	0.24	<1
WKP116	480.0	481.0	0.53	1.0
WKP116	481.0	482.0	0.19	1.0
WKP116	482.0	483.0	0.13	<1
WKP116	483.0	484.0	0.14	1.0
WKP116	484.0	485.0	0.23	1.0
WKP116	485.0	486.0	0.06	<1
WKP116	486.0	487.0	0.04	<1
WKP116	487.0	488.0	0.14	<1
WKP116	488.0	489.0	0.13	2.0
WKP116	489.0	490.0	0.08	<1
WKP116	490.0	491.0	0.10	<1
WKP116	491.0	492.0	0.08	<1
WKP116	492.0	493.0	0.12	<1
WKP116	493.0	494.0	0.13	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP116	494.0	495.0	0.11	<1
WKP116	495.0	496.0	0.07	<1
WKP116	496.0	497.0	0.06	<1
WKP116	497.0	498.0	0.09	<1
WKP116	498.0	499.0	0.06	<1
WKP116	499.0	500.0	0.07	<1
WKP116	500.0	501.0	0.10	<1
WKP116	501.0	501.9	0.06	<1
WKP-P03D	62.0	63.0	<0.01	<1
WKP-P03D	63.0	64.1	<0.01	<1
WKP-P03D	64.1	65.0	<0.01	<1
WKP-P03D	65.0	66.0	<0.01	<1
WKP-P03D	66.0	67.0	<0.01	<1
WKP-P03D	67.0	68.0	<0.01	<1
WKP-P03D	68.0	69.0	<0.01	<1
WKP-P03D	69.0	70.0	<0.01	<1
WKP-P03D	70.0	71.0	<0.01	<1
WKP-P03D	71.0	72.0	<0.01	<1
WKP-P03D	72.0	73.0	<0.01	<1
WKP-P03D	73.0	74.0	<0.01	<1
WKP-P03D	74.0	75.0	<0.01	<1
WKP-P03D	75.0	76.0	<0.01	<1
WKP-P03D	76.0	77.0	<0.01	<1
WKP-P03D	77.0	78.0	<0.01	<1
WKP-P03D	78.0	79.0	<0.01	<1
WKP-P03D	79.0	79.7	<0.01	<1
WKP-P03D	79.7	80.7	<0.01	<1
WKP-P03D	80.7	81.3	<0.01	<1
WKP-P03D	81.3	82.0	<0.01	<1
WKP-P03D	82.0	82.8	<0.01	<1
WKP-P03D	82.8	84.0	<0.01	<1
WKP-P03D	84.0	85.0	<0.01	<1
WKP-P03D	85.0	86.0	<0.01	<1
WKP-P03D	86.0	87.0	<0.01	<1
WKP-P03D	87.0	88.0	<0.01	<1
WKP-P03D	88.0	89.0	<0.01	<1
WKP-P03D	89.0	90.0	<0.01	<1
WKP-P03D	90.0	91.0	<0.01	<1
WKP-P03D	91.0	92.0	<0.01	1.0
WKP-P03D	92.0	93.0	<0.01	<1
WKP-P03D	93.0	94.0	<0.01	75.0
WKP-P03D	94.0	95.0	<0.01	<1
WKP-P03D	95.0	96.0	<0.01	1.0
WKP-P03D	96.0	97.0	0.01	<1
WKP-P03D	97.0	98.0	0.01	<1
WKP-P03D	98.0	99.1	0.02	<1
WKP-P03D	99.1	100.0	<0.01	<1
WKP-P03D	100.0	101.0	0.01	<1
WKP-P03D	101.0	102.0	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P03D	102.0	103.0	0.02	1.0
WKP-P03D	103.0	104.0	0.02	<1
WKP-P03D	104.0	105.0	0.01	<1
WKP-P03D	105.0	106.0	0.11	<1
WKP-P03D	106.0	107.0	<0.01	<1
WKP-P03D	107.0	108.0	0.02	<1
WKP-P03D	108.0	109.0	<0.01	<1
WKP-P03D	109.0	110.0	0.01	<1
WKP-P03D	110.0	111.0	0.01	<1
WKP-P03D	111.0	112.0	0.01	1.0
WKP-P03D	112.0	113.0	0.03	1.0
WKP-P03D	113.0	114.5	0.03	<1
WKP-P03D	114.5	115.4	0.05	<1
WKP-P03D	115.4	116.2	0.07	<1
WKP-P03D	116.2	117.0	0.05	1.0
WKP-P03D	117.0	118.0	0.06	<1
WKP-P03D	118.0	119.0	0.04	<1
WKP-P03D	119.0	120.0	0.02	<1
WKP-P03D	120.0	121.0	<0.01	<1
WKP-P03D	121.0	122.0	0.03	<1
WKP-P03D	122.0	123.0	0.04	<1
WKP-P03D	123.0	124.0	0.04	<1
WKP-P03D	124.0	125.0	0.03	<1
WKP-P03D	125.0	126.1	0.07	2.0
WKP-P03D	126.1	127.1	0.03	<1
WKP-P03D	127.3	128.0	0.04	<1
WKP-P03D	128.0	129.0	0.04	<1
WKP-P03D	129.0	130.0	0.03	<1
WKP-P03D	130.0	131.0	0.04	<1
WKP-P03D	131.0	131.8	0.04	<1
WKP-P03D	131.8	132.5	0.03	<1
WKP-P03D	132.5	133.7	0.13	4.0
WKP-P03D	133.7	134.9	0.04	<1
WKP-P03D	134.9	136.0	0.05	<1
WKP-P03D	136.0	137.0	0.05	<1
WKP-P03D	137.0	138.5	0.02	<1
WKP-P03D	138.5	139.0	0.04	<1
WKP-P03D	139.0	140.0	0.03	<1
WKP-P03D	140.0	140.7	0.03	<1
WKP-P03D	140.7	142.0	0.11	1.0
WKP-P03D	142.0	143.0	0.10	1.0
WKP-P03D	143.0	144.0	0.03	<1
WKP-P03D	144.0	145.1	0.02	<1
WKP-P03D	145.1	146.0	0.02	<1
WKP-P03D	146.0	147.0	0.02	<1
WKP-P03D	147.0	147.9	0.02	1.0
WKP-P03D	147.9	148.4	0.13	1.0
WKP-P03D	148.4	149.0	0.04	<1
WKP-P03D	149.0	150.1	0.04	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P03D	150.1	151.2	0.06	<1
WKP-P03D	151.2	152.0	0.02	<1
WKP-P03D	152.0	153.0	0.02	<1
WKP-P03D	153.0	154.0	0.03	<1
WKP-P03D	154.0	155.0	0.03	1.0
WKP-P03D	155.0	156.0	0.02	<1
WKP-P03D	156.0	157.0	<0.01	<1
WKP-P03D	157.0	158.0	0.02	<1
WKP-P03D	158.0	159.0	0.03	1.0
WKP-P03D	159.0	160.0	0.11	1.0
WKP-P03D	160.0	161.0	0.07	<1
WKP-P03D	161.0	162.0	0.02	1.0
WKP-P03D	162.0	163.0	0.11	<1
WKP-P03D	163.0	164.0	0.27	<1
WKP-P03D	164.0	165.0	0.02	<1
WKP-P03D	165.0	166.0	0.03	<1
WKP-P03D	166.0	167.0	0.04	1.0
WKP-P03D	167.0	168.0	0.02	<1
WKP-P03D	168.0	169.0	0.02	<1
WKP-P03D	169.0	170.0	0.09	5.0
WKP-P03D	170.0	171.0	0.03	<1
WKP-P03D	171.0	171.8	0.09	1.0
WKP-P03D	171.8	173.0	0.46	5.0
WKP-P03D	173.0	173.9	0.08	<1
WKP-P03D	173.9	175.0	0.26	2.0
WKP-P03D	175.0	176.0	0.03	<1
WKP-P03D	176.0	177.0	0.02	<1
WKP-P03D	177.0	177.9	0.17	1.0
WKP-P03D	177.9	178.4	0.07	1.0
WKP-P03D	178.4	179.0	0.11	2.0
WKP-P03D	179.0	180.0	0.16	2.0
WKP-P03D	180.0	181.0	0.03	<1
WKP-P03D	181.0	182.0	0.05	<1
WKP-P03D	182.0	183.0	0.04	<1
WKP-P03D	183.0	184.0	0.02	<1
WKP-P03D	184.0	185.0	0.02	<1
WKP-P03D	185.0	186.0	0.02	<1
WKP-P03D	186.0	187.0	0.02	<1
WKP-P03D	187.0	188.0	0.07	<1
WKP-P03D	188.0	189.0	0.03	<1
WKP-P03D	189.0	189.8	0.36	1.0
WKP-P03D	189.8	190.4	0.40	5.0
WKP-P03D	190.4	191.0	0.10	2.0
WKP-P03D	191.0	192.0	0.15	<1
WKP-P03D	192.0	193.0	0.41	<1
WKP-P03D	193.0	194.0	0.09	<1
WKP-P03D	194.0	195.0	0.21	<1
WKP-P03D	195.0	196.0	0.14	2.0
WKP-P03D	196.0	196.9	0.22	3.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P03D	196.9	197.7	0.82	5.0
WKP-P03D	197.7	198.5	3.01	43.0
WKP-P03D	198.5	199.0	3.07	34.0
WKP-P03D	199.0	199.8	7.07	44.0
WKP-P03D	199.8	201.0	0.45	2.0
WKP-P03D	201.0	202.0	0.79	4.0
WKP-P03D	202.0	203.0	1.13	6.0
WKP-P03D	203.0	204.0	0.23	1.0
WKP-P03D	204.0	205.0	0.81	1.0
WKP-P03D	205.0	206.0	0.78	2.0
WKP-P03D	206.0	207.0	0.20	<1
WKP-P03D	207.0	208.0	0.93	3.0
WKP-P03D	208.0	209.0	0.33	2.0
WKP-P03D	209.0	210.0	0.29	1.0
WKP-P03D	210.0	211.0	0.30	2.0
WKP-P03D	211.0	212.0	0.18	1.0
WKP-P03D	212.0	213.0	3.13	7.0
WKP-P03D	213.0	213.5	0.29	2.0
WKP-P03D	213.5	214.2	3.23	11.0
WKP-P03D	214.2	215.0	6.15	11.0
WKP-P03D	215.0	216.0	0.28	2.0
WKP-P03D	216.0	216.8	1.62	3.0
WKP-P03D	216.8	218.0	0.30	2.0
WKP-P04D	4.7	5.7	0.08	<1
WKP-P04D	5.7	6.7	0.06	<1
WKP-P04D	6.7	7.4	0.08	<1
WKP-P04D	7.4	8.4	0.23	<1
WKP-P04D	8.4	9.6	0.04	<1
WKP-P04D	9.6	10.7	0.03	<1
WKP-P04D	10.7	12.0	0.04	<1
WKP-P04D	12.0	13.0	0.02	<1
WKP-P04D	13.0	14.0	0.04	<1
WKP-P04D	14.0	15.0	0.03	<1
WKP-P04D	15.0	16.0	0.04	<1
WKP-P04D	16.0	17.0	0.09	<1
WKP-P04D	17.0	18.0	0.02	<1
WKP-P04D	18.0	19.0	0.02	<1
WKP-P04D	19.0	20.0	0.02	<1
WKP-P04D	20.0	21.0	0.01	<1
WKP-P04D	21.0	22.0	0.01	<1
WKP-P04D	22.0	23.0	0.04	<1
WKP-P04D	23.0	24.0	0.17	<1
WKP-P04D	24.0	25.0	0.07	<1
WKP-P04D	25.0	26.0	0.04	<1
WKP-P04D	26.0	27.0	0.04	<1
WKP-P04D	27.0	28.0	0.04	<1
WKP-P04D	28.0	29.0	0.05	<1
WKP-P04D	29.0	30.0	0.15	<1
WKP-P04D	30.0	31.0	0.09	<1



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	31.0	32.0	0.06	<1
WKP-P04D	32.0	33.0	0.03	<1
WKP-P04D	33.0	34.0	0.11	<1
WKP-P04D	34.0	35.0	0.03	<1
WKP-P04D	35.0	36.0	0.04	<1
WKP-P04D	36.0	37.0	0.04	<1
WKP-P04D	37.0	38.0	0.04	<1
WKP-P04D	38.0	39.0	0.03	<1
WKP-P04D	39.0	40.0	0.03	<1
WKP-P04D	40.0	41.0	0.05	<1
WKP-P04D	41.0	42.0	0.03	<1
WKP-P04D	42.0	43.0	1.11	4.0
WKP-P04D	43.0	44.0	0.03	<1
WKP-P04D	44.0	45.0	0.02	<1
WKP-P04D	45.0	46.0	0.03	1.0
WKP-P04D	46.0	47.0	0.05	<1
WKP-P04D	47.0	48.0	0.07	<1
WKP-P04D	48.0	49.0	0.04	<1
WKP-P04D	49.0	50.0	0.20	2.0
WKP-P04D	50.0	51.0	0.06	1.0
WKP-P04D	51.0	52.0	0.06	<1
WKP-P04D	52.0	53.0	0.10	1.0
WKP-P04D	53.0	54.0	0.07	<1
WKP-P04D	54.0	55.0	0.06	1.0
WKP-P04D	55.0	56.0	0.05	<1
WKP-P04D	56.0	57.0	0.03	<1
WKP-P04D	57.0	58.0	0.04	<1
WKP-P04D	58.0	59.0	0.05	<1
WKP-P04D	59.0	60.0	0.04	<1
WKP-P04D	60.0	61.0	0.01	<1
WKP-P04D	61.0	62.0	0.04	<1
WKP-P04D	62.0	63.1	<0.01	<1
WKP-P04D	63.1	64.2	0.17	<1
WKP-P04D	64.2	64.6	15.90	8.0
WKP-P04D	64.6	65.3	0.32	<1
WKP-P04D	65.3	66.0	0.20	<1
WKP-P04D	66.0	67.0	0.08	<1
WKP-P04D	67.0	67.8	0.28	<1
WKP-P04D	67.8	68.8	2.08	3.0
WKP-P04D	68.8	70.0	0.27	<1
WKP-P04D	70.0	71.0	0.09	1.0
WKP-P04D	71.0	72.0	0.09	<1
WKP-P04D	72.0	73.0	0.19	1.0
WKP-P04D	73.0	74.0	0.17	<1
WKP-P04D	74.0	75.0	0.06	<1
WKP-P04D	75.0	76.0	0.12	<1
WKP-P04D	76.0	77.0	4.19	5.0
WKP-P04D	77.0	78.0	0.41	1.0
WKP-P04D	78.0	79.0	0.11	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	79.0	80.0	0.09	<1
WKP-P04D	80.0	81.0	0.18	<1
WKP-P04D	81.0	82.0	0.24	2.0
WKP-P04D	82.0	83.0	0.08	<1
WKP-P04D	83.0	83.6	0.09	<1
WKP-P04D	84.0	85.0	0.04	<1
WKP-P04D	85.0	86.0	0.07	<1
WKP-P04D	86.0	87.0	0.07	<1
WKP-P04D	87.0	87.7	0.06	<1
WKP-P04D	88.0	89.0	0.10	<1
WKP-P04D	89.0	90.0	0.12	<1
WKP-P04D	90.0	91.0	0.16	2.0
WKP-P04D	91.0	92.0	0.07	<1
WKP-P04D	92.0	93.0	0.06	<1
WKP-P04D	93.0	94.0	0.12	3.0
WKP-P04D	94.0	95.0	1.05	2.0
WKP-P04D	95.0	96.0	0.05	<1
WKP-P04D	96.0	97.0	0.05	<1
WKP-P04D	97.0	98.0	0.06	<1
WKP-P04D	98.0	99.0	1.19	<1
WKP-P04D	99.0	100.0	7.79	10.0
WKP-P04D	100.0	101.0	0.24	1.0
WKP-P04D	101.0	102.0	0.12	<1
WKP-P04D	102.0	103.0	0.17	<1
WKP-P04D	103.0	104.0	0.18	<1
WKP-P04D	104.0	105.0	0.11	<1
WKP-P04D	105.0	106.0	0.25	<1
WKP-P04D	106.0	107.0	1.03	<1
WKP-P04D	107.0	108.0	0.36	<1
WKP-P04D	108.0	108.7	0.76	2.0
WKP-P04D	109.0	110.0	0.46	<1
WKP-P04D	110.0	111.0	0.21	<1
WKP-P04D	111.0	112.0	0.36	<1
WKP-P04D	112.0	113.0	0.22	1.0
WKP-P04D	113.0	114.0	0.85	<1
WKP-P04D	114.0	115.0	2.48	12.0
WKP-P04D	115.0	116.0	0.20	<1
WKP-P04D	116.0	117.0	0.25	<1
WKP-P04D	117.0	118.0	2.79	5.0
WKP-P04D	118.2	119.0	0.44	<1
WKP-P04D	119.0	120.0	0.27	<1
WKP-P04D	120.0	121.0	0.14	<1
WKP-P04D	121.0	122.0	0.13	<1
WKP-P04D	122.0	123.0	0.12	<1
WKP-P04D	123.0	124.0	0.07	<1
WKP-P04D	124.0	125.0	0.47	2.0
WKP-P04D	125.0	125.6	0.14	<1
WKP-P04D	125.6	126.5	0.25	2.0
WKP-P04D	126.5	127.0	0.07	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	127.0	128.2	0.05	<1
WKP-P04D	128.6	129.0	1.01	2.0
WKP-P04D	129.0	130.0	0.13	<1
WKP-P04D	130.0	131.0	0.18	<1
WKP-P04D	131.0	132.0	0.28	<1
WKP-P04D	132.0	132.7	0.40	<1
WKP-P04D	133.0	134.0	0.17	<1
WKP-P04D	134.0	135.0	0.57	1.0
WKP-P04D	135.0	136.0	0.54	4.0
WKP-P04D	136.0	137.0	1.20	3.0
WKP-P04D	137.0	138.0	0.27	1.0
WKP-P04D	138.0	139.0	0.15	<1
WKP-P04D	139.0	140.0	2.30	4.0
WKP-P04D	140.0	140.9	0.38	<1
WKP-P04D	140.9	142.0	1.05	<1
WKP-P04D	142.0	143.0	0.73	<1
WKP-P04D	143.0	144.0	0.25	<1
WKP-P04D	144.0	145.0	0.53	<1
WKP-P04D	145.0	146.0	0.37	2.0
WKP-P04D	146.0	146.6	3.56	<1
WKP-P04D	146.9	148.0	0.95	2.0
WKP-P04D	148.0	149.0	0.47	<1
WKP-P04D	149.0	150.0	0.47	<1
WKP-P04D	150.0	151.0	0.32	<1
WKP-P04D	151.0	152.0	0.24	<1
WKP-P04D	152.0	153.0	1.12	2.0
WKP-P04D	153.0	154.0	0.29	<1
WKP-P04D	154.0	155.0	0.82	<1
WKP-P04D	155.0	156.0	0.58	1.0
WKP-P04D	156.0	157.0	3.36	4.0
WKP-P04D	157.0	158.0	2.51	3.0
WKP-P04D	158.0	159.0	0.71	<1
WKP-P04D	159.0	160.0	0.49	<1
WKP-P04D	160.0	161.0	0.41	<1
WKP-P04D	161.0	162.0	1.85	2.0
WKP-P04D	162.0	163.0	0.93	2.0
WKP-P04D	163.0	163.7	2.37	3.0
WKP-P04D	163.7	164.2	1.62	11.0
WKP-P04D	164.2	165.0	0.39	<1
WKP-P04D	165.0	166.0	0.22	1.0
WKP-P04D	166.0	167.0	0.54	<1
WKP-P04D	167.0	168.0	0.33	<1
WKP-P04D	168.0	168.8	0.55	3.0
WKP-P04D	169.2	170.0	0.07	<1
WKP-P04D	170.0	171.0	0.12	1.0
WKP-P04D	171.0	172.0	0.20	<1
WKP-P04D	172.0	173.0	0.12	<1
WKP-P04D	173.0	174.0	0.06	<1
WKP-P04D	174.0	175.0	0.15	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	175.0	176.0	0.53	<1
WKP-P04D	176.0	176.7	0.76	<1
WKP-P04D	176.7	177.5	3.37	12.0
WKP-P04D	177.5	178.7	0.47	<1
WKP-P04D	178.7	179.9	0.36	<1
WKP-P04D	179.9	181.0	0.12	<1
WKP-P04D	181.0	182.0	0.52	<1
WKP-P04D	182.0	183.0	0.20	1.0
WKP-P04D	183.0	184.0	0.22	2.0
WKP-P04D	184.0	185.0	0.33	<1
WKP-P04D	185.0	186.0	0.32	<1
WKP-P04D	186.0	187.0	1.20	<1
WKP-P04D	187.0	188.0	0.18	<1
WKP-P04D	188.2	189.0	0.18	<1
WKP-P04D	189.0	190.0	0.75	2.0
WKP-P04D	190.0	191.0	0.36	<1
WKP-P04D	191.0	192.0	0.44	2.0
WKP-P04D	192.0	193.0	0.54	<1
WKP-P04D	193.0	194.0	0.44	1.0
WKP-P04D	194.0	195.0	0.83	1.0
WKP-P04D	195.0	196.0	0.43	<1
WKP-P04D	196.0	197.0	0.26	<1
WKP-P04D	197.0	198.0	0.43	<1
WKP-P04D	198.0	199.0	0.91	2.0
WKP-P04D	199.0	199.9	1.24	2.0
WKP-P04D	200.1	201.0	0.30	<1
WKP-P04D	201.0	202.0	0.13	<1
WKP-P04D	202.0	203.0	0.44	2.0
WKP-P04D	203.0	204.0	0.34	<1
WKP-P04D	204.0	205.0	0.52	<1
WKP-P04D	205.0	205.7	0.45	<1
WKP-P04D	205.7	206.1	1.49	5.0
WKP-P04D	206.1	207.0	0.72	1.0
WKP-P04D	207.0	208.0	0.25	<1
WKP-P04D	208.0	209.0	0.21	<1
WKP-P04D	209.0	210.0	0.16	<1
WKP-P04D	210.0	211.0	0.23	<1
WKP-P04D	211.0	212.0	0.37	<1
WKP-P04D	212.0	213.0	0.60	1.0
WKP-P04D	213.0	214.0	0.33	<1
WKP-P04D	214.0	215.0	0.79	2.0
WKP-P04D	215.0	216.0	0.16	<1
WKP-P04D	216.0	217.0	0.11	<1
WKP-P04D	217.0	218.0	0.56	<1
WKP-P04D	218.0	218.6	0.75	3.0
WKP-P04D	219.0	220.0	0.37	<1
WKP-P04D	220.0	221.0	0.06	<1
WKP-P04D	221.0	222.0	0.40	<1
WKP-P04D	222.0	223.0	0.20	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	223.0	224.0	0.75	3.0
WKP-P04D	224.0	225.0	1.32	6.0
WKP-P04D	225.0	226.0	0.31	1.0
WKP-P04D	226.0	227.0	0.56	3.0
WKP-P04D	227.0	227.8	1.95	5.0
WKP-P04D	228.2	229.0	0.31	<1
WKP-P04D	229.0	230.2	1.00	3.0
WKP-P04D	230.2	231.0	0.40	<1
WKP-P04D	231.0	232.1	0.25	<1
WKP-P04D	232.1	233.3	0.46	1.0
WKP-P04D	233.3	234.0	0.83	<1
WKP-P04D	234.0	235.0	0.99	1.0
WKP-P04D	235.0	236.0	0.92	1.0
WKP-P04D	236.0	237.0	0.47	<1
WKP-P04D	237.0	238.0	0.33	<1
WKP-P04D	238.0	239.0	0.81	1.0
WKP-P04D	239.0	240.0	0.27	<1
WKP-P04D	240.0	241.0	0.35	1.0
WKP-P04D	241.0	242.0	0.15	1.0
WKP-P04D	242.0	243.0	0.23	2.0
WKP-P04D	243.0	244.0	0.20	2.0
WKP-P04D	244.0	245.0	0.22	<1
WKP-P04D	245.0	246.0	0.14	2.0
WKP-P04D	246.0	247.1	0.69	4.0
WKP-P04D	247.1	248.0	0.30	2.0
WKP-P04D	248.0	249.0	0.14	1.0
WKP-P04D	249.0	250.0	0.21	3.0
WKP-P04D	250.0	250.7	0.13	1.0
WKP-P04D	251.0	251.3	0.18	2.0
WKP-P04D	251.3	251.7	2.13	14.0
WKP-P04D	251.7	252.7	0.68	5.0
WKP-P04D	253.1	254.0	0.14	1.0
WKP-P04D	254.0	255.0	0.37	3.0
WKP-P04D	255.0	256.0	0.82	3.0
WKP-P04D	256.0	257.0	0.22	<1
WKP-P04D	257.0	258.0	0.31	2.0
WKP-P04D	258.0	259.0	0.24	1.0
WKP-P04D	259.0	260.0	0.48	3.0
WKP-P04D	260.0	261.0	0.63	5.0
WKP-P04D	261.0	261.8	0.71	4.0
WKP-P04D	262.1	262.6	0.16	2.0
WKP-P04D	263.0	264.0	0.32	3.0
WKP-P04D	264.0	265.0	0.74	3.0
WKP-P04D	265.0	266.0	0.89	3.0
WKP-P04D	266.0	266.7	0.81	5.0
WKP-P04D	266.7	267.4	1.91	10.0
WKP-P04D	267.4	267.9	0.18	1.0
WKP-P04D	268.2	269.0	0.33	3.0
WKP-P04D	269.0	270.0	0.57	6.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	270.0	270.6	0.31	2.0
WKP-P04D	270.7	271.0	0.37	4.0
WKP-P04D	271.0	272.1	0.36	3.0
WKP-P04D	272.1	273.0	3.59	25.0
WKP-P04D	273.0	274.2	2.49	20.0
WKP-P04D	274.2	275.0	0.60	2.0
WKP-P04D	275.0	276.0	0.21	2.0
WKP-P04D	276.0	277.0	0.25	2.0
WKP-P04D	277.0	278.0	0.47	3.0
WKP-P04D	278.0	279.0	1.15	6.0
WKP-P04D	279.0	279.5	0.17	1.0
WKP-P04D	279.7	280.0	0.18	2.0
WKP-P04D	280.0	281.0	0.19	1.0
WKP-P04D	281.0	282.0	0.46	3.0
WKP-P04D	282.0	283.0	0.33	2.0
WKP-P04D	283.0	284.0	0.26	2.0
WKP-P04D	284.0	285.0	0.22	2.0
WKP-P04D	285.0	285.8	0.34	3.0
WKP-P04D	286.1	287.0	0.24	2.0
WKP-P04D	287.0	287.7	0.25	2.0
WKP-P04D	287.7	288.1	0.86	6.0
WKP-P04D	288.1	289.0	0.47	2.0
WKP-P04D	289.0	290.0	0.29	3.0
WKP-P04D	290.0	291.0	0.16	2.0
WKP-P04D	291.0	292.0	0.31	3.0
WKP-P04D	292.0	293.0	0.27	4.0
WKP-P04D	293.0	294.0	0.26	2.0
WKP-P04D	294.0	295.0	0.56	6.0
WKP-P04D	295.0	295.6	0.45	3.0
WKP-P04D	295.8	297.0	0.17	2.0
WKP-P04D	297.0	298.0	0.25	2.0
WKP-P04D	298.0	299.0	0.19	1.0
WKP-P04D	299.0	300.0	0.49	5.0
WKP-P04D	300.0	300.7	0.59	5.0
WKP-P04D	301.0	302.0	0.24	2.0
WKP-P04D	302.0	303.0	0.26	3.0
WKP-P04D	303.0	304.0	0.39	2.0
WKP-P04D	304.0	305.0	0.51	4.0
WKP-P04D	305.0	306.0	0.20	2.0
WKP-P04D	306.0	306.4	0.13	3.0
WKP-P04D	306.8	308.0	0.25	3.0
WKP-P04D	308.0	309.0	0.24	1.0
WKP-P04D	309.0	310.2	0.18	<1
WKP-P04D	310.2	310.7	3.59	16.0
WKP-P04D	310.7	311.8	0.36	2.0
WKP-P04D	311.8	313.0	1.36	8.0
WKP-P04D	313.0	314.0	0.33	2.0
WKP-P04D	314.0	315.0	0.36	1.0
WKP-P04D	315.3	316.0	0.20	2.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	316.0	317.2	0.07	<1
WKP-P04D	317.2	318.0	0.15	<1
WKP-P04D	318.0	319.0	0.12	<1
WKP-P04D	319.0	320.2	0.09	<1
WKP-P04D	320.6	321.0	0.08	<1
WKP-P04D	321.0	322.0	0.13	<1
WKP-P04D	322.0	323.0	0.10	<1
WKP-P04D	323.2	324.0	0.22	3.0
WKP-P04D	324.0	324.9	0.07	1.0
WKP-P04D	325.1	326.0	0.84	3.0
WKP-P04D	326.0	327.0	0.20	2.0
WKP-P04D	327.0	328.0	0.14	<1
WKP-P04D	328.0	329.0	0.12	<1
WKP-P04D	329.0	330.0	0.18	<1
WKP-P04D	330.3	331.1	0.15	4.0
WKP-P04D	331.1	331.5	2.71	35.0
WKP-P04D	331.5	332.7	0.14	<1
WKP-P04D	332.7	333.9	0.07	<1
WKP-P04D	333.9	335.0	0.14	<1
WKP-P04D	335.0	336.0	0.20	2.0
WKP-P04D	336.0	337.0	0.15	2.0
WKP-P04D	337.0	337.9	0.24	<1
WKP-P04D	337.9	338.2	1.24	6.0
WKP-P04D	338.2	339.0	0.17	<1
WKP-P04D	339.0	340.0	0.28	<1
WKP-P04D	340.0	341.0	0.56	4.0
WKP-P04D	341.0	342.0	0.15	<1
WKP-P04D	342.0	343.0	0.35	2.0
WKP-P04D	343.0	344.2	0.37	2.0
WKP-P04D	344.2	344.8	5.38	11.0
WKP-P04D	344.8	345.3	6.36	78.0
WKP-P04D	345.3	345.7	8.96	17.0
WKP-P04D	345.7	346.9	0.45	2.0
WKP-P04D	346.9	348.0	0.22	1.0
WKP-P04D	348.0	349.2	0.58	2.0
WKP-P04D	349.2	349.8	0.56	<1
WKP-P04D	349.8	350.5	0.44	2.0
WKP-P04D	350.5	351.7	0.63	3.0
WKP-P04D	351.7	352.1	1.21	5.0
WKP-P04D	352.1	353.3	0.40	2.0
WKP-P04D	353.3	353.6	2.14	7.0
WKP-P04D	353.6	354.2	0.32	<1
WKP-P04D	354.2	354.7	3.57	3.0
WKP-P04D	354.7	355.9	0.42	2.0
WKP-P04D	355.9	357.0	0.20	<1
WKP-P04D	357.0	358.0	0.15	<1
WKP-P04D	358.0	359.0	0.22	2.0
WKP-P04D	359.0	360.0	0.75	6.0
WKP-P04D	360.0	361.0	0.29	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	361.0	362.2	0.20	<1
WKP-P04D	362.2	363.2	0.18	<1
WKP-P04D	363.2	363.7	0.41	2.0
WKP-P04D	363.7	364.5	5.52	8.0
WKP-P04D	364.5	365.2	0.25	<1
WKP-P04D	365.2	366.0	0.19	<1
WKP-P04D	366.0	367.0	0.14	<1
WKP-P04D	367.0	368.0	0.20	1.0
WKP-P04D	368.0	369.0	0.14	1.0
WKP-P04D	369.0	370.0	0.58	2.0
WKP-P04D	370.0	371.0	0.86	<1
WKP-P04D	371.0	372.0	0.18	<1
WKP-P04D	372.0	373.0	0.34	2.0
WKP-P04D	373.0	374.0	0.15	<1
WKP-P04D	374.0	375.0	0.14	2.0
WKP-P04D	375.0	376.0	0.14	6.0
WKP-P04D	376.0	377.0	0.54	1.0
WKP-P04D	377.0	377.3	1.87	1.0
WKP-P04D	377.3	378.0	0.40	17.0
WKP-P04D	378.0	379.0	0.35	17.0
WKP-P04D	379.0	380.0	0.34	<1
WKP-P04D	380.0	381.0	0.51	9.0
WKP-P04D	381.0	382.0	0.45	1.0
WKP-P04D	382.0	383.0	0.38	<1
WKP-P04D	383.0	384.0	0.52	1.0
WKP-P04D	384.0	385.0	0.50	1.0
WKP-P04D	385.0	386.0	0.52	2.0
WKP-P04D	386.0	387.0	0.36	1.0
WKP-P04D	387.0	388.0	0.68	2.0
WKP-P04D	388.0	389.0	0.72	3.0
WKP-P04D	389.0	390.0	0.32	1.0
WKP-P04D	390.0	391.0	0.74	2.0
WKP-P04D	391.0	392.0	1.64	6.0
WKP-P04D	392.0	393.0	0.26	<1
WKP-P04D	393.0	394.0	0.72	2.0
WKP-P04D	394.0	395.0	0.77	3.0
WKP-P04D	395.0	396.0	0.59	2.0
WKP-P04D	396.0	397.0	1.46	7.0
WKP-P04D	397.0	397.8	3.30	16.0
WKP-P04D	397.8	398.4	7.04	33.0
WKP-P04D	398.4	399.5	0.33	<1
WKP-P04D	399.5	400.7	0.26	<1
WKP-P04D	400.7	401.8	0.52	1.0
WKP-P04D	401.8	403.0	0.34	2.0
WKP-P04D	403.0	404.0	0.23	<1
WKP-P04D	404.0	405.0	0.45	<1
WKP-P04D	405.0	406.0	0.26	1.0
WKP-P04D	406.0	407.0	0.19	<1
WKP-P04D	407.0	408.0	1.09	5.0



Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P04D	408.0	409.1	0.57	2.0
WKP-P04D	409.1	410.3	0.29	<1
WKP-P06S	48.0	49.0	0.13	<1
WKP-P06S	49.0	50.0	0.11	1.0
WKP-P06S	50.0	51.0	0.09	<1
WKP-P06S	51.0	52.1	0.18	1.0
WKP-P06S	52.1	53.3	0.13	1.0
WKP-P06S	53.3	54.0	0.10	<1
WKP-P06S	54.0	55.0	0.09	<1
WKP-P06S	55.0	56.3	0.10	<1
WKP-P06S	96.0	97.0	24.60	56.0
WKP-P06S	98.7	99.6	14.40	27.0
WKP-P06S	102.2	103.5	27.40	50.0
WKP-P06S	103.5	104.5	21.70	41.0
WKP-P06S	113.2	114.0	0.33	1.0
WKP-P06S	118.0	118.8	12.80	59.0
WKP-P07D	50.0	51.0	0.05	<1
WKP-P07D	51.0	51.6	0.02	1.0
WKP-P07D	51.6	52.4	0.02	1.0
WKP-P07D	52.4	53.1	0.02	<1
WKP-P07D	53.1	53.9	0.02	2.0
WKP-P07D	53.9	54.3	0.02	<1
WKP-P07D	54.3	55.2	<0.01	<1
WKP-P07D	55.2	56.2	<0.01	<1
WKP-P07D	56.2	56.8	<0.01	<1
WKP-P07D	56.8	57.4	0.01	<1
WKP-P07D	57.4	58.0	0.02	1.0
WKP-P07D	58.0	59.0	0.03	<1
WKP-P07D	59.0	60.0	0.02	<1
WKP-P07D	60.0	61.0	0.03	<1
WKP-P07D	61.0	61.8	0.02	<1
WKP-P07D	61.8	62.9	0.02	<1
WKP-P07D	62.9	63.3	<0.01	<1
WKP-P07D	63.3	64.1	0.01	<1
WKP-P07D	64.1	65.0	0.02	<1
WKP-P07D	65.0	66.0	0.02	<1
WKP-P07D	66.0	67.0	<0.01	<1
WKP-P07D	67.0	68.0	<0.01	<1
WKP-P07D	68.0	69.0	0.02	<1
WKP-P07D	69.0	70.0	0.11	<1
WKP-P07D	70.0	70.8	0.02	<1
WKP-P07D	70.8	71.2	<0.01	<1
WKP-P07D	71.2	72.0	<0.01	<1
WKP-P07D	72.0	73.0	<0.01	<1
WKP-P07D	73.0	74.0	0.03	<1
WKP-P07D	74.0	75.0	<0.01	<1
WKP-P07D	75.0	75.5	<0.01	<1
WKP-P07D	75.5	76.0	<0.01	<1
WKP-P07D	76.0	77.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P07D	77.0	78.0	<0.01	<1
WKP-P07D	78.0	79.0	0.05	<1
WKP-P07D	79.0	80.0	0.09	<1
WKP-P07D	80.0	81.0	0.05	<1
WKP-P07D	81.0	82.0	0.03	1.0
WKP-P07D	82.0	83.1	0.02	<1
WKP-P07D	83.1	84.3	0.03	<1
WKP-P07D	84.3	85.4	0.02	<1
WKP-P07D	85.4	86.0	0.02	<1
WKP-P07D	86.0	87.0	0.02	<1
WKP-P07D	87.0	88.0	0.04	1.0
WKP-P07D	88.0	89.0	0.03	<1
WKP-P07D	89.0	90.0	<0.01	<1
WKP-P07D	90.0	91.0	0.03	<1
WKP-P07D	91.0	92.0	0.03	<1
WKP-P07D	92.0	93.0	2.99	8.0
WKP-P07D	93.0	94.0	0.06	2.0
WKP-P07D	94.0	94.5	1.53	4.0
WKP-P07D	94.5	95.5	1.71	3.0
WKP-P07D	95.5	96.0	1.90	4.0
WKP-P07D	96.0	97.0	0.08	6.0
WKP-P07D	97.0	98.0	0.04	1.0
WKP-P07D	98.0	99.0	0.03	1.0
WKP-P07D	99.0	100.0	0.04	<1
WKP-P07D	100.0	101.0	0.03	<1
WKP-P07D	101.0	102.0	0.03	2.0
WKP-P07D	102.0	103.0	0.09	2.0
WKP-P07D	103.0	104.0	0.07	<1
WKP-P07D	104.0	105.0	0.07	<1
WKP-P07D	105.0	106.0	0.05	<1
WKP-P07D	106.0	107.0	0.04	<1
WKP-P07D	107.0	108.0	0.06	2.0
WKP-P07D	108.0	109.2	0.07	2.0
WKP-P07D	109.2	109.5	0.18	5.0
WKP-P07D	109.5	110.5	0.05	<1
WKP-P07D	110.5	111.0	0.07	<1
WKP-P07D	111.0	112.0	0.09	1.0
WKP-P07D	112.0	112.5	0.68	<1
WKP-P07D	112.5	113.0	0.20	1.0
WKP-P07D	113.0	114.0	0.13	<1
WKP-P07D	114.0	115.0	0.25	<1
WKP-P07D	115.0	115.7	0.46	<1
WKP-P07D	115.7	116.7	0.30	2.0
WKP-P07D	116.7	117.4	0.32	2.0
WKP-P07D	117.4	118.1	0.90	4.0
WKP-P07D	118.1	119.2	0.37	2.0
WKP-P07D	119.2	119.7	0.54	4.0
WKP-P07D	119.7	120.6	0.57	2.0
WKP-P07D	120.6	121.7	0.17	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P07D	121.7	122.0	0.08	<1
WKP-P07D	122.0	122.4	0.08	1.0
WKP-P07D	122.4	123.0	0.06	<1
WKP-P07D	123.0	124.0	0.11	<1
WKP-P07D	124.0	124.7	0.06	<1
WKP-P07D	124.7	125.0	0.17	1.0
WKP-P07D	125.0	126.0	0.04	<1
WKP-P07D	126.0	127.0	0.03	<1
WKP-P07D	127.0	128.0	0.04	<1
WKP-P07D	128.0	129.0	0.05	<1
WKP-P07D	129.0	130.0	0.07	1.0
WKP-P07D	130.0	131.0	0.06	<1
WKP-P07D	131.0	132.0	0.10	<1
WKP-P07D	132.0	133.0	0.07	<1
WKP-P07D	133.0	134.0	0.03	<1
WKP-P07D	134.0	134.7	0.03	<1
WKP-P07D	134.7	135.0	0.07	<1
WKP-P07D	135.0	136.0	0.03	<1
WKP-P07D	136.0	137.0	0.17	<1
WKP-P07D	137.0	138.2	0.14	<1
WKP-P07D	138.2	138.5	0.74	4.0
WKP-P07D	138.5	139.0	0.26	2.0
WKP-P07D	139.0	139.3	0.65	4.0
WKP-P07D	139.3	140.0	0.19	1.0
WKP-P07D	140.0	141.0	0.17	2.0
WKP-P07D	141.0	142.0	0.10	2.0
WKP-P07D	142.0	143.0	0.07	<1
WKP-P07D	143.0	144.0	0.13	2.0
WKP-P07D	144.0	144.5	0.35	2.0
WKP-P07D	144.5	145.0	0.12	<1
WKP-P07D	145.0	146.0	0.16	1.0
WKP-P07D	146.0	147.0	0.12	1.0
WKP-P07D	147.0	148.0	0.31	1.0
WKP-P07D	148.0	148.5	0.34	1.0
WKP-P07D	148.5	149.0	1.21	6.0
WKP-P07D	149.0	150.0	0.09	1.0
WKP-P07D	150.0	151.0	0.19	2.0
WKP-P07D	151.0	152.2	0.27	<1
WKP-P07D	152.2	152.5	0.32	<1
WKP-P07D	152.5	153.0	0.16	<1
WKP-P07D	153.0	154.0	0.17	1.0
WKP-P07D	154.0	155.0	0.33	1.0
WKP-P07D	155.0	156.0	0.21	1.0
WKP-P07D	156.0	156.6	9.69	8.0
WKP-P07D	156.6	157.4	0.49	1.0
WKP-P07D	157.4	158.0	0.32	<1
WKP-P07D	158.0	159.0	0.14	1.0
WKP-P07D	159.0	160.0	0.09	<1
WKP-P07D	160.0	161.0	0.32	1.0

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P07D	161.0	162.0	0.05	<1
WKP-P07D	162.0	163.0	0.06	<1
WKP-P07D	163.0	164.2	0.07	<1
WKP-P07D	164.2	164.5	0.67	3.0
WKP-P07D	164.5	165.0	0.77	3.0
WKP-P07D	165.0	165.8	13.90	35.0
WKP-P07D	165.8	166.3	0.22	<1
WKP-P07D	166.3	167.0	0.91	2.0
WKP-P07D	167.0	168.0	0.18	1.0
WKP-P07D	168.0	169.0	0.10	<1
WKP-P07D	169.0	170.0	0.07	<1
WKP-P07D	170.0	171.0	0.06	<1
WKP-P07D	171.0	172.0	0.08	<1
WKP-P07D	172.0	173.0	0.11	<1
WKP-P07D	173.0	174.0	0.07	1.0
WKP-P07D	174.0	175.0	0.06	<1
WKP-P07D	175.0	175.5	0.04	2.0
WKP-P07D	175.5	176.0	0.12	1.0
WKP-P07D	176.0	177.0	0.81	1.0
WKP-P07D	177.0	177.5	0.07	<1
WKP-P07D	177.5	178.0	0.07	<1
WKP-P07D	178.0	179.0	0.12	<1
WKP-P07D	179.0	180.0	0.20	<1
WKP-P07D	180.0	181.0	0.16	<1
WKP-P07D	181.0	182.1	0.51	4.0
WKP-P07D	182.1	183.0	0.15	<1
WKP-P07D	183.0	183.5	0.67	8.0
WKP-P07D	183.5	184.2	2.77	24.0
WKP-P07D	184.2	185.0	0.14	<1
WKP-P07D	185.0	185.4	0.67	<1
WKP-P07S	57.0	58.0	0.14	<1
WKP-P07S	58.0	58.6	0.10	2.0
WKP-P07S	58.6	59.5	0.04	<1
WKP-P07S	61.0	62.0	0.05	<1
WKP-P07S	62.0	63.0	0.22	<1
WKP-P07S	63.0	64.0	0.14	<1
WKP-P07S	70.6	71.4	<0.01	<1
WKP-P07S	71.4	72.0	0.03	<1
WKP-P07S	96.1	96.7	0.15	<1
WKP-P07S	96.7	97.0	1.38	4.0
WKP-P07S	97.0	98.0	0.11	<1
WKP-P07S	101.0	102.0	0.17	<1
WKP-P07S	102.0	102.5	6.18	17.0
WKP-P07S	102.5	103.5	0.16	<1
WKP-P07S	103.5	104.5	0.08	2.0
WKP-P07S	104.5	104.8	0.08	<1
WKP-P07S	104.8	105.8	0.06	<1
WKP-P08D	14.1	14.9	0.43	<1
WKP-P08D	14.9	16.0	0.08	<1

Hole ID	From (m)	To (m)	Au (g/t)	Ag (g/t)
WKP-P08D	16.0	17.0	0.13	<1
WKP-P08D	17.0	18.0	0.08	<1
WKP-P08D	18.0	19.0	0.04	<1
WKP-P08D	19.0	20.0	0.14	<1
WKP-P08D	20.0	21.0	0.16	<1
WKP-P08D	21.0	22.0	0.04	<1
WKP-P08D	22.0	23.1	0.07	<1
WKP-P08D	23.1	23.7	0.12	<1
WKP-P08D	23.7	24.1	0.75	3.0
WKP-P08D	24.1	25.1	0.14	<1
WKP-P08D	25.1	25.8	0.12	<1
WKP-P08D	25.8	27.0	2.69	6.0
WKP-P08D	27.0	27.9	3.63	3.0
WKP-P08D	27.9	29.0	3.76	<1
WKP-P08D	29.0	30.0	4.97	5.0
WKP-P08D	30.0	30.5	2.86	5.0
WKP-P08D	30.5	31.0	0.59	<1
WKP-P08D	31.0	32.2	0.06	<1
WKP-P08D	32.2	32.7	0.07	<1
WKP-P08D	32.7	33.0	0.07	<1
WKP-P08D	33.0	34.0	0.05	<1
WKP-P08D	34.0	34.9	0.06	<1
WKP-P08D	34.9	35.3	0.09	<1
WKP-P08D	35.3	36.0	0.04	<1
WKP-P08D	36.0	37.0	0.05	1.0
WKP-P08D	37.0	38.0	0.06	<1
WKP-P08D	38.0	39.0	0.32	<1
WKP-P08D	39.0	40.0	0.30	<1
WKP-P08D	40.0	40.5	0.19	<1
WKP-P08D	40.5	41.0	0.25	<1
WKP-P08D	41.0	42.0	0.28	<1