

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP99	0	352.0	-24.0
WKP99	40	352.6	-25.3
WKP99	65	352.0	-24.9
WKP99	70	352.0	-24.9
WKP99	90	352.1	-25.5
WKP99	120	350.9	-25.7
WKP99	180	350.2	-26.9
WKP99	210	350.8	-27.2
WKP99	240	351.3	-27.7
WKP99	300	350.0	-27.4
WKP99	330	349.9	-27.5
WKP99	389	348.1	-28.8
WKP99	419	347.2	-29.4
WKP99	420	347.2	-29.4
WKP99A	0	352.0	-24.0
WKP99A	40	352.6	-25.3
WKP99A	65	352.0	-24.9
WKP99A	70	352.0	-24.9
WKP99A	90	352.1	-25.5
WKP99A	120	350.9	-25.7
WKP99A	180	350.2	-26.9
WKP99A	210	350.8	-27.2
WKP99A	240	351.3	-27.7
WKP100	0	101.9	-23.0
WKP100	20	103.1	-25.0
WKP100	40	104.5	-24.0
WKP100	90	102.2	-24.1
WKP100	120	102.5	-23.9
WKP100	150	102.2	-23.7
WKP100	180	101.8	-24.0
WKP100	210	102.1	-23.6
WKP100	250	100.9	-23.5
WKP100	270	101.2	-23.3
WKP100	290	101.1	-23.3
WKP100	310	100.6	-24.0
WKP100	330	100.6	-24.3
WKP100	350	100.3	-24.3
WKP100	370	100.0	-24.7
WKP100	390	99.7	-24.7
WKP100	400	99.4	-25.0
WKP100	410	99.6	-25.2
WKP100	430	99.3	-25.0
WKP100	450	98.9	-24.9
WKP100	480	98.9	-25.4
WKP100	500	98.9	-25.5
WKP100	510	98.8	-25.3
WKP100	540	98.8	-26.2
WKP100	570	98.8	-26.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP100	597	98.7	-27.0
WKP100	630	98.3	-27.4
WKP100	660	98.1	-27.9
WKP100	690	97.6	-28.9
WKP100	720	98.7	-29.0
WKP100	750	97.6	-29.8
WKP100	780	98.1	-29.9
WKP100	810	99.1	-29.6
WKP100	840	98.7	-29.1
WKP100	870	98.6	-28.4
WKP100	900	98.8	-27.5
WKP100	930	99.3	-27.3
WKP100	990	99.1	-27.3
WKP100	1020	98.9	-26.7
WKP100	1050	98.9	-27.0
WKP100	1080	98.9	-27.4
WKP100	1110	99.3	-27.8
WKP100	1140	99.4	-28.6
WKP100	1176	98.7	-28.6
WKP100	1200	98.4	-28.3
WKP100	1230	98.3	-29.6
WKP100	1260	98.1	-30.7
WKP100	1308	98.0	-32.4
WKP101	0	136.5	-20.0
WKP101	20	137.9	-20.8
WKP101	40	138.3	-20.9
WKP101	60	137.8	-21.5
WKP101	90	136.9	-22.1
WKP101	120	137.5	-21.1
WKP101	150	136.5	-19.7
WKP101	180	134.9	-19.3
WKP101	210	134.4	-19.1
WKP101	220	134.0	-19.5
WKP101	240	134.5	-18.9
WKP101	270	134.0	-19.5
WKP101	330	133.4	-20.4
WKP101	360	133.6	-20.4
WKP101	390	135.0	-20.2
WKP101	420	134.5	-21.6
WKP101	450	134.5	-20.1
WKP101	480	134.4	-19.2
WKP101	510	134.4	-20.5
WKP101	529	134.5	-20.3
WKP101A	0	136.5	-20.0
WKP101A	20	137.9	-20.8
WKP101A	40	138.3	-20.9
WKP101A	60	137.8	-21.5
WKP101A	90	136.9	-22.1

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP101A	120	137.5	-21.1
WKP101A	150	136.5	-19.7
WKP101A	180	134.9	-19.3
WKP101A	210	134.4	-19.1
WKP101A	220	134.0	-19.5
WKP101A	240	134.5	-18.9
WKP101A	270	134.0	-19.5
WKP101A	330	133.4	-20.4
WKP101A	360	133.6	-20.4
WKP102	0	116.9	-20.0
WKP102	20	118.3	-21.1
WKP102	30	118.3	-22.4
WKP102	40	118.3	-22.4
WKP102	60	119.2	-22.3
WKP102	90	118.7	-23.2
WKP102	120	118.2	-24.8
WKP102	134	118.8	-24.4
WKP102	152	119.1	-24.6
WKP102	180	117.7	-24.2
WKP102	210	117.5	-24.6
WKP102	240	116.6	-26.0
WKP102	270	115.8	-27.2
WKP102	273	115.8	-27.2
WKP102	300	113.9	-28.3
WKP102	330	116.9	-28.8
WKP102	360	117.0	-30.1
WKP103	0	135.5	-27.5
WKP103	20	135.6	-27.1
WKP103	30	137.1	-27.4
WKP103	60	137.3	-28.1
WKP103	90	136.6	-28.1
WKP103	120	136.5	-27.3
WKP103	150	136.4	-26.2
WKP103	180	136.3	-25.6
WKP103	210	136.2	-25.8
WKP103	240	137.2	-25.6
WKP103	270	136.8	-25.8
WKP103	300	137.0	-25.8
WKP103	330	137.1	-25.6
WKP103	360	137.1	-25.4
WKP103	450	137.7	-25.3
WKP103	480	137.7	-25.4
WKP103	510	137.7	-25.5
WKP103	552	138.3	-25.6
WKP104	0	133.9	-20.0
WKP104	30	136.5	-20.7
WKP104	60	136.8	-20.9
WKP104	90	136.6	-21.4

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP104	120	135.4	-22.3
WKP104	121	135.4	-22.3
WKP104	150	135.2	-23.6
WKP104	180	134.2	-23.8
WKP104	210	133.7	-24.0
WKP104	240	134.1	-24.8
WKP104	270	133.6	-24.5
WKP104	300	133.8	-23.9
WKP104	330	133.8	-22.8
WKP104	360	134.1	-22.1
WKP104	390	134.3	-21.5
WKP104	420	134.6	-21.0
WKP104	450	136.5	-21.0
WKP105	0	148.0	-42.0
WKP105	20	148.5	-42.8
WKP105	30	148.7	-42.8
WKP105	60	148.3	-43.0
WKP105	90	148.5	-42.4
WKP105	120	148.3	-41.6
WKP105	150	148.7	-40.4
WKP105	180	147.8	-41.2
WKP105	210	147.7	-40.8
WKP105	240	147.6	-40.5
WKP105	270	148.7	-40.2
WKP105	300	147.7	-40.1
WKP105	330	148.7	-40.2
WKP105	360	147.8	-39.6
WKP105	390	147.9	-38.9
WKP105	420	148.0	-38.1
WKP105	450	148.0	-37.3
WKP105	480	148.1	-35.9
WKP105	510	148.9	-35.5
WKP105	540	149.4	-35.0
WKP105	550	148.1	-35.4
WKP106	0	143.5	-27.0
WKP106	30	143.6	-26.9
WKP106	60	143.3	-28.0
WKP106	90	143.3	-28.5
WKP106	120.1	145.0	-26.7
WKP106	150.1	144.4	-25.9
WKP106	180.1	144.6	-25.5
WKP106	210.1	143.9	-25.6
WKP106	240.1	144.3	-26.0
WKP106	270.1	144.2	-26.7
WKP106	300	144.1	-27.4
WKP106	330.1	144.2	-27.7
WKP106	360.1	144.3	-27.1
WKP106	390.1	144.6	-26.1

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP106	420.1	144.6	-25.8
WKP106	450.1	144.5	-25.3
WKP106	480.1	143.6	-24.8
WKP106	510	143.9	-23.4
WKP106	540	143.8	-22.5
WKP106	552	144.5	-21.8
WKP107	0	151.0	-26.0
WKP107	19	153.6	-26.9
WKP107	20	153.6	-26.9
WKP107	30	153.1	-27.4
WKP107	60	153.0	-28.6
WKP107	90	153.8	-28.9
WKP107	108	153.4	-28.4
WKP107	109	153.4	-28.4
WKP107	117	153.4	-28.4
WKP107A	0	150.6	-24.6
WKP107A	10	150.9	-24.4
WKP107A	20	152.8	-26.0
WKP107A	30	153.9	-25.3
WKP107A	40	153.7	-25.1
WKP107A	50	153.5	-24.9
WKP107A	60	153.9	-25.7
WKP107A	69.9	153.9	-26.0
WKP107A	80	153.8	-26.0
WKP107A	90	153.8	-25.6
WKP107A	100	153.9	-25.1
WKP107A	109.9	153.7	-24.7
WKP107A	119.9	153.8	-24.3
WKP107A	129.9	153.8	-23.8
WKP107A	140	154.0	-23.6
WKP107A	150	153.9	-23.2
WKP107A	160	154.0	-22.8
WKP107A	170	154.0	-22.5
WKP107A	180	154.1	-22.3
WKP107A	189.9	154.1	-22.1
WKP107A	199.9	154.0	-22.1
WKP107A	209.9	154.0	-21.9
WKP107A	219.9	154.0	-21.9
WKP107A	230	154.0	-21.9
WKP107A	239.9	154.2	-21.8
WKP107A	250	154.4	-21.9
WKP107A	260	154.6	-21.9
WKP107A	269.9	154.5	-22.3
WKP107A	279.9	154.5	-22.4
WKP107A	290	154.5	-22.5
WKP107A	299.9	154.6	-22.9
WKP107A	309.9	154.5	-23.1
WKP107A	320	154.5	-23.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP107A	330	154.4	-23.9
WKP107A	340	154.4	-24.0
WKP107A	350	154.6	-24.1
WKP107A	359.9	154.6	-24.2
WKP107A	369.9	154.7	-24.2
WKP107A	379.9	154.8	-23.9
WKP107A	390	154.8	-23.6
WKP107A	400	154.8	-23.5
WKP107A	409.9	154.8	-23.3
WKP107A	419.9	154.9	-23.1
WKP107A	429.9	154.9	-22.8
WKP107A	440	154.9	-22.5
WKP107A	450	154.9	-22.4
WKP107A	460	154.9	-22.2
WKP107A	470	154.8	-22.0
WKP107A	480	154.8	-21.8
WKP107A	490	154.9	-21.7
WKP107A	500	155.0	-21.4
WKP107A	510	154.8	-21.3
WKP107A	520	154.8	-21.5
WKP107A	529.9	154.9	-21.9
WKP107A	540	154.7	-22.0
WKP107A	550	154.8	-22.0
WKP107A	559.9	154.6	-22.0
WKP107A	569.9	154.6	-22.0
WKP107A	580	154.5	-22.4
WKP108	0	100.2	-42.0
WKP108	20	101.9	-41.6
WKP108	40	101.2	-41.7
WKP108	60	100.7	-41.7
WKP108	96	99.0	-41.5
WKP108	120	99.0	-42.2
WKP108	150	98.9	-43.7
WKP108	160	98.9	-43.7
WKP108	180	99.1	-42.0
WKP108	210	98.6	-41.8
WKP108	240	98.0	-41.1
WKP108	270	97.2	-41.8
WKP108	300	97.3	-42.6
WKP108	330	96.6	-43.1
WKP108A	0	100.2	-44.0
WKP108A	20	102.0	-43.0
WKP108A	40	99.5	-42.5
WKP108B	0	100.2	-44.0
WKP108B	20	102.0	-43.0
WKP108B	40	99.5	-42.5
WKP108B	93	98.1	-38.5
WKP108B	120	97.3	-38.7

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP108B	150	97.7	-38.5
WKP108B	180	97.5	-38.2
WKP108B	210	97.7	-37.5
WKP108B	240	96.8	-37.5
WKP108B	270	96.2	-37.1
WKP108B	312	95.2	-37.2
WKP108B	330	95.8	-36.5
WKP108B	360	95.2	-36.1
WKP108B	390	95.1	-35.0
WKP108B	420	94.3	-34.1
WKP108B	450	97.9	-34.9
WKP108B	480	97.3	-35.0
WKP108B	510	97.2	-35.3
WKP108B	540	95.7	-35.7
WKP108B	576	96.2	-34.9
WKP108B	600	96.0	-34.3
WKP108B	630	97.5	-33.4
WKP109	0	133.2	-21.0
WKP109	20	134.5	-19.8
WKP109	40	133.2	-20.4
WKP109	60	134.5	-21.0
WKP109	90	133.5	-21.2
WKP109	120	133.0	-22.3
WKP109	150	133.1	-23.3
WKP109	180	132.5	-24.8
WKP109	210	132.2	-25.6
WKP109	240	132.1	-26.1
WKP109	270	131.8	-26.4
WKP109	300	132.2	-26.1
WKP109	330.1	129.0	-27.6
WKP109	360.1	129.2	-28.0
WKP109	390.1	128.9	-27.6
WKP109	420	129.2	-27.0
WKP109	450	129.3	-26.9
WKP109	480	129.6	-26.7
WKP109	515	131.2	-26.7
WKP109	540	131.6	-26.5
WKP110	0	139.2	-20.0
WKP110	40	140.1	-21.8
WKP110	60	139.2	-23.6
WKP110	90	138.9	-26.3
WKP110	120	138.8	-28.7
WKP111	0	152.6	-26.8
WKP111	10	152.4	-26.5
WKP111	20	152.2	-26.0
WKP111	30	152.2	-26.1
WKP111	40	152.2	-26.2
WKP111	50	152.3	-26.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111	60	152.1	-26.6
WKP111	70	152.2	-26.6
WKP111	80	152.1	-27.3
WKP111	90	152.1	-27.5
WKP111	100	152.0	-27.9
WKP111	110	151.9	-28.3
WKP111	120	151.9	-28.4
WKP111	130	151.9	-28.9
WKP111	140	151.8	-28.8
WKP111	150	151.9	-28.9
WKP111	160	151.8	-29.0
WKP111	170	151.9	-29.0
WKP111	180.1	151.8	-29.4
WKP111	190	151.7	-29.7
WKP111	200	151.7	-30.0
WKP111	210	151.5	-30.4
WKP111	220	151.5	-30.7
WKP111	230	151.5	-31.0
WKP111	240.1	151.2	-31.4
WKP111	250	151.4	-31.7
WKP111	260	151.3	-32.1
WKP111	270.1	151.1	-32.6
WKP111	280.1	151.4	-33.1
WKP111	290.1	151.3	-33.4
WKP111	300.1	151.2	-33.5
WKP111	310.1	151.2	-33.6
WKP111	320.1	151.2	-33.7
WKP111	330	151.1	-33.7
WKP111	340	151.0	-33.7
WKP111	350.1	151.1	-34.0
WKP111	360	151.1	-33.9
WKP111	370.1	150.8	-33.7
WKP111	380	150.9	-33.5
WKP111	390	151.0	-33.2
WKP111	400.1	151.1	-33.0
WKP111	410	151.1	-32.9
WKP111	420.1	151.1	-32.6
WKP111	430	150.9	-32.5
WKP111	440	150.9	-32.2
WKP111	450.1	150.9	-32.2
WKP111	460	150.9	-32.3
WKP111	470	150.9	-32.1
WKP111	480.1	151.0	-31.7
WKP111	490.1	151.0	-31.2
WKP111	500	151.0	-30.9
WKP111	510	151.2	-30.8
WKP111	520.1	151.4	-30.7
WKP111	530	151.1	-30.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP111	540.1	151.1	-30.6
WKP111	550.1	151.0	-30.5
WKP111	560	151.1	-30.0
WKP111	570	151.1	-29.3
WKP111	580.1	151.2	-29.2
WKP111	590	151.2	-28.7
WKP111	600	151.2	-28.4
WKP111	600.4	151.2	-28.4
WKP112	0	121.5	-20.0
WKP112	0	121.4	-21.6
WKP112	5	121.5	-21.4
WKP112	8.9	121.5	-22.2
WKP112	10	121.5	-22.2
WKP112	15	121.5	-22.4
WKP112	20	121.4	-22.2
WKP112	21	121.6	-22.5
WKP112	25	121.2	-22.3
WKP112	30	121.1	-22.5
WKP112	35	121.1	-22.9
WKP112	40	121.9	-23.3
WKP112	40	121.2	-23.3
WKP112	45	121.3	-23.6
WKP112	50	121.3	-23.7
WKP112	55	121.3	-24.0
WKP112	60	122.4	-24.3
WKP112	60	121.4	-24.2
WKP112	65	121.4	-24.4
WKP112	70	121.4	-24.5
WKP112	75	121.3	-24.5
WKP112	79	121.6	-24.5
WKP112	80	121.4	-24.4
WKP112	85	121.3	-24.6
WKP112	90	121.1	-24.5
WKP112	90	121.4	-24.5
WKP112	95	121.3	-24.5
WKP112	100	121.4	-24.5
WKP112	105	121.4	-24.5
WKP112	110	121.4	-24.6
WKP112	115	121.4	-25.4
WKP112	120	121.7	-25.3
WKP112	120	121.3	-25.3
WKP112	125	121.3	-25.4
WKP112	130	121.2	-25.5
WKP112	135	121.2	-25.7
WKP112	140	122.1	-25.7
WKP112	140	121.1	-25.9
WKP112	145	121.2	-25.9
WKP112	150	121.1	-26.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP112	155	121.1	-26.6
WKP112	160	121.1	-26.7
WKP112	165	121.0	-26.8
WKP112	170	121.0	-27.0
WKP112	175	120.9	-27.1
WKP112	180	121.3	-26.8
WKP112	180	120.9	-27.2
WKP112	185	120.8	-27.2
WKP112	190	120.7	-27.3
WKP112	195	120.8	-27.3
WKP112	200	120.6	-27.5
WKP112	205	120.5	-27.4
WKP112	210	121.5	-27.0
WKP112	210	120.5	-27.3
WKP112	215	120.4	-27.4
WKP112	220	120.4	-27.5
WKP112	225	120.4	-27.5
WKP112	230	120.4	-27.7
WKP112	235	120.4	-27.9
WKP112	237	121.1	-27.6
WKP112	240	120.4	-28.0
WKP112	245	120.3	-28.2
WKP112	250	120.1	-28.4
WKP112	255	119.7	-28.4
WKP112	260	119.9	-28.1
WKP112	265	120.0	-29.0
WKP112	267.5	121.2	-27.9
WKP112	268.5	121.2	-27.9
WKP112	269.5	121.1	-27.9
WKP112	270	119.8	-29.2
WKP112	270.5	121.2	-27.8
WKP112	271.5	121.1	-27.7
WKP112	272.5	121.1	-27.6
WKP112	275	119.3	-27.7
WKP112	280	119.6	-27.2
WKP112	285	120.4	-28.7
WKP112	290	119.8	-27.8
WKP112	295	119.3	-26.8
WKP112	300	119.4	-27.5
WKP112	305	120.1	-27.9
WKP112	310	118.6	-26.5
WKP112	315	118.0	-24.9
WKP112	320	118.6	-24.0
WKP112	325	119.0	-24.8
WKP112	330	119.2	-24.5
WKP112	335	119.5	-24.6
WKP112	340	119.5	-24.1
WKP112	345	119.2	-23.7

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP112	350	118.4	-23.0
WKP112	355	118.3	-20.9
WKP112	360	119.1	-20.0
WKP112	365	119.9	-18.6
WKP112	370	119.7	-17.2
WKP112	375	119.8	-16.9
WKP112	380	119.8	-17.0
WKP112	385	119.9	-17.1
WKP112	390	119.9	-17.3
WKP112	395	120.0	-17.5
WKP112	400	120.1	-17.4
WKP112	405	120.0	-17.3
WKP112	410	120.0	-17.2
WKP112	415	120.0	-17.2
WKP112	420	120.2	-17.4
WKP112	425	120.3	-17.6
WKP112	430	120.3	-17.7
WKP112	435	120.4	-17.7
WKP112	440	120.3	-17.5
WKP112	445	120.3	-17.5
WKP112	450	120.2	-17.4
WKP112	455	120.2	-17.3
WKP112	460	120.2	-17.2
WKP112	465	120.2	-17.1
WKP112	469	119.3	-17.2
WKP112	470	120.2	-17.0
WKP112	475	120.2	-16.9
WKP112	480	120.2	-16.9
WKP112	485	120.3	-17.0
WKP112	490	120.1	-17.1
WKP112	491.5	120.2	-17.2
WKP113	0	158.0	-32.5
WKP113	30	160.9	-32.6
WKP113	60	160.0	-32.9
WKP113	90	159.3	-32.4
WKP113	120	159.9	-30.7
WKP113	150	160.3	-29.7
WKP113	156	159.4	-30.3
WKP113	156.8	159.4	-30.3
WKP113	172	160.2	-29.2
WKP113	188	160.4	-28.9
WKP113	198	160.6	-28.9
WKP113	210	160.5	-28.9
WKP113	220	159.4	-29.4
WKP113	240	160.0	-30.2
WKP113	270	159.7	-31.2
WKP113	300	158.3	-32.1
WKP113	330	160.1	-32.3

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP113	360	160.5	-32.6
WKP113	390	159.3	-32.4
WKP113	420	160.0	-31.8
WKP113	450	160.0	-32.1
WKP113	510	160.0	-33.0
WKP113	540	158.1	-34.3
WKP113	580	159.3	-33.8
WKP113	600	159.2	-33.9
WKP113	632	159.4	-34.5
WKP114	0	131.5	-33.5
WKP114	20	132.4	-31.6
WKP114	40	133.3	-32.2
WKP114	60	132.5	-32.5
WKP114	90	133.4	-32.9
WKP114	120	132.7	-33.3
WKP114	150	133.1	-33.8
WKP114	180	132.9	-34.0
WKP114	187	132.9	-34.1
WKP114	190	132.4	-34.5
WKP114	198	133.7	-35.4
WKP114	200	132.5	-35.4
WKP114	202	132.2	-35.8
WKP114	204	132.1	-35.8
WKP114	210	132.0	-36.7
WKP114	215	132.2	-37.1
WKP114	220	132.0	-37.5
WKP114	223	131.7	-37.8
WKP114	225	131.7	-38.0
WKP114	227	131.5	-38.5
WKP114	230	131.4	-38.5
WKP114	234	132.1	-38.7
WKP114	238	131.1	-39.2
WKP114	241	130.8	-39.6
WKP114	244	130.9	-39.7
WKP114	247.5	131.0	-40.0
WKP114	252.5	130.7	-40.0
WKP114	255.5	131.1	-39.5
WKP114	260	129.6	-39.8
WKP114	269	130.9	-40.7
WKP114	271	130.9	-40.8
WKP114	275	130.4	-41.2
WKP114	278	130.3	-41.5
WKP114	280	130.4	-41.6
WKP114	283	130.2	-42.0
WKP114	285	130.3	-42.2
WKP114	287	129.9	-42.3
WKP114	290	129.5	-42.5
WKP114	292	129.1	-42.5

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP114	295	128.5	-42.7
WKP114	300	127.7	-42.6
WKP114	320	127.6	-43.2
WKP114	340	127.3	-43.6
WKP114	360	127.1	-43.5
WKP114	380	127.3	-43.4
WKP114	400	127.1	-43.6
WKP114	420	127.3	-43.4
WKP114	460	127.0	-43.3
WKP114	462	127.0	-43.3
WKP114	480	126.7	-43.3
WKP114	500	127.0	-42.7
WKP114	525	126.8	-42.8
WKP115	0	151.5	-26.0
WKP115	9	151.5	-26.3
WKP115	70	151.5	-26.2
WKP115	150	154.3	-26.2
WKP115	180	154.4	-25.8
WKP115	200	153.4	-26.3
WKP115	220	154.1	-26.3
WKP115	226	154.2	-26.6
WKP115	229	153.4	-26.5
WKP115	232	153.0	-26.5
WKP115	234	152.7	-26.5
WKP115	237	152.3	-26.5
WKP115	239.5	151.8	-26.6
WKP115	242.5	151.3	-26.8
WKP115	252	151.8	-27.0
WKP115	254	151.4	-27.0
WKP115	256	151.2	-26.8
WKP115	260	151.1	-27.0
WKP115	264	151.5	-27.2
WKP115	264.5	151.3	-26.9
WKP115	267	151.2	-26.8
WKP115	267.5	150.5	-27.1
WKP115	270	150.4	-26.9
WKP115	270.5	150.0	-26.9
WKP115	273	149.9	-26.8
WKP115	276	149.9	-26.9
WKP115	278	150.0	-26.9
WKP115	280.5	149.8	-27.1
WKP115	286	149.5	-26.8
WKP115	300	149.9	-27.0
WKP115	330	150.0	-27.9
WKP115	370	150.0	-28.3
WKP115	389	150.0	-28.2
WKP115	390	150.0	-28.2
WKP115	420	150.0	-28.2

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP115	450	149.1	-29.1
WKP115	487	148.5	-29.4
WKP115	487.4	148.5	-29.4
WKP115	511	147.8	-30.0
WKP115	540	148.0	-30.4
WKP116	0	127.0	-20.0
WKP116	60	128.6	-21.3
WKP116	90	128.7	-21.0
WKP116	120	127.3	-20.5
WKP116	150	127.2	-20.9
WKP116	180	127.3	-20.7
WKP116	210	128.3	-20.6
WKP116	240	128.2	-20.9
WKP116	270	127.0	-21.2
WKP116	300	126.8	-21.7
WKP116	330	127.5	-21.6
WKP116	360	127.4	-21.1
WKP116	390	126.3	-21.7
WKP116	420	126.6	-21.5
WKP116	450	125.8	-21.7
WKP116	480	125.6	-21.0
WKP116	501.9	126.2	-20.9
WKP-P03D	0	157.0	-48.0
WKP-P03D	30	155.6	-47.5
WKP-P03D	60	155.3	-48.6
WKP-P03D	90	154.9	-48.8
WKP-P03D	120	155.1	-48.8
WKP-P03D	150	156.0	-49.4
WKP-P03D	180	155.5	-49.3
WKP-P03D	210	154.5	-49.4
WKP-P03D	218	155.7	-49.6
WKP-P04D	0	119.9	-60.0
WKP-P04D	20	122.0	-60.0
WKP-P04D	30	121.6	-59.6
WKP-P04D	60	121.1	-59.5
WKP-P04D	90	121.8	-59.0
WKP-P04D	120	121.7	-58.2
WKP-P04D	150	121.9	-58.0
WKP-P04D	180	122.4	-56.4
WKP-P04D	210	122.3	-55.4
WKP-P04D	240	122.4	-54.1
WKP-P04D	270	122.5	-53.0
WKP-P04D	300	122.7	-52.1
WKP-P04D	330	122.1	-52.0
WKP-P04D	360	122.4	-51.2
WKP-P04D	380	122.8	-51.3
WKP-P04D	394	122.6	-51.2
WKP-P04D	410	122.6	-51.6

NZTM

HOLEID	DEPTH (m's)	AZIMUTH (°)	DIP (°)
WKP-P05D	0	21.9	-90.0
WKP-P05D	20	95.6	-89.4
WKP-P05D	40	41.5	-89.4
WKP-P05D	60	127.5	-89.3
WKP-P05D	90	155.9	-89.3
WKP-P05D	120	216.9	-89.6
WKP-P05D	150	76.2	-89.7
WKP-P05D	180	240.6	-89.5
WKP-P05D	215	245.7	-89.8
WKP-P05D	270	179.7	-88.9
WKP-P05D	300	211.7	-89.4
WKP-P06D	0	22.1	-90.0
WKP-P06S	0	22.1	-90.0
WKP-P07D	0	103.0	-76.0
WKP-P07D	20	104.2	-76.6
WKP-P07D	30	104.0	-77.2
WKP-P07D	60	104.8	-77.3
WKP-P07D	90	105.8	-77.9
WKP-P07D	120	106.4	-76.9
WKP-P07D	150	108.5	-77.1
WKP-P07D	185	108.1	-77.0
WKP-P07S	0	22.1	-90.0
WKP-P07S	20	208.8	-89.5
WKP-P07S	30	321.6	-89.6
WKP-P07S	60	180.7	-89.3
WKP-P07S	90	322.5	-89.7
WKP-P08D	0	22.1	-90.0
WKP-P08S	0	22.1	-90.0