

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP107B	357.4	358.6	0.13	<1
WKP107B	358.6	359.1	0.05	<1
WKP107B	359.1	360.3	0.17	<1
WKP107B	360.3	361.5	0.17	<1
WKP107B	361.5	362.6	0.22	1.0
WKP107B	362.6	363.0	0.35	<1
WKP107B	366.0	367.0	0.16	<1
WKP107B	367.0	368.0	0.07	<1
WKP107B	368.0	369.0	0.08	<1
WKP107B	369.0	370.1	0.07	<1
WKP107B	370.1	371.0	0.45	1.0
WKP107B	371.0	372.0	0.18	<1
WKP107B	372.0	373.1	0.08	<1
WKP107B	373.1	374.3	0.08	<1
WKP107B	374.3	375.2	0.11	<1
WKP107B	375.2	376.0	0.09	<1
WKP107B	378.2	379.2	0.05	<1
WKP107B	379.2	379.6	19.5	18.0
WKP107B	379.6	380.3	0.08	<1
WKP107B	396.2	397.0	0.17	1.0
WKP107B	397.0	397.4	0.37	1.0
WKP107B	397.4	398.2	0.14	<1
WKP107B	398.2	399.2	0.08	<1
WKP107B	399.2	400.0	0.07	<1
WKP107B	400.0	401.0	0.07	<1
WKP107B	401.0	402.0	0.07	<1
WKP107B	403.0	404.2	0.14	<1
WKP107B	404.2	404.7	0.29	<1
WKP107B	404.7	405.9	0.21	<1
WKP107B	408.2	409.4	0.11	<1
WKP107B	409.4	410.4	0.05	<1
WKP107B	410.4	411.0	3.81	4.0
WKP107B	411.0	411.7	0.07	<1
WKP107B	411.7	412.0	57.3	77.0
WKP107B	412.0	412.7	0.77	1.0
WKP107B	412.7	413.0	20.7	21.0
WKP107B	413.0	414.0	0.09	<1
WKP107B	420.2	421.2	1.93	2.0
WKP107B	421.2	421.8	1.09	2.0
WKP107B	421.8	423.0	0.22	<1
WKP107B	423.0	424.0	0.11	<1
WKP107B	424.0	424.6	0.20	<1
WKP107B	424.6	425.1	0.25	<1
WKP107B	425.1	426.0	0.36	1.0
WKP107B	426.0	426.6	2.95	3.0
WKP107B	426.6	427.3	0.62	1.0
WKP107B	427.3	428.1	0.16	<1
WKP107B	428.1	429.0	0.09	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP107B	429.0	430.2	0.34	<1
WKP107B	430.2	431.1	1.16	1.0
WKP107B	431.1	431.7	0.05	<1
WKP107B	431.7	432.4	0.35	<1
WKP107B	432.4	433.5	0.09	<1
WKP107B	433.5	434.7	0.18	<1
WKP107B	434.7	435.9	0.20	<1
WKP107B	435.9	437.0	0.04	<1
WKP107B	437.0	438.0	0.06	<1
WKP107B	438.0	439.0	0.07	<1
WKP107B	439.0	440.0	0.10	<1
WKP107B	440.0	441.0	0.11	<1
WKP107B	441.0	442.0	0.15	<1
WKP107B	442.0	443.0	0.09	<1
WKP107B	443.0	444.0	0.14	<1
WKP107B	444.0	445.0	0.07	<1
WKP107B	445.0	446.0	0.11	<1
WKP107B	446.0	447.0	0.06	<1
WKP107B	447.0	448.0	0.10	<1
WKP107B	448.0	449.0	0.20	<1
WKP107B	449.0	450.0	0.14	<1
WKP107B	450.0	451.0	0.11	<1
WKP107B	451.0	452.0	0.06	<1
WKP107B	452.0	453.0	0.13	<1
WKP107B	453.0	454.0	0.14	<1
WKP107B	454.0	455.0	0.18	<1
WKP107B	455.0	456.0	0.27	<1
WKP107B	456.0	457.0	0.23	<1
WKP107B	457.0	458.0	0.08	<1
WKP107B	458.0	459.0	0.08	<1
WKP107B	459.0	460.0	0.06	<1
WKP107B	460.0	461.1	0.12	<1
WKP107B	461.1	461.7	0.08	<1
WKP107B	461.7	462.9	0.21	<1
WKP107B	462.9	464.0	0.38	<1
WKP107B	464.0	465.0	0.26	<1
WKP107B	465.0	466.0	0.90	1.0
WKP107B	466.0	467.0	0.20	<1
WKP107B	467.0	468.0	0.20	<1
WKP107B	468.0	469.0	0.11	<1
WKP107B	469.0	470.0	0.22	<1
WKP107B	470.0	471.0	0.21	<1
WKP107B	471.0	472.0	0.22	<1
WKP107B	472.0	472.9	0.09	<1
WKP107B	472.9	474.1	0.08	<1
WKP107B	474.4	475.0	0.09	<1
WKP107B	475.0	476.0	0.17	<1
WKP107B	476.0	477.2	0.30	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP107B	477.2	478.3	0.24	<1
WKP107B	478.3	478.9	0.22	<1
WKP107B	478.9	480.0	32.1*	33.0
WKP107B	480.0	481.0	87.9*	42.0
WKP107B	481.0	482.0	7.48*	41.0
WKP107B	482.0	483.2	9.82	8.0
WKP107B	483.2	484.0	0.28	1.0
WKP107B	484.0	484.9	0.12	<1
WKP107B	484.9	486.0	0.25	1.0
WKP107B	486.0	487.0	0.07	<1
WKP107B	487.0	488.0	0.44	<1
WKP107B	488.0	488.5	0.08	<1
WKP107B	488.5	489.0	24.2	56.0
WKP107B	489.0	489.8	0.25	2.0
WKP107B	489.8	490.5	50.3	39.0
WKP107B	490.5	491.0	7.59	6.0
WKP107B	491.0	491.8	0.13	<1
WKP107B	492.1	493.0	0.11	<1
WKP107B	493.0	494.0	0.20	1.0
WKP107B	494.0	495.0	0.30	<1
WKP107B	495.0	496.0	0.07	<1
WKP107B	496.0	497.0	0.34	1.0
WKP107B	497.0	498.0	0.32	1.0
WKP107B	498.0	499.0	0.10	<1
WKP107B	499.3	500.0	0.05	<1
WKP107B	500.0	501.0	0.08	<1
WKP107B	501.0	502.0	0.15	<1
WKP107B	502.0	503.0	0.15	<1
WKP107B	503.0	504.1	0.24	<1
WKP107B	504.1	504.7	1.55	3.0
WKP107B	504.7	505.6	0.31	<1
WKP107B	506.0	507.0	0.16	<1
WKP107B	507.0	508.0	0.22	<1
WKP107B	508.0	509.0	0.23	<1
WKP107B	509.0	510.0	0.16	1.0
WKP107B	510.0	511.0	0.13	<1
WKP107B	511.0	512.0	0.17	<1
WKP107B	512.0	513.0	0.32	1.0
WKP107B	513.0	514.0	0.13	<1
WKP107B	514.0	515.0	0.15	<1
WKP107B	515.0	516.0	0.30	1.0
WKP107B	516.0	517.0	0.15	1.0
WKP107B	517.0	518.0	0.12	1.0
WKP107B	518.0	519.0	0.15	<1
WKP107B	519.0	519.7	0.37	1.0
WKP107B	519.7	520.6	32.8*	47.0
WKP107B	520.6	521.6	42.0*	42.0
WKP107B	521.6	522.2	10.10	15.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP107B	522.2	522.9	38.6*	74.0
WKP107B	523.4	524.3	113.0*	105.0
WKP107B	524.7	525.5	49.7*	76.0
WKP107B	525.5	526.5	68.4*	55.0
WKP107B	526.8	527.4	196.0*	573.0
WKP107B	527.4	528.0	5.62	15.0
WKP107B	528.0	529.0	0.65	5.0
WKP107B	529.0	529.3	0.60	2.0
WKP107B	529.3	529.6	0.88	2.0
WKP107B	529.6	530.2	0.63	2.0
WKP107B	530.2	530.6	1.32	2.0
WKP107B	530.6	531.3	0.70	1.0
WKP107B	531.3	531.9	0.84	1.0
WKP107B	531.9	532.6	0.67	2.0
WKP107B	532.6	533.3	0.56	1.0
WKP107B	533.3	534.0	0.55	2.0
WKP107B	534.0	534.9	0.68	1.0
WKP107B	535.2	536.0	0.55	1.0
WKP107B	536.0	537.1	0.66	<1
WKP107B	537.1	537.6	0.89	2.0
WKP107B	537.6	538.0	0.70	<1
WKP107B	538.0	539.0	0.68	<1
WKP107B	539.0	540.0	3.34	4.0
WKP107B	540.0	540.5	2.73	2.0
WKP107B	540.5	541.0	0.75	<1
WKP107B	541.0	542.0	1.02	1.0
WKP107B	542.0	543.0	0.66	<1
WKP107B	543.0	543.4	1.50	2.0
WKP107B	543.4	544.0	0.48	1.0
WKP107B	544.0	545.0	0.55	1.0
WKP107B	545.0	546.0	0.37	<1
WKP107B	546.0	546.5	0.46	1.0
WKP107B	546.5	546.8	1.96	2.0
WKP107B	546.8	547.1	0.71	1.0
WKP107B	547.1	547.5	5.85	4.0
WKP107B	547.5	548.0	0.56	1.0
WKP107B	548.2	549.0	0.55	1.0
WKP107B	549.0	550.0	0.40	<1
WKP107B	550.0	550.5	0.29	<1
WKP107B	550.5	550.8	0.92	2.0
WKP107B	550.8	551.3	0.39	<1
WKP107B	551.3	551.6	0.41	<1
WKP107B	551.6	552.4	0.33	1.0
WKP107B	552.4	553.1	0.34	1.0
WKP107B	553.1	553.4	0.44	2.0
WKP107B	553.4	553.8	0.37	2.0
WKP107B	553.8	554.2	0.55	2.0
WKP107B	554.2	555.0	0.30	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP107B	555.0	556.0	0.24	<1
WKP107B	556.0	557.0	0.22	<1
WKP107B	557.0	558.0	0.16	<1
WKP107B	558.0	558.7	0.20	<1
WKP107B	558.7	559.1	0.41	<1
WKP107B	559.1	560.0	0.37	<1
WKP107B	560.0	561.0	0.26	<1
WKP107B	561.0	562.0	0.32	<1
WKP107B	562.0	563.0	0.46	1.0
WKP107B	563.0	563.9	0.70	<1
WKP107B	563.9	564.3	0.61	<1
WKP107B	564.6	565.0	0.67	<1
WKP107B	565.0	566.0	0.63	<1
WKP107B	566.0	567.0	0.67	<1
WKP107B	567.0	567.6	0.79	1.0
WKP107B	567.6	567.9	0.62	<1
WKP107B	567.9	569.1	1.78	2.0
WKP107B	569.1	569.6	0.59	1.0
WKP107B	569.6	570.3	0.43	<1
WKP107B	570.3	571.0	0.37	<1
WKP107B	571.0	571.8	1.88	2.0
WKP107B	571.8	572.3	0.86	<1
WKP107B	572.3	573.0	0.22	<1
WKP107B	573.0	574.0	0.10	<1
WKP107B	574.0	575.0	0.41	<1
WKP107B	575.0	576.0	0.62	1.0
WKP107B	576.0	576.6	0.80	2.0
WKP107B	576.6	577.8	0.63	1.0
WKP107B	577.8	578.3	8.38	4.0
WKP107B	578.3	579.0	0.83	<1
WKP107B	579.0	579.9	0.88	1.0
WKP107B	579.9	581.1	0.88	<1
WKP107B	581.1	582.2	0.62	<1
WKP107B	582.2	583.0	5.12	5.0
WKP107B	583.0	583.8	0.55	<1
WKP107B	584.2	585.3	0.22	<1
WKP109A	367.2	368.2	0.04	<1
WKP109A	368.8	370.0	0.15	<1
WKP109A	370.0	371.0	0.10	<1
WKP109A	371.0	371.9	0.79	<1
WKP109A	373.0	374.0	0.39	3.0
WKP109A	374.0	374.9	0.43	<1
WKP109A	374.9	376.0	0.05	1360.0
WKP109A	376.0	377.0	0.18	2.0
WKP109A	377.0	378.0	0.37	1.0
WKP109A	378.0	379.0	0.05	1.0
WKP109A	379.0	380.0	0.18	2.0
WKP109A	380.0	381.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109A	381.0	381.7	0.04	<1
WKP109A	382.2	383.2	0.06	<1
WKP109A	383.9	385.0	0.09	<1
WKP109A	385.0	386.0	0.05	<1
WKP109A	386.0	387.0	0.03	<1
WKP109A	387.0	388.0	0.19	2.0
WKP109A	388.0	389.0	0.21	<1
WKP109A	389.0	390.0	0.13	<1
WKP109A	390.0	391.0	0.34	<1
WKP109A	392.2	393.0	0.14	<1
WKP109A	393.0	394.0	0.35	2.0
WKP109A	394.0	395.0	0.34	<1
WKP109A	395.0	396.3	0.40	2.0
WKP109A	396.5	397.0	0.29	1.0
WKP109A	397.0	398.0	0.49	<1
WKP109A	398.0	398.9	0.48	<1
WKP109A	398.9	400.0	0.20	2.0
WKP109A	400.0	401.0	0.50	<1
WKP109A	401.0	402.0	0.26	<1
WKP109A	402.0	403.0	0.17	<1
WKP109A	403.0	404.0	0.14	<1
WKP109A	404.0	405.0	0.39	<1
WKP109A	405.0	406.0	0.13	<1
WKP109A	406.0	407.0	0.23	<1
WKP109A	407.0	408.0	0.82	<1
WKP109A	408.0	409.0	0.40	1.0
WKP109A	409.0	410.0	0.49	<1
WKP109A	410.0	410.9	1.17	2.0
WKP109A	410.9	411.5	0.68	2.0
WKP109A	411.5	412.0	1.43	2.0
WKP109A	412.0	413.0	0.83	1.0
WKP109A	413.0	414.0	0.61	1.0
WKP109A	414.0	415.0	0.54	1.0
WKP109A	415.0	416.0	0.49	1.0
WKP109A	416.0	416.4	10.10	7.0
WKP109A	416.4	417.5	0.18	<1
WKP109A	417.5	418.2	0.44	1.0
WKP109A	418.2	419.2	0.06	<1
WKP109A	419.2	419.9	0.11	<1
WKP109A	419.9	421.0	0.03	<1
WKP109A	421.0	422.0	0.03	<1
WKP109A	422.0	422.9	<0.01	<1
WKP109A	422.9	424.0	0.04	<1
WKP109A	424.0	425.0	<0.01	<1
WKP109A	425.0	426.0	<0.01	<1
WKP109A	426.0	427.0	<0.01	<1
WKP109A	427.0	428.0	<0.01	<1
WKP109A	428.0	428.7	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109A	428.7	429.4	<0.01	<1
WKP109A	429.4	430.4	<0.01	<1
WKP109A	430.4	431.0	<0.01	<1
WKP109A	431.0	432.0	<0.01	<1
WKP109A	432.0	432.6	0.19	<1
WKP109A	432.6	433.2	<0.01	<1
WKP109A	433.2	434.0	0.02	<1
WKP109A	434.0	435.0	<0.01	<1
WKP109A	435.0	436.0	<0.01	<1
WKP109A	436.0	436.9	<0.01	<1
WKP109A	436.9	437.3	<0.01	<1
WKP109A	437.3	438.0	<0.01	<1
WKP109A	438.0	439.0	<0.01	<1
WKP109A	439.0	440.0	<0.01	<1
WKP109A	440.0	441.0	0.01	<1
WKP109A	441.0	442.0	<0.01	<1
WKP109A	442.0	443.0	<0.01	<1
WKP109A	443.0	444.0	<0.01	<1
WKP109A	444.0	445.0	<0.01	<1
WKP109A	445.0	446.0	<0.01	<1
WKP109A	446.0	447.0	<0.01	<1
WKP109A	447.0	448.0	<0.01	<1
WKP109A	448.0	449.0	<0.01	<1
WKP109A	449.0	450.0	<0.01	<1
WKP109A	450.0	451.0	<0.01	1.0
WKP109A	381.7	382.2	0.02	1.0
WKP109A	451.0	452.0	<0.01	<1
WKP109A	452.0	453.0	<0.01	<1
WKP109A	453.0	454.0	0.01	<1
WKP109A	454.0	455.0	<0.01	<1
WKP109A	455.0	456.0	<0.01	<1
WKP109A	456.0	457.0	<0.01	<1
WKP109A	457.0	458.0	<0.01	<1
WKP109A	458.0	459.0	0.02	<1
WKP109A	459.0	460.0	0.02	<1
WKP109A	460.0	461.0	<0.01	<1
WKP109A	461.0	462.0	0.08	<1
WKP109A	462.0	463.0	<0.01	<1
WKP109A	463.0	464.0	<0.01	<1
WKP109A	464.0	465.0	<0.01	<1
WKP109A	465.0	466.2	<0.01	<1
WKP109A	466.2	467.0	0.01	<1
WKP109A	467.0	468.0	0.01	<1
WKP109A	468.0	469.0	0.02	<1
WKP109A	469.0	470.0	<0.01	<1
WKP109A	470.0	471.0	<0.01	<1
WKP109A	471.0	472.0	0.01	<1
WKP109A	472.0	473.1	0.07	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109A	473.1	474.3	0.01	<1
WKP109A	474.3	475.0	0.02	<1
WKP109A	475.0	476.0	0.02	<1
WKP109A	476.0	477.0	0.02	<1
WKP109A	477.0	478.0	0.02	<1
WKP109A	478.0	479.0	0.01	1.0
WKP109A	479.0	480.0	0.03	<1
WKP109A	480.0	481.0	0.01	<1
WKP109A	481.0	482.0	0.01	<1
WKP109A	482.0	483.0	<0.01	<1
WKP109A	483.0	484.0	0.01	1.0
WKP109A	484.0	485.0	<0.01	<1
WKP109A	485.0	486.0	<0.01	<1
WKP109A	486.0	487.0	<0.01	<1
WKP109A	487.0	488.2	<0.01	<1
WKP109A	488.2	489.0	0.02	<1
WKP109A	489.0	490.0	<0.01	<1
WKP109A	490.0	491.1	<0.01	<1
WKP109A	491.1	492.0	<0.01	<1
WKP109A	492.0	493.0	<0.01	<1
WKP109A	493.0	493.7	<0.01	<1
WKP109A	493.7	494.8	0.02	<1
WKP109A	494.8	495.4	0.01	<1
WKP109A	495.4	496.2	0.02	<1
WKP109A	496.2	497.0	<0.01	<1
WKP109A	497.0	497.5	<0.01	<1
WKP109A	497.5	498.0	<0.01	<1
WKP109A	498.0	499.0	0.03	<1
WKP109A	499.0	500.0	0.20	<1
WKP109A	500.0	500.8	0.32	<1
WKP109A	500.8	502.0	0.22	<1
WKP109A	502.0	502.4	0.54	<1
WKP109A	502.4	502.9	0.53	1.0
WKP109A	502.9	504.1	0.26	2.0
WKP109A	504.1	504.7	0.08	1.0
WKP109A	504.7	505.4	0.36	2.0
WKP109A	505.4	506.0	0.30	2.0
WKP109A	506.0	507.0	0.38	1.0
WKP109A	507.0	508.2	0.40	2.0
WKP109A	508.2	509.2	0.23	3.0
WKP109A	509.2	510.0	1.15	3.0
WKP109A	510.0	511.2	0.33	2.0
WKP109A	511.2	512.0	0.70	1.0
WKP109A	512.0	513.0	0.23	<1
WKP109A	513.0	514.0	0.70	2.0
WKP109A	514.0	515.0	0.17	<1
WKP109A	515.0	516.0	0.04	4.0
WKP109A	516.0	517.2	0.05	3.0



Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109A	517.2	517.5	0.04	1.0
WKP109A	517.5	518.2	0.02	<1
WKP109A	518.2	518.6	0.04	<1
WKP109A	518.6	518.9	0.02	<1
WKP109A	519.5	520.0	<0.01	<1
WKP109A	520.0	521.0	<0.01	<1
WKP109A	521.0	522.0	<0.01	<1
WKP109A	522.0	522.9	0.02	<1
WKP109A	523.2	524.0	<0.01	<1
WKP109A	524.0	525.0	<0.01	<1
WKP109A	525.0	526.0	<0.01	<1
WKP109A	526.0	527.0	<0.01	<1
WKP109A	527.0	528.0	<0.01	<1
WKP109A	528.0	529.0	<0.01	<1
WKP109A	529.0	529.8	<0.01	<1
WKP109A	529.8	530.3	0.01	<1
WKP109A	530.3	531.0	<0.01	<1
WKP109A	531.0	532.0	<0.01	<1
WKP109A	532.0	533.0	<0.01	<1
WKP109A	533.0	533.6	<0.01	<1
WKP109A	533.6	534.6	<0.01	<1
WKP109A	534.6	535.7	<0.01	<1
WKP109A	535.7	536.9	<0.01	<1
WKP109A	536.9	538.0	<0.01	<1
WKP109A	538.0	539.0	<0.01	<1
WKP109A	539.0	540.0	<0.01	<1
WKP109A	540.0	540.9	0.01	<1
WKP109A	540.9	542.0	<0.01	<1
WKP109A	542.0	543.0	<0.01	<1
WKP109A	543.0	543.7	<0.01	<1
WKP109A	543.7	544.9	<0.01	<1
WKP109A	544.9	546.1	<0.01	<1
WKP109A	546.1	547.0	0.01	<1
WKP109A	547.0	547.5	<0.01	<1
WKP109A	547.5	548.0	0.02	<1
WKP109A	548.0	549.0	0.03	<1
WKP109A	549.0	550.0	<0.01	<1
WKP109A	550.0	551.2	0.01	<1
WKP109A	551.2	552.4	0.01	<1
WKP109A	552.4	553.2	<0.01	1.0
WKP109A	327.6	328.4	0.03	<1
WKP109A	328.4	328.8	0.03	<1
WKP109A	328.8	329.9	0.03	<1
WKP109A	332.3	333.0	0.39	<1
WKP109A	333.0	333.7	0.47	2.0
WKP109A	333.7	334.7	0.20	<1
WKP109A	334.7	335.9	0.10	<1
WKP109A	349.0	349.8	0.12	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109A	349.8	350.5	0.09	<1
WKP109A	350.5	351.2	0.05	<1
WKP109A	351.2	352.0	0.03	<1
WKP109A	352.0	352.7	0.10	<1
WKP109A	352.7	353.5	0.12	<1
WKP109A	363.0	364.3	0.03	<1
WKP109A	364.3	365.0	4.69	15.0
WKP109A	365.0	366.0	0.17	<1
WKP109A	366.0	367.2	0.03	<1
WKP109B	320.0	321.0	0.02	<1
WKP109B	321.0	321.9	0.16	2.0
WKP109B	322.6	323.7	0.16	<1
WKP109B	323.9	324.3	0.05	1.0
WKP109B	324.8	326.0	0.21	2.0
WKP109B	326.0	327.0	0.11	<1
WKP109B	327.0	328.0	0.07	<1
WKP109B	348.0	349.0	0.05	<1
WKP109B	349.0	349.5	2.81	2.0
WKP109B	349.5	350.0	0.02	<1
WKP109B	350.0	351.0	0.02	<1
WKP109B	351.0	351.3	0.17	2.0
WKP109B	351.3	352.0	0.03	<1
WKP109B	359.8	360.8	0.48	<1
WKP109B	360.8	361.4	0.04	<1
WKP109B	361.8	362.1	0.02	<1
WKP109B	363.3	364.3	0.09	<1
WKP109B	369.0	370.0	0.09	<1
WKP109B	370.0	371.0	0.05	<1
WKP109B	371.0	372.0	0.05	<1
WKP109B	372.0	373.0	0.25	<1
WKP109B	373.0	374.0	0.05	<1
WKP109B	374.0	375.0	0.06	<1
WKP109B	375.0	376.0	0.18	<1
WKP109B	376.0	377.0	0.08	<1
WKP109B	381.0	382.0	0.04	<1
WKP109B	382.0	383.0	0.11	<1
WKP109B	383.0	384.0	0.19	<1
WKP109B	384.0	385.0	0.02	<1
WKP109B	385.0	385.6	<0.01	<1
WKP109B	385.6	386.0	16.1	48.0
WKP109B	386.0	387.0	0.06	<1
WKP109B	387.0	388.0	0.04	<1
WKP109B	388.0	389.0	<0.01	<1
WKP109B	389.0	390.0	0.05	<1
WKP109B	390.0	391.0	0.17	<1
WKP109B	391.0	391.8	0.09	<1
WKP109B	391.8	393.0	0.05	<1
WKP109B	393.0	394.0	0.05	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109B	394.0	395.0	0.12	<1
WKP109B	395.0	395.3	12.3	12.0
WKP109B	395.3	396.0	0.09	<1
WKP109B	396.0	397.0	0.05	<1
WKP109B	397.0	398.0	0.48	2.0
WKP109B	398.0	399.0	0.13	<1
WKP109B	399.0	400.0	0.03	<1
WKP109B	400.0	401.0	0.04	<1
WKP109B	401.0	402.0	0.09	<1
WKP109B	402.0	403.0	0.13	<1
WKP109B	403.0	404.0	0.16	<1
WKP109B	404.0	405.0	0.16	<1
WKP109B	405.0	406.0	0.02	<1
WKP109B	406.0	406.4	0.77	<1
WKP109B	406.4	407.0	1.48	4.0
WKP109B	407.0	408.0	0.04	<1
WKP109B	408.0	409.0	0.06	<1
WKP109B	409.0	410.0	0.54	<1
WKP109B	410.0	411.0	0.04	<1
WKP109B	411.0	412.0	0.06	<1
WKP109B	412.0	413.0	0.05	<1
WKP109B	413.0	414.0	0.09	<1
WKP109B	414.0	414.4	0.10	<1
WKP109B	414.4	415.0	0.06	<1
WKP109B	415.0	416.0	0.06	<1
WKP109B	416.0	417.0	0.20	<1
WKP109B	417.0	417.8	0.22	<1
WKP109B	417.8	418.3	0.13	<1
WKP109B	418.3	418.7	18.0	65.0
WKP109B	418.7	419.4	0.06	<1
WKP109B	419.4	420.3	25.0	57.0
WKP109B	420.3	421.2	206.0	576.0
WKP109B	421.2	422.0	1.85	3.0
WKP109B	422.0	423.0	0.22	<1
WKP109B	423.0	424.0	0.11	<1
WKP109B	424.0	424.6	2.05	11.0
WKP109B	424.6	425.5	41.2*	112.0
WKP109B	425.5	426.5	27.3*	66.0
WKP109B	426.5	427.1	0.31	1.0
WKP109B	427.1	427.8	0.13	<1
WKP109B	427.8	428.6	0.71	2.0
WKP109B	428.6	429.5	0.21	<1
WKP109B	429.5	430.0	0.27	<1
WKP109B	430.0	431.0	0.19	<1
WKP109B	431.0	431.6	0.09	<1
WKP109B	431.6	432.3	1.37	2.0
WKP109B	432.3	433.0	0.07	<1
WKP109B	433.0	434.0	0.16	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109B	434.0	434.6	0.30	<1
WKP109B	434.6	434.9	0.21	<1
WKP109B	434.9	435.4	0.15	<1
WKP109B	435.4	435.8	0.78	1.0
WKP109B	435.8	436.2	0.08	<1
WKP109B	436.2	436.7	0.22	<1
WKP109B	436.7	437.6	0.33	<1
WKP109B	437.6	438.0	0.20	<1
WKP109B	438.0	438.8	0.17	<1
WKP109B	438.8	439.4	0.24	<1
WKP109B	439.4	440.0	0.05	<1
WKP109B	440.0	441.0	0.09	<1
WKP109B	441.0	442.0	0.66	<1
WKP109B	442.0	443.0	0.27	2.0
WKP109B	443.0	444.0	0.10	<1
WKP109B	444.0	444.6	0.03	<1
WKP109B	444.6	445.5	0.06	<1
WKP109B	445.5	446.0	0.04	<1
WKP109B	446.0	447.0	0.08	<1
WKP109B	447.0	448.0	0.06	1.0
WKP109B	448.0	449.0	0.06	1.0
WKP109B	449.0	450.0	0.06	<1
WKP109B	450.0	451.0	0.05	<1
WKP109B	451.0	452.0	0.05	1.0
WKP109B	452.0	453.0	0.14	1.0
WKP109B	453.0	454.0	0.07	<1
WKP109B	454.0	455.0	0.06	1.0
WKP109B	455.0	455.8	0.14	3.0
WKP109B	455.8	456.4	0.07	<1
WKP109B	456.4	456.9	0.09	<1
WKP109B	456.9	458.0	0.10	<1
WKP109B	458.0	459.0	0.29	<1
WKP109B	459.0	460.2	0.04	<1
WKP109B	460.2	461.0	0.13	<1
WKP109B	461.0	461.6	0.08	<1
WKP109B	461.6	462.3	0.05	<1
WKP109B	462.3	463.0	0.04	<1
WKP109B	463.0	464.0	0.02	<1
WKP109B	464.0	465.0	0.03	<1
WKP109B	465.0	466.0	<0.01	1.0
WKP109B	466.0	467.0	0.06	20.0
WKP109B	467.0	468.0	0.04	1.0
WKP109B	468.0	469.0	0.03	<1
WKP109B	469.0	470.0	<0.01	<1
WKP109B	470.0	471.0	0.05	1.0
WKP109B	471.0	472.2	0.06	1.0
WKP109B	473.1	473.7	20.6*	57.0
WKP109B	473.7	474.8	62.0*	142.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109B	475.1	476.0	188.0*	505.0
WKP109B	476.3	477.3	50.2*	175.0
WKP109B	477.7	478.8	47.5*	141.0
WKP109B	478.8	479.4	2.95	8.0
WKP109B	479.4	479.7	7.32	15.0
WKP109B	479.7	480.3	20.4	15.0
WKP109B	480.3	480.9	3.14	7.0
WKP109B	480.9	481.8	31.4*	26.0
WKP109B	481.8	482.6	12.4	12.0
WKP109B	482.6	483.4	2.17	8.0
WKP109B	483.4	484.4	6.21	14.0
WKP109B	484.4	484.9	0.71	3.0
WKP109B	484.9	485.3	0.21	3.0
WKP109B	485.3	485.6	0.44	2.0
WKP109B	485.6	486.4	11.3	15.0
WKP109B	486.4	487.2	5.76	11.0
WKP109B	487.2	487.7	0.70	3.0
WKP109B	487.7	488.8	0.84	1.0
WKP109B	488.8	489.4	1.40	2.0
WKP109B	489.4	489.9	4.42	4.0
WKP109B	489.9	491.0	1.10	1.0
WKP109B	491.0	492.0	0.23	<1
WKP109B	492.0	493.0	0.23	<1
WKP109B	493.0	494.0	0.57	<1
WKP109B	494.0	495.0	0.20	<1
WKP109B	495.0	496.0	0.23	<1
WKP109B	496.0	496.8	0.27	<1
WKP109B	496.8	497.3	0.63	1.0
WKP109B	497.3	498.0	0.32	<1
WKP109B	498.0	498.6	0.20	<1
WKP109B	498.6	499.3	0.42	1.0
WKP109B	499.3	500.0	76.4*	49.0
WKP109B	500.0	501.3	0.66	<1
WKP109B	501.3	502.0	0.42	1.0
WKP109B	502.0	503.0	0.28	<1
WKP109B	503.0	504.0	0.68	2.0
WKP109B	504.0	505.0	0.30	1.0
WKP109B	505.0	506.0	0.15	<1
WKP109B	506.0	506.5	0.52	5.0
WKP109B	506.5	507.0	0.42	1.0
WKP109B	507.0	508.0	0.36	<1
WKP109B	508.0	508.4	0.18	1.0
WKP109B	508.4	508.8	0.41	1.0
WKP109B	508.8	510.0	0.31	<1
WKP109B	510.0	511.0	0.39	<1
WKP109B	511.0	512.0	0.37	<1
WKP109B	512.0	513.0	0.42	<1
WKP109B	513.0	514.0	0.55	1.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109B	514.0	515.0	0.39	2.0
WKP109B	515.0	516.0	0.35	1.0
WKP109B	516.0	517.0	0.16	<1
WKP109B	517.0	517.8	0.62	<1
WKP109B	517.8	518.4	0.23	<1
WKP109B	518.4	518.7	0.19	<1
WKP109B	518.7	519.0	0.30	<1
WKP109B	519.0	520.0	0.25	<1
WKP109B	520.0	521.0	0.21	<1
WKP109B	521.0	522.0	0.20	<1
WKP109B	522.0	523.0	0.44	<1
WKP109B	523.0	524.0	0.16	<1
WKP109B	524.0	525.0	0.32	<1
WKP109B	525.0	526.0	0.15	<1
WKP109B	526.0	527.0	0.28	<1
WKP109B	527.0	528.0	0.11	<1
WKP109B	528.0	528.7	0.13	<1
WKP109B	528.7	530.0	0.11	<1
WKP109B	530.0	531.0	0.07	<1
WKP109B	531.0	532.0	0.11	<1
WKP109B	532.0	533.0	0.11	<1
WKP109B	533.0	534.0	0.09	<1
WKP109B	534.0	535.0	0.10	<1
WKP109B	535.0	536.0	0.15	<1
WKP109B	536.0	537.0	0.43	<1
WKP109B	537.0	538.0	0.20	<1
WKP109B	538.0	539.0	0.40	<1
WKP109B	539.0	539.8	0.23	<1
WKP109C	270.0	270.8	0.03	<1
WKP109C	270.8	271.7	0.04	<1
WKP109C	271.7	272.7	0.03	<1
WKP109C	272.7	273.7	<0.01	<1
WKP109C	339.0	340.0	0.25	<1
WKP109C	340.0	341.0	0.19	1.0
WKP109C	341.0	342.0	0.11	<1
WKP109C	342.0	343.0	1.16	1.0
WKP109C	343.0	344.0	2.15	2.0
WKP109C	344.0	345.0	0.78	2.0
WKP109C	345.0	346.0	1.68	2.0
WKP109C	346.0	347.0	0.49	<1
WKP109C	347.0	348.0	0.72	<1
WKP109C	348.0	349.0	0.99	<1
WKP109C	349.0	350.0	0.31	<1
WKP109C	350.0	351.0	2.74	2.0
WKP109C	351.0	352.0	0.91	2.0
WKP109C	352.0	353.0	1.30	2.0
WKP109C	360.2	361.2	0.16	2.0
WKP109C	361.2	362.0	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109C	362.2	362.8	0.05	<1
WKP109C	362.8	363.8	0.05	<1
WKP109C	363.8	364.8	0.03	1.0
WKP109C	364.8	365.7	0.02	<1
WKP109C	365.7	366.7	0.01	1.0
WKP109C	366.7	368.0	<0.01	<1
WKP109C	368.0	369.0	0.02	<1
WKP109C	369.0	370.0	0.05	<1
WKP109C	370.0	371.0	<0.01	<1
WKP109C	371.0	372.0	<0.01	<1
WKP109C	372.0	373.0	<0.01	<1
WKP109C	373.0	374.0	0.01	<1
WKP109C	374.0	375.0	0.06	<1
WKP109C	375.0	376.0	<0.01	<1
WKP109C	376.0	377.0	0.07	<1
WKP109C	377.0	378.0	0.03	<1
WKP109C	378.0	379.0	0.04	<1
WKP109C	379.0	380.0	0.07	<1
WKP109C	380.0	381.0	0.04	<1
WKP109C	381.0	381.6	0.09	<1
WKP109C	381.6	382.2	0.34	<1
WKP109C	382.2	383.0	0.10	<1
WKP109C	383.0	384.0	0.05	<1
WKP109C	384.0	384.8	0.06	3.0
WKP109C	385.1	386.0	0.10	<1
WKP109C	386.0	387.0	0.06	<1
WKP109C	387.0	388.0	0.19	<1
WKP109C	388.0	389.2	0.27	<1
WKP109C	389.2	390.0	0.08	<1
WKP109C	390.0	391.0	0.25	<1
WKP109C	391.0	392.0	0.24	<1
WKP109C	392.0	393.0	0.11	<1
WKP109C	393.0	393.5	0.06	<1
WKP109C	393.5	394.2	0.09	<1
WKP109C	394.2	395.0	0.21	<1
WKP109C	395.0	396.0	0.03	<1
WKP109C	396.0	397.0	0.03	<1
WKP109C	397.0	398.0	0.02	<1
WKP109C	398.0	399.0	0.03	<1
WKP109C	399.0	400.0	0.03	<1
WKP109C	400.0	401.0	0.02	<1
WKP109C	401.0	402.0	0.02	<1
WKP109C	402.0	403.0	0.07	<1
WKP109C	403.0	404.0	0.28	1.0
WKP109C	404.0	405.0	0.30	2.0
WKP109C	405.0	406.0	0.13	1.0
WKP109C	406.0	407.0	0.04	<1
WKP109C	407.0	408.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109C	408.0	409.0	0.01	<1
WKP109C	409.0	410.0	0.01	3.0
WKP109C	410.0	411.0	0.01	<1
WKP109C	411.0	412.0	<0.01	<1
WKP109C	412.0	413.0	0.01	<1
WKP109C	413.0	414.0	0.03	<1
WKP109C	414.0	415.0	0.04	2.0
WKP109C	415.0	415.7	0.07	<1
WKP109C	415.7	416.0	0.04	<1
WKP109C	416.0	417.0	0.03	<1
WKP109C	417.0	418.2	0.05	<1
WKP109C	418.2	419.2	0.06	2.0
WKP109C	419.2	420.0	0.23	<1
WKP109C	420.0	420.8	0.36	1.0
WKP109C	420.8	421.1	1.64	1.0
WKP109C	421.1	422.0	1.21	1.0
WKP109C	422.0	422.9	1.25	2.0
WKP109C	422.9	423.8	0.77	<1
WKP109C	423.8	425.0	0.81	<1
WKP109C	425.0	425.9	0.70	<1
WKP109C	425.9	427.2	0.17	<1
WKP109C	427.2	428.0	0.06	<1
WKP109C	428.0	429.2	0.11	1.0
WKP109C	429.2	430.0	0.32	<1
WKP109C	430.0	431.0	0.23	<1
WKP109C	431.0	432.0	0.12	<1
WKP109C	432.0	433.0	0.12	<1
WKP109C	433.0	434.0	0.11	<1
WKP109C	434.0	435.0	0.07	<1
WKP109C	435.0	436.0	0.03	<1
WKP109C	436.0	437.0	0.03	<1
WKP109C	437.0	438.0	0.02	<1
WKP109C	438.0	439.0	0.04	<1
WKP109C	439.0	440.0	0.03	<1
WKP109C	440.0	441.0	0.03	<1
WKP109C	441.0	442.0	0.05	<1
WKP109C	442.0	443.0	0.09	<1
WKP109C	443.0	443.9	0.06	<1
WKP109C	443.9	444.2	0.83	6.0
WKP109C	444.2	445.3	0.06	<1
WKP109C	446.1	446.5	0.25	2.0
WKP109C	446.5	447.8	0.10	<1
WKP109C	447.8	448.6	0.51	4.0
WKP109C2	439.0	440.0	0.04	<1
WKP109C2	440.0	441.0	<0.01	<1
WKP109C2	441.0	442.0	0.04	<1
WKP109C2	442.0	443.0	0.02	<1
WKP109C2	443.0	444.0	0.01	<1



Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109C2	444.0	445.0	0.09	<1
WKP109C2	445.0	446.0	0.04	<1
WKP109C2	446.0	447.0	0.23	<1
WKP109C2	447.0	448.0	0.08	<1
WKP109C2	448.0	449.0	0.06	<1
WKP109C2	449.0	450.2	0.11	<1
WKP109C2	450.2	451.2	0.35	3.0
WKP109C2	451.2	452.0	0.61	<1
WKP109C2	452.0	452.8	0.74	2.0
WKP109C2	452.8	453.3	1.23	6.0
WKP109C2	453.3	454.1	10.90	55.0
WKP109C2	454.1	454.4	6.48	8.0
WKP109C2	454.4	454.8	228.0	570.0
WKP109C2	455.0	455.6	17.5*	52.0
WKP109C2	455.6	456.8	44.0*	97.0
WKP109C2	456.8	457.3	6.47	12.0
WKP109C2	457.3	458.1	38.40	94.0
WKP109C2	458.1	459.1	80.6*	94.0
WKP109C2	459.1	459.9	108.0*	186.0
WKP109C2	459.9	460.2	0.35	2.0
WKP109C2	460.2	461.1	3.34	7.0
WKP109C2	461.1	462.0	0.80	2.0
WKP109C2	462.0	462.7	0.21	<1
WKP109C2	462.7	463.0	0.26	1.0
WKP109C2	463.5	464.5	1.26	3.0
WKP109C2	464.5	465.1	0.66	4.0
WKP109C2	465.1	466.1	2.32	4.0
WKP109C2	466.1	466.9	0.48	14.0
WKP109C2	466.9	467.7	0.64	6.0
WKP109C2	467.7	468.6	0.23	2.0
WKP109C2	468.6	469.5	3.58	7.0
WKP109C2	469.5	470.3	1.58	9.0
WKP109C2	470.3	470.9	15.3	43.0
WKP109C2	470.9	471.6	5.96	33.0
WKP109C2	471.6	472.4	0.29	17.0
WKP109C2	472.4	473.0	0.42	2.0
WKP109C2	473.0	474.0	0.59	2.0
WKP109C2	474.0	474.7	0.65	3.0
WKP109C2	474.7	475.6	0.43	7.0
WKP109C2	475.6	476.4	0.53	2.0
WKP109C2	476.4	477.0	0.31	<1
WKP109C2	477.0	478.0	0.32	<1
WKP109C2	478.0	479.0	0.56	1.0
WKP109C2	479.0	479.5	0.28	<1
WKP109C2	479.5	480.4	1.56	3.0
WKP109C2	480.4	480.7	1.02	2.0
WKP109C2	480.7	481.0	0.31	<1
WKP109C2	481.0	482.0	0.36	1.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109C2	482.0	483.0	0.26	1.0
WKP109C2	483.0	484.0	0.47	11.0
WKP109C2	484.0	485.0	0.15	<1
WKP109C2	485.0	486.0	0.27	1.0
WKP109C2	486.0	487.0	0.28	1.0
WKP109C2	487.0	488.0	0.16	1.0
WKP109C2	488.0	489.0	0.05	<1
WKP109C2	489.0	490.0	0.10	<1
WKP109C2	490.0	491.0	0.08	<1
WKP109C2	491.0	492.0	0.20	<1
WKP109C2	492.0	493.0	0.28	<1
WKP109C2	493.0	494.0	0.13	<1
WKP109C2	494.0	495.0	0.08	<1
WKP109C2	495.0	496.0	0.04	<1
WKP109C2	496.0	497.0	0.21	<1
WKP109C2	497.0	498.0	0.13	1.0
WKP109C2	498.0	499.0	0.23	<1
WKP109C2	499.0	500.0	0.07	<1
WKP109C2	500.0	500.4	0.13	<1
WKP109C2	500.4	501.4	0.15	<1
WKP109C2	501.4	502.0	0.09	1.0
WKP109C2	502.0	503.0	0.09	<1
WKP109C2	503.0	504.0	0.23	<1
WKP109C2	504.0	505.0	0.17	<1
WKP109C2	505.0	506.0	0.13	<1
WKP109C2	506.0	507.0	0.10	<1
WKP109C2	507.0	508.0	0.04	<1
WKP109C2	508.0	509.0	0.11	<1
WKP109C2	509.0	510.0	0.15	<1
WKP109C2	510.0	510.5	0.07	<1
WKP109C2	510.5	511.5	0.16	<1
WKP109C2	511.5	512.0	0.08	<1
WKP109C2	512.0	513.0	0.14	<1
WKP109C2	513.0	514.0	0.36	<1
WKP109C2	514.0	515.0	0.13	<1
WKP109C2	515.0	516.0	0.12	<1
WKP109C2	516.0	517.0	0.09	<1
WKP109C2	517.0	518.0	0.06	<1
WKP109C2	518.0	519.0	0.07	<1
WKP109C2	519.0	520.0	0.06	<1
WKP109C2	520.0	521.0	0.02	<1
WKP109C2	521.0	522.0	0.12	<1
WKP109C2	522.0	523.0	0.14	1.0
WKP109C2	523.0	524.0	0.04	<1
WKP109C2	524.0	524.7	0.07	<1
WKP109D	322.0	323.2	0.04	<1
WKP109D	323.2	323.8	0.03	<1
WKP109D	346.9	347.2	0.03	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109D	392.0	393.0	0.04	<1
WKP109D	393.0	394.0	0.08	<1
WKP109D	394.0	395.0	0.02	<1
WKP109D	395.0	395.9	0.03	<1
WKP109D	396.4	397.0	0.07	<1
WKP109D	397.0	398.0	0.04	<1
WKP109D	398.0	398.8	0.06	<1
WKP109D	398.8	399.3	1.11	<1
WKP109D	399.3	399.7	1.03	<1
WKP109D	399.7	400.4	0.22	<1
WKP109D	400.4	401.0	0.15	<1
WKP109D	401.0	401.9	1.21	<1
WKP109D	401.9	403.0	0.33	<1
WKP109D	403.0	404.0	0.18	<1
WKP109D	404.0	405.0	0.12	<1
WKP109D	405.0	406.0	0.17	<1
WKP109D	406.0	407.0	0.16	<1
WKP109D	407.0	408.0	0.12	<1
WKP109D	408.0	409.0	0.14	<1
WKP109D	409.0	410.0	0.09	<1
WKP109D	410.0	411.0	0.05	<1
WKP109D	411.0	412.0	0.03	<1
WKP109D	412.0	413.0	0.04	<1
WKP109D	413.0	414.0	0.06	<1
WKP109D	414.0	415.0	0.07	<1
WKP109D	415.0	416.0	0.05	<1
WKP109D	416.0	417.0	0.07	<1
WKP109D	417.0	417.9	0.02	<1
WKP109D	417.9	418.5	0.05	<1
WKP109D	418.5	419.2	0.03	<1
WKP109D	419.2	419.8	0.02	<1
WKP109D	419.8	421.0	0.07	<1
WKP109D	421.0	421.9	<0.01	<1
WKP109D	421.9	422.8	<0.01	<1
WKP109D	422.8	424.0	<0.01	<1
WKP109D	424.0	425.0	<0.01	<1
WKP109D	425.0	425.9	<0.01	<1
WKP109D	425.9	426.3	<0.01	<1
WKP109D	426.3	427.0	<0.01	<1
WKP109D	427.0	428.0	<0.01	<1
WKP109D	428.0	429.0	<0.01	<1
WKP109D	429.0	430.0	0.01	<1
WKP109D	430.0	431.0	<0.01	<1
WKP109D	431.0	432.0	<0.01	<1
WKP109D	432.0	433.0	<0.01	<1
WKP109D	433.0	434.0	<0.01	<1
WKP109D	434.0	435.0	<0.01	<1
WKP109D	435.0	436.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109D	436.0	437.0	<0.01	<1
WKP109D	437.0	438.0	<0.01	<1
WKP109D	438.0	439.0	<0.01	<1
WKP109D	439.0	440.0	0.01	<1
WKP109D	440.0	440.9	0.02	<1
WKP109D	440.9	441.3	0.02	<1
WKP109D	441.3	442.0	0.01	<1
WKP109D	442.0	442.6	0.01	<1
WKP109D	442.6	443.5	0.01	<1
WKP109D	443.5	444.0	0.02	<1
WKP109D	444.0	445.0	<0.01	<1
WKP109D	445.0	446.0	0.01	<1
WKP109D	446.0	447.0	<0.01	<1
WKP109D	447.0	448.2	<0.01	<1
WKP109D	448.2	449.0	<0.01	<1
WKP109D	449.0	450.0	<0.01	<1
WKP109D	450.0	451.0	<0.01	<1
WKP109D	451.0	452.0	<0.01	<1
WKP109D	452.0	453.0	<0.01	<1
WKP109D	453.0	454.0	<0.01	<1
WKP109D	454.0	455.0	<0.01	<1
WKP109D	455.0	456.0	<0.01	<1
WKP109D	456.0	457.0	<0.01	<1
WKP109D	457.0	458.0	<0.01	<1
WKP109D	458.0	459.0	0.01	<1
WKP109D	459.0	460.0	0.01	<1
WKP109D	460.0	461.0	<0.01	<1
WKP109D	461.0	461.9	<0.01	<1
WKP109D	461.9	462.8	<0.01	<1
WKP109D	462.8	464.0	<0.01	<1
WKP109D	464.0	464.6	0.01	<1
WKP109D	464.6	465.0	<0.01	<1
WKP109D	465.0	466.0	<0.01	<1
WKP109D	466.0	467.0	<0.01	<1
WKP109D	467.0	468.0	<0.01	<1
WKP109D	468.0	469.0	<0.01	<1
WKP109D	469.0	470.0	<0.01	<1
WKP109D	470.0	471.0	0.01	<1
WKP109D	471.0	472.0	<0.01	<1
WKP109D	472.0	473.0	0.01	<1
WKP109D	473.0	474.0	<0.01	<1
WKP109D	474.0	475.0	<0.01	<1
WKP109D	475.0	476.0	<0.01	<1
WKP109D	476.0	477.0	<0.01	<1
WKP109D	477.0	478.0	<0.01	<1
WKP109D	478.0	479.0	<0.01	<1
WKP109D	479.0	480.0	0.02	<1
WKP109D	480.0	481.2	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109D	481.2	482.0	0.01	<1
WKP109D	482.0	483.0	0.02	<1
WKP109D	483.0	484.0	0.02	<1
WKP109D	484.0	485.0	<0.01	<1
WKP109D	485.0	486.0	<0.01	<1
WKP109D	486.0	487.0	0.01	<1
WKP109D	487.0	488.0	<0.01	<1
WKP109D	488.0	489.0	0.13	<1
WKP109D	489.0	490.0	0.01	<1
WKP109D	490.0	491.0	<0.01	<1
WKP109D	491.0	492.0	<0.01	<1
WKP109D	492.0	493.0	<0.01	<1
WKP109D	493.0	494.0	<0.01	<1
WKP109D	494.0	495.0	0.09	<1
WKP109D	495.0	496.0	0.02	<1
WKP109D	496.0	497.0	0.03	<1
WKP109D	497.0	498.0	0.02	<1
WKP109D	498.0	499.0	<0.01	<1
WKP109D	499.0	500.0	0.02	<1
WKP109D	500.0	501.0	0.03	<1
WKP109D	501.0	501.7	0.17	<1
WKP109D	501.7	502.4	0.71	2.0
WKP109D	502.4	503.4	0.97	4.0
WKP109D	503.4	504.0	0.49	2.0
WKP109D	504.0	505.0	0.33	2.0
WKP109D	505.0	506.0	0.32	2.0
WKP109D	506.0	507.0	0.10	<1
WKP109D	507.0	508.0	0.10	<1
WKP109D	508.0	508.7	0.10	<1
WKP109D	508.7	509.9	0.06	<1
WKP109D	509.9	510.3	0.48	<1
WKP109D	510.3	511.0	0.40	<1
WKP109D	511.0	512.0	0.03	<1
WKP109D	512.0	513.0	0.02	<1
WKP109D	513.0	514.0	0.05	<1
WKP109D	514.0	515.0	0.02	<1
WKP109D	515.0	515.3	0.03	<1
WKP109D	515.3	515.6	0.03	<1
WKP109D	515.6	516.3	0.04	<1
WKP109D	516.3	517.0	0.03	<1
WKP109D	517.0	518.0	0.02	<1
WKP109D	518.0	518.6	0.10	<1
WKP109D	518.6	519.6	0.27	3.0
WKP109D	519.6	520.1	0.17	2.0
WKP109D	520.1	521.0	0.03	<1
WKP109D	521.0	521.9	0.35	4.0
WKP109D	521.9	522.6	0.01	<1
WKP109D	522.6	523.3	0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP109D	523.3	524.0	<0.01	<1
WKP109D	524.0	525.0	0.03	<1
WKP109D	525.0	526.0	<0.01	<1
WKP109D	526.0	526.5	0.07	<1
WKP109D	526.5	527.0	<0.01	<1
WKP109D	527.0	528.0	<0.01	<1
WKP109D	528.0	529.0	<0.01	<1
WKP109D	529.0	530.0	<0.01	<1
WKP109D	530.0	531.0	0.10	<1
WKP109D	531.0	532.0	<0.01	<1
WKP109D	532.0	533.0	<0.01	<1
WKP109D	533.0	534.0	<0.01	<1
WKP109D	534.0	535.0	0.06	<1
WKP109D	535.0	536.0	<0.01	<1
WKP109D	536.0	537.0	<0.01	<1
WKP109D	537.0	538.0	<0.01	<1
WKP109D	538.0	539.0	<0.01	<1
WKP109D	539.0	540.0	<0.01	<1
WKP109D	540.0	541.0	<0.01	<1
WKP109D	541.0	541.4	<0.01	<1
WKP117	56.0	57.0	<0.01	<1
WKP117	57.0	58.0	<0.01	<1
WKP117	58.0	59.0	<0.01	<1
WKP117	59.0	60.0	<0.01	<1
WKP117	60.0	61.0	0.01	<1
WKP117	61.0	62.0	<0.01	<1
WKP117	62.0	63.0	<0.01	<1
WKP117	63.0	64.0	<0.01	<1
WKP117	64.0	65.0	<0.01	<1
WKP117	65.0	66.0	0.01	<1
WKP117	66.0	67.0	<0.01	<1
WKP117	67.0	68.0	<0.01	<1
WKP117	68.0	69.0	0.02	<1
WKP117	69.0	70.0	<0.01	<1
WKP117	70.0	71.0	0.01	<1
WKP117	71.0	72.0	<0.01	<1
WKP117	72.0	73.0	<0.01	<1
WKP117	73.0	74.0	<0.01	<1
WKP117	74.0	75.0	<0.01	<1
WKP117	75.0	76.0	<0.01	<1
WKP117	76.0	77.0	<0.01	<1
WKP117	77.0	78.0	<0.01	<1
WKP117	78.0	79.0	<0.01	<1
WKP117	79.0	80.0	<0.01	<1
WKP117	80.0	81.0	<0.01	<1
WKP117	81.0	82.0	<0.01	<1
WKP117	82.0	83.0	<0.01	<1
WKP117	83.0	84.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP117	84.0	85.0	<0.01	<1
WKP117	85.0	86.0	<0.01	<1
WKP117	86.0	87.0	<0.01	<1
WKP117	87.0	88.0	<0.01	<1
WKP117	88.0	89.0	<0.01	<1
WKP117	89.0	90.0	<0.01	<1
WKP117	90.0	91.0	<0.01	<1
WKP117	91.0	92.0	<0.01	<1
WKP117	92.0	93.0	<0.01	<1
WKP117	93.0	94.0	<0.01	<1
WKP117	94.0	95.0	<0.01	<1
WKP117	95.0	96.0	0.01	<1
WKP117	96.0	97.0	0.02	<1
WKP117	97.0	98.0	<0.01	<1
WKP117	98.0	99.0	<0.01	<1
WKP117	99.0	100.0	<0.01	<1
WKP117	100.0	101.0	<0.01	<1
WKP117	101.0	102.0	0.02	<1
WKP117	102.0	103.0	0.03	<1
WKP117	103.0	104.0	0.02	<1
WKP117	104.0	105.0	0.01	<1
WKP117	105.0	106.0	0.03	<1
WKP117	106.0	107.0	0.02	<1
WKP117	107.0	108.0	0.02	<1
WKP117	108.0	109.0	0.02	<1
WKP117	109.0	110.0	0.01	<1
WKP117	110.0	111.0	<0.01	<1
WKP117	111.0	112.0	0.02	<1
WKP117	112.0	113.0	0.02	<1
WKP117	113.0	114.0	0.02	<1
WKP117	114.0	115.0	0.02	<1
WKP117	115.0	116.0	0.02	<1
WKP117	116.0	117.0	0.03	<1
WKP117	117.0	118.0	0.02	<1
WKP117	118.0	119.0	0.03	<1
WKP117	119.0	119.9	0.03	<1
WKP117	119.9	120.3	0.01	<1
WKP117	120.3	121.3	0.04	<1
WKP117	121.3	122.0	0.06	<1
WKP117	122.0	123.0	0.02	<1
WKP117	123.0	124.0	0.02	<1
WKP117	124.0	125.0	<0.01	<1
WKP117	125.0	126.0	<0.01	<1
WKP117	126.0	127.0	0.01	<1
WKP117	127.0	128.0	<0.01	<1
WKP117	128.0	129.0	0.01	<1
WKP117	129.0	130.0	<0.01	<1
WKP117	130.0	131.0	<0.01	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP117	131.0	132.0	<0.01	<1
WKP117	132.0	133.0	<0.01	1.0
WKP117	133.0	134.0	0.07	<1
WKP117	134.0	135.0	0.02	<1
WKP117	135.0	136.0	0.01	<1
WKP117	136.0	137.0	<0.01	<1
WKP117	137.0	138.0	<0.01	<1
WKP117	138.0	139.0	0.02	<1
WKP117	139.0	140.0	<0.01	<1
WKP117	140.0	141.0	0.02	<1
WKP117	141.0	142.0	<0.01	<1
WKP117	142.0	143.0	0.02	<1
WKP117	143.0	144.0	0.02	<1
WKP117	144.0	145.0	0.02	<1
WKP117	145.0	146.0	<0.01	9.0
WKP117	146.0	147.0	<0.01	<1
WKP117	147.0	148.2	<0.01	<1
WKP117	148.2	149.4	0.02	<1
WKP117	149.4	150.3	0.01	<1
WKP117	150.3	151.1	0.01	<1
WKP117	151.1	152.0	0.01	<1
WKP117	152.0	152.7	0.02	<1
WKP117	152.7	153.0	0.01	<1
WKP117	153.0	154.0	0.01	<1
WKP117	154.0	155.0	0.01	<1
WKP117	155.0	156.0	0.01	<1
WKP117	156.0	157.0	<0.01	<1
WKP117	157.0	158.0	<0.01	<1
WKP117	158.0	159.0	<0.01	<1
WKP117	159.0	160.0	<0.01	<1
WKP117	160.0	161.1	<0.01	<1
WKP117	161.1	162.3	<0.01	<1
WKP117	162.3	163.5	<0.01	<1
WKP117	163.5	164.7	<0.01	<1
WKP117	164.7	165.9	<0.01	<1
WKP117	165.9	167.1	<0.01	<1
WKP117	167.1	168.3	<0.01	<1
WKP117	168.3	169.0	<0.01	<1
WKP117	169.0	170.0	<0.01	<1
WKP117	170.0	171.0	<0.01	<1
WKP117	171.0	171.7	<0.01	<1
WKP117	171.7	172.9	<0.01	<1
WKP117	172.9	174.0	<0.01	<1
WKP117	174.0	175.0	<0.01	<1
WKP117	175.0	176.0	<0.01	<1
WKP117	176.0	177.0	<0.01	<1
WKP117	177.0	178.0	<0.01	<1
WKP117	178.0	179.0	<0.01	<1



Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP117	179.0	180.0	0.01	1.0
WKP117	180.0	181.0	0.04	<1
WKP117	181.0	182.0	0.04	<1
WKP117	182.0	183.2	0.02	<1
WKP117	183.2	184.0	0.04	<1
WKP117	184.0	185.0	0.15	<1
WKP117	185.0	186.0	<0.01	<1
WKP117	186.0	187.0	0.05	<1
WKP117	187.0	188.0	0.03	<1
WKP117	188.0	189.0	0.05	<1
WKP117	189.0	190.0	0.16	<1
WKP117	190.0	191.2	0.03	<1
WKP117	191.8	193.0	<0.01	<1
WKP117	193.0	194.0	<0.01	<1
WKP117	194.0	195.0	0.02	<1
WKP117	195.0	196.0	0.03	<1
WKP117	196.0	197.0	0.02	<1
WKP117	197.0	198.0	<0.01	1.0
WKP117	198.0	199.1	0.01	<1
WKP117	199.1	200.3	0.03	<1
WKP117	200.3	201.0	0.06	1.0
WKP117	201.0	202.0	<0.01	1.0
WKP117	202.0	203.0	0.02	<1
WKP117	203.0	204.0	0.05	1.0
WKP117	204.0	205.0	0.06	<1
WKP117	205.0	206.0	<0.01	<1
WKP117	206.0	207.0	0.03	<1
WKP117	207.0	208.0	0.02	1.0
WKP117	208.0	209.0	<0.01	<1
WKP117	209.0	210.1	<0.01	<1
WKP117	210.1	211.0	0.02	<1
WKP117	211.0	212.0	0.02	<1
WKP117	212.0	213.0	0.02	<1
WKP117	213.0	214.0	0.04	<1
WKP117	214.0	214.9	0.02	2.0
WKP117	215.1	216.0	<0.01	<1
WKP117	216.0	217.0	0.02	<1
WKP117	217.0	218.0	0.04	<1
WKP117	218.0	219.0	0.02	<1
WKP117	219.3	220.1	0.02	<1
WKP117	221.7	222.9	0.02	<1
WKP117	222.9	224.0	<0.01	<1
WKP117	224.0	225.0	0.02	<1
WKP117	225.0	226.0	<0.01	<1
WKP117	226.0	227.0	<0.01	<1
WKP117	227.0	228.0	<0.01	<1
WKP117	228.2	229.2	<0.01	<1
WKP117	229.2	229.8	<0.01	1.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP117	229.8	231.0	<0.01	<1
WKP117	231.0	231.7	<0.01	<1
WKP117	231.7	232.9	<0.01	<1
WKP117	232.9	234.0	<0.01	<1
WKP117	234.0	235.0	<0.01	<1
WKP117	235.0	236.0	<0.01	<1
WKP117	236.0	237.0	<0.01	<1
WKP117	237.0	238.0	<0.01	<1
WKP117	238.0	239.0	<0.01	<1
WKP117	239.0	240.0	<0.01	<1
WKP117	240.0	241.0	<0.01	<1
WKP117	241.0	242.0	<0.01	<1
WKP117	242.0	243.0	<0.01	<1
WKP117	243.0	244.0	<0.01	1.0
WKP117	244.0	245.0	<0.01	<1
WKP117	245.0	246.0	<0.01	<1
WKP117	246.0	247.0	<0.01	<1
WKP117	247.0	248.0	<0.01	<1
WKP117	248.0	249.0	<0.01	<1
WKP117	249.0	250.0	0.01	<1
WKP117	250.0	251.0	0.06	<1
WKP117	251.0	252.0	0.02	1.0
WKP117	252.0	253.0	0.10	1.0
WKP117	253.0	254.0	0.46	3.0
WKP117	254.0	255.0	0.46	3.0
WKP117	255.0	256.0	0.50	4.0
WKP117	256.0	257.0	0.24	2.0
WKP117	257.0	258.0	0.18	2.0
WKP117	258.0	259.0	0.14	2.0
WKP117	259.0	260.0	0.11	1.0
WKP117	260.0	261.0	0.09	1.0
WKP117	261.0	262.0	0.08	1.0
WKP117	262.0	263.0	0.14	2.0
WKP117	263.0	264.0	0.10	<1
WKP117	264.0	265.0	0.11	1.0
WKP117	265.0	266.0	0.06	1.0
WKP117	266.0	267.0	0.11	2.0
WKP117	267.0	267.9	0.11	1.0
WKP117	267.9	268.8	0.13	2.0
WKP117	269.9	270.9	0.16	1.0
WKP117	270.9	271.6	0.06	1.0
WKP117	271.6	272.6	0.06	<1
WKP117	272.6	273.2	0.20	1.0
WKP117	273.2	273.8	0.05	<1
WKP117	273.8	274.5	0.10	<1
WKP117	274.5	275.6	0.07	<1
WKP117	275.6	276.3	0.08	<1
WKP117	276.3	277.0	0.21	1.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP117	277.0	278.0	0.11	9.0
WKP117	278.0	279.0	0.10	1.0
WKP117	279.0	279.7	0.10	<1
WKP117	280.7	281.5	0.07	<1
WKP117	282.0	283.0	0.09	<1
WKP117	283.0	284.2	0.10	1.0
WKP117	284.2	285.4	0.11	<1
WKP117	286.9	288.0	0.11	<1
WKP117	288.0	288.8	0.01	<1
WKP117	289.0	290.0	0.18	<1
WKP117	290.0	291.0	0.19	2.0
WKP117	291.0	292.0	0.14	<1
WKP117	292.0	293.0	0.19	<1
WKP117	293.0	294.0	0.26	<1
WKP117	294.0	295.1	0.16	<1
WKP117	295.1	296.0	0.10	<1
WKP117	296.0	297.2	0.18	<1
WKP117	297.2	298.0	0.10	<1
WKP117	298.0	298.8	0.11	<1
WKP117	298.8	300.0	0.22	<1
WKP117	300.0	301.0	0.09	<1
WKP117	301.0	302.0	0.15	<1
WKP117	302.0	303.0	0.18	<1
WKP117	303.0	304.0	0.17	<1
WKP117	304.0	305.0	0.07	<1
WKP117	305.0	306.0	0.07	<1
WKP117	306.0	307.0	0.09	<1
WKP117	307.0	308.0	0.08	<1
WKP117	308.0	309.0	0.04	<1
WKP117	309.0	310.0	0.02	<1
WKP117	310.0	311.0	0.01	<1
WKP117	311.0	312.0	0.02	<1
WKP117	312.0	313.0	0.02	<1
WKP117	313.0	314.0	0.02	<1
WKP117	314.0	315.0	<0.01	<1
WKP117	315.0	316.0	0.02	<1
WKP117	316.0	317.0	0.03	<1
WKP117	317.0	318.0	0.05	<1
WKP117	318.0	319.0	0.02	<1
WKP117	319.0	320.0	0.09	<1
WKP117	320.0	321.0	0.02	<1
WKP117	321.0	322.2	0.04	<1
WKP117	322.2	323.4	0.08	2.0
WKP117	323.4	324.2	0.07	1.0
WKP117	324.2	325.5	0.07	3.0
WKP117	325.9	327.0	0.13	50.0
WKP117	327.0	328.0	0.15	<1
WKP117	328.0	329.0	0.26	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP117	329.0	330.2	0.16	<1
WKP117	330.2	331.0	0.14	<1
WKP117	331.0	332.2	0.20	<1
WKP117	332.2	333.2	0.20	<1
WKP117	333.2	334.0	0.22	<1
WKP117	334.0	335.2	0.16	1.0
WKP117	335.2	335.7	0.12	<1
WKP117	336.1	336.4	0.09	8.0
WKP117	336.4	337.0	0.18	2.0
WKP117	337.0	338.0	0.15	<1
WKP117	338.0	339.2	0.08	1.0
WKP117	339.2	340.0	0.08	<1
WKP117	340.0	341.0	0.12	<1
WKP117	341.0	342.0	0.11	<1
WKP117	342.0	343.0	0.11	<1
WKP117	343.0	344.0	0.09	<1
WKP117	344.0	345.2	0.23	<1
WKP117	345.2	346.3	0.10	<1
WKP117	346.6	347.3	0.07	<1
WKP117	347.5	348.2	0.06	<1
WKP117	348.2	349.0	0.09	<1
WKP117	349.0	350.0	0.09	1.0
WKP117	350.0	351.0	0.07	<1
WKP117	351.0	352.0	0.19	1.0
WKP117	352.0	353.0	0.09	<1
WKP117	353.0	354.0	0.09	1.0
WKP117	354.0	355.0	0.09	<1
WKP117	355.0	356.0	0.09	<1
WKP117	356.0	357.0	0.10	<1
WKP117	357.0	358.0	0.12	1.0
WKP117	358.0	359.0	0.14	<1
WKP117	359.0	360.0	0.13	<1
WKP117	360.0	361.0	0.13	<1
WKP117	361.0	362.0	0.06	<1
WKP117	362.0	362.7	0.06	<1
WKP117	363.2	364.0	0.13	<1
WKP117	364.0	365.0	0.12	1.0
WKP117	365.0	366.0	0.10	1.0
WKP117	366.0	367.0	0.10	<1
WKP117	367.0	368.0	0.14	<1
WKP117	368.0	369.0	0.13	<1
WKP117	369.0	370.0	0.13	<1
WKP117	370.0	371.2	0.16	<1
WKP117	371.2	372.0	0.15	<1
WKP117	372.0	373.0	0.09	<1
WKP117	373.0	374.0	0.11	<1
WKP117	374.0	375.0	0.14	<1
WKP117	375.0	376.0	0.13	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP117	376.0	377.2	0.17	1.0
WKP117	377.2	378.0	0.40	1.0
WKP117	378.0	379.2	0.36	1.0
WKP117	379.2	380.0	0.15	<1
WKP117	380.0	381.0	0.60	<1
WKP117	381.0	382.0	0.26	<1
WKP117	382.0	382.6	0.18	1.0
WKP117	382.6	383.8	0.13	1.0
WKP117	383.8	384.8	0.26	<1
WKP117	384.8	385.4	0.25	<1
WKP117	385.4	385.7	0.10	<1
WKP118	64.2	65.2	0.01	<1
WKP118	65.2	65.8	0.18	1.0
WKP118	65.8	67.0	0.03	<1
WKP118	103.0	103.7	0.22	<1
WKP118	103.7	104.0	0.73	1.0
WKP118	104.0	105.0	0.40	1.0
WKP118	107.0	107.8	0.31	7.0
WKP118	107.8	108.6	45.9	181.0
WKP118	108.6	109.2	0.40	9.0
WKP118	112.0	112.8	0.02	<1
WKP118	112.8	113.1	0.34	2.0
WKP118	113.1	113.7	0.25	1.0
WKP118	126.0	127.0	1.59	2.0
WKP118	127.0	127.3	2.19	7.0
WKP118	127.3	128.4	0.87	2.0
WKP118	128.4	128.9	1.63	6.0
WKP118	128.9	130.0	0.23	2.0
WKP118	131.8	132.5	0.42	2.0
WKP118	132.5	132.8	0.57	3.0
WKP118	132.8	133.9	0.14	2.0
WKP118	134.8	135.9	0.19	1.0
WKP118	135.9	136.3	4.36	11.0
WKP118	136.3	136.9	0.42	1.0
WKP118	136.9	137.6	3.35	15.0
WKP118	137.6	138.8	1.00	5.0
WKP118	138.8	139.8	0.32	1.0
WKP118	139.8	140.9	3.18	17.0
WKP118	140.9	142.0	0.18	1.0
WKP118	143.4	144.2	0.59	3.0
WKP118	144.2	144.6	0.80	3.0
WKP118	144.6	145.8	0.15	2.0
WKP118	146.8	147.8	0.15	<1
WKP118	147.8	148.1	5.82	12.0
WKP118	148.1	148.6	0.63	4.0
WKP118	148.6	149.1	0.37	<1
WKP118	149.1	150.0	0.31	1.0
WKP118	152.0	153.1	0.10	1.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP118	153.1	153.7	1.32	10.0
WKP118	153.7	154.9	0.66	4.0
WKP118	154.9	156.1	2.18	6.0
WKP118	156.1	156.5	0.14	1.0
WKP118	156.5	157.2	0.15	<1
WKP118	157.2	157.7	0.71	4.0
WKP118	157.7	158.5	21.7	82.0
WKP118	158.5	159.2	10.7	50.0
WKP118	169.1	169.5	0.29	5.0
WKP118	169.5	170.0	0.12	1.0
WKP118	170.0	171.0	0.11	<1
WKP118	171.0	171.3	1.31	9.0
WKP118	176.7	177.1	83.6	242.0
WKP118	182.3	182.6	0.65	3.0
WKP118	183.1	183.5	7.84	10.0
WKP118	185.4	185.7	0.25	<1
WKP118	190.4	190.8	4.29	15.0
WKP118	193.5	194.2	4.39	25.0
WKP118	194.2	195.2	2.36	5.0
WKP118	232.3	232.7	0.44	2.0
WKP118	236.3	236.8	0.10	<1
WKP118	244.6	244.9	0.05	<1
WKP118	247.3	247.7	0.48	2.0
WKP118	255.1	255.7	0.53	1.0
WKP118	264.4	264.7	2.72	4.0
WKP118	266.3	266.8	3.95	4.0
WKP118	267.3	267.6	0.37	<1
WKP118	270.4	270.8	0.40	2.0
WKP118	280.7	281.0	2.66	5.0
WKP118	312.0	313.0	0.16	<1
WKP118	313.0	314.0	0.09	1.0
WKP118	314.0	361.3	awaited	
WKP118	361.3	362.0	0.08	<1
WKP118	362.0	363.0	0.57	1.0
WKP118	370.0	371.0	1.07	2.0
WKP118	371.0	371.5	12.1	9.0
WKP118	371.5	372.5	0.09	<1
WKP118	376.0	377.0	0.08	<1
WKP118	377.0	378.0	0.07	<1
WKP118	378.0	379.0	0.04	<1
WKP118	380.0	380.6	0.03	<1
WKP118	380.6	381.0	0.05	<1
WKP118	381.0	382.0	0.06	<1
WKP118	390.0	391.0	0.08	<1
WKP118	391.0	391.3	0.13	<1
WKP118	391.3	392.0	0.13	<1
WKP118	397.0	398.0	0.25	<1
WKP118	398.0	399.0	0.13	<1

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP118	399.0	400.0	0.10	<1
WKP118	400.0	401.0	0.10	<1
WKP118	401.0	402.0	0.10	<1
WKP118	402.0	402.9	0.18	<1
WKP118	402.9	404.0	0.10	<1
WKP118	404.0	405.0	0.06	<1
WKP118	405.0	406.0	0.08	<1
WKP118	406.0	407.0	0.12	<1
WKP118	407.0	407.5	0.13	<1
WKP118	407.5	407.8	0.25	<1
WKP118	407.8	409.0	0.12	<1
WKP118	409.0	410.0	0.08	<1
WKP118	410.0	411.0	0.04	<1
WKP118	411.0	412.0	0.10	<1
WKP118	412.0	413.0	0.16	<1
WKP118	413.0	414.0	0.13	<1
WKP118	414.0	415.0	0.10	<1
WKP118	415.0	416.0	0.27	<1
WKP118	416.0	433.0	awaited	
WKP118	433.0	434.0	0.26	<1
WKP118	434.0	435.0	0.30	1.0
WKP118	435.0	436.0	0.14	<1
WKP118	436.0	437.0	0.26	1.0
WKP118	437.0	438.0	0.18	<1
WKP118	438.0	439.2	0.21	1.0
WKP118	439.2	440.4	0.29	<1
WKP118	440.4	441.3	0.30	<1
WKP118	441.3	442.3	0.24	2.0
WKP118	442.3	443.1	0.17	<1
WKP118	443.1	443.8	0.22	<1
WKP118	443.8	445.0	0.35	<1
WKP118	445.0	446.0	0.30	<1
WKP118	446.0	447.0	0.17	<1
WKP118	447.0	448.0	0.17	<1
WKP118	448.0	449.1	0.12	<1
WKP118	449.1	450.0	0.48	1.0
WKP118	450.0	461.6	awaited	
WKP118	461.6	462.2	0.97	4.0
WKP118	462.2	463.1	405.0	1030.0
WKP118	463.1	463.5	122.0	320.0
WKP118	463.5	463.9	8.23	17.0
WKP118	463.9	464.8	61.9	50.0
WKP118	464.8	465.4	108.0	114.0
WKP118	465.4	466.2	23.3	15.0
WKP118	466.2	466.9	14.1	9.0
WKP118	466.9	467.9	2.02	3.0
WKP118	467.9	468.4	25.4	18.0
WKP118	468.4	469.5	112.0	453.0

Hole ID	From (m)	To (m)	Au (g/t) FA * Screen FA	Ag (g/t)
WKP118	469.5	470.3	6.10	13.0
WKP118	470.3	471.1	8.36	6.0
WKP118	471.1	472.2	5.61	5.0
WKP118	472.2	473.1	2.55	6.0
WKP118	473.1	473.8	67.0	96.0
WKP118	473.8	474.6	44.7	61.0
WKP118	474.6	475.2	13.4	8.0
WKP118	475.2	475.7	5.33	3.0
WKP118	475.7	476.6	1.13	3.0
WKP118	476.6	477.2	1.29	<1
WKP118	477.2	477.9	0.57	2.0